1296Y
F

# FORTY-NINTH
# DETAILED ANNUAL REPORT

OF THE

# REGISTRAR-GENERAL

OF

# BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1903.]

Presented to both Houses of Parliament by Command of His Majesty.

WELLCOME INSTITUTE LIBRARY
Coll. welMOmec
Call Ser
No. WA

GLASGOW:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY JAMES HEDDERWICK & SONS LIMITED,
AT THE "CITIZEN" PRESS, ST. VINCENT PLACE.

And to be purchased, either directly or through any Bookseller, from
OLIVER & BOYD, EDINBURGH; or
WYMAN & SONS, LTD., FETTER LANE, E.C., and
32 ABINGDON STREET, WESTMINSTER, S.W.; or
E. PONSONBY, 116 GRAFTON STREET, DUBLIN.

1906.

[Cd. 2794.] *Price* 2*s.* 9*d.*

# REPORT.

TO THE MOST HONOURABLE

THE MARQUESS OF LINLITHGOW, K.T.,

*His Majesty's Secretary for Scotland.*

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

EDINBURGH, *5th December*, 1905.

MY LORD,

I HAD the honour in 1904, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict., cap. 80, to transmit to your predecessor in office, the Right Honourable Andrew Graham Murray, K.C., M.P., now Lord Dunedin, as His Majesty's Secretary for Scotland, General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1903, along with the usual Explanation and Commentary.

At the same time my Thirty-ninth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict., cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births, Deaths, and Marriages registered in Scotland during the same year (1903).

I have the honour to be,

MY LORD,

Your most obedient Servant,

STAIR AGNEW,

*Registrar-General.*

# CONTENTS.


| | PAGE. |
|---|---|
| REPORT BY THE REGISTRAR-GENERAL TO THE SECRETARY FOR SCOTLAND, | iii |
| REPORT BY DR. DUNLOP TO THE REGISTRAR-GENERAL, | ix |
| On Population, | ix |
| On Births, | x |
| On Marriages, | xiii |
| On Deaths, | xviii |
| On Causes of Death, | xxii |
| On Influence of Weather on Mortality, | xxvii |


## APPENDIX TABLES.


| | | |
|---|---|---|
| Table 1. | Births, Deaths, and Marriages in Scotland, and Equivalent Rates, 1855–1903, | xlii |
| ,, 2. | Births, Deaths, and Marriages in Five Groups of Registration Districts, 1855–1903, | xliii |
| ,, 3. | Birth-, Death-, and Marriage-Rates in Five Groups of Registration Districts, 1855–1903, | xliv |
| ,, 4. | Births, Deaths, and Marriages in Principal Towns, | xlv |
| ,, 5. | Births, Deaths, and Marriages in Counties, | xlvi |
| ,, 6. | Illegitimacy in Scotland, in the Counties and Principal Towns, | xlvii |
| ,, 7. | Births in Scotland since 1855, | xlviii |
| ,, 8. | Marriages according to Religious Denominations in Scotland, and in the Counties and Principal Towns, | xlix |
| ,, 9. | Marriages in Scotland according to each Denomination since 1855, | l |
| ,, 10. | Percentage of Marriages according to Religious Denominations since 1855, | li |
| ,, 11. | Ages of Persons Married, | lii |
| ,, 12. | Percentage of Persons Married in Age-Periods, | liii |
| ,, 13. | Ages of Persons Married since 1855, | liii |
| ,, 14. | Marriages since 1855, | liv |
| ,, 15. | Marriage-Rates, etc., since 1855, | lv |
| ,, 16. | Marriages in the Counties, and in Edinburgh and Glasgow, | lvi |
| ,, 17. | Deaths in Scotland and in its Five Groups of Registration Districts since 1855, | lvii |

PAGE.

Table 18. Death-Rates in Scotland and in its Five Groups of Registration Districts since 1855, . . . . . lviii

,, 19. Corrected Death-Rates in Counties and Principal Towns, . . . . lix

,, 20. Deaths in Principal Towns, 1893–1903, . . . . . lx

,, 21. Death-Rates in Principal Towns, 1893–1903, . . . . . lx

,, 22. Ages at Death in Scotland and in the Groups of Registration Districts, . . lx

,, 23. Death-Rates at various Age-Periods in Scotland and in the Groups of Registration Districts, . . . . . lxi

,, 24. Percentage of Deaths at Age-Periods, . . . . . lxi

,, 25. Percentage of Deaths at Age-Periods since 1893, . . . . . lxii

,, 26. Deaths at different Ages in Principal Towns, . . . . . lxiii

,, 27. Death-Rates at various Age-Periods in Principal Towns, . . . . lxiii

,, 28. Infantile Mortality in Counties and Principal Towns, . . . . lxiv

,, 29. Infantile Mortality in Scotland, 1855–1903, . . . . . lxv

,, 30. Deaths at Age-Periods from certain Causes in Scotland, . . . . lxvi

,, 31. Death-Rates from certain Causes in Scotland and in the Groups of Registration Districts, . . . . . lxviii

,, 32. Proportion of Total Deaths from certain Causes in Scotland and in the Groups of Registration Districts, . . . . . lxx

,, 33. Death-Rates from certain Causes in Principal Towns, . . . . lxxii

,, 34. Proportion of Deaths from certain Causes in Principal Towns, . . . lxxiii

,, 35. Deaths in Scotland from the Principal Epidemic and certain other Diseases in each of the Years 1855–1903, . . . . . lxxiv

,, 36. Death-Rate per 100,000 of the Population from the Principal Epidemic and certain other Diseases, 1855–1903, . . . . . lxxv

,, 37. Deaths from Influenza during each Month of the Year 1903, . . . lxxvi

,, 38. Deaths from Malignant Disease, classified according to Age and part of the Body affected, . . . . . lxxviii

,, 39. Deaths from Suicide, showing Methods by which it was accomplished, . . lxxx

,, 40. Certified and Uncertified Deaths in Counties and Towns. . . . . lxxxii

,, 41. Vaccination Returns for the several Counties of Scotland, 1903 . . . lxxxiii

,, 42. Vaccination Returns since 1893, . . . . . lxxxiv

,, 43. Vaccination Returns since 1893, with deduction of the number of children who died before Vaccination, . . . . . lxxxiv

,, 44. Distribution of Deaths throughout the Year, . . . . . lxxxv

,, 45. Meteorology of Scotland, 1903, . . . . . lxxxvi

,, 46. Weather and Deaths from certain Causes, . . . . . lxxxvii

,, 47. Weather and Weekly Death-Rates, . . . . . lxxxvii

,, 48. Monthly Deaths at Four Age-Periods, . . . . . lxxxviii

,, 49. Monthly Deaths at Four Age-Periods, corrected, . . . . . lxxxviii

# ABSTRACTS.

PAGE.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1903, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1891 and 1901, the Excess of Births over Deaths, and the Area in Square Miles of each County, . . . . . 1

Tables of the Population in 1891 and 1901, and of the Births, Deaths, and Marriages during the year 1903, also of the Illegitimate Births in every Registration District, . . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1903; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Mark, . . . . . 24

Table of the Civil Condition of the parties who married in 1903; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of the Men who married in Scotland and its Counties in 1903, . . 26

Table of the Ages of the Women who married in Scotland and its Counties in 1903, . . 28

DEATHS.

Deaths in 1903 at different age-periods, in Scotland, in the Groups of Districts, and in the Counties and Principal Towns; together with the Population in 1891 and in 1901—
Both Sexes . . . . . 30
Males, . . . . . 32
Females, . . . . . 34

Deaths in 1903 at different age-periods, in each of the Large Town Districts, and in the Small Town Districts of the Counties of Scotland—
Both Sexes, . . . . . 36
Males, . . . . . 38
Females, . . . . . 40

Deaths in 1903 at different age-periods, in the Mainland-Rural and in the Insular-Rural Districts of Scotland—
Both Sexes, . . . . . 42
Males, . . . . . 44
Females, . . . . . 46

Summary Table of the Causes of Death in each County in 1903—
Males, . . . . . 48
Females, . . . . . 49

Summary Table of the Causes of Death in each of the Principal Towns in 1903—
Males, . . . . . 68
Females, . . . . . 69

Summary Table of the Causes of Death in each of the Large Town Districts in 1903—
Males, . . . . . 78
Females, . . . . . 79

Summary Table of the Causes of Death in the Small Town Districts of each County in 1903—
Males, . . . . . 98
Females, . . . . . 99

Summary Table of the Causes of Death in the Mainland-Rural Districts in 1903—
Males, . . . . . 118
Females, . . . . . 119

Summary Table of the Causes of Death in the Insular-Rural Districts in 1903—
Males and Females, . . . . . 138

Causes of Death in Scotland at different Periods of Life—
Males . . . . . 144
Females, . . . . . 145

PAGE.

Causes of Death in the Principal Town Districts at different Periods of Life—
Males, . . . . . 164
Females, . . . . . 165

Causes of Death in the Large Town Districts at different Periods of Life—
Males, . . . . . 184
Females, . . . . . 185

Causes of Death in the Small Town Districts at different Periods of Life—
Males, . . . . . 204
Females, . . . . . 205

Causes of Death in the Mainland-Rural Districts at different Periods of Life—
Males, . . . . . 224
Females, . . . . . 225

Causes of Death in the Insular-Rural Districts at different Periods of Life—
Males, . . . . . 244
Females, . . . . . 245

Causes of Death in Glasgow at different Periods of Life— { Males, . . . 264 / Females, . . . 265

Causes of Death in Edinburgh at different Periods of Life— { Males, . . . 284 / Females, . . . 285

Causes of Death in Dundee at different Periods of Life— { Males, . . . 304 / Females, . . . 305

Causes of Death in Aberdeen at different Periods of Life— { Males, . . . 324 / Females, . . . 325

Causes of Death in Govan at different Periods of Life— { Males, . . . 344 / Females, . . . 345

Causes of Death in Paisley at different Periods of Life— { Males, . . . 364 / Females, . . . 365

Causes of Death in Leith at different Periods of Life— { Males, . . . 384 / Females, . . . 385

Causes of Death in Greenock at different Periods of Life— { Males, . . . 404 / Females, . . . 405

Causes of Death in Partick at different Periods of Life— { Males, . . . 424 / Females, . . . 425

Causes of Death in Coatbridge at different Periods of Life— { Males, . . . 444 / Females, . . . 445

Causes of Death in Kilmarnock at different Periods of Life— { Males, . . . 464 / Females, . . . 465

Causes of Death in Kirkcaldy at different Periods of Life— { Males, . . . 484 / Females, . . . 485

Causes of Death in Perth at different Periods of Life— { Males, . . . 504 / Females, . . . 505

Causes of Death in Hamilton at different Periods of Life— { Males, . . . 524 / Females, . . . 525

Causes of Death in Motherwell at different Periods of Life— { Males, . . . 544 / Females, . . . 545

---

Constitution of the Compound Districts, . . . . . 564

List of Registration Districts which include Burghs, or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, . . . . . 566

Districts, Index to, . . . . . 568

# REPORT TO THE REGISTRAR-GENERAL,

BY JAMES CRAUFURD DUNLOP, M.D., F.R.C.P. (EDIN.).

SIR,

I have the honour to submit the Detailed Report regarding the Births, Deaths, and Marriages registered in Scotland during the year ending 31st December 1903.

## POPULATION.

The population of Scotland as enumerated on the Census day 1901 was 4,472,103—of whom 2,173,755 were males and 2,298,348 females. The population at the previous Census, 1891, was 4,025,647—of whom 1,942,717 were males and 2,082,930 females. By comparing the Census population of 1901 with that of 1891 it is found that there had been an annual increase at the rate of 1·130 per cent. of the males and 0·989 per cent. of the females. It is assumed that these rates of increase have been maintained since the latter Census, and it is estimated that the population of Scotland in the middle of the year 1903 amounted to 4,579,223, of whom 2,229,414 were males and 2,349,809 were females.

The population is for the purposes of this Report divided into five groups of Registration Districts—Principal Town Districts, which contain those towns which on the last Census day had a population of over 30,000; Large Town Districts, which include those towns which on Census day had a population of between 10,000 and 30,000; Small Town Districts, which contain towns which on Census day had a population of between 2000 and

TABLE I.—Population of Scotland, in its Five Groups of Districts, by the Censuses of 1891 and 1901, and estimated to the middle of 1903.

| Five Groups of Districts. | Census 1891. | | | Census 1901. | | | Estimated to 30th June 1903. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Principal Town | 800,032 | 872,732 | 1,672,764 | 942,139 | 1,014,422 | 1,956,561 | 978,273 | 1,050,082 | 2,028,355 |
| Large Town | 245,476 | 261,317 | 506,793 | 283,095 | 295,799 | 578,894 | 291,469 | 303,276 | 594,745 |
| Small Town | 380,744 | 408,578 | 789,322 | 437,571 | 459,309 | 896,880 | 450,195 | 470,265 | 920,460 |
| Mainland-Rural | 458,815 | 474,560 | 933,375 | 455,898 | 467,201 | 923,099 | 454,994 | 465,461 | 920,455 |
| Insular-Rural | 57,650 | 65,743 | 123,393 | 55,052 | 61,617 | 116,669 | 54,483 | 60,725 | 115,208 |
| SCOTLAND | 1,942,717 | 2,082,930 | 4,025,647 | 2,173,755 | 2,298,348 | 4,472,103 | 2,229,414 | 2,349,809 | 4,579,223 |

10,000; Mainland Rural Districts, which include all mainland Scotland not included in the Principal, Large or Small Town Districts; and Insular-Rural Districts, which include all the insular portion of Scotland not included in the Small Town Districts. The census and estimated populations of these groups of districts are shown in Table I. The population of the Principal Town Districts is estimated at 2,028,355, of whom 978,273 are males and 1,050,082 females; that of the Large Town Districts is estimated at 594,745, of whom 291,469 are males and 303,276 are females; that of the Small Town Districts at 920,460, of whom 450,195 are males and 470,265 are females; that of the Mainland-Rural at 920,455, of whom 454,994 are males and 465,461 are females; and that of the Insular-Rural at 115,208, of whom 54,483 are males and 60,725 are females.

The estimated population of each of the counties may be seen in Table 5, and of each of the Principal Towns in Table 4.

The population of Scotland is estimated to be 47,924 more than in 1902. The excess of births over deaths was 57,523. The difference between these figures may be taken as the probable effect of emigration and immigration.

## BIRTHS.

During the year 1903 there were registered in Scotland the births of 133,525 living children. This is the largest number of births ever registered in this Office in one year; it is 1258 more than the number in the previous year, 1902, and 4178 more than the average number of births registered during the last ten years.

The birth-rate per thousand of the estimated population is found to be 29·159. This rate is 0·031 less than that of the previous year, and 0·768 less than the mean of the rates of the last ten years. It is the smallest birth-rate recorded in the annual reports of this Office. The birth-rate of Scotland has in seven years only been below 30 per thousand; the previous smallest recorded was in 1902, when it was 29·190, but the rate for this year is 0·031 less than that.

The births registered in the Principal Town Districts numbered 62,006, and the birth-rate in them was 30·57; the births in the Large Town Dis-

TABLE II.—Birth-rate in Scotland and in its Groups of Registration Districts in 1903.

| DISTRICTS. | Estimated Number of Women aged 15–45. | Births. | Birth-rate per 1000 of Population. | | Birth-rate per 1000 Women aged 15–45. | |
|---|---|---|---|---|---|---|
| | | | Rate. | Relative Quantity, Scotland being=100. | Rate. | Relative Quantity, Scotland being=100. |
| SCOTLAND . | 1,106,720 | 133,525 | 29·16 | 100 | 120·6 | 100 |
| Principal Town | 524,965 | 62,006 | 30·57 | 104·8 | 118·1 | 97·9 |
| Large Town | 142,404 | 18,623 | 31·31 | 107·4 | 123·8 | 102·6 |
| Small Town | 214,222 | 26,933 | 29·26 | 100·3 | 125·7 | 104·2 |
| Mainland-Rural | 200,178 | 23,471 | 25·50 | 97·7 | 117·3 | 97·3 |
| Insular-Rural | 24,951 | 2,492 | 21·63 | 74·2 | 99·9 | 82·8 |

tricts numbered 18,623, and the birth rate in them was 31·31; the births in the Small Town Districts numbered 26,933, and the birth-rate in them was 29·26; the births in the Mainland-Rural Districts numbered 23,471, and the birth-rate in them was 25·50; the births in the Insular-Rural Districts numbered 2492, and the birth-rate in them was 21·63. In the Principal Town Districts the birth-rate was 0·04 less than in the previous year; in the Large Town Districts 0·27 more than in the previous year; in the Small Town Districts 0·37 less; in the Mainland-Rural Districts 0·10 more; and in the Insular-Rural Districts 0·31 less. Thus the birth-rate in the Large Town Districts and in the Mainland-Rural Districts was slightly more than in the previous year; in each of the other groups of districts it was less.

Comparing the number of births to the estimated number of women of child-bearing age, 15 to 45, it is found that the highest rate is in the Small Town Districts, where this rate amounted to 125·7 per thousand such women, and the lowest was in the Insular-Rural Districts, where it was 99·9 per thousand. In the Large Town Districts it was 123·8; in the Principal Town Districts 118·1; and in the Mainland-Rural Districts 117·3. This rate for Scotland is 120·6, which is the same as it was in the previous year. The rate in the Principal Town Districts is 0·1 more than in the previous year; in the Large Town Districts 5·5 less; in the Small Town Districts 1·3 less; in the Mainland-Rural Districts 0·6 more; and in the Insular-Rural Districts 1·3 less.

The rate by both calculations is greater than that of Scotland in Large and Small Town Districts, and less by both calculations in the two rural groups of districts. In the Principal Town Districts it is higher than that of Scotland when expressed per thousand of the population, but lower when expressed per thousand women of child-bearing age.

In the divisions of the counties the birth-rate ranged from 33·02 in the South-Western, and 28·11 in the North-Eastern; to 21·82 in the Northern, and 21·80 in the North-Western. In the West-Midland it was 27·97; in the South-Eastern 26·99; in the East-Midland 26·33; and in the Southern 23·97. The birth-rates in the counties ranged from 35·45 in Linlithgow, 34·31 in Lanark, and 31·57 in Stirling; to 18·39 in Bute, 19·66 in Argyll, and 19·67 in Orkney. In 5 counties the birth-rate was over thirty; in 10 counties it was between twenty-five and thirty; in 15 counties between twenty and twenty-five; in 3 counties it was less than twenty. In the previous year 5 had a rate of over thirty; 11 a rate of between twenty-five and thirty; 13 a rate of between twenty and twenty-five; and 3 a birth-rate of less than twenty per thousand.

The birth-rate in the principal towns ranged from 38·82 in Coatbridge, 38·53 in Hamilton, and 37·73 in Motherwell; to 24·39 in Perth, 24·71 in Edinburgh, and 26·26 in Kirkcaldy. In Govan it was 36·30; in Partick 34·48; in Glasgow 31·93; in Aberdeen 31·01; in Paisley 29·91; in Leith 29·90; in Kilmarnock 29·86; in Greenock 29·56; and in Dundee 29·15. Of the principal towns, 7 have a birth-rate of more than thirty per thousand; 6 have one of between twenty-five and thirty; and 2 have one of between twenty and twenty-five.

Of the total births, 68,087 were of male children, and 65,438 of female children; thus for each 100 female born there were 104·0 male children born. The birth-rate of male children per thousand of the male population was 30·54, and of female children per thousand of the female population 27·85.

Of the total births, 8295, or 6·21 per cent., were illegitimate. This is the smallest proportion of the total births to be illegitimate ever recorded in the reports of this Office; it is 0·07 less than the proportion for the previous year, which was the smallest previously recorded. The steady decline of this illegitimate rate which has previously been remarked on in these reports has continued; previous to 1873, earlier years of registration excepted, more than 9 per cent. of the births were illegitimate; from 1873 to 1888 more than 8 per cent. were illegitimate; from 1889 to 1897 more than 7 per cent. were illegitimate; since 1898 less than 7 per cent. of the births have been illegitimate.

In the groups of registration districts this illegitimate rate ranged from 8·46 in the Mainland-Rural to 4·69 in the Large Town Districts. In the Principal Town Districts it was 6·07, in the Small Town Districts 5·70, and in the Insular-Rural Districts 5·46. Of the divisions of the counties, the North-Eastern, 11·06, and the Southern, 10·86, had the highest rates; while the West-Midland, 4·41, and the South-Western, 5·03, had the lowest. In the counties this rate ranged from 12·67 in Elgin, 12·39 in Wigtown, 11·86 in Banff, and 11·12 in Aberdeen; to 1·68 in Shetland, 3·63 in Dumbarton, and 3·64 in Sutherland. In 9 counties this rate was less than five per cent., in 17 counties between five and ten per cent., in 7 counties it was more than ten per cent. In the principal towns this rate ranged from 8·74 in Dundee and 8·37 in Aberdeen, to 2·46 in Motherwell and 3·37 in Partick. In Edinburgh it was 7·63; in Perth 6·72; in Glasgow 6·19; in Kirkcaldy 5·31; in Paisley 4·90; in Greenock 4·45; in Leith 4·16; in Govan 3·48; in Kilmarnock 3·48; in Coatbridge 3·39; and in Hamilton 3·42.

The legitimate birth-rate per thousand married women of child-bearing age, fifteen to forty-five, in Scotland was 269·4, a rate which is 0·6 more than that of the previous year. This rate in the divisions of the counties ranged from 286·5 in the Northern, and 282·1 in the South-Western; to 239·5 in the Southern, and 246·6 in the South-Eastern. In the counties it ranged from 312·5 in Caithness, 310·8 in Linlithgow, and 292·0 in Sutherland; to 219·3 in Peebles, 222·0 in Roxburgh, and 223·1 in Selkirk; In the principal towns this rate ranged from 323·8 in Coatbridge, 319·4 in Hamilton, and 292·1 in Govan; to 222·2 in Edinburgh, 233·4 in Kirkcaldy, and 239·2 in Perth. In the principal towns this rate averaged 266·6; in the previous year it averaged 268·3.

---

TABLE III.—Births, 1903. Number of Legitimate, Illegitimate, and Total Births in Scotland, and its Five Groups of Districts, distinguishing the Sexes; also the number of Twin and Triplet Births.

| Five Groups of Districts. | Total Births. | | | Legitimate Births. | | | Illegitimate Births. | | | Twin Births. | Triplet Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | |
| Principal Town | 31481 | 30525 | 62006 | 29485 | 28755 | 58240 | 1996 | 1770 | 3766 | 722 | *5 |
| Large Town | 9536 | 9087 | 18623 | 9089 | 8660 | 17749 | 447 | 427 | 874 | 207 | 3 |
| Small Town | 13800 | 13133 | 26933 | 12993 | 12406 | 25399 | 807 | 727 | 1534 | 342 | 2 |
| Mainland-Rural | 11964 | 11507 | 23471 | 10953 | 10533 | 21486 | 1011 | 974 | 1985 | 296 | 3 |
| Insular-Rural | 1306 | 1186 | 2492 | 1236 | 1120 | 2356 | 70 | 66 | 136 | 37 | – |
| Scotland . . | 68087 | 65438 | 133525 | 63756 | 61474 | 125230 | 4331 | 3964 | 8295 | 1604 | *13 |

* Includes one case of quadruplets.

The birth-rate of illegitimate children per thousand unmarried and widowed women of child-bearing age for Scotland is found to be 12·9, a rate which is 0·2 less than that of the previous year. This rate in the divisions of the counties ranged from 22·4 in the North-Eastern, and 15·7 in the Southern; to 8·9 in the Northern, and 9·0 in the North-Western. In the counties this rate ranges from 24·9 in Banff, 22·7 in Aberdeen, 22·1 in Elgin, and 21·1 in Wigtown; to 2·2 in Shetland, 5·7 in Sutherland, 6·2 in Bute, and 6·6 in Ross and Cromarty. In the principal towns it ranged from 8·0 in Kilmarnock, 8·5 in Partick, and 9·2 in Paisley; to 17·3 in Aberdeen, 15·2 in Coatbridge, and 14·6 in Dundee.

The number of mothers who bore twins during the year was 1604, those bearing triplets 12, and 1 bore quadruplets. One birth in every 82·2 was a twin birth, one in 10145·7 a triplet birth. The proportion of twin births in the Large Town Districts was 1 in 88·9; in the Principal Town Districts 1 in 84·9; in the Mainland-Rural Districts 1 in 78·3; in the Small Town Districts 1 in 77·7; and in the Insular-Rural Districts 1 in 66·4. Thus twin births were relatively most frequent in the Insular-Rural Districts. The birth of quadruplets was registered in Glasgow; the children, who were all female, survived their births for two days.

Births were most numerous in the month of June, 415 on an average being registered daily; and least numerous in November, when 331 were registered daily. The average daily births in May numbered 392; in April 392; in July 376; in March 363; in December 360; in January 359; in October 355; in September 351; in February 347; and in August 346.

The birth-rate for the year in the United Kingdom was 27·934, in England and Wales 28·410, and in Ireland 23·072. The birth-rate in Scotland is thus 1·225 more than that of the United Kingdom, 0·749 more than that of England, and 6·087 more than that of Ireland.

The following are the birth-rates for the year 1903 in some foreign countries:—Roumania, 40·1; Hungary, 36·7; Spain, 36·4; Prussia, 34·5; Holland, 31·6; Italy, 31·5; Denmark, 28·7; Norway, 28·7; Switzerland, 27·7; Belgium, 27·5; Sweden, 25·6; France, 21·1.

## MARRIAGES.

Marriages registered in Scotland during the year now under review numbered 32,351, a number 438 more than that of the previous year, and

TABLE IV.—Births, 1903. Birth-rate per 1000 of Population; Percentage of Illegitimate to the Total Births; Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; and Proportion of Mothers who bore Twins and Triplets; in Scotland, and its Five Groups of Districts, in 1903.

| FIVE GROUPS OF DISTRICTS. | Births per 1000 of Population. | Percentage of Illegit. to Total Births. | Proportion of Males to every 100 Females in the | | | Proportion of MOTHERS who bore TWINS. — One in every | Proportion of MOTHERS who bore TRIPLETS. — One in every |
|---|---|---|---|---|---|---|---|
| | | | Total Births. | Legitimate Births. | Illegit. Births. | | |
| Principal Town | 30·57 | 6·07 | 103·1 | 102·5 | 112·8 | 84·9 | 12254·6 |
| Large Town | 31·31 | 4·69 | 104·9 | 105·0 | 104·7 | 88·9 | 6136·7 |
| Small Town | 29·26 | 5·70 | 105·1 | 104·7 | 111·0 | 77·7 | 13293·5 |
| Mainland-Rural | 25·50 | 8·46 | 104·0 | 104·0 | 103·8 | 78·3 | 7723·0 |
| Insular-Rural | 21·63 | 5·46 | 110·1 | 110·4 | 106·1 | 66·4 | – |
| SCOTLAND . . | 29·16 | 6·21 | 104·0 | 103·7 | 109·3 | 82·2 | 10145·7 |

1818 more than the average number of marriages registered yearly during the last ten years. The marriage-rate for the year was 7·065 per thousand of the estimated population, a rate which is 0·022 more than that of the previous year, and 0·009 more than the mean of the rates of the previous ten years.

The marriages registered in the Principal Town Districts numbered 17,236; in the Large Town Districts 4310; in the Small Town Districts 5818; in the Mainland-Rural Districts 4617; and in the Insular-Rural Districts 370. The marriage-rate in the Principal Town Districts was 8·50, which is 0·16 lower than in the previous year; in the Large Town Districts it was 7·25, which is 0·29 more than in the previous year; in the Small Town Districts it was 6·32, which is 0·09 more than in the previous year; in the Mainland-Rural Districts it was 5·02, which is 0·21 more than in the previous year; in the Insular-Rural Districts it was 3·21, which is 0·51 lower than in the previous year.

In the divisions of the counties the marriage-rate ranged from 7·71 in the South-Western, and 7·66 in the South-Eastern; to 4·22 in the North-Western, and 4·32 in the Northern. In the counties this rate ranged from 8·28 in Edinburgh, 8·14 in Lanark, 7·47 in Aberdeen, and 7·32 in Forfar; to 2·34 in Sutherland, 2·66 in Ross and Cromarty, and 3·86 in Argyll. The higher rates were in those counties in which the largest towns are situated. In 3 counties the marriage-rate was less than four per thousand; in 8 it was between four and five per thousand; in 6 between five and six per thousand; in 10 between six and seven per thousand; in 4 between seven and eight per thousand; and in 2 it was more than eight per thousand.

The marriage-rate in the principal towns ranged from 9·28 in Edinburgh, 9·16 in Glasgow, and 9·07 in Aberdeen; to 5·78 in Govan, 5·96 in Coatbridge, and 6·22 in Motherwell. In Glasgow, Edinburgh, Dundee, Aberdeen, Kilmarnock, and Perth this rate was over 8 per thousand; in Paisley, Greenock, Kirkcaldy, and Hamilton it was between 7 and 8 per thousand; in Govan, Leith, Partick, Coatbridge, and Motherwell it was less than 7 per thousand.

Of the 32,351 marriages registered during the year, 28,602, or 88·41 per cent., were between bachelors and spinsters; 920, or 2·84 per cent., were between bachelors and widows; 2039, or 6·30 per cent., were between widowers and spinsters; 772, or 2·39 per cent., were between widowers and widows; in 18, or 0·06 per cent., the previous condition of the contracting parties is not stated. Disregarding the small error of not specified persons, it would appear that the number of bachelors marrying during the year was 29,522, which is 415 more than in the previous year; widowers marrying numbered 2811, which is 18 more than in the previous year; spinsters marrying numbered 30,641, which is 467 more than in the previous year; while widows marrying numbered 1692, which is 34 fewer than in the previous year.

Of men marrying during the year, 846 were of less than twenty years of age; these constitute 2·61 per cent. of the total marriages, and are 36 more than in the previous year; 10,901, or 33·70 per cent., were between twenty and twenty-five years of age, and are 412 more than in the previous year; 11,162, or 34·50 per cent., were between twenty-five and thirty, and are 193 more than in the previous year; 4722, or 14·60 per cent., were between thirty and thirty-five years old, which is 11 more than

in the previous year; 3217, or 9·94 per cent., were between thirty-five and forty-five years old, which is 93 fewer than in the previous year; while men of over forty-five marrying during the year numbered 1503, which is 4·65 per cent. of the total marriages, and is 20 fewer than in the previous year. Thus marriages of men under thirty during the year have been more numerous than in the previous year; while marriages of men over thirty have been fewer than in the previous year.

Of women marrying during the year, 3424 were of less than twenty years old, these constitute 10·58 per cent. of the total marriages, and are 113 more than in the previous year; women marrying at ages from twenty to twenty-five numbered 13,917, these constitute 43·02 per cent. of the total, and are 427 more than in the previous year; women marrying at ages between twenty-five and thirty numbered 8892, these constitute 27·49 per cent. of the total, and are 101 fewer than in the previous year; women marrying between thirty and thirty-five numbered 3285, these constitute 10·16 of the total, and are 87 more than in the previous year; women marrying at ages between thirty-five and forty-five numbered 2203, these constitute 6·81 per cent. of the total, and are 78 fewer than in last year; women marrying at ages over forty-five numbered 630, these constitute 1·94 per cent. of the total, and are 8 fewer than in the previous year. Thus the marriages of women of under twenty-five are more numerous in this year than in the previous year, but those of women of over twenty-five are less so.

The marriages of this year when compared to those of the previous year are found in both sexes to be at an earlier age, but when this year's marriages are compared with the total marriages registered in this Office, *i.e.* since 1855, it is found that the proportion of men marrying at ages under twenty-five is decidedly less, and the proportions at ages over twenty-five are more than the corresponding proportions of the total marriages registered in this Office, and similarly it is found that in this year's marriages the proportion of women marrying under twenty-five is less in this year than it is in the total marriages registered in this Office. The delayed age of marriage in the country has been referred to previously in the annual reports; this year the delay is not so great as in the previous year, but still exists.

The registration of marriages throws some light on the influence of the various churches in the country. Of the 32,351 marriages registered during the year, 23,470, or 72·55 per cent., were contracted according to the rites of the two great presbyterian churches, the Established Church of Scotland and the United Free Church, 14,692, or 45·42 per cent., being according to the rites of the Established Church, and 8778, or 27·13 per cent., according to those of the United Free Church. Marriages in Roman Catholic Churches numbered 3487, and constituted 10·78 per cent. of the total. Those in the Episcopal Church numbered 876, and constituted 2·71 per cent. of the total. Those in churches of other denominations numbered 2592, and constituted 8·01 per cent. of the total. Irregular marriages numbered 1926, and constituted 5·95 per cent. of the total. Compared to the returns of the previous year, the proportion of marriages to be in the Established Church is 0·71 more; in the United Free Church 0·45 less; in the Roman Catholic Church 0·32 more; in the Episcopal Church 0·33 less; and in churches of other denominations 0·35 more; the proportion of marriages to be irregular are 0·60 less. The proportion of marriages to be

in the Established Church is the highest since 1894; that in the United Free Church is the lowest since the union of the Free and United Presbyterian Churches; that in the Roman Catholic Church is the highest yet recorded in Scotland; that in the Episcopal Church is lower than in any one year since 1884; the proportion to be irregular is less than what it was in the three previous years, but more than in any year before that.

Established Church marriages in the counties ranged from 71·92 per cent. of the total marriages in Kincardine, 70·00 per cent. in Wigtown, and 69·70 per cent. in Peebles; to 28·00 per cent. of the total in Sutherland, 29·14 per cent. in Ross and Cromarty, and 34·88 in Nairn. United Free Church marriages ranged from 53·49 per cent. of the total in Nairn, 42·48 in Caithness, and 39·42 in Orkney; to 14·29 in Kincardine, 18·18 in Peebles, and 22·14 in Linlithgow. Roman Catholic marriages ranged from 21·32 per cent. of the total marriages in Dumbarton, 17·98 per cent. in Lanark, and 16·35 per cent. in Renfrew; to 0 per cent. in eight counties. Episcopal Church marriages ranged from 11·33 per cent. in Kincardine, 6·21 per cent. in Selkirk, and 5·79 per cent. in Forfar; to 0 in Orkney and Sutherland, and less than 1 per cent. in Ross and Cromarty, Linlithgow, and Wigtown. Irregular marriages constituted 16·22 per cent. of the total marriages in Edinburgh, 8·65 per cent. in Lanark, and 3·46 per cent. in Aberdeen; while in 9 counties none were registered.

In the principal towns Established Church marriages were relatively most frequent in Aberdeen, 56·48 per cent.; Leith, 55·04 per cent.; and Perth, 50·00 per cent.; and least frequent in Coatbridge, 24·24 per cent.; Glasgow, 33·09 per cent.; and Dundee, 34·68 per cent. United Free Church marriages were relatively most frequent in Kilmarnock, 37·10; in Paisley, 33·33 per cent.; and in Perth, 32·43 per cent.; and least frequent in Hamilton, 21·31 per cent.; in Greenock, 21·48 per cent.; and in Motherwell, 23·22 per cent. Roman Catholic marriages were relatively most frequent in Coatbridge, 29·00 per cent.; in Hamilton, 25·41 per cent.; and in Greenock, 19·07 per cent.; and least frequent in Aberdeen, 1·92 per cent.; in Edinburgh, 4·31 per cent.; and in Perth, 6·08 per cent. Episcopal Church marriages were relatively most frequent in Dundee, 7·93 per cent.; in Edinburgh, 5·99 per cent.; and in Motherwell, 5·21 per cent.;

---

TABLE V.—Marriages, 1903. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

| Religious Denominations. | Number of Marriages. | | | | | | Proportion in every 100 Marriages. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Scotland. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. | Scotland. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. |
| Regular Marriages. | | | | | | | | | | | | |
| Established Church . | 14692 | 6507 | 1994 | 2940 | 3069 | 182 | 45·42 | 37·75 | 46·26 | 50·53 | 66·47 | 49·19 |
| United Free Church | 8778 | 4673 | 1070 | 1729 | 1181 | 125 | 27·13 | 27·11 | 24·83 | 29·72 | 25·58 | 33·78 |
| Roman Catholic Ch. . | 3487 | 2103 | 599 | 633 | 136 | 16 | 10·78 | 12·20 | 13·90 | 10·88 | 2·95 | 4·33 |
| Episcopal Church . | 876 | 597 | 140 | 100 | 38 | 1 | 2·71 | 3·46 | 3·25 | 1·72 | 0·82 | 0·27 |
| Other Denominations | 2592 | 1547 | 421 | 386 | 192 | 46 | 8·01 | 8·98 | 9·77 | 6·63 | 4·16 | 12·43 |
| Irregular Marriages . | 1926 | 1809 | 86 | 30 | 1 | – | 5·95 | 10·50 | 1·99 | 0·52 | 0·02 | – |
| Total Marriages . | 32351 | 17236 | 4310 | 5818 | 4617 | 370 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

and relatively least frequent in Partick, 0·51 per cent.; Hamilton, 0·82 per cent.; and in Perth, 1·35 per cent. Irregular marriages were relatively most numerous in Edinburgh, 21·76 per cent.; in Glasgow, 12·27 per cent.; and in Govan, 6·36 per cent.; and least numerous in Motherwell, 0 per cent.; Kirkcaldy, 0·37 per cent.; and in Paisley, 1·61 per cent.

Marriage registration also throws some light on the state of education of the population. Of the 32,351 men who were married during the year, 31,787, or 98·26 per cent., signed the register, while 564, or 1·74 per cent., used the "mark." Of the women who were married, 31,607, or 97·70 per cent., signed the register, while 744, or 2·30 per cent., used the "mark." The number of both sexes who were unable to write and who used the "mark" were the smallest yet recorded in these reports. In the previous year 1·80 of the men, and 2·55 per cent. of the women, had to use the "mark." The proportion using the "mark" continues to be a steadily diminishing quantity year by year.

The proportion of men using the "mark" in the Insular-Rural Districts was 3·78, and of women 6·22; the former is 0·40 less than in the previous year, and the latter 3·52 less. In the Small Town Districts the proportion of men using the "mark" was 2·51, and of women 3·49; the former is 0·57 more than in the previous year, and the latter 0·53 more. In the Principal Town Districts 1·73 per cent. of the men used the "mark," and 2·32 per cent. of the women; the former is 0·25 less than in the previous year, and the latter 0·46 less. In the Large Town Districts 1·79 per cent. of the men used the "mark," and 1·88 per cent. of the women; the former is 0·03 more than in the previous year, the latter 0·10 more. In the Mainland-Rural Districts 0·61 per cent. of the men, and 0·80 per cent. of the women, used the "mark"; the former is 0·13 less than in the previous year, and the latter is 0·33 less.

The proportion of men using the "mark" in the counties ranged from 5·50 in Inverness, 3·04 in Lanark, and 2·98 in Ross and Cromarty; to 0 in six counties, Orkney, Kincardine, Kinross, Berwick, Peebles, and Roxburgh. The proportion of women using the "mark" in the counties ranged from 10·93 in Ross and Cromarty, 6·81 in Inverness, and 4·65 in Nairn; to 0 in six counties, Orkney, Banff, Bute, Berwick, Selkirk, and Kirkcudbright.

In the town of Edinburgh 0·46 per cent. of the men, and 0·72 per cent. of the women, used the "mark"; in Glasgow 2·66 per cent. of the men, and 3·54 of per cent. the women, did so.

The proportion of men and women using the "mark" in the Small Town Districts and in the county of Lanark are exceptional, in that they show some indication of increase; that this should be so appears to be due to an increasing number of aliens contracting marriages in some small towns in the mining districts of that county. For instance, in Blantyre there were 114 marriages, in 9 of these the man used the "mark," and in 12 the woman did so. In Bothwell, Holytown, and Bellshill there were 350 marriages registered, and in those districts 50 men and 63 women used the "mark." A scrutiny of the registers of these districts shows that the great majority of those using the "mark" have names suggestive of Polish nationality.

There being 32,351 marriages registered during the year, the average number to be registered daily was 89. This daily average was highest in June, 168, and January, 132, and lowest in May, 33, and February, 61. In July it was 126; in December 116; in April 83; in November 75; in September 74; in August 68; in October 64; and in March 62.

The marriage-rate of the United Kingdom for the year 1903 was 7·468, that of England and Wales 7·808, and that of Ireland 5·209. The marriage-rate of Scotland for the year is thus 0·403 less than that of the United Kingdom, and 0·743 less than that of England and Wales, but is 1·856 more than that of Ireland.

The following are the marriage-rates per thousand of some European countries for the year:—Roumania, 8·7 ; Spain, 8·2 ; Hungary, 8·1 ; Prussia, 8·0 ; France, 7·7 ; Holland, 7·5 ; Switzerland, 7·5 ; Italy, 7·2 ; Denmark, 7·1 ; Belgium, 7·1 ; Norway, 6·0 ; Sweden, 5·8.

## DEATHS.

During 1903 there were registered in Scotland the deaths of 76,002 persons, of whom 38,136 were males and 37,866 females. The death-rate per thousand of the estimated population was 16·60. The death-rate among the male population was 17·11, and among the female population 16·11.

The death-rate for the year is the smallest yet recorded for Scotland ; it is 0·60 less than the death-rate for the previous year, it is 1·47 less than the mean of the death-rates of the preceding ten years, and is 0·1 less than the death-rate of 1896, which was the lowest previously recorded.

The death-rates in the groups of registration districts ranged from 17·68 in the Principal Town Districts, to 15·19 in the Mainland-Rural Districts. In the Large Town Districts it was 16·57 ; in the Insular-Rural Districts 16·02 ; and in the Small Town Districts 15·72. The rate in each of these groups of districts is lower than in the previous year ; in the Principal Town Districts it is 0·85 less than in that year ; in the Large Town Districts 0·80 less ; in the Small Town Districts 0·19 less ; in the Mainland-Rural Districts 0·32 less ; and in the Insular-Rural Districts 1·00 less.

The death-rates in the divisions of the counties ranged from 17·54 in the South-Western, to 15·27 in the North-Eastern. In the North-Western it was 16·98 ; in the Southern 16·51 ; in the Northern 16·25 ; in the South-Eastern 16·20 ; in the West-Midland 15·80 ; and in the East-Midland 15·64. In the counties this rate ranged from 17·90 in Lanark, 17·81 in Sutherland, and 17·54 in Ross and Cromarty ; to 12·65 in Peebles, 13·15 in Linlithgow, and 13·32 in Kincardine. In no county was the death-rate 18

TABLE VI.—Showing Deaths and Death-rates in the Groups of Registration Districts in 1902 and 1903.

| | 1903. | | | 1902. | | |
|---|---|---|---|---|---|---|
| | Population. | Deaths. | Death-rate. | Population. | Deaths. | Death-rate. |
| Principal Town Districts, - | 2,028,355 | 35,853 | 17·68 | 1,996,052 | 36,991 | 18·53 |
| Large Town Districts, - | 594,745 | 9,857 | 16·57 | 587,937 | 10,211 | 17·37 |
| Small Town Districts, - | 920,460 | 14,468 | 15·72 | 910,582 | 14,484 | 15·91 |
| Mainland-Rural Districts, - | 920,455 | 13,978 | 15·19 | 920,979 | 14,285 | 15·51 |
| Insular-Rural Districts - | 115,208 | 1,846 | 16·02 | 115,749 | 1,970 | 17·02 |
| SCOTLAND, - - - | 4,579,223 | 76,002 | 16·60 | 4,531,299 | 77,941 | 17·20 |

per thousand or more; in 6 counties the rate was between 17 and 18—namely, in Caithness, Sutherland, Ross and Cromarty, Kinross, Renfrew, and Lanark; in 11 counties it was between 16 and 17—namely, in Inverness, Elgin, Forfar, Dumbarton, Edinburgh, Haddington, Selkirk, Roxburgh, Dumfries, Kirkcudbright, and Wigtown; in 8 counties it was between 15 and 16—namely, in Shetland, Nairn, Aberdeen, Perth, Stirling, Argyll, Bute, and Ayr; in 4 counties it was between 14 and 15 per thousand—namely, in Orkney, Banff, Fife, and Clackmannan; in 3 counties it was between 13 and 14—namely, in Kincardine, Linlithgow, and Berwick; while in 1 county, Peebles, it was less than 13 per thousand. In the previous year the death-rate was more than 18 in 6 counties, between 17 and 18 in 5, between 16 and 17 in 6, between 15 and 16 in 9, between 14 and 15 in 5, between 13 and 14 in 2, and in none was it under 13.

The death-rates in the Principal Towns ranged from 19·15 in Glasgow, and 18·93 in Greenock, to 12·29 in Motherwell, and 13·09 in Partick. In Dundee it was 18·10; in Kilmarnock 17·67; in Paisley 17·29; in Coatbridge 17·10; in Aberdeen 17·05; in Edinburgh 16·86; in Govan 16·82; in Perth 16·68; in Leith 16·17; in Hamilton 16·17; and in Kirkcaldy 13·19.

In Table 19 the corrected death-rates of the counties and of the principal towns are given. These corrected death-rates are the crude death-rates adjusted so as to allow for the special age and sex distribution in each. The corrected death-rates in the counties of Renfrew, Lanark, Edinburgh, Dumbarton and Selkirk are found to be greater than the death-rate of Scotland, while the corrected death-rates in the remaining counties are all less than that of Scotland, being lowest in Orkney, Shetland, Kincardine, Peebles, and Berwick. Of the principal towns three only have corrected death-rates less than that of Scotland, while the remaining 12 have each a rate more than that of Scotland. Among these towns the corrected death-rates are highest in Glasgow, Greenock, Dundee, and Kilmarnock; and lowest in Motherwell, Kirkcaldy, Partick, and Perth. The corrected death-rates in 2 counties, Renfrew and Lanark, are more than 19 per thousand; in 4 counties they are between 16 and 19; in 7 counties between 15 and 16; in 8 counties between 14 and 15; in 5 counties between 13 and 14; and less than 13 in 7 counties, Orkney having the lowest, 11·295. Of the principal towns, 3, Glasgow, Greenock, and Dundee have a corrected death-rate of over 19; 4 one of between 18 and 19; 2 of between 17 and 18; 3 of between 16 and 17; 1 of between 14 and 15; while 2, Kirkcaldy and Motherwell, have corrected death-rates of less than 14.

The number of deaths at certain age-periods in Scotland and in the groups of registration districts are shown in Table 22; and from the figures there given the death-rates per 1000 of the population at the various age-periods, and the ratio of the number of deaths at these age-periods to the total deaths, have been calculated.

The number of deaths of infants under one year of age registered in Scotland in 1903 was 15,693, of which 8888 were of males and 6805 of females. The male death-rate for this age-period was 149·37 per thousand, and the female death-rate was 117·46 per thousand, the rate for males being, as usual, considerably greater than the rate for females. The death-rate at this age in the case of each sex was highest in the Principal Town Districts, where it was 175·33 for males and 138·50 for females; and lowest in the Insular-Rural Districts, where the respective rates were 81·48 and 73·50. The deaths of male children under one year constituted 23·31 per

cent. of the total male deaths, and the deaths of female children under one constituted 17·97 per cent. of the total female deaths.

Deaths of children between the ages of one and two numbered 4534; the death-rate for males was 44·36 per thousand, and for females 40·27 per thousand. Of the total male deaths 6·30 per cent. were of children of this age, and of the total female deaths 5·63 per cent. were of this age. The highest death-rate at this age-period was the rate for males in the Principal Town Districts, which was 59·65 per thousand, and the lowest was the rate for females in the Mainland-Rural Districts, which was 19·11 per thousand.

Deaths of children in their third year numbered 1797; the death-rate for males was 16·59 per thousand, and for females 16·48 per thousand. Deaths at this age constituted 2·38 and 2·35 per cent. of the total male and female mortality respectively. The death-rates at this period of life were highest in the Principal Town and lowest in the two Rural Districts.

At ages between three and four 1035 deaths were recorded; the male death-rate was 9·57 and the female death-rate 9·75 per thousand. The rates were highest in the Principal Town and lowest in the Mainland-Rural Districts. The rate for males exceeded the rate for females in the Principal Town and in the Insular Rural Districts; in the other districts the rate for females was the higher.

Deaths of children between the ages of four and five numbered 773; the male death-rate was 6·88 per thousand, and the female rate 7·78. The rates were highest in the Principal Town and lowest in the Insular-Rural Districts. In each of these districts, except the Small Town group, the females had the higher rate of mortality.

At all ages under five there were registered 23,832 deaths, of which 13,076 were of males and 10,756 of females. The death-rate per thousand for males was 47·51, and for females 39·75. The rates were highest in the Principal Town and lowest in the Insular-Rural Districts. In every case the rate for males was greater than the rate for females.

The death-rate for males between the ages of 5 and 10 was 3·95 per thousand; between 10 and 15, 2·72; between 15 and 20, 4·20; between 20 and 30, 6·00; between 30 and 40, 8·54; between 40 and 50, 13·53; between 50 and 60, 25·43; between 60 and 70, 49·35; between 70 and 80, 91·82; between 80 and 90, 188·00; and over 90 it was 283·33. The corresponding rates for females were at ages between 5 and 10, 4·21 per thousand; between 10 and 15, 2·83; between 15 and 20, 4·37; between 20 and 30, 5·77; between 30 and 40, 8·54; between 40 and 50, 11·20; between 50 and 60, 20·11; between 60 and 70, 39·39; between 70 and 80, 79·74; between 80 and 90, 164·30; and over 90, 315·30. The rate for males is slightly above that for the previous year at ages between 10 and 15, but below at all other age-periods; in the case of females the rate is slightly greater than that for 1902 at ages between 30 and 40, but less at all other ages. The rate for females is greater than the rate for males at all periods embraced between ages 3 and 20, and at ages over 90; and is less than the rate for males at all other age-groups.

Of the total number of males whose deaths were registered in 1903, 34·29 per cent. were under 5 years of age, 27·80 per cent. were between 5 and 50, and 37·91 per cent. were over 50. Of the females whose deaths were recorded, 28·40 per cent. were under 5 years of age, 27·99 per cent. were between 5 and 50, and 43·61 were over 50. Of the persons whose deaths were recorded in the Principal Town Districts, 39·52 per cent. of the males

and 33·78 per cent. of the females were under 5 years of age; 31·11 per cent. of the former and 36·46 per cent. of the latter were over 50 years of age. In the Large Town Districts 35·83 per cent. of the males and 30·23 per cent. of the females were under 5; 37·34 per cent. of the males and 41·32 per cent. of the females were over 50. In the Small Town Districts 32·77 per cent. of the males and 26·87 per cent. of the females were under 5; 40·78 per cent. of the males and 46·57 per cent. of the females were over 50. In the Mainland-Rural Districts the percentage of males under 5 was 23·44, and for females 17·28; the percentage of males over 50 was 50·76, and of females 57·23. In the Insular-Rural Districts 15·88 per cent. of the males and 12·98 per cent. of the females were under 5; 56·22 per cent. of the males and 65·40 per cent. of the females were over 50.

The deaths of 19 centenarians were recorded in Scotland during the year 1903, of whom 8 were men and 11 women. Of the men, three were aged 100, and were respectively described as a man-servant, a gamekeeper, and a farm servant; four were aged 102, and their respective occupations were a weaver, a tailor, a crofter, and a blacksmith; and one, a retired carrier, was aged 103. Of the women, three were aged 100, two being widows and one a crofter; one, a widow, was aged 101; three were aged 102, two being domestic servants and one a widow; two, a domestic servant and a widow, were aged 103; and two widows were stated to be 104 and 105 respectively.

Table 25 shows the percentage of deaths at each age-group for the last ten years and the mean of these percentages for the ten years' period, along with the rates for the year under notice. This table shows that, with some small exceptions, the ratios for 1903 at ages under 30 are less than the mean of those for the ten years, while the ratios at ages over 30 are greater than the mean, indicating that the average age at death in 1903 was more than in the period 1893 to 1902.

Tables 26 and 27 show the number of deaths and the death-rate per thousand at each age-period in each of the fifteen Principal Towns. It may there be seen that the highest death-rate for children under 5 was recorded in Glasgow, 62·7, and Govan, 65·4; the highest at ages between 5 and 10 in Coatbridge, 6·6, and Greenock, 6·8; the highest for ages between 10 and 15 in Kilmarnock, 4·4, and Coatbridge, 4·7; the highest for ages between 15 and 20 in Greenock, 5·4; the highest between 20 and 30 in Perth, 6·3, and Greenock, 6·7; the highest between 30 and 40 in Glasgow, 10·6, and Perth, 10·8; the highest between 40 and 50 in Greenock, 16·7, and Glasgow, 16·8; the highest between 50 and 60 in Glasgow, 29·0, and Hamilton, 30·4; the highest between 60 and 70 in Kilmarnock, 59·0, and Paisley, 59·3; the highest between 70 and 80 in Kilmarnock, 109·1, and Coatbridge, 110·6; and the highest between 80 and 90 in Motherwell, 263·2.

During the year there were in Scotland 133,525 births, while the deaths of children of less than one year old numbered 15,693; the infantile mortality per thousand births was consequently 117·5. This rate is 4·1 more than the corresponding rate of the previous year. In the Principal Town Districts the infantile mortality amounted to 135·2 per thousand births; in the Large Town Districts it was 114·5 per thousand, in the Small Town Districts 109·2, in the Mainland-Rural Districts 87·6, and in the Insular-Rural Districts 72·2. In the Principal Town Districts this rate was 8·1 more than in the previous year, in the Large Town Districts 0·6 more than in the previous year, and in the Small Town Districts 2·7 more; while in the Mainland-Rural Districts it was 0·9 less, and in the Insular-Rural Dis-

tricts 13·3 less. In the divisions of the counties this rate ranged from 130·0 in the South-Western and 116·2 in the South-Eastern, to 78·5 in the Northern and 83·4 in the North-Western. In the counties the rate ranged from 135·3 in Lanark, 126·2 in Haddington, and 121 in Renfrew, to 53·6 in Shetland, 62·8 in Orkney, and 74·5 in Ross and Cromarty. In four counties this rate was more than 120 per thousand, in twelve it was between 100 and 120, in twelve it was between 80 and 100, and in five it was less than 80. In the previous year four counties had an infantile mortality of more than 120 per thousand, thirteen counties one of between 100 and 120, eleven counties one of between 80 and 100, and five had an infantile mortality-rate of less than 80 per thousand. The infantile mortality-rate in the Principal Towns ranged from 157·0 in Govan, 144·1 in Greenock, and 143·0 in Glasgow, to 98·9 in Perth, 100·0 in Motherwell, and 106·2 in Kirkcaldy. In Dundee it was 142·2, in Leith 138·3, in Aberdeen 135·4, in Paisley 129·5, in Kilmarnock 127·0, in Coatbridge 126·9; in Edinburgh 121·1, in Hamilton 115·3, and in Partick 111·4. In Edinburgh, Aberdeen, Partick, Perth, Hamilton, and Motherwell this rate is less than in the previous year; in Glasgow, Dundee, Govan, Paisley, Leith, Greenock, Coatbridge, Kilmarnock, and Kirkcaldy it was higher than in the previous year.

The average number of deaths registered daily throughout the year was 208. In January the average daily number was 261, in December 241, in February 219, in March 216, in April 215, in June 209, in May 203, in November 202, in October 190, in July 184, in September 182, and in August 176.

The death-rate for the year in the United Kingdom was 15·76, in England and Wales 15·42, and in Ireland 17·53. The death-rate in Scotland is thus 0·84 more than that of the United Kingdom, 1·18 more than that of England, but is 0·93 less than that of Ireland.

The following are the death-rates for 1903 in some European countries:—Hungary, 26·1; Spain, 25·0; Roumania, 24·8; Italy, 22·2; Prussia, 19·8; France, 19·2; Switzerland, 17·6; Belgium, 17·0; Holland, 15·6; Sweden, 15·1; Norway, 14·8; Denmark, 14·6.

## CAUSES OF DEATH.

Of the 76,002 deaths registered in Scotland during the year 1903, 673 resulted from causes which were not specified in the death-registers. In 1899 the number of unspecified causes was 684, in 1900 it was 753, in 1901 it was 725, and in 1902 it was 704. The proportion of deaths from unknown causes does not greatly differ from the average of the four preceding years.

Small-pox caused 41 deaths during the year; of these, 27 were registered in the Principal Town Districts, 1 in the Large Town Districts, 7 in the Small Town Districts, and 6 in the Mainland-Rural Districts. Of the 27 deaths registered in the Principal Town Districts, 24 occurred in Glasgow, 1 in Edinburgh, and 2 in Greenock. Of the 14 in the other districts, 4 occurred in the county of Lanark, 3 in the county of Forfar, 2 in the county of Selkirk, and 1 each in the counties of Fife, Renfrew, Ayr, Edinburgh, and Peebles. Of the 41 deaths from Small-pox, 27 of which were of males and 14 of females, 20 were of persons who had been vaccinated, 12 of persons who had not been vaccinated, and 9 of persons

whose vaccination was doubtful. In Scotland the death-rate from Small-pox was 1 per 100,000 of the estimated population; in Glasgow the rate was 3. The deaths from this disease are 39 less than in the previous year, and 237 less than in the year 1901.

Fevers caused 583 deaths, of which 552 were described as Enteric, 13 as Typhus, 2 as Cerebro-spinal, and 16 were classed as ill-defined fever. The number of deaths from Enteric and from Cerebro-spinal Fever is the same as in the previous year, the number from Typhus is 5 less, and the number from ill-defined fever 1 less. Of the 552 deaths from Enteric Fever, 272 occurred in the Principal Town Districts, and of the 13 deaths from Typhus, 10 occurred in these districts. The death-rate from Enteric Fever in Scotland was 12 per 100,000; in Greenock, which had the highest rate of the Principal Towns, the rate was 32. Deaths from Enteric were registered in largest numbers in the months of September, October, and November, and in least numbers in the months of May and June.

Deaths from Measles numbered 1133; they constituted 1·5 per cent. of the total mortality in Scotland, and were at the rate of 25 per 100,000 of the estimated population. In the Principal Town Districts the death-rate from Measles was 36 per 100,000; in the Insular-Rural Districts, 21; in the Large Town and in the Small Town Districts, 19; and in the Mainland-Rural Districts, 12. The highest death-rate from Measles in the Principal Town Districts was in Aberdeen, where the rate was 74; in Kirkcaldy and Perth no deaths from this cause were recorded.

From Scarlet Fever there resulted 407 deaths, corresponding to a death-rate of 9 per 100,000 of population, or 3 per 100,000 less than in the previous year. Of the 407 deaths from Scarlet Fever, 219 occurred in the Principal Town Districts, and were equal to an average rate of 11 per 100,000 of the estimated population of these towns, this rate being exceeded to the greatest extent in Paisley, where the rate was 44.

Deaths from Diphtheria numbered 640, which is 22 less than the mortality for the previous year. These deaths are at the rate of 14 per 100,000 of the estimated population. The rate in the Large Town

TABLE VII.—Deaths from Small-pox in Scotland, 1855-1903.

| YEAR. | Small-pox Deaths. | YEAR. | Small-pox Deaths. | YEAR. | Small-pox Deaths. |
|---|---|---|---|---|---|
| 1855 | 1,309 | 1872 | 2,448 | 1889 | 8 |
| 1856 | 1,306 | 1873 | 1,126 | 1890 | 0 |
| 1857 | 845 | 1874 | 1,246 | 1891 | 0 |
| 1858 | 332 | 1875 | 76 | 1892 | 11 |
| 1859 | 682 | 1876 | 39 | 1893 | 68 |
| 1860 | 1,495 | 1877 | 38 | 1894 | 129 |
| 1861 | 766 | 1878 | 4 | 1895 | 47 |
| 1862 | 426 | 1879 | 8 | 1896 | 2 |
| 1863 | 1,648 | 1880 | 10 | 1897 | 10 |
| 1864 | 1,741 | 1881 | 19 | 1898 | 2 |
| 1865 | 383 | 1882 | 3 | 1899 | 1 |
| 1866 | 200 | 1883 | 11 | 1900 | 53 |
| 1867 | 100 | 1884 | 14 | 1901 | 278 |
| 1868 | 15 | 1885 | 39 | 1902 | 80 |
| 1869 | 64 | 1886 | 24 | 1903 | 41 |
| 1870 | 114 | 1887 | 17 | | |
| 1871 | 1,442 | 1888 | 3 | | |

and in the Mainland-Rural Districts was 16; in the Small Town Districts, 15; in the Principal Town Districts, 13; and in the Insular-Rural Districts, 9.

Hooping-cough, the most fatal of the epidemic diseases, caused the deaths of 1946 persons, or 181 more than in the previous year. As may be seen in Table 29, 1884, or 96·82 per cent., of these deaths were of children under five years of age. The death-rate from this disease for the whole country was 43 per 100,000; in the Principal Town Districts it rose to 60, but in the Insular-Rural Districts it was only 8; in the Mainland-Rural Districts it was 19; in the Small Town Districts, 32; and in the Large Town Districts, 44. Among the Principal Towns the death-rate varied from 0 in Kirkcaldy to 136 in Govan.

Influenza was the cause of 967 deaths, which is equal to 21 per 100,000 of the population. The actual number of deaths is 309 less than that for the previous year, and the death-rate is 7 per 100,000 less. Influenza proved most fatal in the Insular-Rural Districts, where the rate was 64 per 100,000, and least fatal in the Principal Town Districts, where the rate was 13. January and February were the months in which this disease was most prevalent, and July, August, and September the months in which the fewest cases occurred.

Deaths returned as due to Epidemic Diarrhœa or Infective Enteritis and Diarrhœa without further qualification numbered 1289, and to Enteritis

TABLE VIII.—Deaths from Fever in 1903.

| FEVERS. | RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|---|---|---|---|---|
| | Deaths from each Fever. | Percentage to Total Fever Deaths. | Deaths from each Fever. | Percentage to Total Fever Deaths. |
| Typhus . . . | 2 | 1·98 | 11 | 2·28 |
| Enteric . . . | 96 | 95·05 | 456 | 94·61 |
| Relapsing . . . | – | – | – | – |
| Cerebro-spinal . . | 1 | 0·99 | 1 | 0·21 |
| Ill-defined (Pyrexia) . | 2 | 1·98 | 14 | 2·90 |
| ALL FEVERS . . | 101 | 100·00 | 482 | 100·00 |

TABLE IX.—Monthly Deaths from Fever in Eight of the Principal Towns of Scotland during the Ten Years 1894–1903; specifying those from Typhus and Enteric Fever.

| MONTHS. | Total Fever Deaths. | Typhus. | Enteric. | MONTHS. | Total Fever Deaths. | Typhus. | Enteric. |
|---|---|---|---|---|---|---|---|
| January . | 207 | 10 | 192 | July . . | 219 | 13 | 197 |
| February . | 228 | 20 | 200 | August . | 248 | 6 | 237 |
| March . | 207 | 17 | 185 | September . | 320 | 13 | 309 |
| April . . | 203 | 14 | 186 | October . | 346 | 12 | 326 |
| May . . | 196 | 18 | 171 | November . | 319 | 18 | 297 |
| June . . | 168 | 15 | 150 | December . | 262 | 29 | 227 |

and Gastro-enteritis, 1684, the number of deaths from these diarrhœal diseases being thus 2973. The death-rate from Diarrhœa and Infective Enteritis was 28 per 100,000; from Enteritis and Gastro-enteritis, 37; and from all Diarrhœal diseases, 65; the corresponding figures for the previous year were 24, 29, and 53, showing an increased mortality from these diseases during the year under notice. In the three Urban Districts the death-rate due to Diarrhœal diseases was 73 per 100,000 of the population; in the two Rural Groups it was only 39 per 100,000. The rate for the Principal Towns ranged from 143 in Kilmarnock, 110 in Motherwell, and 102 in Dundee, to 41 in Edinburgh and 36 in Perth.

To the various types of Pneumonia 6475 deaths were assigned, which number is equivalent to a death-rate of 143 per 100,000 of the population. The total mortality from Pneumonia is 501 less than the number recorded during the preceding year, and the death-rate is 12 per 100,000 less. In the Principal Town Districts the death-rate from Pneumonia was 174; in the Mainland-Rural Districts it was 92. The Principal Towns in which the death-rate from Pneumonia was highest were Govan and Glasgow, the respective rates being 237 and 216; those in which this rate was lowest were Perth and Hamilton, the respective rates being 108 and 101. The death-rate from this disease is much higher among males than among females; for the whole country the rate per 100,000 of the former was 168, of the latter, 119.

Tuberculous diseases caused 9726 deaths, of which 6630 were assigned to Phthisis, 1130 to Tuberculous Meningitis, 946 to Tuberculous Peritonitis, and 1020 to other forms of Tuberculosis. The deaths from all Tuberculous diseases are 190 more than in the previous year, from Phthisis 58 more, from Tuberculous Meningitis 20 fewer, from Tuberculous Peritonitis 85 more, and from other forms of Tuberculosis 67 more. The death-rate in Scotland from all Tuberculous diseases is 214 per 100,000, in the Principal Town Districts 241, in the Large Town Districts 232, in the Small Town Districts 189, in the Mainland-Rural Districts 174, and in the Insular-Rural Districts 177. In the Principal Towns the death-rate from Tuberculous diseases ranged from 294 in Perth and 266 in Leith and Hamilton, to 183 in Partick, 173 in Kirkcaldy, and 152 in Motherwell. In Scotland the deaths from Phthisis alone are at the rate of 146 per 100,000, from Tuberculous Meningitis at the rate of 25, from Tuberculous Peritonitis at the rate of 21, and from other Tuberculous diseases at the rate of 22. Tuberculosis accounted for 12·91 per cent. of the total mortality in Scotland in 1903.

Malignant disease caused the deaths of 3798 persons, of whom 1533 were males and 2265 females. The number of males who died from this disease is 99 more than that for the previous year, and the number of females is 12 fewer. The rate of mortality from Malignant disease among males is 69 per 100,000, and among females 97, the rate for the two sexes combined being 84. The rate varied from 78 in the Small Town to 93 in the Mainland-Rural Districts. Of the Principal Towns, Edinburgh had the highest rate, 124, and Coatbridge and Govan the lowest, 34; in Glasgow the rate was 80, in Dundee 84, in Aberdeen 81, and in Greenock 96.

Table 38 shows, for males and for females, the deaths from Malignant disease classified according to age and the part of the body affected. Of the 1533 deaths from Malignant disease in males, the Stomach was the seat of the disease in 434 cases, or 28 per cent.; the Liver in 175 cases, or 11 per cent.; the Intestine in 130, or 8 per cent.; and the Rectum in 109,

or 7 per cent. Of the 2265 fatal cases among females, 449, or 20 per cent., were of the Stomach; 364, or 16 per cent., of the Uterus; 320, or 14 per cent., of the Breast; 277, or 12 per cent., of the Liver; and 184, or 8 per cent., of the Intestine. The greater mortality from Cancer among females compared with that among males is due to the frequency with which this disease attacks the female generative and mammary organs; if such deaths be excluded, the balance is rather in favour of the females. The greatest number of deaths from Cancer of the Stomach occurred at ages between 65 and 75; of the Intestine, the Rectum, and the Liver, at ages between 55 and 65; of the Breast, at ages between 55 and 65; and of the Uterus, between the ages of 45 and 55. Of the 1533 males who died from Cancer during 1903, 458, or 29·9 per cent., were aged between 55 and 65; 408, or 26·6 per cent., were between 65 and 75; and 304, or 19·8 per cent., were between 45 and 55. Of the 2265 females who died from this disease, 617, or 27·2 per cent., were between 55 and 65; 563, or 24·9 per cent., were between 65 and 75; and 449, or 19·8 per cent., were between 45 and 55.

Of the 3798 deaths from Malignant disease, 1678 were returned as due to Carcinoma, 223 as due to Sarcoma, and 1897 as due to Cancer or Malignant disease without further specification.

Deaths assigned to Cerebral Hæmorrhage, Apoplexy, or Hemiplegia numbered in all 4077, of which 1840 were of males, and 2237 of females; the death-rate from these diseases was 90 per 100,000 for the two sexes combined, the rate for males being 83, and for females 96. For the previous year the respective rates were 92, 81, and 102. These diseases proved relatively most fatal in the Mainland-Rural Districts.

Bronchitis caused 5421 deaths, which is equivalent to a rate of 119 per 100,000 living. This rate was exceeded in the Principal Town and in the Large Town Districts, and in nine of the fifteen Principal Towns, the highest rates in the latter being in Coatbridge 177, Paisley 171, and Glasgow 161. The number of deaths from Bronchitis is 671 less than in the previous year, and the death-rate is 17 per 100,000 less.

Among the Ill-defined causes are included 2208 deaths from Atrophy or Debility, 2023 of which were of children under one year of age; and 4192 from Old Age, 1534 of these being of men and 2658 of women. The deaths stated to be due to Old Age constitute 5·57 per cent. of the total mortality in Scotland; in the Insular-Rural Districts 19·83 per cent. of the deaths are referred to this cause, the percentage in the case of males being 15·77, and of females 23·52.

From Violent causes there resulted 3114 deaths, which is equivalent to 4·13 per cent. of the total mortality, and to a death-rate of 69 per 100,000 of the population. Of these deaths, 2236 were of males and 878 of females, being at the rate of 101 and 38 per 100,000 of the two sexes respectively. Of the 3114 Violent deaths, 20 were Homicidal, 274 Suicidal, and 2820 Accidental. Among the Accidental deaths are included 554 from drowning, 368 from accidents with vehicles and horses, 329 from burns and scalds, 208 from falls, 169 from accidents in mines and quarries, 166 from suffocation, 142 from overlaying, and 96 from poison. Of the 368 deaths from accidents with vehicles and horses, 219 were caused by railway vehicles, 130 by other vehicles, and 19 by horses. Of the 169 deaths from accidents in mines and quarries, 152 occurred in coal mines, 8 in other mines, and 9 in quarries. Of the 96 deaths from accidental poisoning, 28 were stated to have been caused by opium or its preparations, 17 by chloroform, 10 by coal gas, 8 by carbolic acid, 4 each by

chloral hydrate, ammonia, and carbon monoxide, 2 each by alcohol, phosphorus, sulphuric acid, and a narcotic, and one each by carbonic acid gas, furnace gases, fumes from a refuse heap, oxalic acid, salts of sorrel, nitrate of potash, a caustic irritant, a corrosive poison, aconite, guelder rose berries, and the sting of a bee; in two cases the nature of the poison was not specified.

Of the 274 deaths from Suicide, 74 were by hanging, 64 by cutting or stabbing, 58 by drowning. 27 by shooting, 22 by poisoning, 14 by railways, and 11 by precipitation, the manner in 4 cases not being specified. Of the suicidal poisonings, 7 were by opium or laudanum, 3 by carbolic acid, 2 by phosphorus, 2 by potassium cyanide, and one each by arsenic, ammonia, coal gas, hydrochloric acid, hydrocyanic acid, salts of sorrel, insect powder, and a narcotic.

Table 30 shows the proportion of deaths at different age-periods from the principal epidemic and certain other diseases. Of the deaths from Hooping-cough, 96·82 per cent. were of children under five years of age, and of those from Measles, 93·56 per cent. were under five. Of the deaths from Scarlet Fever, 55·77 per cent. occurred at ages under five, and 27·77 at ages between five and ten; and of those from Diphtheria, 67·81 per cent. occurred at the first and 26·09 per cent. at the second quinquennial period of life. Over 75 per cent. of the deaths from Fever occurred between the ages of 15 and 60; over 75 per cent. of the deaths from Diarrhœa, and over 80 per cent. of those from Syphilis, were of children under five years. Of the deaths from Pneumonia, 47 per cent. occurred at ages under five and 30 per cent. at ages 15 to 60. Nearly 85 per cent. of the deaths from Phthisis were of persons aged 15 to 60; of those from Tuberculous Meningitis, 70 per cent. were of children under five and 16 per cent. of children between five and ten; of those from Tuberculous Peritonitis, 58 per cent. were at ages under five, 15 at ages five to ten, and 20 per cent. at ages 15 to 60; and of those from other forms of Tuberculosis, 32 per cent. were under five and 42 per cent. at ages 15 to 60. Of the deaths from Bronchitis, 36 per cent. were of children under five, and 45 per cent. of persons under 60.

Of the total deaths from all causes in Scotland, 12·91 per cent. were due to Tuberculosis, 8·60 to Pneumonia, 7·20 to Bronchitis, 5·57 to Old Age, 5·41 to Apoplexy, 5·04 to Malignant disease, 4·13 to Violence, 3·93 to Diarrhœal diseases, 2·58 to Hooping-cough, and 1·50 to Measles.

## WEATHER AND ITS INFLUENCE ON THE MORTALITY.

The following remarks on the weather of the year are the Notes made by Dr. Buchan, under the direction of the Council of the Scottish Meteorological Society, which appear in the Registrar-General's Quarterly Reports:—

The weather of *January* was characterised by a mean barometric pressure a little below the average; a mean temperature somewhat below the average, with a slightly low mean daily range; a rather low mean humidity; a mean rainfall greatly above the average, and falling on 2 days more than the average number; a mean wind force above the average, with a slight excess of westerly winds.

The mean barometric pressure was 29·746 inches, or 0·050 inch below the average. Pressure was very low from the 1st to the 10th, high from

the 11th to the 21st, and low thereafter. The extremes at Leith were, at sea-level, 30·635 inches on the 13th and 28·732 inches on the 7th.

The mean temperature of the month was 36°·5, or 0°·7 below the mean, the days being 0°·9 and the nights 0°·4 below their respective averages. In Shetland, Orkney, and along the east coast the difference from the average was very slight, whilst in inland districts there was a well-marked deficiency which at a few places exceeded 1°·5. In the south the deficiency was less than 1°. The first week of the month was extremely mild, but on the evening of the 10th a very severe frost set in, reaching its greatest intensity on the 14th and continuing until the 17th. Thereafter the weather became very mild and remained so until the end of the month. The difference between the temperature at the middle of the month and during the last week was very great. Thus at Leith the mean temperature of the week ending on the 17th was 31°·0, whilst for that ending on the 31st it was 46°·7. The corresponding temperatures were for Glasgow, 28°·3 and 45°·2, for Fort William, 29°·9 and 45°·6, and for Braemar, 23°·9 and 41°·3. The absolutely highest temperature was 55°·0 at Crathes on the 30th, and the lowest 1°·0 at Braemar on the 13th.

The mean rainfall was 6·04 inches, or 56 per cent. above the average, being the largest January rainfall since 1877. At Glasgow and Paisley the total for the month exceeded, and at Edinburgh, Leith, Lednathie and Fort Augustus closely approached twice the average. The excess was equal to only 10 per cent. at Deerness, but in the mainland was everywhere well-marked. From the 11th to the 20th hardly any rain fell, whilst the first and last ten days of the month were very wet, many daily amounts exceeding an inch being recorded, the heaviest falls occurring on the 9th and 29th. At Glencarron 3·15 inches fell on the 29th and 2·14 on the 30th, the total for these two days being 3·61 inches at Fort Augustus and at Fort William, where the daily fall exceeded an inch on 7 days, 4·00 inches. The heavy falls on the 9th were largely made up of snow and sleet and were accompanied by an easterly gale. The monthly rainfall on Ben Nevis was 33·45 inches, the greatest daily fall being 4·78 inches on the 29th.

On the 9th a severe snowstorm was general over the country, and blocks occurred on the Highland railways. During the last ten days of the month strong westerly winds, occasionally reaching gale force, prevailed, while owing to the heavy rains and melting snow many rivers were by the 28th in full flood. On the 26th lightning, and on the 27th thunder, was reported generally in the north and west.

The weather of *February* was characterised by a mean barometric pressure considerably below the average; a very high mean temperature, with a slightly high mean daily range; a rather low mean humidity; a mean rainfall twice the average, and falling on 4 days more than the average number; a mean wind force above the average, with a great excess of winds from W. and S.W.

The mean barometric pressure was 29·745 inches, or 0·105 inch below the average. The distribution of pressure was remarkable, an exceedingly steep gradient being formed from S.W. to N.E. Thus the mean for the month at Cally (Gatehouse) was, at sea-level, 29·881 inches, whilst that at North Unst was 29·423 inches, giving a gradient of 0·423 inch against a normal gradient of 0·168 inch. Strong winds from W. and S.W., frequently reaching gale force, blew on 6 days more than the average number, and the month was characterised by a succession of deep depressions passing from

S.S.W. to N.N.E. The deepest of these occurred on the 27th, and at 7 a.m. on that day the barometer at Leith fell, at sea-level, to 28·244 inches.

The mean temperature was 42°·2, or 3°·9 above the average, the days being 4°·1 and the nights 3°·6 above their respective averages. Except in 1882, when the monthly mean was 42 ·3, no February temperature so high has been recorded at least since 1856. Several places in the south had a mean temperature fully 5° above the averages, whilst in Orkney the excess was slightly above 2°, and at North Unst and Monach about 1°. The warmest day of the month was at most places the 19th, except in the south, where it was generally the 9th. The coldest days of the month were the 1st, 13th, and 28th; but very little frost was reported, and at some stations the sheltered minimum did not fall to 32°. The absolutely highest temperature was 59°·0 at Gordon Castle on the 19th, and the lowest 22°·8 at Lednathie on the 26th.

The mean rainfall was 6·10 inches, or double the average, being the heaviest February rainfall on record except that of 1894, when the mean amount was 7·05 inches. In Aberdeenshire the amount hardly exceeded the average, but in all other parts of the country there was a remarkable excess which was at few places less than 60 per cent., at many more than 100 per cent., and at a few more than 150 per cent. At Fort William the daily amount was an inch or more on 8 days, and the total for the month was 16·46 inches. A great storm of snow, sleet and rain occurred everywhere on the 8th, and in the west on the 7th also. Thus at Greenock the total for these two days was 5·35 inches, at Paisley 4·80 inches, whilst at Leadhills the total for the first nine days of the month was 6·69 inches. Destructive floods were general throughout the country, and on the 10th the river Clyde burst its banks at Rutherglen. During the last ten days of the month also heavy rains occurred, 8·57 inches being recorded at Fort William from the 19th to 28th inclusive, and 7·67 inches at Glencarron. On Ben Nevis the total rainfall was 36·24 inches, being 22·70 inches above the average of nineteen years.

On the 1st and 8th snow fell at many places, and from the 21st to 28th storms of hail and snow accompanied by lightning and occasional thunder were frequent in the west. The month was characterised by frequent gales from the S.W. These were in most districts almost continuous from the 19th onwards, a very destructive gale on the 27th being of unusual severity. Between the 20th and 25th thunder was occasionally reported in the north and west.

The weather of *March* was characterised by an exceedingly low mean barometric pressure; a somewhat high mean temperature, with a slightly low mean daily range; a mean humidity slightly below the average; a mean rainfall more than twice the average, and falling on ten days more than the average number; a mean wind force above the average, with a remarkable excess of winds from between S. and W.

The mean barometric pressure was 29·512 inches, or 0·310 inch below the average. This is the lowest mean pressure recorded for March since 1876, when the mean for the month was 29·394 inches. The month, like February, was characterised by a succession of cyclonic disturbances, which passed rapidly northwards just off the west coast of Scotland and caused stormy weather throughout the entire month. A well-defined gradient was formed for winds from a south-west quarter which prevailed on no less than nine days more than the average number. At Leith the barometer,

at sea-level, rose above 30 inches on only the 8th, 14th and 31st, the extremes there being 30·205 inches on the 8th, and 28·629 inches on the 2nd.

The mean temperature was 41°·1, or 1°·7 above the average, the days being 1°·3 and the nights 2°·0 above their respective averages. In the southern counties the excess was generally more than 2°, whilst in few parts of the country was it less than 1°. During the first week of the month temperature was somewhat below the average, but thereafter it remained continuously above, the maximum generally being registered on the 22nd, 25th, or 31st. At Greenock, Glasgow Observatory, and Leith the sheltered minimum did not fall to 32°. The absolutely highest temperature was 57°·8 at Corstorphine on the 20th, the lowest being 22°·0 at Kingussie and at Lednathie on the 7th.

The mean rainfall was 5·96 inches, or 110 per cent. above the average, being considerably the largest March rainfall on record since observations were organised in 1856. In 1861 and 1876 the mean was 5·10 inches, and in only five other years has the mean exceeded four inches. The number of rainy days was as notable as the abnormally heavy rainfall. At Dumfries, Greenock, and a few other places, rain fell on every day of the month, and only at a few places, and these all on the east coast, was rain recorded on fewer than 20 days. In the extreme south-east of the country the rainfall was about the average, in a great part of Aberdeenshire and in Banffshire there was a well-marked deficiency, and in the eastern half of Sutherlandshire the amount was either a little above or a little below the normal. In all other parts there was a very large excess, the amounts being usually much more than twice, and at several places considerably more than thrice, the average. The heaviest rainfalls were, in inches, 20·99 at Glenquoich, 18·31 at Stronvar, 16·49 at Leadhills, 15·90 at Fort William, and 12·56 at Greenock. On Ben Nevis the total rainfall was 37·96 inches, being 23·47 inches above the average of nineteen years.

Snow in small amounts was general during the first six days and also during the last week of the month. Hail was very frequent, and thunder was reported from a few places on the 4th, 5th, or 26th. The month was characterised by very high winds from the south-west, frequently reaching gale force during the latter half of the month.

The weather of *April* was characterised by a somewhat low mean barometric pressure; a very low mean temperature, with a mean daily range equal to the average; a low mean humidity; a mean rainfall rather below the average, but falling on two days more than the average number; a considerable excess of winds of about average force from N.W. and N.

The mean barometric pressure was 29·832 inches, or 0·056 inch below the average. Pressure was highest about the middle of the month and lowest towards the end, the extremes at Leith being, at sea-level, 30·467 inches on the 17th and 29·345 inches on the 29th.

The mean temperature was 41°·4, or 2°·6 below the normal, the days being 2°·5 and the nights 2°·7 below their respective averages. This is the lowest temperature for April since 1891, when the mean was 41°·4, as also in 1877 and 1860, the lowest mean on record for the month being 41°·0 in 1879. The defect in temperature was everywhere well-marked and at a few places in the east and north was fully 3°·5. It was less in the west than in the east. During the first ten days of the month westerly winds prevailed and temperature was high and rose steadily. Thereafter northerly

and then easterly winds prevailed and were the accompaniment of a remarkable spell of cold weather lasting till nearly the end of the month with temperature lower in some cases than any recorded since January. At very few of the reporting stations did the maximum in shade reach 60°, and frost was generally reported for a week continuously from the 12th. At Ochtertyre a minimum on grass registered frost on 20 days and on the 18th and 24th fell as low as 17°, whilst a minimum in shade gave readings below the freezing-point on every day from the 12th to 25th. At Inverness ground-frost was recorded on 21 days, at Fort William on 16, and at Edinburgh on 17. The contrast in temperature between the week ending on the 11th and the following week was very great. Thus at Glasgow the mean temperature of the former week was 45°·6, or 2°·1 above the average, and of the latter 36°·7, or 7°·9 below. The absolute maximum was 61°·5 at Lednathie on the 9th, and the minimum 16°·0 at Stobo on the 15th.

The mean rainfall was 1·92 inches, or 14 per cent. below the average. In Shetland, Orkney, at Stornoway, in the northern counties, in Banffshire, and parts of Aberdeenshire, and at Glencarron and Glenquoich the rainfall was decidedly above the average, the excess being about 75 per cent. at Deerness, Wick, and Lairg. At Fort William and Braemar the amount was just about the average. Elsewhere there was a deficiency of varying amount, the total for the month at Arbroath, Perth, Stronvar, Dollar, Dumbarton, and Stobo being less than half the average. At Fort William no rain fell from the 13th to the 26th, and at Greenock rain fell on only four days between the 7th and the 29th. Very few daily amounts exceeding an inch were reported, and the rainfall was in every way a contrast to the record of the first three months of the year. On Ben Nevis the monthly amount was 8·36 inches, or 0·31 inch above the mean of nineteen years.

Snow and hail were frequent about the middle of the month, and on the 15th a snowstorm of considerable severity was general over the country. During the last three days of the month fog was very prevalent on east and north-east coasts. On the afternoon of the 30th a sharp thunderstorm with hail was reported at many places except in the north, and on the morning of the 18th an Aurora was noted at Glasgow.

The weather of *May* was characterised by a somewhat low mean barometric pressure; a mean temperature, all but equal to the average, with a mean daily range about the average; a slightly low mean humidity; a mean rainfall a little below the average, and falling on 1 more than the average number of days; a large excess of winds of moderate force from E. and N.E.

The mean barometric pressure was 29·873 inches, or 0·067 inch below the average. Pressure was lowest at the beginning of the month and highest towards the end, the extremes at Leith being, at sea-level, 30·463 inches on the 26th and 29·281 inches on the 5th.

The mean temperature was 48°·9, or 0°·1 below the normal, the nights being of average temperature and the days 0°·2 below. The greatest deficiencies were 2°·2 at Fort Augustus and 1°·4 at Peterhead and Haddo House, and the greatest excesses 1°·8 at Lairg, 1°·2 at Cally, and 1°·1 at Tillypronie. Nearly one half of the stations had a mean temperature within 0°·5 of the average. During the first half of the month temperature was continuously low, and on the morning of the 11th, which was in general the coldest day, frost was registered at many places, and at Glasgow and Braemar minimum thermometers exposed on grass fell to 23°·0. Very low

readings were recorded also on the 19th and 20th; but thereafter temperature was almost uniformly high with maximum readings in various days during the last week of the month. The absolutely highest temperature was 79°·7 at Dumfries on the 31st, and the lowest 20°·0 at Stronvar on the 19th.

The mean rainfall was 2·09 inches, or 9 per cent. below the average. In the greater part of Aberdeenshire, in Banffshire, along the Caledonian Canal, and in the south-west of Scotland there was a decided excess, amounting to 36 per cent. at Haddo House, 30 at Fort William, 36 at Paisley, and 48 at Cargen. Elsewhere there was a well-pronounced deficiency, exceeding 40 per cent. at Braemar, in Perthshire, East Lothian, Peeblesshire, and Berwickshire. Rain was registered chiefly from the 1st to the 6th and from the 13th to the 17th. In the eastern counties very little fell after the 16th, none being reported at Aberdeen after that date, though at many places there were considerable falls on the 30th. The only daily amounts exceeding an inch noted were 1·07 inch at Glencarron on the 13th and 1·20 inch at Bowhill (Dalmellington) on the 14th. On Ben Nevis the monthly amount was 6·61 inches, or 0·90 inch below the average.

Snow fell at Inverness on the 9th, at Aberdeen on the 10th, at Braemar on the 10th and 11th, and at Fort Augustus on the 7th and 15th. Thunder occurred in the Border counties on the 30th, and heavy fog prevailed on the eastern and northern coasts from the 1st to the 5th and again after the 26th.

The weather of *June* was characterised by an extremely high mean barometric pressure; a low mean temperature, with a slightly high mean daily range; a low mean humidity; a rather low mean rainfall, falling on 1 less than the average number of days; a very large excess of winds of moderate force from a north-easterly quarter.

The mean barometric pressure was 30·096 inches, or 0·154 inch above the average. So high a pressure for June has not been recorded since 1887, when the mean for the month was 30·174 inches. There were no great variations of pressure, and Scotland was hardly affected by a series of depressions which passed across the south of England between the 9th and 19th. At Leith the barometer, at sea-level, stood below 30 inches only on the 1st, from the 15th to 19th, from 26th to 28th, and on the morning of the 30th, the extremes there being 30·448 inches on the 6th, and 29·759 inches on the 18th.

The mean temperature was 53°·5, or 1°·4 below the mean, the days being 1°·1 and the nights 1°·7 below their respective averages. In Bute and Renfrewshire, and at Poltalloch and Dumbarton temperature was slightly above the average; but over the country generally there was a decided deficiency which ranged from 3°·0 at Inverness, Peterhead, and Montrose, to less than 1°·0 at Buchlyvie, in the Glasgow and Edinburgh districts, and at Duns, Dumfries, and Cally. A ground-frost occurred in the north and west on the 2nd, but from the 4th to the 8th high temperatures were recorded, the maximum for the month at most places being registered on the 4th. Thereafter, until the last few days of the month, when temperature was again high, persistent winds from the N.E. brought very cold weather, with lowest readings generally on the 20th, when the sheltered thermometer fell below 32° at several places and the exposed minimum at Braemar and Ochtertyre registered 10° of frost, and at Inverness and Fort William 8°. The mean temperature of the third week of the month was

at Aberdeen 7°·0, and at Leith 6°·0, below the average of the week. The absolutely highest temperature was 82°·0 at Smeaton on the 4th, and the lowest 26°·5 at Kingussie on the 20th.

The mean rainfall was 2·02 inches, or 22 per cent. below the average. In Nairnshire, and from Inverness along the Caledonian Canal as far as Invergarry, there was a well-marked excess, amounting at Fort Augustus to 28 per cent. Rainfall was also above the average in parts of the counties of Forfar, Fife, Renfrew, and Wigtown. But in general there was a decided deficiency, which exceeded 50 per cent. at Wolfelee and Poltalloch, was about 40 per cent. at Braemar and Edinburgh, and about 30 per cent. at Deerness, Dunrobin, Rothesay, Glasgow, Dumfries, Broomlands, and Peterhead. The greater part of the rain fell during the last few days of the month, and at many places there were only one or two rainy days during the first three weeks. The heaviest daily amounts were 1·42 inch at Fort William on the 30th, and 1·40 inch at Kilmarnock on the 27th. On Ben Nevis the monthly amount was 6·44 inches, or 1·10 inch below the average.

Thunderstorms occurred at many places on the 24th, 25th, and 29th, and were of great severity in Central Perthshire.

At Inverness on the 13th there were showers of hail and sleet.

The weather of *July* was characterised by a rather low mean barometric pressure; a low mean temperature, with a mean daily range about equal to the average; an average mean humidity; a very high mean rainfall, falling on two more than the average number of days; a considerable excess of winds of average force from between N. and S.E.

The mean barometric pressure was 29·846 inches, or 0·040 inch below the average. Pressure was irregular during the first six days of the month, and on the 5th a fall amounting at most places to half-an-inch was accompanied by somewhat stormy weather. Thereafter there were no very great barometric fluctuations. The extremes at Leith were, at sea-level, 30·225 inches on the 9th and 29·454 inches on the 5th.

The mean temperature was 55°·6, or 1°·6 below the mean, the days being 1°·7 and the nights 1°·5 below their respective averages. In Midlothian temperature was just about the average, but in general there was a well-marked deficiency, which ranged from about 0°·5 in the extreme south to fully 3°·0 at Peterhead, Nairn, and Wick. The month commenced with temperatures considerably above the average, followed by a short cold period, with fairly high temperatures again from the 9th to 11th. From the 14th to 21st cold easterly winds prevailed and low temperatures were recorded, as again from the 27th to 29th. At most places highest temperatures were recorded on the 2nd, 9th, 10th, or 25th, and lowest on 7th, 8th, or 14th. At only about one-third of the stations was a maximum of 75°·0 or over reported during the month. At Aberdeen temperature failed to reach 60°·0 from the 13th to the 19th and on the 16th rose to only 52°·7, the mean temperature there for the week ending 18th July being 51°·5 as compared with 59°·2 for the week ending 4th July, the corresponding figures for Leith being 54°·1 and 61°·2, and for Glasgow 54°·0 and 58°·6. At Fort William, on the night of the 13th, a thermometer exposed on grass fell to 31°·1. The absolute maximum was 80°·0 at Dumfries on the 2nd and Balruddery on the 10th, and the minimum 33°·0 at Wolfelee on the 8th.

The mean rainfall was 4·50 inches, or 43 per cent. above the average, being the largest rainfall for July since 1888, when the mean was 4·69

inches. Except over a limited area in the Glasgow district, where about the normal amount was recorded, there was everywhere a decided excess, which was most pronounced towards the north-eastern counties. At Haddo House more than twice the average amount fell, whilst there was an excess of 93 per cent. at Gordon Castle, and of about 80 per cent. at Wick, Aberdeen, Montrose, and Lednathie. At Cally, on the other hand, the excess amounted to only 12 per cent., and at Fort William to only 18 per cent. At the beginning of the month heavy falls took place, except in the south-eastern counties, and, especially in the N. and N.W., some heavy daily amounts were reported. On the 5th, 2·50 inches were registered at Wick, whilst the total for the first five days of the month was 4·17 inches at Glencarron, and 3·63 inches at Fort William. About the middle of the month heavy falls took place in the east and south. At Dumfries 1·33 inch fell on the 14th, and at Dundee 1·63 inch on the 16th. A good deal of rain fell towards the end of the month, Montrose reporting 1·16 inch on the 26th. On Ben Nevis the monthly amount was 13·26 inches, or 2·47 inches above the mean.

Thunder was reported at many places on the 2nd and towards the end of the month. On the 5th and 6th very strong winds from N. and N.W. prevailed, reaching gale force in several districts. Fog was prevalent on north and west coasts from 8th to 10th, on the south-east on 16th and 17th, and in the east and north towards the end of the month.

The weather of *August* was characterised by an extremely low mean barometric pressure; a low mean temperature, with a mean daily range about the average; a rather low mean humidity; a very high mean rainfall, falling on six days more than the average number; a large excess of winds of about average force from a westerly quarter.

The mean barometric pressure was 29·678 inches, or 0·180 inch below the average. Lowest readings were everywhere noted on the morning of the 15th, when a severe thunderstorm occurred at many places, and on the 30th a fall at most places of fully half-an-inch was accompanied by stormy weather. The extremes at Leith were, at sea-level, 30·071 inches on the 25th and 28·882 inches on the 15th.

The mean temperature was 54°·4, or 2°·2 below the normal, the days being 2°·1 and the nights 2°·3 below their respective averages. The mean was 0°·5 above the corresponding mean for 1902, but with that exception the month was colder than any August since 1885, when the mean was 53°·6. Temperature was everywhere deficient, by less than 1°·0 in the Edinburgh district, by less than 2°·0 towards the south-west of the country, by larger amounts towards the north, and by as much as 3°·5 at Fort Augustus. There was a notable absence of high temperatures, only about one-fifth of the stations reporting a maximum of 70°·0 or over. Temperature differed little from the average at the beginning of the month, but thereafter at most places remained almost continuously below the mean, the coldest week being that ending on the 22nd, the mean temperature of which showed at Aberdeen and Fort William a defect of 3°·7, and at Ochtertyre of 5°·5. The absolutely highest temperature was 74°·0 at Clathick on the 1st, and the lowest 32°·5 at Lednathie on the 25th.

The mean rainfall was 5·53 inches, or 53 per cent. above the average, the month being the wettest August since 1877, when the mean was 6·35 inches. At Inverness and in Nairnshire rainfall was just about the average, but over the country generally there was a decided excess which was relatively

greater in western districts than in eastern, and least in Roxburghshire and on the south coast. At Lairg and Paisley the monthly amount was more than two and a half times, and at Fort William and Rothesay more than twice the average. At about half of the stations the amounts were at least 50 per cent. above the average, and at Lednathie, Stronvar, Greenock, and Drumlanrig there was an excess of fully 80 per cent. In the Edinburgh district there was an excess of 25 per cent., on the Borders of about 15, and at Dumfries and Cally of less than 10. The largest daily amounts reported were 2·05 inches at Lednathie on the 31st, and 1·57 inch at Fort William on the 26th. At Stronvar there was only one rainless day, and at Glencarron only two, whilst towards the south-east rain fell less frequently. The period from the 15th to 25th was the least rainy time of the month. On Ben Nevis the monthly amount was 20·97 inches, or 7·62 inches above the mean.

Thunder was unusually frequent during the month, most of the occurrences being between the 11th and 23rd. It was reported at least once in most districts and at Gordon Castle on no fewer than nine days. The weather of the month was in general very unsettled, especially on the west coast, and on the 26th and 30th gales were generally reported.

The weather of *September* was characterised by a rather high mean barometric pressure; a mean temperature slightly below the average, with a mean daily range slightly above; a slightly low mean humidity; a slightly low mean rainfall, falling on the average number of days; a very large excess of winds of rather less than average force from a south-easterly quarter.

The mean barometric pressure was 29·956 inches, or 0·113 inch above the average. Lowest readings were everywhere recorded on the 10th, and highest on the 14th or 15th, the extremes at Leith, at sea-level, being 29·326 inches on the 10th, and 30·550 inches on the 14th.

The mean temperature was 52°·5 or 0°·3 below the normal, the days and nights being both below their respective averages by that amount. Few of the stations differed from their average by as much as 1°·0. In the Edinburgh district there was a slight excess, but elsewhere in eastern counties a deficiency, whilst towards the N.W. of the country temperature was in general above the average. The month opened with fairly high temperatures, but thereafter a spell of cold weather set in with winds from E. and S.E. and with lowest temperatures generally on the 15th, on which day the thermometer fell below 32°·0, at about one-third of the stations, ground-frost occurring for two or three days in succession in many districts. During the last ten days of the month temperature was again high, with highest readings for the month at most places between the 23rd and 26th. The absolutely highest temperature was 72°·0 at Fort William on the 20th, and the lowest 27°·0 at Braemar and Crathes on the 15th.

The mean rainfall was 3·20 inches, or 11 per cent. below the average. At Wolfelee there was an excess of 31 per cent., and at Aberdeen, Paisley, and one or two other places, the amounts were fractionally above the average. But in general there was a deficiency, slight in southern and eastern districts, but becoming more pronounced towards the north and west. Thus, Berwickshire and Midlothian had rainfalls within 10 per cent. of the average, whilst Gordon Castle, Nairnshire, and Glencarron had an excess of nearly 40 per cent., and Braemar, Kingussie, Fort Augustus, Inverness, and Stornoway of between 20 and 30 per cent. Most of the

rain was registered during the first ten days of the month, and at stations in E. and S.E. heavy falls occurred on the 2nd, Wolfelee reporting 1·85 inch on that day. From the 13th to 21st hardly any rain fell in any district, and at several northern stations but little thereafter; but at most places towards the end of the month the weather again became wet and unsettled. On Ben Nevis the monthly amount was 10·72 inches, or 4·23 inches below the mean.

Thunder was reported in Midlothian and the Border counties on the 11th, and in Central Perthshire on the 30th. An Aurora was observed at Fort William on the night of the 19th. Dense fogs occurred on the east coast from the 23rd to 27th, and in the north from the 23rd to 30th.

The weather of *October* was characterised by an abnormally low mean atmospheric pressure; a slightly high mean temperature, with a rather low mean daily range; an average mean humidity; an abnormally high mean rainfall, falling on 10 days more than the average number; a considerable excess of winds of moderate force from a southerly quarter.

The mean barometric pressure was 29·447 inches, being 0·365 inch below the average, and much lower than any mean for October since observations were organised in 1856, the next lowest being 29·587 inches in 1872. At most places the pressure, reduced to sea-level, reached 30 inches only on the 18th, the extremes at Leith being 30·046 inches on the 18th and 28·849 on the 12th.

The mean temperature was 47°·1, or 0°·6 above the normal, the days being of average temperature and the nights 1°·3 above. In all southern counties there was a well-marked excess, amounting at Edinburgh to as much as 2°·4, whilst north of the Forth and Clyde a few stations showed a deficiency, several had temperatures practically equal to the average, and only a few, such as Dundee and Ochtertyre, an excess of as much as 1°·0. The month opened with fairly high temperatures, the maximum for the month at most places being recorded on the 1st. A colder spell of weather followed, with lowest readings generally on the 10th, but thereafter variations were very slight and temperature remained almost continuously above the average except for low readings on 24th and 29th. At about one-third of the stations shade readings below 32°·0 were not recorded. Ground-frost was frequently reported from Braemar, but was seldom noted at low-lying places, and occurred at Paisley only on the 10th, and at Edinburgh only on the 10th and 29th. The absolute maximum was 69°·0 at Haddo House on the 1st, the minimum being 25°·0 at Stronvar on the 10th.

The mean rainfall was 7·57 inches, or 87 per cent. above the normal, being the highest mean on record for October. South of a line drawn from the mouth of the Tay to Mull nearly every district reported considerably more than double the average amount, though at Cally (Gatehouse) there was an excess of only 54 per cent. The relative excess was less in northern districts, but at only two or three stations was it below 40 per cent. Only about two-fifths of the stations had a fall of less than 6 inches, whilst about one-fifth had a fall of more than 10, the heaviest falls being 15·71 inches at Lochbuie, 15·58 at Stronvar, 14·39 at Leadhills, 13·43 at Glencarron, and 12·46 at Fort William. At Stronvar, Glasgow, Broomlands, and one or two other places rain fell on every day of the month, whilst many places had only one or two rainless days, the average number of rainy days being 27, or no less than 10 above the normal. The wettest periods of the month were from 3rd to 8th, and from 24th to 29th. About half the stations

reported a fall exceeding an inch on some one day of the month, the heaviest daily fall being 2·61 inches at Glencarron on the 15th, whilst at Edinburgh, Paisley, and other places the monthly average was exceeded by the aggregate of the first ten days. On Ben Nevis the monthly amount was 18·66 inches, or 3·24 inches above the mean of nineteen years.

The month was abnormally wet and unsettled, the weather being especially stormy from 11th to 16th. Thunder was reported in the Border counties on 25th and 26th. In the north an Aurora was observed on the 13th and again on the 31st. The occurrence on the 31st was of a very brilliant character, and was associated with a "magnetic storm" of great intensity.

The weather of *November* was characterised by a somewhat high mean barometric pressure; a slightly high mean temperature, with a slightly high mean daily range; a low mean humidity; a somewhat low mean rainfall, but falling on three days more than the average number; a very large excess of winds of moderate force from W. and N.W.

The mean barometric pressure was 29·906 inches, or 0·076 inch above the normal. During the first eight days of the month pressure was decidedly high, at many places exceeding 30·5 inches at sea-level on the 5th and 6th. Lowest readings occurred generally on the 28th, the extremes at Leith being 30·558 inches on the 6th and 29·130 inches on the 28th.

The mean temperature was 41°·5, or 0°·6 above the normal, the days being 0°·8 and the nights 0°·5 above their respective averages. In Shetland, Orkney, and north-eastern coast districts temperature was below the average, but in nearly all other parts there was an excess, amounting at about a fourth of the stations to fully 1°·0. The month opened with readings much above the average, but low temperatures were recorded in central and southern districts from 6th to 8th, the sheltered minimum falling on the 7th to 24°·0 at Perth and 24°·9 at Edinburgh. Thereafter cyclonic conditions prevailed with higher temperatures, the maximum for the month generally occurring on the 12th. Again from 16th to 18th temperature was low under the influence of Northerly winds, and, after a few days of milder weather, the month closed with a severe frost, with lowest readings everywhere on the 30th, when the sheltered minimum fell below 20°·0 at Wolfelee, Stobo, Leadhills, and a few other stations. The absolute maximum was 58°·2 at Inverness on the 14th, the minimum being 15°·0 at Leadhills on the 30th.

The mean rainfall was 3·21 inches, or 16 per cent. below the normal. In Northern districts there was a decided excess, amounting to 66 per cent. at Wick, 53 at Dunrobin, and 24 at Inverness. At Fort Augustus and Fort William the monthly amounts were practically equal to the average, whilst at Braemar there was a defect of 47 per cent., and in all central and southern districts the month was a dry one. The defect was as much as 78 per cent. at Lednathie, and in most districts of the counties of Perth, Forfar, and Fife less than half the average amount was registered. In the Border counties the defect was more than 40 per cent., in the Lothians from 30 to 40, in the Clyde area from 20 to 30, whilst in the extreme south-west it was only about 10 per cent. The rainiest periods were the 1st and 2nd, from the 8th to 14th, and from the 21st to 28th. In the south-eastern counties about a third of the monthly total was due to heavy falls on the 28th. The heaviest daily falls were 2·38 inches at Fort William on the 23rd, and 2·19 inches at Glencarron on the same day. On Ben Nevis the monthly amount was 17·27 inches, or 2·68 inches above the average.

Snow fell in northern districts about the middle and towards the end of the month, and on the 27th a snowstorm was general over the country. The weather was very stormy on the 21st and 22nd.

The weather of *December* was characterised by a low mean barometric pressure; a low mean temperature, with a rather low mean daily range; a high mean humidity; a rather low mean rainfall, but falling on one day more than the average number; a very large excess of winds of moderate force from a S.E. quarter.

The mean barometric pressure was 29·684 inches, or 0·096 inch below the normal. Pressure was lowest from the 4th to the 11th, and highest towards the end of the month, the extremes at Leith, at sea-level, being 30·271 inches on the 28th and 28·888 inches on the 8th.

The mean temperature was 36°·4, or 1°·6 below the normal, the days being 2°·0 and the nights 1°·1 below their respective averages. Temperature was slightly above the average at Deerness, but everywhere on the mainland was below the average, the defect being less than 1°·0 at one or two places on the east coast, between 1°·0 and 2°·0 at the majority of stations, whilst at Fort Augustus and Inverness it was more than 3°·0, and at Lairg as much as 4°·5. The 1st, 2nd, 5th, and 6th were very cold days, and thereafter brief mild and cold spells alternated until the 24th, when a severe frost lasting until the end of the month became general over the country. Highest temperatures occurred almost everywhere on the 22nd, and lowest, except at one or two stations, on the 2nd or 30th. The absolute maximum was 57°·0 at Glencarron on the 21st, and the minimum 11°·5 at Kingussie on the 2nd, and at Fort Augustus on the 30th.

The mean rainfall was 3·39 inches, or 19 per cent. below the normal. At Lednathie there was an excess of 44 per cent., and at Montrose and Perth of 12, whilst in Central Perthshire and Bute rainfall was just equal to the average. Elsewhere there was a deficiency, which in southern Scotland increased from west to east, and as regards the country generally was greatest in northern districts. Thus Paisley was deficient by 7 per cent., and Greenock and Drumlanrig by 10, whilst in Midlothian only half, and in East Lothian less than half the average was registered. In the north, Glencarron and Lairg were deficient by 60 per cent., and Inverness by 70. At Dundee the deficiency was only 8 per cent., at Braemar 11, and at Aberdeen 17. The wettest days were 2nd, 7th, 13th, 21st and 22nd, and except on the east coast but little rain fell after the 22nd. The heaviest daily falls reported were 2·00 inches at Greenock, 1·73 at Glencarron, and 1·66 at Fort William, all on the 2nd, and 1·72 inch at Stronvar on the 21st. On Ben Nevis the monthly amount was 6·81 inches, or 12·30 inches below the average.

Snow fell in most districts on the 2nd, and on one or two days thereafter. At Lednathie it was noted on thirteen days and at Stobo on six. The weather was stormy on the 2nd, 3rd, 7th, and 21st, but in general the wind force was light; the month being marked, except in northern districts, by dense land fogs and absence of sunshine. At Glasgow, sunshine was recorded only on the 1st; and at Paisley, fog occurred on seventeen days. Auroras were observed at Kingussie, Inverness, and Monach on 13th; Edinburgh on 18th; Ben Nevis on 25th; and Cape Wrath on 31st.

Tables 44 to 49 are intended to show the influence of the varying weather conditions on the general mortality and on the mortality from certain diseases.

The mean temperature for the year 1903 was 45°·9, which is 0°·5 less than the mean temperature of the ten years 1891-1900. December, January, and March were the coldest months, while July, August, and June were the warmest months. February was the month in which the greatest variation from the mean occurred, this month having a temperature which was 4°·8 above the average mean temperature for February during the ten years' period. The amount of rainfall for the year was 51·53 inches, which is 11·37 inches more than the average yearly amount for the ten years 1891-1900. The months with the largest rainfall were October, February, and January; those with the least were May, June, and April. The rainfall for October was 3·45 inches more than the mean amount for the same month during the decennium 1891-1900.

The heaviest general mortality occurred in the first and the last months of the year; the daily number of deaths in January was 261 and in December 241. The lightest general mortality was in the months of July, September, and August, the daily number of deaths in these months being respectively 184, 182, and 176. The average daily number throughout the year was 208.

Table 46 shows the mortality from the principal epidemic and certain other diseases in eight of the principal towns during each month of the year. The mortality from Small-pox was greatest in December; from Measles in December; from Scarlet Fever in February; from Influenza in January, February, and December; from Hooping-cough in the first five months of the year; from Diphtheria in January; from Fevers in February, July, August, September, and October; from Diarrhœal diseases in August, September, and October; and from Diseases of the Respiratory Organs in January and December.

---

TABLE X.—Monthly Mortality, Mean Temperature, and Mean Rainfall in Scotland during 1903, compared with the Mean of the Ten Years 1891–1900.

| | Year 1903. | | | | 1891–1900. | | |
|---|---|---|---|---|---|---|---|
| Months. | Mean Temperature. | Mean Rainfall. | Actual Deaths. | Proportion to 12,000 per Annum, or 1000 per Month. | Monthly Proportion of Deaths. | Mean Temperature. | Mean Rainfall. |
| | ° | inches. | | | | ° | inches. |
| January . | 36·5 | 6·04 | 8093 | 1278 | 1163 | 36·8 | 3·35 |
| February | 42·2 | 6·10 | 6139 | 970 | 1087 | 37·4 | 3·09 |
| March . | 41·1 | 5·96 | 6699 | 1058 | 1155 | 39·7 | 2·84 |
| April . . | 41·4 | 1·92 | 6455 | 1020 | 1043 | 44·7 | 2·17 |
| May . . | 48·9 | 2·09 | 6301 | 995 | 1005 | 48·8 | 2·39 |
| June . . | 53·5 | 2·02 | 6264 | 989 | 929 | 55·2 | 2·58 |
| July . . | 55·6 | 4·50 | 5701 | 901 | 892 | 57·3 | 3·17 |
| August . | 54·4 | 5·53 | 5451 | 861 | 898 | 57·1 | 4·19 |
| September | 52·5 | 3·20 | 5457 | 862 | 854 | 53·0 | 3·49 |
| October . | 47·1 | 7·57 | 5879 | 929 | 907 | 45·8 | 4·12 |
| November | 41·5 | 3·21 | 6049 | 955 | 982 | 42·4 | 3·88 |
| December | 36·4 | 3·39 | 7485 | 1182 | 1085 | 38·7 | 4·89 |
| Year | 45·9 | 51·53 | 75,973 | 12,000 | 12,000 | 46·4 | 40·16 |

The months most fatal to children under five were January, November, and December; those most fatal to persons aged from five to twenty were Jannary to March, June, and December. The first and the last months of the year proved most inimical to persons aged from twenty to sixty, and the same remark applies in the case of persons aged sixty years and upwards.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES C. DUNLOP.

General Registry Office of Births, &c.,
Edinburgh.

# APPENDIX TABLES.

TABLE 1.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1903, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

| Year | Estimated Population. | Births. | | Deaths. | Marriages. | Excess of Births over Deaths. | Rate per 1000 of Population. | | | Percent. of Illegit. to Total Births. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Total. | Illegit. | | | | Births. | Deaths. | Marriages. | |
| 1855 | 2,978,065 | 93,349 | 7,357 | 62,004 | 19,680 | 31,345 | 31·491 | 20·820 | 6·608 | 7·88 |
| 1856 | 2,995,771 | 101,821 | 8,695 | 58,529 | 20,740 | 43,292 | 33·988 | 19·537 | 6·923 | 8·54 |
| 1857 | 3,012,310 | 103,415 | 8,869 | 61,906 | 21,369 | 41,509 | 34·331 | 20·551 | 7·094 | 8·58 |
| 1858 | 3,027,665 | 104,018 | 9,354 | 63,539 | 19,655 | 40,479 | 34·356 | 20·986 | 6·492 | 8·99 |
| 1859 | 3,041,812 | 106,543 | 9,715 | 61,714 | 21,201 | 44,829 | 35·026 | 20·288 | 6·969 | 9·12 |
| 1860 | 3,054,738 | 105,629 | 9,736 | 68,170 | 21,225 | 37,359 | 35·578 | 22·316 | 6·948 | 9·22 |
| 1861 | 3,069,404 | 107,009 | 9,929 | 62,341 | 20,896 | 44,668 | 34·863 | 20·310 | 6·808 | 9·28 |
| 1862 | 3,097,009 | 107,069 | 10,376 | 67,195 | 20,597 | 39,874 | 34·572 | 21·697 | 6·651 | 9·69 |
| 1863 | 3,126,879 | 109,341 | 10,948 | 71,481 | 22,234 | 37,860 | 34·968 | 22·860 | 7·160 | 10·01 |
| 1864 | 3,156,021 | 112,333 | 11,197 | 74,416 | 22,725 | 37,917 | 35·594 | 23·579 | 7·200 | 9·97 |
| 1865 | 3,185,437 | 113,070 | 11,262 | 70,891 | 23,611 | 42,179 | 35·496 | 22·255 | 7·412 | 9·96 |
| 1866 | 3,215,129 | 113,667 | 11,673 | 71,348 | 23,688 | 42,319 | 35·354 | 22·191 | 7·367 | 10·27 |
| 1867 | 3,245,098 | 114,044 | 11,148 | 69,067 | 22,618 | 44,976 | 35·063 | 21·284 | 6·970 | 9·78 |
| 1868 | 3,275,350 | 115,514 | 11,354 | 69,416 | 21,855 | 46,098 | 35·267 | 21·193 | 6·673 | 9·83 |
| 1869 | 3,305,885 | 113,354 | 11,066 | 75,875 | 22,144 | 37,479 | 34·288 | 22·951 | 6·698 | 9·76 |
| 1870 | 3,336,707 | 115,390 | 11,108 | 74,165 | 23,854 | 41,225 | 34·582 | 22·227 | 7·149 | 9·63 |
| 1871 | 3,368,921 | 116,128 | 11,077 | 74,712 | 24,019 | 41,416 | 34·470 | 22·177 | 7·130 | 9·54 |
| 1872 | 3,404,798 | 118,765 | 10,927 | 75,794 | 25,641 | 42,971 | 34·882 | 22·261 | 7·531 | 9·20 |
| 1873 | 3,441,056 | 119,700 | 10,925 | 76,946 | 26,748 | 42,754 | 34·786 | 22·361 | 7·773 | 9·13 |
| 1874 | 3,477,704 | 123,711 | 10,991 | 80,720 | 26,390 | 42,991 | 35·573 | 23·211 | 7·588 | 8·88 |
| 1875 | 3,514,744 | 123,578 | 10,786 | 81,767 | 25,974 | 41,811 | 35·160 | 23·264 | 7·390 | 8·73 |
| 1876 | 3,552,183 | 126,534 | 11,029 | 74,129 | 26,579 | 52,405 | 35·621 | 20·869 | 7·482 | 8·72 |
| 1877 | 3,590,022 | 126,822 | 10,568 | 73,937 | 25,817 | 52,885 | 35·326 | 20·595 | 7·191 | 8·33 |
| 1878 | 3,628,268 | 126,773 | 10,641 | 76,793 | 24,358 | 49,980 | 34·940 | 21·165 | 6·713 | 8·39 |
| 1879 | 3,665,443 | 125,730 | 10,727 | 73,347 | 23,519 | 52,383 | 34·301 | 20·010 | 6·416 | 8·53 |
| 1880 | 3,705,994 | 124,570 | 10,589 | 75,803 | 24,505 | 48,767 | 33·613 | 20·454 | 6·612 | 8·50 |
| 1881 | 3,742,564 | 126,171 | 10,484 | 72,325 | 26,004 | 53,846 | 33·712 | 19·325 | 6·948 | 8·31 |
| 1882 | 3,770,657 | 126,158 | 10,546 | 72,989 | 26,596 | 53,169 | 33·458 | 19·357 | 7·053 | 8·36 |
| 1883 | 3,798,961 | 124,458 | 10,114 | 76,891 | 26,869 | 47,567 | 32·761 | 20·240 | 7·073 | 8·13 |
| 1884 | 3,827,478 | 129,157 | 10,439 | 75,168 | 26,106 | 53,989 | 33·745 | 19·639 | 6·821 | 8·12 |
| 1885 | 3,856,307 | 126,100 | 10,680 | 74,607 | 25,304 | 51,493 | 32·700 | 19·347 | 6·562 | 8·47 |
| 1886 | 3,885,155 | 127,890 | 10,506 | 73,640 | 24,515 | 54,250 | 32·886 | 18·936 | 6·304 | 8·21 |
| 1887 | 3,914,318 | 124,418 | 10,380 | 74,546 | 24,876 | 49,872 | 31·749 | 19·022 | 6·348 | 8·34 |
| 1888 | 3,943,701 | 123,269 | 9,968 | 71,174 | 25,305 | 52,095 | 31·257 | 18·048 | 6·417 | 8·09 |
| 1889 | 3,973,305 | 122,783 | 9,770 | 73,238 | 26,344 | 49,545 | 30·902 | 18·433 | 6·630 | 7·96 |
| 1890 | 4,003,132 | 121,526 | 9,241 | 79,004 | 27,469 | 42,522 | 30·358 | 19·736 | 6·862 | 7·60 |
| 1891 | 4,036,245 | 125,986 | 9,647 | 83,573 | 27,969 | 42,413 | 31·214 | 20·706 | 6·929 | 7·66 |
| 1892 | 4,078,910 | 125,043 | 9,248 | 75,545 | 28,670 | 49,498 | 30·656 | 18·521 | 7·029 | 7·40 |
| 1893 | 4,122,029 | 127,110 | 9,467 | 79,670 | 27,145 | 47,440 | 30·837 | 19·328 | 6·585 | 7·45 |
| 1894 | 4,165,606 | 124,367 | 9,064 | 71,113 | 27,604 | 53,254 | 29·856 | 17·071 | 6·627 | 7·29 |
| 1895 | 4,209,645 | 126,494 | 9,204 | 81,852 | 28,422 | 44,642 | 30·049 | 19·444 | 6·752 | 7·28 |
| 1896 | 4,254,153 | 129,172 | 9,393 | 70,677 | 30,270 | 58,495 | 30·364 | 16·614 | 7·115 | 7·27 |
| 1897 | 4,299,132 | 128,877 | 9,068 | 79,144 | 31,050 | 49.733 | 29·977 | 18·409 | 7·222 | 7·04 |
| 1898 | 4,344,589 | 130,861 | 8,870 | 78,397 | 32,112 | 52,464 | 30·120 | 18·045 | 7·391 | 6·78 |
| 1899 | 4,390,530 | 130,733 | 8,486 | 79,593 | 32,978 | 51,140 | 29·776 | 18·128 | 7·511 | 6·49 |
| 1900 | 4,436,958 | 131,401 | 8,534 | 82,296 | 32,444 | 49,105 | 29·615 | 18·548 | 7·312 | 6·49 |
| 1901 | 4,483,880 | 132,192 | 8,359 | 80,107 | 31,387 | 52,085 | 29·482 | 17·866 | 7·000 | 6·32 |
| 1902 | 4,531,299 | 132,267 | 8,300 | 77,941 | 31,913 | 54,326 | 29·190 | 17·201 | 7·043 | 6·28 |
| 1903 | 4,579,223 | 133,525 | 8,295 | 76,002 | 32,351 | 57,523 | 29·159 | 16·597 | 7·065 | 6·21 |

TABLE 2.—Births, Deaths, and Marriages in the Five Groups of Districts in Scotland, 1855–1903.

| Year. | Principal Town. | | | Large Town. | | | Small Town. | | | Mainland-Rural. | | | Insular-Rural. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. |
| 1855 | 28113 | 22706 | 6937 | 8374 | 5954 | 1980 | 16042 | 10015 | 3371 | 37994 | 21656 | 6829 | 2826 | 1673 | 563 |
| 1856 | 31719 | 22254 | 7507 | 9221 | 5374 | 1975 | 17289 | 9542 | 3428 | 39649 | 19462 | 7106 | 3943 | 1897 | 724 |
| 1857 | 32674 | 23363 | 7476 | 9387 | 5860 | 2113 | 17848 | 10009 | 3442 | 39466 | 20706 | 7483 | 4040 | 1968 | 855 |
| 1858 | 32563 | 23445 | 6865 | 9282 | 6163 | 1824 | 17678 | 10076 | 3133 | 40307 | 21789 | 7044 | 4188 | 2066 | 789 |
| 1859 | 33027 | 22352 | 7554 | 9545 | 5775 | 1918 | 18533 | 10045 | 3643 | 41210 | 21090 | 7222 | 4228 | 2452 | 864 |
| 1860 | 32958 | 26066 | 7688 | 9223 | 6042 | 1983 | 18239 | 11070 | 3443 | 41043 | 22593 | 7408 | 4166 | 2399 | 703 |
| 1861 | 34351 | 23149 | 7753 | 9695 | 5831 | 1940 | 18453 | 10366 | 3365 | 40432 | 20820 | 7032 | 4078 | 2175 | 806 |
| 1862 | 34436 | 24960 | 7724 | 9618 | 6566 | 1837 | 18376 | 10933 | 3289 | 40621 | 22108 | 6998 | 4018 | 2628 | 749 |
| 1863 | 35888 | 27045 | 8544 | 9895 | 6780 | 2086 | 18707 | 11542 | 3521 | 40975 | 23509 | 7416 | 3876 | 2605 | 667 |
| 1864 | 37058 | 28845 | 8897 | 10263 | 7132 | 2234 | 19389 | 12294 | 3750 | 41704 | 23805 | 7178 | 3919 | 2341 | 666 |
| 1865 | 38109 | 28515 | 9347 | 10594 | 6896 | 2304 | 19283 | 11256 | 3775 | 40449 | 22080 | 7512 | 4635 | 2144 | 669 |
| 1866 | 38541 | 27466 | 9458 | 10453 | 6906 | 2279 | 19326 | 11809 | 3839 | 41485 | 22905 | 7430 | 3862 | 2262 | 682 |
| 1867 | 39012 | 26519 | 8870 | 10651 | 6776 | 2156 | 19178 | 11557 | 3607 | 41339 | 21986 | 7271 | 3864 | 2230 | 714 |
| 1868 | 39492 | 28037 | 8589 | 10733 | 6684 | 2101 | 19563 | 11392 | 3469 | 41840 | 21164 | 7090 | 3886 | 2139 | 606 |
| 1869 | 39517 | 31467 | 9156 | 10618 | 7486 | 2201 | 18895 | 11901 | 3398 | 40640 | 22616 | 6806 | 3684 | 2405 | 583 |
| 1870 | 40452 | 28508 | 9733 | 10999 | 7712 | 2369 | 18958 | 12097 | 3762 | 41378 | 23654 | 7383 | 3603 | 2194 | 607 |
| 1871 | 40442 | 31426 | 9819 | 12599 | 8071 | 2656 | 26507 | 16200 | 5081 | 32825 | 17180 | 5863 | 3755 | 1835 | 600 |
| 1872 | 41673 | 30199 | 10427 | 13318 | 8940 | 2967 | 28059 | 16478 | 5545 | 32157 | 18093 | 6063 | 3558 | 2084 | 639 |
| 1873 | 41500 | 30008 | 10594 | 14033 | 9306 | 3140 | 28841 | 17357 | 6130 | 31963 | 18098 | 6291 | 3363 | 2177 | 593 |
| 1874 | 42631 | 32124 | 10574 | 15189 | 10026 | 3051 | 29557 | 17560 | 5695 | 32877 | 18816 | 6443 | 3457 | 2194 | 627 |
| 1875 | 43621 | 30983 | 10670 | 14638 | 9802 | 2995 | 28926 | 18285 | 5594 | 33104 | 20303 | 6160 | 3289 | 2394 | 555 |
| 1876 | 44265 | 27977 | 10722 | 15439 | 9024 | 3116 | 29601 | 16826 | 5773 | 33802 | 18192 | 6351 | 3427 | 2110 | 617 |
| 1877 | 44575 | 28227 | 10706 | 15863 | 9057 | 2938 | 29510 | 16060 | 5434 | 33596 | 18475 | 6207 | 3278 | 2118 | 532 |
| 1878 | 44329 | 29425 | 9727 | 16228 | 10188 | 2942 | 29499 | 17005 | 5150 | 33422 | 18212 | 5938 | 3295 | 1963 | 601 |
| 1879 | 43613 | 27144 | 9490 | 15896 | 9433 | 2781 | 30048 | 16562 | 5096 | 32886 | 18039 | 5569 | 3287 | 2169 | 583 |
| 1880 | 42903 | 28873 | 9763 | 15734 | 9840 | 3091 | 29843 | 17482 | 5562 | 32790 | 17557 | 5554 | 3300 | 2051 | 535 |
| 1881 | 51157 | 32140 | 12157 | 14026 | 7704 | 2985 | 27072 | 14746 | 5017 | 30643 | 15712 | 5338 | 3273 | 2023 | 507 |
| 1882 | 52296 | 32697 | 12547 | 14236 | 8054 | 2909 | 26713 | 14785 | 5067 | 29710 | 15436 | 5525 | 3203 | 2017 | 548 |
| 1883 | 52154 | 35306 | 13114 | 13899 | 8217 | 2878 | 26152 | 15169 | 5111 | 29112 | 16087 | 5241 | 3141 | 2112 | 525 |
| 1884 | 54156 | 34025 | 12242 | 14549 | 8248 | 2877 | 27497 | 14917 | 5166 | 29740 | 16024 | 5232 | 3215 | 1954 | 589 |
| 1885 | 52058 | 32727 | 11618 | 14262 | 8103 | 2909 | 27094 | 15412 | 5033 | 29477 | 16287 | 5214 | 3209 | 2078 | 530 |
| 1886 | 52324 | 32236 | 11574 | 15178 | 8436 | 2750 | 27555 | 15116 | 4792 | 29569 | 15860 | 4922 | 3264 | 1992 | 477 |
| 1887 | 50849 | 32676 | 11767 | 15018 | 8911 | 2841 | 26219 | 15144 | 4838 | 29176 | 15801 | 4988 | 3156 | 2014 | 442 |
| 1888 | 50571 | 30505 | 12323 | 14992 | 8400 | 2958 | 26346 | 14284 | 4847 | 28293 | 15927 | 4755 | 3067 | 2058 | 422 |
| 1889 | 51028 | 32436 | 12903 | 14974 | 8462 | 3200 | 25989 | 14613 | 5018 | 27786 | 15863 | 4773 | 3006 | 1864 | 450 |
| 1890 | 50861 | 35262 | 13312 | 15233 | 9431 | 3367 | 25640 | 15657 | 5270 | 26978 | 16678 | 5103 | 2814 | 1976 | 417 |
| 1891 | 52407 | 36598 | 13365 | 15883 | 10215 | 3470 | 26860 | 17119 | 5411 | 27977 | 17390 | 5272 | 2859 | 2251 | 451 |
| 1892 | 52240 | 33377 | 13780 | 17264 | 9368 | 3656 | 27222 | 15426 | 5697 | 25441 | 15349 | 5110 | 2876 | 2025 | 427 |
| 1893 | 53323 | 35220 | 13104 | 17152 | 10842 | 3615 | 27728 | 15981 | 5320 | 26161 | 15745 | 4668 | 2746 | 1882 | 438 |
| 1894 | 52081 | 30875 | 13645 | 17393 | 9336 | 3586 | 26875 | 14582 | 5183 | 25221 | 14423 | 4782 | 2797 | 1897 | 408 |
| 1895 | 52830 | 36663 | 14043 | 17633 | 10892 | 3598 | 27729 | 16454 | 5467 | 25462 | 15951 | 4830 | 2840 | 1892 | 484 |
| 1896 | 55012 | 31697 | 15308 | 17858 | 9308 | 4016 | 27996 | 14176 | 5727 | 25510 | 13815 | 4803 | 2796 | 1681 | 416 |
| 1897 | 55211 | 36029 | 15815 | 18209 | 10503 | 4097 | 27682 | 15726 | 5767 | 25072 | 14844 | 4925 | 2703 | 2042 | 446 |
| 1898 | 56520 | 35367 | 16239 | 18454 | 10729 | 4256 | 28109 | 15611 | 6251 | 25075 | 14859 | 4957 | 2703 | 1831 | 409 |
| 1899 | 56590 | 35870 | 16839 | 18419 | 10746 | 4415 | 28178 | 15762 | 6297 | 24943 | 15313 | 4946 | 2603 | 1902 | 481 |
| 1900 | 57089 | 36819 | 16616 | 18686 | 11046 | 4425 | 28459 | 16417 | 6140 | 24582 | 15848 | 4827 | 2585 | 2166 | 436 |
| 1901 | 60012 | 38756 | 16645 | 18310 | 10247 | 4070 | 27017 | 14960 | 5691 | 24312 | 14349 | 4539 | 2541 | 1795 | 442 |
| 1902 | 61103 | 36991 | 17289 | 18251 | 10211 | 4090 | 26980 | 14484 | 5669 | 23394 | 14285 | 4434 | 2539 | 1970 | 431 |
| 1903 | 62006 | 35853 | 17236 | 18623 | 9857 | 4310 | 26933 | 14468 | 5818 | 23471 | 13978 | 4617 | 2492 | 1846 | 370 |

From 1855–1900 Principal Towns had over 25,000 inhabitants, and Large Towns from 10,000 to 25,000; from 1901 onwards Principal Towns have over 30,000 of population, and Large Towns, 10,000 to 30,000. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1870, but from 1871 onwards the Small Towns have from 2000 to 10,000 of population.

TABLE **3.**—Birth-, Death-, and Marriage-rate per 1000 of the Population, in the Five Groups of Districts of Scotland, during each of the Years 1855–1903.

| YEAR. | PRINCIPAL TOWN. | | | LARGE TOWN. | | | SMALL TOWN. | | | MAINLAND-RURAL. | | | INSULAR-RURAL. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. |
| 1855 | 33·97 | 27·47 | 8·38 | 35·25 | 25·06 | 8·33 | 33·24 | 20·75 | 6·98 | 29·55 | 16·84 | 5·31 | 21·92 | 12·98 | 4·37 |
| 1856 | 37·87 | 26·57 | 8·96 | 38·35 | 22·35 | 8·21 | 35·54 | 19·62 | 7·05 | 30·80 | 15·12 | 5·52 | 30·78 | 14·81 | 5·65 |
| 1857 | 38·55 | 27·57 | 8·82 | 38·58 | 24·09 | 8·68 | 36·41 | 20·42 | 7·02 | 30·62 | 16·06 | 5·80 | 31·73 | 15·46 | 6·72 |
| 1858 | 37·97 | 27·34 | 8·01 | 37·17 | 25·04 | 7·41 | 35·79 | 20·40 | 6·34 | 30·52 | 16·89 | 5·46 | 33·10 | 16·33 | 6·23 |
| 1859 | 38·07 | 25·77 | 8·71 | 38·33 | 23·19 | 7·70 | 37·24 | 20·18 | 7·32 | 31·90 | 16·32 | 5·59 | 33·62 | 19·50 | 6·88 |
| 1860 | 37·56 | 29·71 | 8·76 | 36·62 | 23·98 | 7·87 | 36·37 | 22·07 | 6·86 | 31·73 | 17·47 | 5·73 | 33·34 | 19·20 | 5·63 |
| 1861 | 38·63 | 26·03 | 8·72 | 37·97 | 22·84 | 7·60 | 36·63 | 20·58 | 6·68 | 31·21 | 16·07 | 5·43 | 32·82 | 21·15 | 6·03 |
| 1862 | 38·09 | 27·61 | 8·54 | 37·01 | 25·21 | 7·05 | 36·21 | 21·55 | 6·48 | 31·22 | 17·03 | 5·39 | 31·77 | 21·26 | 6·06 |
| 1863 | 38·87 | 29·29 | 9·25 | 37·24 | 25·52 | 7·67 | 36·31 | 22·40 | 6·83 | 31·50 | 18·07 | 5·69 | 31·53 | 21·19 | 5·43 |
| 1864 | 39·39 | 30·73 | 9·46 | 36·99 | 26·31 | 8·24 | 37·51 | 23·78 | 7·25 | 31·99 | 18·26 | 5·50 | 32·05 | 19·14 | 5·45 |
| 1865 | 39·75 | 29·06 | 9·75 | 38·31 | 24·93 | 8·33 | 37·18 | 21·70 | 7·28 | 30·96 | 16·90 | 5·62 | 38·10 | 17·62 | 5·50 |
| 1866 | 39·45 | 28·11 | 9·68 | 37·05 | 24·48 | 8·08 | 36·99 | 22·60 | 7·35 | 31·69 | 17·50 | 5·67 | 31·91 | 18·69 | 5·63 |
| 1867 | 39·58 | 26·91 | 9·00 | 37·01 | 23·54 | 7·49 | 36·45 | 21·96 | 6·85 | 31·51 | 16·75 | 5·54 | 32·10 | 18·52 | 5·93 |
| 1868 | 38·93 | 27·63 | 8·66 | 36·56 | 22·76 | 7·16 | 36·90 | 21·49 | 6·54 | 31·82 | 16·10 | 5·39 | 32·45 | 17·86 | 4·87 |
| 1869 | 38·22 | 30·44 | 8·86 | 35·45 | 24·99 | 7·35 | 35·39 | 22·29 | 6·36 | 30·85 | 17·17 | 5·17 | 30·92 | 20·19 | 4·78 |
| 1870 | 38·36 | 27·03 | 9·23 | 35·59 | 25·24 | 7·75 | 35·25 | 22·49 | 6·99 | 31·34 | 17·91 | 5·59 | 30·40 | 18·51 | 5·12 |
| 1871 | 37·39 | 29·06 | 9·07 | 38·21 | 24·48 | 8·06 | 34·32 | 20·97 | 6·58 | 31·17 | 16·32 | 5·57 | 28·46 | 13·91 | 4·55 |
| 1872 | 38·11 | 27·62 | 9·54 | 39·13 | 26·27 | 8·72 | 35·87 | 21·07 | 7·09 | 30·46 | 17·14 | 5·74 | 27·00 | 15·81 | 4·85 |
| 1873 | 37·54 | 27·15 | 9·58 | 39·94 | 26·49 | 8·94 | 36·41 | 21·91 | 7·74 | 30·20 | 17·10 | 5·94 | 25·55 | 16·54 | 4·50 |
| 1874 | 38·15 | 28·74 | 9·46 | 41·88 | 27·64 | 8·41 | 36·85 | 21·89 | 7·10 | 30·99 | 17·73 | 6·07 | 26·29 | 16·69 | 4·77 |
| 1875 | 38·61 | 27·42 | 9·44 | 39·10 | 26·18 | 8·00 | 35·61 | 22·51 | 6·89 | 31·12 | 19·09 | 5·79 | 25·05 | 18·23 | 4·23 |
| 1876 | 38·75 | 24·49 | 9·39 | 39·95 | 23·35 | 8·06 | 35·99 | 20·46 | 7·02 | 31·69 | 17·06 | 5·96 | 26·13 | 16·09 | 4·70 |
| 1877 | 38·60 | 24·44 | 9·27 | 39·76 | 22·70 | 7·36 | 35·43 | 19·28 | 6·52 | 31·42 | 17·28 | 5·81 | 25·03 | 16·17 | 4·06 |
| 1878 | 37·97 | 25·20 | 8·33 | 39·41 | 24·74 | 7·14 | 34·97 | 20·16 | 6·11 | 31·18 | 16·99 | 5·54 | 25·19 | 14·80 | 4·59 |
| 1879 | 36·94 | 22·99 | 8·04 | 37·38 | 22·18 | 6·54 | 35·17 | 19·39 | 5·96 | 30·60 | 16·78 | 5·18 | 25·16 | 16·60 | 4·46 |
| 1880 | 35·96 | 24·20 | 8·18 | 35·81 | 22·39 | 7·03 | 34·48 | 20·20 | 6·43 | 30·43 | 16·29 | 5·15 | 25·29 | 15·72 | 4·10 |
| 1881 | 36·13 | 22·70 | 8·59 | 34·77 | 19·10 | 7·40 | 34·51 | 18·76 | 6·38 | 30·43 | 15·60 | 5·30 | 25·12 | 15·53 | 3·89 |
| 1882 | 36·49 | 22·82 | 8·76 | 34·77 | 19·67 | 7·11 | 33·75 | 18·68 | 6·40 | 29·50 | 15·33 | 5·49 | 24·67 | 15·54 | 4·22 |
| 1883 | 35·96 | 24·34 | 9·04 | 33·45 | 19·78 | 6·93 | 32·81 | 19·04 | 6·41 | 28·90 | 15·97 | 5·20 | 24·28 | 16·32 | 4·06 |
| 1884 | 36·89 | 23·18 | 8·34 | 34·50 | 19·56 | 6·82 | 34·27 | 18·59 | 6·44 | 29·52 | 15·90 | 5·19 | 24·94 | 15·16 | 4·57 |
| 1885 | 35·04 | 22·03 | 7·82 | 33·32 | 18·93 | 6·80 | 33·54 | 19·08 | 6·23 | 29·25 | 16·16 | 5·17 | 24·98 | 16·17 | 4·13 |
| 1886 | 34·79 | 21·44 | 7·70 | 34·94 | 19·42 | 6·33 | 33·88 | 18·58 | 5·89 | 29·34 | 15·74 | 4·88 | 25·49 | 15·56 | 3·73 |
| 1887 | 33·41 | 21·47 | 7·73 | 34·06 | 20·21 | 6·44 | 32·01 | 18·49 | 5·91 | 28·95 | 15·68 | 4·95 | 24·73 | 15·78 | 3·46 |
| 1888 | 32·83 | 19·80 | 8·00 | 33·50 | 18·77 | 6·61 | 31·95 | 17·32 | 5·88 | 28 07 | 15·80 | 4·72 | 24·12 | 16·19 | 3·32 |
| 1889 | 32·72 | 20·80 | 8·27 | 32·96 | 18·63 | 7·04 | 31·29 | 17·59 | 6·04 | 27·56 | 15·73 | 4·73 | 23·72 | 14·71 | 3·55 |
| 1890 | 32·23 | 22·35 | 8·44 | 32·96 | 20·40 | 7·28 | 30·71 | 18·75 | 6·31 | 26·93 | 16·65 | 5·09 | 22·29 | 15·65 | 3·30 |
| 1891 | 32·85 | 22·94 | 8·38 | 33·83 | 21·76 | 7·39 | 31·92 | 20·34 | 6·43 | 27·95 | 17·37 | 5·27 | 22·72 | 17·89 | 3·58 |
| 1892 | 32·48 | 20·75 | 8·57 | 33·42 | 18·15 | 7·08 | 31·64 | 17·94 | 6·62 | 26·69 | 16·09 | 5·36 | 22·95 | 16·15 | 3·41 |
| 1893 | 32·72 | 21·61 | 8·04 | 32·61 | 20·61 | 6·87 | 31·89 | 18·38 | 6·12 | 27·71 | 16·68 | 4·94 | 22·01 | 15·08 | 3·51 |
| 1894 | 31·56 | 18·71 | 8·27 | 32·61 | 17·51 | 6·72 | 30·63 | 16·62 | 5·91 | 26·85 | 15·35 | 5·09 | 22·51 | 15·27 | 3·28 |
| 1895 | 31·61 | 21·93 | 8·40 | 32·25 | 19·92 | 6·58 | 31·32 | 18·58 | 6·17 | 27·43 | 17·18 | 5·20 | 22·96 | 15·29 | 3·91 |
| 1896 | 32·49 | 18·72 | 9·04 | 32·27 | 16·82 | 7·26 | 31·31 | 15·86 | 6·41 | 27·63 | 14·96 | 5·20 | 22·70 | 13·65 | 3·38 |
| 1897 | 31·95 | 20·35 | 9·15 | 32·49 | 18·74 | 7·31 | 31·08 | 17·66 | 6·47 | 27·35 | 16·19 | 5·37 | 22·10 | 16·69 | 3·65 |
| 1898 | 32·29 | 20·20 | 9·28 | 32·50 | 18·90 | 7·50 | 31·38 | 17·43 | 6·98 | 27·43 | 16·26 | 5·42 | 22·20 | 15·04 | 3·36 |
| 1899 | 31·42 | 19·92 | 9·35 | 31·83 | 18·57 | 7·63 | 30·33 | 16·97 | 6·78 | 25·96 | 15·94 | 5·45 | 21·51 | 15·72 | 3·98 |
| 1900 | 31·22 | 20·14 | 9·09 | 31·86 | 18·83 | 7·54 | 30·24 | 17·45 | 6·53 | 25·59 | 16·50 | 5·03 | 21·49 | 18·00 | 3·62 |
| 1901 | 30·65 | 19·79 | 8·50 | 31·54 | 17·65 | 7·01 | 30·02 | 16·62 | 6·32 | 26·17 | 15·45 | 4·89 | 21·81 | 15·41 | 3·79 |
| 1902 | 30·61 | 18·53 | 8·66 | 31·04 | 17·37 | 6·96 | 29·63 | 15·91 | 6·23 | 25·40 | 15·51 | 4·81 | 21·94 | 17·02 | 3·72 |
| 1903 | 30·57 | 17·68 | 8·50 | 31·31 | 16·57 | 7·25 | 29·26 | 15·72 | 6·32 | 25·50 | 15·19 | 5·02 | 21·63 | 16·02 | 3·21 |

TABLE 4.—Number of Births, Deaths, and Marriages in the Principal Towns of Scotland during 1903, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

| Towns. | Estimated Population, 1903. | Births. | | Illegitimate Births. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|
| | | Number. | Per 1000 of Pop. | Number. | Per cent. of Total Births. | Number. | Per 1000 of Pop. | Number. | Per 1000 of Pop. |
| Glasgow . | 786,897 | 25,127 | 31·93 | 1,555 | 6·19 | 15,071 | 19·15 | 7,205 | 9·16 |
| Edinburgh . | 327,441 | 8,091 | 24·71 | 617 | 7·63 | 5,522 | 16·86 | 3,038 | 9·28 |
| Dundee . . | 132,805 | 4,746 | 29·15 | 415 | 8·74 | 2,947 | 18·10 | 1,361 | 8·36 |
| Aberdeen . | 160,780 | 4,985 | 31·01 | 417 | 8·37 | 2,741 | 17·05 | 1,459 | 9·07 |
| Govan . . | 87,045 | 3,160 | 36·30 | 110 | 3·48 | 1,464 | 16·82 | 503 | 5·78 |
| Paisley . . | 82,608 | 2,471 | 29·91 | 121 | 4·90 | 1,428 | 17·29 | 621 | 7·52 |
| Leith . . | 79,552 | 2,379 | 29·90 | 99 | 4·16 | 1,286 | 16·17 | 556 | 6·99 |
| Greenock . | 69,252 | 2,047 | 29·56 | 91 | 4·45 | 1,311 | 18·93 | 540 | 7·80 |
| Partick . . | 59,360 | 2,047 | 34·48 | 69 | 3·37 | 777 | 13·09 | 389 | 6·55 |
| Coatbridge . | 38,765 | 1,505 | 38·82 | 51 | 3·39 | 663 | 17·10 | 231 | 5·96 |
| Kilmarnock | 35,602 | 1,063 | 29·86 | 37 | 3·48 | 629 | 17·67 | 310 | 8·71 |
| Kirkcaldy . | 35,866 | 942 | 26·26 | 50 | 5·31 | 473 | 13·19 | 272 | 7·58 |
| Perth . . | 33,577 | 819 | 24·39 | 55 | 6·72 | 560 | 16·68 | 296 | 8·82 |
| Hamilton . | 34,879 | 1,344 | 38·53 | 46 | 3·42 | 564 | 16·17 | 244 | 7·00 |
| Motherwell | 33,926 | 1,280 | 37·73 | 33 | 2·46 | 417 | 12·29 | 211 | 6·22 |

TABLE 5.—Number of Births, Deaths, and Marriages in 1903, and their Proportion to the Population estimated to the middle of the year, in Scotland, its Groups of Districts, Divisions, and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

| Divisions and Counties. | | Population Estimated to middle of the Year 1903. | Total Births. | | Illegitimate Births. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | No. | Per 1000 of Pop. | No. | Per Cent of Total Births. | No. | Per 1000 of Pop. | No. | Per 1000 of Pop. |
| SCOTLAND | | 4,579,223 | 133,525 | 29·16 | 8,295 | 6·21 | 76,002 | 16·60 | 32,351 | 7·06 |
| 1. | Principal Town Dists. | 2,028,355 | 62,006 | 30·57 | 3,766 | 6·07 | 35,853 | 17·68 | 17,236 | 8·50 |
| 2. | Large Town Districts | 594,745 | 18,623 | 31·31 | 874 | 4·69 | 9,857 | 16·57 | 4,310 | 7·25 |
| 3. | Small Town Districts | 920,460 | 26,933 | 29·26 | 1,534 | 5·70 | 14,468 | 15·72 | 5,818 | 6·32 |
| 4. | Mainland-Rural Dists. | 920,455 | 23,471 | 25·50 | 1,985 | 8·46 | 13,978 | 15·19 | 4,617 | 5·02 |
| 5. | Insular-Rural Dists. | 115,208 | 2,492 | 21·63 | 136 | 5·46 | 1,846 | 16·02 | 370 | 3·21 |
| | Divisions. | | | | | | | | | |
| I. | Northern | 110,854 | 2,419 | 21·82 | 139 | 5·76 | 1,801 | 16·25 | 479 | 4·32 |
| II. | North-Western | 162,179 | 3,536 | 21·80 | 212 | 6·00 | 2,753 | 16·98 | 684 | 4·22 |
| III. | North-Eastern | 466,544 | 13,113 | 28·11 | 1,450 | 11·06 | 7,124 | 15·27 | 3,130 | 6·71 |
| IV. | East-Midland | 673,161 | 17,727 | 26·33 | 1,200 | 6·77 | 10,527 | 15·64 | 4,577 | 6·80 |
| V. | West-Midland | 362,442 | 10,136 | 27·97 | 447 | 4·41 | 5,725 | 15·80 | 2,109 | 5·82 |
| VI. | South-Western | 1,935,733 | 63,925 | 33·02 | 3,216 | 5·03 | 33,944 | 17·54 | 14,930 | 7·71 |
| VII. | South-Eastern | 677,122 | 18,277 | 26·99 | 1,154 | 6·31 | 10,971 | 16·20 | 5,185 | 7·66 |
| VIII. | Southern | 191,188 | 4,392 | 23·97 | 477 | 10·86 | 3,157 | 16·51 | 1,257 | 6·57 |
| | Counties. | | | | | | | | | |
| 1 | Shetland | 28,046 | 597 | 21·43 | 10 | 1·68 | 429 | 15·30 | 139 | 4·96 |
| 2 | Orkney | 28,315 | 557 | 19·67 | 39 | 7·00 | 416 | 14·69 | 137 | 4·84 |
| 3 | Caithness | 33,155 | 825 | 24·88 | 74 | 8·97 | 576 | 17·37 | 153 | 4·61 |
| 4 | Sutherland | 21,338 | 440 | 20·62 | 16 | 3·64 | 380 | 17·81 | 50 | 2·34 |
| 5 | Ross and Cromarty | 75,944 | 1,677 | 22·08 | 72 | 4·29 | 1,332 | 17·54 | 302 | 2·66 |
| 6 | Inverness | 86,235 | 1,859 | 21·56 | 140 | 7·53 | 1,421 | 16·47 | 382 | 4·42 |
| 7 | Nairn | 8,765 | 183 | 20·88 | 14 | 7·65 | 133 | 15·17 | 43 | 4·91 |
| 8 | Elgin (or Moray) | 44,790 | 1,113 | 24·84 | 141 | 12·67 | 719 | 16·05 | 236 | 5·27 |
| 9 | Banff | 61,746 | 1,670 | 27·05 | 198 | 11·86 | 889 | 14·40 | 339 | 5·49 |
| 10 | Aberdeen | 309,040 | 8,939 | 28·93 | 993 | 11·12 | 4,821 | 15·60 | 2,309 | 7·47 |
| 11 | Kincardine | 42,203 | 1,208 | 28·62 | 104 | 8·61 | 562 | 13·32 | 203 | 4·81 |
| 12 | Forfar | 285,438 | 7,566 | 26·51 | 616 | 8·14 | 4,734 | 16·59 | 2,088 | 7·32 |
| 13 | Perth | 123,515 | 2,796 | 22·64 | 221 | 7·90 | 1,929 | 15·62 | 715 | 5·79 |
| 14 | Fife | 225,376 | 6,420 | 28·49 | 311 | 4·84 | 3,284 | 14·57 | 1,508 | 6·69 |
| 15 | Kinross | 7,047 | 181 | 25·68 | 14 | 7·73 | 123 | 17·45 | 45 | 6·39 |
| 16 | Clackmannan | 31,785 | 764 | 24·04 | 38 | 4·97 | 457 | 14·38 | 221 | 6·95 |
| 17 | Stirling | 148,063 | 4,675 | 31·57 | 192 | 4·11 | 2,291 | 15·47 | 999 | 6·75 |
| 18 | Dumbarton | 117,549 | 3,581 | 30·46 | 130 | 3·63 | 1,889 | 16·07 | 727 | 6·18 |
| 19 | Argyll | 77,961 | 1,533 | 19·66 | 105 | 6·85 | 1,244 | 15·96 | 301 | 3·86 |
| 20 | Bute | 18,869 | 347 | 18·39 | 20 | 5·76 | 301 | 15·95 | 82 | 4·34 |
| 21 | Renfrew | 305,340 | 8,921 | 29·22 | 369 | 4·14 | 5,317 | 17·41 | 1,957 | 6·41 |
| 22 | Ayr | 261,076 | 8,028 | 30·75 | 450 | 5·61 | 4,123 | 15·79 | 1,825 | 6·99 |
| 23 | Lanark | 1,369,317 | 46,976 | 34·31 | 2,397 | 5·10 | 24,504 | 17·90 | 11,148 | 8·14 |
| 24 | Linlithgow | 69,567 | 2,466 | 35·45 | 107 | 4·34 | 915 | 13·15 | 402 | 5·78 |
| 25 | Edinburgh | 500,502 | 13,262 | 26·50 | 863 | 6·51 | 8,465 | 16·91 | 4,142 | 8·28 |
| 26 | Haddington | 38,944 | 1,070 | 27·48 | 57 | 5·33 | 624 | 16·02 | 242 | 6·21 |
| 27 | Berwick | 30,502 | 685 | 22·46 | 64 | 9·34 | 409 | 13·41 | 172 | 5·64 |
| 28 | Peebles | 15,100 | 311 | 20·60 | 27 | 8·68 | 191 | 12·65 | 66 | 4·37 |
| 29 | Selkirk | 22,507 | 483 | 21·48 | 36 | 7·45 | 367 | 16·31 | 161 | 7·15 |
| 30 | Roxburgh | 47,791 | 1,013 | 21·20 | 106 | 10·46 | 780 | 16·32 | 316 | 6·61 |
| 31 | Dumfries | 72,194 | 1,701 | 23·56 | 177 | 10·41 | 1,220 | 16·90 | 519 | 7·19 |
| 32 | Kirkcudbright | 39,361 | 855 | 21·72 | 92 | 10·76 | 645 | 16·39 | 212 | 5·39 |
| 33 | Wigtown | 31,842 | 823 | 25·85 | 102 | 12·39 | 512 | 16·08 | 210 | 6·60 |

TABLE 6.—Showing Birth-rate of Married and Unmarried Women, and the state of Illegitimacy, in Scotland, and in its Divisions, Counties, and Principal Towns in 1903.

| | | Estimated Number of Married Women between the ages of 15 and 45. | Number of Legitimate Children born during 1903. | Legitimate Births per 1000 of Married Women between the ages of 15 and 45. | Estimated Number of Unmarried Women and of Widows between the ages of 15 and 45 at middle of 1903. | Number of Illegitimate Children born during 1903. | Illegitimate Births per 1000 of Unmarried Women and of Widows between the ages of 15 and 45. |
|---|---|---|---|---|---|---|---|
| SCOTLAND | | 464,766 | 125,230 | 269·4 | 641,954 | 8,295 | 12·9 |
| | DIVISIONS. | | | | | | |
| I. | NORTHERN | 7,959 | 2,280 | 286·5 | 15,603 | 139 | 8·9 |
| II. | NORTH-WESTERN | 12,130 | 3,324 | 274·0 | 23,511 | 212 | 9·0 |
| III. | NORTH-EASTERN | 42,891 | 11,663 | 271·9 | 64,744 | 1,450 | 22·4 |
| IV. | EAST-MIDLAND | 65,804 | 16,527 | 251·2 | 103,374 | 1,200 | 11·6 |
| V. | WEST-MIDLAND | 35,005 | 9,689 | 276·8 | 48,045 | 447 | 9·3 |
| VI. | SOUTH-WESTERN | 215,191 | 60,709 | 282·1 | 251,585 | 3,216 | 12·8 |
| VII. | SOUTH-EASTERN | 69,439 | 17,123 | 246·6 | 104,708 | 1,154 | 11·0 |
| VIII. | SOUTHERN | 16,347 | 3,915 | 239·5 | 30,384 | 477 | 15·7 |
| | COUNTIES. | | | | | | |
| 1 | Shetland | 2,033 | 587 | 288·7 | 4,468 | 10 | 2·2 |
| 2 | Orkney | 2,071 | 518 | 250·1 | 3,865 | 39 | 10·1 |
| 3 | Caithness | 2,403 | 751 | 312·5 | 4,453 | 74 | 16·6 |
| 4 | Sutherland | 1,452 | 424 | 292·0 | 2,817 | 16 | 5·7 |
| 5 | Ross and Cromarty | 5,724 | 1,605 | 280·4 | 10,857 | 72 | 6·6 |
| 6 | Inverness | 6,406 | 1,719 | 268·3 | 12,654 | 140 | 11·1 |
| 7 | Nairn | 699 | 169 | 241·8 | 1,363 | 14 | 10·3 |
| 8 | Elgin (or Moray) | 3,716 | 972 | 261·6 | 6,372 | 141 | 22·1 |
| 9 | Banff | 5,374 | 1,472 | 273·9 | 7,946 | 198 | 24·9 |
| 10 | Aberdeen | 29,069 | 7,946 | 273·3 | 43,827 | 993 | 22·7 |
| 11 | Kincardine | 4,033 | 1,104 | 273·7 | 5,236 | 104 | 19·9 |
| 12 | Forfar | 28,420 | 6,950 | 244·5 | 47,172 | 616 | 13·1 |
| 13 | Perth | 10,561 | 2,575 | 243·8 | 19,746 | 221 | 11·2 |
| 14 | Fife | 23,082 | 6,109 | 264·7 | 30,654 | 311 | 10·1 |
| 15 | Kinross | 667 | 167 | 250·4 | 890 | 14 | 15·7 |
| 16 | Clackmannan | 3,074 | 726 | 236·2 | 4,912 | 38 | 7·7 |
| 17 | Stirling | 15,539 | 4,483 | 288·5 | 16,974 | 192 | 11·3 |
| 18 | Dumbarton | 12,279 | 3,451 | 281·0 | 16,115 | 130 | 8·1 |
| 19 | Argyll | 5,663 | 1,428 | 252·2 | 11,719 | 105 | 9·0 |
| 20 | Bute | 1,524 | 327 | 214·6 | 3,237 | 20 | 6·2 |
| 21 | Renfrew | 32,260 | 8,552 | 265·1 | 46,081 | 369 | 8·0 |
| 22 | Ayr | 26,659 | 7,578 | 284·3 | 33,731 | 450 | 13·3 |
| 23 | Lanark | 156,272 | 44,579 | 285·3 | 171,773 | 2,397 | 14·0 |
| 24 | Linlithgow | 7,590 | 2,359 | 310·8 | 6,046 | 107 | 17·7 |
| 25 | Edinburgh | 52,313 | 12,399 | 237·0 | 81,471 | 863 | 10·6 |
| 26 | Haddington | 3,652 | 1,013 | 277·4 | 5,535 | 57 | 10·3 |
| 27 | Berwick | 2,585 | 621 | 240·2 | 4,806 | 64 | 13·3 |
| 28 | Peebles | 1,295 | 284 | 219·3 | 2,658 | 27 | 10·2 |
| 29 | Selkirk | 2,004 | 447 | 223·1 | 4,192 | 36 | 8·6 |
| 30 | Roxburgh | 4,085 | 907 | 222·0 | 8,638 | 106 | 12·3 |
| 31 | Dumfries | 6,337 | 1,524 | 240·5 | 11,018 | 177 | 16·1 |
| 32 | Kirkcudbright | 3,364 | 763 | 226·8 | 5,903 | 92 | 15·6 |
| 33 | Wigtown | 2,561 | 721 | 281·5 | 4,825 | 102 | 21·1 |
| | PRINCIPAL TOWNS. | | | | | | |
| | Glasgow | 89,798 | 23,572 | 262·5 | 113,152 | 1,555 | 13·7 |
| | Edinburgh | 33,631 | 7,474 | 222·2 | 59,825 | 617 | 10·3 |
| | Dundee | 17,342 | 4,331 | 249·7 | 28,433 | 415 | 14·6 |
| | Aberdeen | 17,205 | 4,568 | 265·5 | 24,158 | 417 | 17·3 |
| | Govan | 10,441 | 3,050 | 292·1 | 9,832 | 110 | 11·2 |
| | Paisley | 8,795 | 2,350 | 267·2 | 13,124 | 121 | 9·2 |
| | Leith | 9,306 | 2,280 | 245·0 | 9,902 | 99 | 10·0 |
| | Greenock | 7,376 | 1,956 | 265·2 | 9,023 | 91 | 10 1 |
| | Partick | 7,368 | 1,978 | 268·5 | 8,113 | 69 | 8·5 |
| | Coatbridge | 4,491 | 1,454 | 323·8 | 3,363 | 51 | 15·2 |
| | Kilmarnock | 4,039 | 1,026 | 254·0 | 4,649 | 37 | 8·0 |
| | Kirkcaldy | 3,822 | 892 | 233·4 | 5,338 | 50 | 9·4 |
| | Perth | 3,194 | 764 | 239·2 | 5,758 | 55 | 9·6 |
| | Hamilton | 4,064 | 1,298 | 319·4 | 3,193 | 46 | 14·4 |
| | Motherwell | 4,325 | 1,247 | 288·3 | 2,602 | 33 | 12·7 |

TABLE 7.—Births in Scotland, 1855–1903; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

| Year. | Total Births. | | Legitimate Births. | | Illegit. Births. | | Twin Births. | Triplet Births. | Proportion of Males to every 100 Females in the | | | Proportion of Mothers who had Multiple Births. One in every |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | | | Total Births. | Legit. Births. | Illeg. Births. | |
| 1855 | 47804 | 45545 | 44044 | 41948 | 3760 | 3597 | ... | ... | 104·9 | 104·9 | 104·5 | ... |
| 1856 | 52239 | 49582 | 47761 | 45365 | 4478 | 4217 | 1267 | 12 | 105·3 | 105·2 | 106·1 | 77 |
| 1857 | 53158 | 50257 | 48632 | 45924 | 4526 | 4333 | 1300 | 16 | 105·7 | 105·8 | 104·4 | 76 |
| 1858 | 53694 | 50324 | 48743 | 45921 | 4951 | 4403 | 1262 | 17 | 106·6 | 106·1 | 110·2 | 79 |
| 1859 | 54628 | 51915 | 49539 | 47289 | 5089 | 4626 | 1335 | 11 | 105·2 | 104·7 | 110·0 | 77 |
| 1860 | 54409 | 51220 | 49370 | 46523 | 5039 | 4697 | 1247 | 23 | 106·2 | 106·1 | 107·3 | 80 |
| 1861 | 54606 | 52403 | 49438 | 47642 | 5168 | 4761 | 1249 | 18 | 104·2 | 103·7 | 108·5 | 82 |
| 1862 | 55257 | 51812 | 49886 | 46807 | 5371 | 5005 | 1279 | 18 | 106·6 | 106·5 | 107·3 | 80 |
| 1863 | 56226 | 53115 | 50559 | 47834 | 5667 | 5281 | 1267 | 6 | 105·8 | 105·7 | 107·3 | 84 |
| 1864 | 57374 | 54959 | 51644 | 49492 | 5730 | 5467 | 1332 | 12 | 104·4 | 104·3 | 104·8 | 82 |
| 1865 | 58220 | 54850 | 52441 | 49367 | 5779 | 5483 | 1364 | 9 | 106·1 | 106·2 | 105·4 | 81 |
| 1866 | 58360 | 55307 | 52386 | 49608 | 5974 | 5699 | 1366 | 12 | 105·5 | 105·6 | 104·8 | 81 |
| 1867 | 58517 | 55527 | 52751 | 50145 | 5766 | 5382 | 1365 | 13 | 105·4 | 105·1 | 107·1 | 82 |
| 1868 | 59222 | 56292 | 53375 | 50785 | 5847 | 5507 | 1443 | 15 | 105·2 | 105·1 | 106·1 | 78 |
| 1869 | 58321 | 55033 | 52711 | 49577 | 5610 | 5456 | 1407 | 15 | 105·9 | 106·3 | 102·8 | 78 |
| 1870 | 58959 | 56431 | 53254 | 51028 | 5705 | 5403 | 1384 | 9 | 104·4 | 104·3 | 105·6 | 81 |
| 1871 | 60029 | 56099 | 54220 | 50831 | 5809 | 5268 | 1299 | 17 | 107·0 | 106·7 | 110·3 | 87 |
| 1872 | 61293 | 57472 | 55641 | 52197 | 5652 | 5275 | 1383 | 11 | 106·6 | 106·6 | 107·1 | 85 |
| 1873 | 61467 | 58233 | 55925 | 52850 | 5542 | 5383 | 1410 | 15 | 105·5 | 105·6 | 103·0 | 84 |
| 1874 | 63602 | 60109 | 57960 | 54760 | 5642 | 5349 | 1512 | 13 | 105·8 | 105·8 | 105·5 | 81 |
| 1875 | 63432 | 60146 | 57886 | 54906 | 5546 | 5240 | 1477 | 9 | 105·5 | 105·4 | 105·8 | 83 |
| 1876 | 64819 | 61715 | 59113 | 56392 | 5706 | 5323 | 1463 | 20 | 105·0 | 104·8 | 107·2 | 85 |
| 1877 | 65089 | 61733 | 59657 | 56597 | 5432 | 5136 | 1429 | 12 | 105·4 | 105·4 | 105·8 | 77 |
| 1878 | 65200 | 61573 | 59716 | 56416 | 5484 | 5157 | 1367 | 12 | 105·9 | 105·8 | 106·3 | 91 |
| 1879 | 64346 | 61384 | 58796 | 56207 | 5550 | 5177 | 1452 | 20 | 104·8 | 104·6 | 107·2 | 84 |
| 1880 | 63786 | 60784 | 58239 | 55742 | 5547 | 5042 | 1438 | 8 | 104·9 | 104·4 | 110·0 | 85 |
| 1881 | 64720 | 61451 | 59472 | 56215 | 5248 | 5236 | 1418 | 13 | 105·3 | 105·8 | 100·2 | 87 |
| 1882 | 64505 | 61653 | 59109 | 56503 | 5396 | 5150 | 1415 | 7 | 104·6 | 104·6 | 104·8 | 88 |
| 1883 | 63879 | 60579 | 58637 | 55707 | 5242 | 4872 | 1370 | 18 | 105·4 | 105·3 | 107·6 | 89 |
| 1884 | 66379 | 62778 | 60958 | 57760 | 5421 | 5018 | 1457 | 19 | 105·7 | 105·5 | 108·0 | 86 |
| 1885 | 64543 | 61557 | 59123 | 56297 | 5420 | 5260 | 1423 | 14 | 104·9 | 105·0 | 103·0 | 87 |
| 1886 | 65910 | 61980 | 60489 | 56895 | 5421 | 5085 | 1331 | 10 | 106·3 | 106·3 | 106·6 | 94 |
| 1887 | 63842 | 60576 | 58500 | 55538 | 5342 | 5038 | 1335 | 18 | 105·4 | 105·3 | 106·0 | 91 |
| 1888 | 63129 | 60140 | 58048 | 55253 | 5081 | 4887 | 1380 | 12 | 105·0 | 105·1 | 104·0 | 88 |
| 1889 | 63303 | 59480 | 58230 | 54783 | 5073 | 4697 | 1423 | 10 | 106·4 | 106·3 | 108·0 | 85 |
| 1890 | 62187 | 59339 | 57472 | 54813 | 4715 | 4526 | 1421 | 13 | 104·8 | 104·8 | 104·0 | 83 |
| 1891 | 64769 | 61217 | 59777 | 56562 | 4992 | 4655 | 1372 | 14 | 105·8 | 105·7 | 107·2 | 90 |
| 1892 | 64356 | 60687 | 59647 | 56148 | 4709 | 4539 | 1468 | 17 | 106·0 | 106·2 | 103·8 | 83 |
| 1893 | 65010 | 62100 | 60083 | 57560 | 4927 | 4540 | 1469 | 10 | 104·7 | 104·4 | 108·5 | 85 |
| 1894 | 63857 | 60510 | 59164 | 56139 | 4693 | 4371 | 1450 | 13 | 105·5 | 105·4 | 107.4 | 84 |
| 1895 | 64799 | 61695 | 60086 | 57204 | 4713 | 4491 | 1342 | 12 | 105·0 | 105·0 | 104·9 | 92 |
| 1896 | 66214 | 62958 | 61333 | 58446 | 4881 | 4512 | 1493 | 21 | 105·2 | 104·9 | 108·2 | 84 |
| 1897 | 65817 | 63060 | 61180 | 58629 | 4637 | 4431 | 1375 | 15 | 104·4 | 104·4 | 104·6 | 92 |
| 1898 | 66814 | 64047 | 62239 | 59752 | 4575 | 4295 | 1450 | 14 | 104·3 | 104·2 | 106·5 | 88 |
| 1899 | 66778 | 63955 | 62506 | 59741 | 4272 | 4214 | 1463 | 15 | 104·4 | 104·6 | 101·4 | 87 |
| 1900 | 67147 | 64254 | 62809 | 60058 | 4338 | 4196 | 1544 | 15 | 104·5 | 104·6 | 103·4 | 83 |
| 1901 | 67753 | 64439 | 63452 | 60381 | 4301 | 4058 | 1547 | 13 | 105·1 | 105·1 | 106·0 | 84 |
| 1902 | 67442 | 64825 | 63182 | 60785 | 4260 | 4040 | 1620 | 25 | 104·0 | 103·9 | 105·4 | 79 |
| 1903 | 68087 | 65438 | 63756 | 61474 | 4331 | 3964 | 1604 | *13 | 104·0 | 103·7 | 109·3 | 82 |

* Includes one case of quadruplets.

TABLE **8.**—Marriages, 1903. Number of Marriages contracted in Scotland and in each of the Counties and Principal Towns according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each.

| | | Population estimated to middle of 1903. | Total Marriages. | Marriages according to each Denomination. | | | | | | Percentage to Total. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Established Church. | United Free Church. | Roman Catholic Church. | Episcopal Church. | Other Denominations. | Irregular Marriages. | Established Church. | United Free Church. | Roman Catholic Church. | Episcopal Church. | Other Denominations. | Irregular Marriages. |
| | SCOTLAND, . . | 4579223 | 32351 | 14692 | 8778 | 3487 | 876 | 2592 | 1926 | 45·42 | 27·13 | 10·78 | 2·71 | 8·01 | 5·95 |
| | COUNTIES. | | | | | | | | | | | | | | |
| 1 | Shetland . . . | 28046 | 139 | 83 | 39 | – | 2 | 15 | – | 59·71 | 28·06 | 0·00 | 1·44 | 10·79 | 0·00 |
| 2 | Orkney . . . | 28315 | 137 | 75 | 54 | – | – | 8 | – | 54·74 | 39·42 | 0·00 | 0·00 | 5·84 | 0·00 |
| 3 | Caithness . . . | 33155 | 153 | 69 | 65 | – | 2 | 16 | 1 | 45·10 | 42·48 | 0·00 | 1·31 | 10·46 | 0·65 |
| 4 | Sutherland . . | 21338 | 50 | 14 | 19 | – | – | 17 | – | 28·00 | 38·00 | 0·00 | 0·00 | 34·00 | 0·00 |
| 5 | Ross and Cromarty. | 75944 | 302 | 88 | 113 | 2 | 3 | 95 | 1 | 29·14 | 37·42 | 0·66 | 0·99 | 31·46 | 0·31 |
| 6 | Inverness . . | 86235 | 382 | 154 | 128 | 37 | 5 | 53 | 5 | 40·31 | 33·51 | 9·69 | 1·31 | 13·87 | 1·31 |
| 7 | Nairn . . . | 8765 | 43 | 15 | 23 | – | 1 | 4 | – | 34·88 | 53·49 | 0·00 | 2·33 | 9·30 | 0·00 |
| 8 | Elgin (or Moray) . | 44790 | 236 | 130 | 82 | 1 | 3 | 13 | 7 | 55·08 | 34·75 | 0·42 | 1·27 | 5·51 | 2·97 |
| 9 | Banff . . . . | 61746 | 339 | 213 | 86 | 15 | 6 | 18 | 1 | 62·83 | 25·37 | 4·43 | 1·77 | 5·31 | 0·29 |
| 10 | Aberdeen . . . | 309040 | 2309 | 1427 | 523 | 35 | 69 | 175 | 80 | 61·80 | 22·65 | 1·52 | 2·99 | 7·58 | 3·46 |
| 11 | Kincardine . . | 42203 | 203 | 146 | 29 | – | 23 | 5 | – | 71·92 | 14·29 | 0·00 | 11·33 | 2·46 | 0·00 |
| 12 | Forfar . . . | 285438 | 2088 | 936 | 552 | 237 | 121 | 179 | 63 | 44·83 | 26·44 | 11·35 | 5·79 | 8·57 | 3·02 |
| 13 | Perth . . . . | 123515 | 715 | 407 | 226 | 24 | 12 | 30 | 16 | 56·92 | 31·61 | 3·36 | 1·68 | 4·20 | 2·23 |
| 14 | Fife . . . . | 225376 | 1508 | 826 | 494 | 56 | 19 | 104 | 9 | 54·77 | 32·76 | 3·71 | 1·26 | 6·90 | 0·60 |
| 15 | Kinross . . . | 7047 | 45 | 29 | 14 | – | 2 | – | – | 64·44 | 31·11 | 0·00 | 4·45 | 0·00 | 0·00 |
| 16 | Clackmannan . . | 31785 | 221 | 138 | 55 | 9 | 6 | 12 | 1 | 62·44 | 24·89 | 4·07 | 2·43 | 5·43 | 0·45 |
| 17 | Stirling . . . | 148063 | 999 | 532 | 298 | 87 | 17 | 52 | 13 | 53·25 | 29·83 | 8·71 | 1·70 | 5·21 | 1·30 |
| 18 | Dumbarton . . | 117549 | 727 | 293 | 207 | 155 | 20 | 49 | 3 | 40·30 | 28·48 | 21·32 | 2·75 | 6·74 | 0·41 |
| 19 | Argyll . . . | 77961 | 301 | 170 | 84 | 18 | 8 | 14 | 7 | 56·48 | 27·91 | 5·98 | 2·66 | 4·65 | 2·32 |
| 20 | Bute . . . . | 18869 | 82 | 33 | 30 | 8 | 1 | 9 | 1 | 40·24 | 36·58 | 9·76 | 1·22 | 10·98 | 1·22 |
| 21 | Renfrew . . . | 305340 | 1957 | 795 | 543 | 320 | 55 | 212 | 32 | 40·62 | 27·75 | 16·35 | 2·81 | 10·83 | 1·64 |
| 22 | Ayr . . . . | 261076 | 1825 | 985 | 503 | 131 | 47 | 129 | 30 | 53·97 | 27·56 | 7·18 | 2·58 | 7·07 | 1·64 |
| 23 | Lanark . . . | 1369317 | 11148 | 3976 | 2898 | 2004 | 192 | 1114 | 964 | 35·67 | 25·99 | 17·98 | 1·72 | 9·99 | 8·65 |
| 24 | Linlithgow . . | 69567 | 402 | 244 | 89 | 48 | 3 | 16 | 2 | 60·69 | 22·14 | 11·94 | 0·75 | 3·98 | 0·50 |
| 25 | Edinburgh . . | 500502 | 4142 | 1734 | 1118 | 224 | 212 | 182 | 672 | 41·87 | 26·99 | 5·41 | 5·12 | 4·39 | 16·22 |
| 26 | Haddington . . | 38944 | 242 | 154 | 60 | 22 | 3 | 3 | – | 63·64 | 24·79 | 9·09 | 1·24 | 1·24 | 0·00 |
| 27 | Berwick . . . | 30502 | 172 | 99 | 63 | – | 3 | 6 | 1 | 57·56 | 36·63 | 0·00 | 1·74 | 3·49 | 0·58 |
| 28 | Peebles . . . | 15100 | 66 | 46 | 12 | 4 | 2 | 2 | – | 69·70 | 18·18 | 6·06 | 3·03 | 3·03 | 0·00 |
| 29 | Selkirk . . . | 22507 | 161 | 72 | 51 | 10 | 10 | 18 | – | 44·72 | 31·68 | 6·21 | 6·21 | 11·18 | 0·00 |
| 30 | Roxburgh . . | 47791 | 316 | 195 | 95 | 4 | 11 | 10 | 1 | 61·71 | 30·06 | 1·27 | 3·48 | 3·16 | 0·32 |
| 31 | Dumfries . . . | 72194 | 519 | 323 | 122 | 30 | 11 | 21 | 12 | 62·23 | 23·51 | 5·78 | 2·12 | 4·05 | 2·31 |
| 32 | Kirkcudbright . | 39361 | 212 | 144 | 52 | 4 | 5 | 6 | 1 | 67·92 | 24·53 | 1·89 | 2·36 | 2·83 | 0·47 |
| 33 | Wigtown . . . | 31842 | 210 | 147 | 51 | 2 | 2 | 5 | 3 | 70·00 | 24·28 | 0·95 | 0·95 | 2·39 | 1·43 |
| | PRINCIPAL TOWNS. | | | | | | | | | | | | | | |
| | Glasgow . . . | 786897 | 7205 | 2384 | 1956 | 1110 | 147 | 724 | 884 | 33·09 | 27·19 | 15·40 | 2·04 | 10·05 | 12·27 |
| | Edinburgh . . | 327441 | 3058 | 1078 | 851 | 131 | 182 | 135 | 661 | 35·48 | 28·01 | 4·31 | 5·99 | 4·45 | 21·76 |
| | Dundee . . . | 162305 | 1361 | 472 | 347 | 232 | 108 | 148 | 54 | 34·68 | 25·50 | 17·05 | 7·93 | 10·87 | 3·97 |
| | Aberdeen . . . | 160780 | 1459 | 824 | 352 | 28 | 62 | 113 | 80 | 56·48 | 24·13 | 1·92 | 4·25 | 7·74 | 5·48 |
| | Govan . . . | 87045 | 503 | 201 | 126 | 90 | 8 | 46 | 32 | 39·96 | 25·05 | 17·89 | 1·59 | 9·15 | 6·36 |
| | Paisley . . . | 82608 | 621 | 220 | 207 | 89 | 20 | 75 | 10 | 35·43 | 33·33 | 14·33 | 3·22 | 12·08 | 1·61 |
| | Leith . . . . | 79552 | 556 | 306 | 151 | 38 | 15 | 35 | 11 | 55·04 | 27·16 | 6·83 | 2·70 | 6·29 | 1·98 |
| | Greenock . . . | 69252 | 540 | 227 | 116 | 103 | 13 | 62 | 19 | 42·04 | 21·48 | 19·07 | 2·41 | 11·48 | 3·52 |
| | Partick . . . | 59360 | 389 | 147 | 109 | 60 | 2 | 55 | 16 | 37·79 | 28·02 | 15·43 | 0·51 | 14·14 | 4·11 |
| | Coatbridge . . | 38765 | 231 | 56 | 61 | 67 | 8 | 34 | 5 | 24·24 | 26·41 | 29·00 | 3·46 | 14·72 | 2·17 |
| | Kilmarnock . . | 35602 | 310 | 138 | 115 | 20 | 9 | 20 | 8 | 44·52 | 37·10 | 6·45 | 2·90 | 6·45 | 2·58 |
| | Kirkcaldy . . | 35866 | 272 | 133 | 85 | 17 | 6 | 30 | 1 | 48·90 | 31·25 | 6·25 | 2·20 | 11·03 | 0·37 |
| | Perth . . . | 33577 | 296 | 148 | 96 | 18 | 4 | 14 | 16 | 50·00 | 32·43 | 6·08 | 1·35 | 4·73 | 5·41 |
| | Hamilton . . . | 34879 | 244 | 88 | 52 | 62 | 2 | 28 | 12 | 36·07 | 21·31 | 25·41 | 0·82 | 11·47 | 4·92 |
| | Motherwell . . | 33926 | 211 | 85 | 49 | 38 | 11 | 28 | – | 40·29 | 23·22 | 18·01 | 5·21 | 13·27 | 0·00 |

TABLE **9.**—Marriages, 1855–1903. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1903.

| YEAR. | Total MARRIAGES. | | REGULAR MARRIAGES according to Rites of the | | | | | | | IRREGULAR MARRIAGES. |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number. | Proportion per 1000 of Population. | Established Church. | Free Church. | United Presbyterian Church. | Rom. Cath. Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 19680 | 6·608 | 8879 | 4665 | 2952 | 1826 | 350 | 923 | 76 | 9 |
| 1856 | 20740 | 6·923 | 9863 | 4645 | 2875 | 1953 | 360 | 984 | 24 | 36 |
| 1857 | 21369 | 7·094 | 10194 | 4789 | 2926 | 1919 | 416 | 1017 | 101 | 7 |
| 1858 | 19655 | 6·492 | 9104 | 4650 | 2707 | 1697 | 379 | 1034 | 57 | 27 |
| 1859 | 21201 | 6·969 | 9769 | 4861 | 2936 | 1822 | 378 | 1175 | 243 | 17 |
| 1860 | 21225 | 6·948 | 9705 | 4870 | 2837 | 1857 | 414 | 1217 | 309 | 16 |
| 1861 | 20896 | 6·808 | 9332 | 4969 | 2925 | 1806 | 386 | 1290 | 163 | 25 |
| 1862 | 20597 | 6·651 | 9307 | 4930 | 2846 | 1778 | 371 | 990 | 348 | 27 |
| 1863 | 22234 | 7·160 | 9929 | 5242 | 3249 | 2119 | 487 | 1113 | 76 | 19 |
| 1864 | 22725 | 7·200 | 9907 | 5507 | 3198 | 2276 | 469 | 1231 | 115 | 22 |
| 1865 | 23611 | 7·412 | 10177 | 5636 | 3345 | 2399 | 476 | 1516 | 30 | 32 |
| 1866 | 23688 | 7·367 | 10392 | 5570 | 3385 | 2259 | 516 | 1483 | 41 | 42 |
| 1867 | 22618 | 6·970 | 10066 | 5347 | 3247 | 2039 | 488 | 1323 | 65 | 43 |
| 1868 | 21855 | 6·673 | 9736 | 5015 | 3244 | 1872 | 467 | 1403 | 58 | 60 |
| 1869 | 22144 | 6·698 | 9761 | 5095 | 3277 | 2043 | 450 | 1393 | 56 | 69 |
| 1870 | 23854 | 7·149 | 10678 | 5465 | 3422 | 2121 | 538 | 1496 | 60 | 74 |
| 1871 | 24019 | 7·130 | 10985 | 5404 | 3325 | 2087 | 551 | 1498 | 64 | 105 |
| 1872 | 25641 | 7·531 | 11794 | 5661 | 3312 | 2461 | 579 | 1681 | 5 | 148 |
| 1873 | 26748 | 7·773 | 12187 | 5806 | 3596 | 2451 | 648 | 1853 | 10 | 197 |
| 1874 | 26390 | 7·588 | 11820 | 5922 | 3586 | 2267 | 643 | 1923 | 13 | 216 |
| 1875 | 25974 | 7·390 | 11587 | 5889 | 3443 | 2254 | 658 | 1899 | 9 | 235 |
| 1876 | 26579 | 7·482 | 11996 | 5944 | 3603 | 2279 | 719 | 1703 | 37 | 298 |
| 1877 | 25817 | 7·191 | 11773 | 5833 | 3313 | 2368 | 651 | 1477 | 47 | 355 |
| 1878 | 24358 | 6·713 | 11330 | 5431 | 3013 | 2181 | 653 | 1350 | 12 | 388 |
| 1879 | 23519 | 6·416 | 10744 | 5314 | 2878 | 2171 | 653 | 1415 | 18 | 326 |
| 1880 | 24505 | 6·612 | 11275 | 5287 | 2981 | 2337 | 700 | 1529 | 33 | 363 |
| 1881 | 26004 | 6·948 | 12179 | 5402 | 3088 | 2537 | 695 | 1638 | 46 | 419 |
| 1882 | 26596 | 7·053 | 12356 | 5481 | 3128 | 2697 | 746 | 1678 | 59 | 451 |
| 1883 | 26869 | 7·073 | 12384 | 5478 | 3252 | 2726 | 728 | 1699 | 11 | 591 |
| 1884 | 26106 | 6·821 | 12000 | 5499 | 3001 | 2606 | 705 | 1678 | 0 | 617 |
| 1885 | 25304 | 6·562 | 11692 | 5344 | 2915 | 2443 | 700 | 1642 | 0 | 568 |
| 1886 | 24515 | 6·304 | 11507 | 5036 | 2821 | 2241 | 723 | 1597 | 0 | 590 |
| 1887 | 24876 | 6·348 | 11689 | 4866 | 2928 | 2422 | 685 | 1655 | 2 | 629 |
| 1888 | 25305 | 6·417 | 11647 | 5052 | 2876 | 2464 | 783 | 1724 | 0 | 759 |
| 1889 | 26344 | 6·630 | 11846 | 5263 | 3004 | 2653 | 791 | 1943 | 3 | 841 |
| 1890 | 27469 | 6·862 | 12408 | 5347 | 3097 | 2791 | 768 | 2025 | 0 | 1033 |
| 1891 | 27969 | 6·929 | 12698 | 5415 | 3207 | 2692 | 788 | 2050 | 0 | 1119 |
| 1892 | 28670 | 7·029 | 12865 | 5677 | 3284 | 2850 | 809 | 1981 | 0 | 1204 |
| 1893 | 27145 | 6·585 | 12371 | 5259 | 3048 | 2489 | 813 | 1920 | 0 | 1245 |
| 1894 | 27604 | 6·627 | 12650 | 5313 | 3074 | 2608 | 801 | 1992 | 0 | 1166 |
| 1895 | 28422 | 6·752 | 12832 | 5496 | 3051 | 2855 | 870 | 2075 | 0 | 1243 |
| 1896 | 30270 | 7·115 | 13694 | 5552 | 3316 | 2991 | 981 | 2268 | 0 | 1468 |
| 1897 | 31050 | 7·222 | 14002 | 5729 | 3467 | 3026 | 980 | 2316 | 0 | 1530 |
| 1898 | 32112 | 7·391 | 14567 | 6033 | 3486 | 3091 | 949 | 2418 | 0 | 1568 |
| 1899 | 32978 | 7·511 | 14687 | 6080 | 3567 | 3419 | 1033 | 2372 | 0 | 1820 |
| 1900 | 32444 | 7·312 | 14600 | 4705 Un. Free Ch.* 1768 | 2769 | 3322 | 964 | 2402 | 0 | 1914 |
| 1901 | 31387 | 7·000 | 14167 | 8669 | | 3184 | 942 | 2473 | 0 | 1952 |
| 1902 | 31913 | 7·043 | 14267 | 8803 | | 3337 | 969 | 2446 | 0 | 2091 |
| 1903 | 32351 | 7·065 | 14692 | 8778 | | 3487 | 876 | 2592 | 0 | 1926 |

* The Free Church and the United Presbyterian Church were united on 31st October 1900, under the name of the United Free Church.

TABLE **10.**—Proportion of Marriages, 1855–1903. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1903.

| YEAR. | PERCENTAGE of REGULAR MARRIAGES according to the Rites of the | | | | | | | IRREGULAR MARRIAGES. |
|---|---|---|---|---|---|---|---|---|
| | Established Church. | Free Church. | United Presbyterian Church. | Rom. Cath. Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 45·12 | 23·70 | 15·00 | 9·28 | 1·78 | 4·70 | 0·38 | 0·07 |
| 1856 | 47·55 | 22·40 | 13·87 | 9·42 | 1·73 | 4·74 | 0·12 | 0·14 |
| 1857 | 47·71 | 22·41 | 13·69 | 8·98 | 1·95 | 4·76 | 0·47 | 0·03 |
| 1858 | 46·32 | 23·66 | 13·77 | 8·63 | 1·93 | 5·26 | 0·30 | 0·13 |
| 1859 | 46·08 | 22·93 | 13·85 | 8·59 | 1·78 | 5·54 | 1·15 | 0·08 |
| 1860 | 45·73 | 22·95 | 13·36 | 8·75 | 1·95 | 5·73 | 1·45 | 0·08 |
| 1861 | 44·66 | 23·78 | 14·00 | 8·65 | 1·85 | 6·18 | 0·76 | 0·12 |
| 1862 | 45·19 | 23·94 | 13·81 | 8·64 | 1·80 | 4·80 | 1·69 | 0·13 |
| 1863 | 44·66 | 23·58 | 14·61 | 9·53 | 2·19 | 5·01 | 0·34 | 0·08 |
| 1864 | 43·60 | 24·24 | 14·06 | 10·02 | 2·07 | 5·41 | 0·51 | 0·09 |
| 1865 | 43·10 | 23·87 | 14·17 | 10·16 | 2·02 | 6·42 | 0·13 | 0·13 |
| 1866 | 43·87 | 23·52 | 14·29 | 9·54 | 2·18 | 6·26 | 0·17 | 0·17 |
| 1867 | 44·51 | 23·65 | 14·36 | 9·02 | 2·15 | 5·84 | 0·28 | 0·19 |
| 1868 | 44·55 | 22·95 | 14·85 | 8·57 | 2·13 | 6·42 | 0·26 | 0·27 |
| 1869 | 44·08 | 23·01 | 14·80 | 9·23 | 2·03 | 6·29 | 0·25 | 0·31 |
| 1870 | 44·76 | 22·91 | 14·35 | 8·89 | 2·26 | 6·26 | 0·26 | 0·31 |
| 1871 | 45·73 | 22·50 | 13·85 | 8·69 | 2·29 | 6·24 | 0·26 | 0·44 |
| 1872 | 46·00 | 22·08 | 12·92 | 9·60 | 2·26 | 6·55 | 0·02 | 0·57 |
| 1873 | 45·56 | 21·71 | 13·44 | 9·16 | 2·42 | 6·93 | 0·04 | 0·74 |
| 1874 | 44·79 | 22·44 | 13·59 | 8·59 | 2·44 | 7·29 | 0·05 | 0·81 |
| 1875 | 44·61 | 22·67 | 13·26 | 8·68 | 2·53 | 7·31 | 0·03 | 0·91 |
| 1876 | 45·13 | 22·36 | 13·56 | 8·57 | 2·71 | 6·41 | 0·14 | 1·12 |
| 1877 | 45·60 | 22·59 | 12·83 | 9·17 | 2·53 | 5·72 | 0·18 | 1·33 |
| 1878 | 46·51 | 22·30 | 12·37 | 8·96 | 2·68 | 5·54 | 0·05 | 1·59 |
| 1879 | 45·68 | 22·59 | 12·24 | 9·23 | 2·78 | 6·02 | 0·08 | 1·38 |
| 1880 | 46·02 | 21·58 | 12·17 | 9·53 | 2·85 | 6·24 | 0·13 | 1·48 |
| 1881 | 46·83 | 20·77 | 11·88 | 9·76 | 2·67 | 6·30 | 0·18 | 1·61 |
| 1882 | 46·46 | 20·61 | 11·76 | 10·14 | 2·80 | 6·31 | 0·22 | 1·70 |
| 1883 | 46·09 | 20·39 | 12·10 | 10·15 | 2·71 | 6·32 | 0·04 | 2·20 |
| 1884 | 45·97 | 21·06 | 11·50 | 9·98 | 2·70 | 6·43 | 0·00 | 2·36 |
| 1885 | 46·21 | 21·12 | 11·52 | 9·65 | 2·77 | 6·49 | 0·00 | 2·24 |
| 1886 | 46·94 | 20·54 | 11·51 | 9·14 | 2·95 | 6·51 | 0·00 | 2·41 |
| 1887 | 46·99 | 19·56 | 11·77 | 9·74 | 2·75 | 6·65 | 0·01 | 2·53 |
| 1888 | 46·03 | 19·96 | 11·37 | 9·74 | 3·09 | 6·81 | 0·00 | 3·00 |
| 1889 | 44·97 | 19·98 | 11·40 | 10·07 | 3·00 | 7·38 | 0·01 | 3·19 |
| 1890 | 45·17 | 19·47 | 11·27 | 10·16 | 2·80 | 7·37 | 0·00 | 3·76 |
| 1891 | 45·40 | 19·36 | 11·47 | 9·62 | 2·82 | 7·33 | 0·00 | 4·00 |
| 1892 | 44·87 | 19·80 | 11·46 | 9·94 | 2·82 | 6·91 | 0·00 | 4·20 |
| 1893 | 45·57 | 19·38 | 11·23 | 9·17 | 2·99 | 7·07 | 0·00 | 4·59 |
| 1894 | 45·82 | 19·25 | 11·14 | 9·45 | 2·90 | 7·22 | 0·00 | 4·22 |
| 1895 | 45·15 | 19·34 | 10·73 | 10·05 | 3·06 | 7·30 | 0·00 | 4·37 |
| 1896 | 45·24 | 18·34 | 10·96 | 9·88 | 3·24 | 7·49 | 0·00 | 4·85 |
| 1897 | 45·09 | 18·45 | 11·16 | 9·75 | 3·16 | 7·46 | 0·00 | 4·93 |
| 1898 | 45·36 | 18·79 | 10·86 | 9·63 | 2·95 | 7·53 | 0·00 | 4·88 |
| 1899 | 44·53 | 18·44 | 10·82 | 10·37 | 3·13 | 7·19 | 0·00 | 5·52 |
| 1900 | 45·00 | 14·50 United Free Ch.* 5·45 | 8·54 | 10·24 | 2·97 | 7·40 | 0·00 | 5·90 |
| 1901 | 45·14 | 27·62 | | 10·14 | 3·00 | 7·88 | 0·00 | 6·22 |
| 1902 | 44·71 | 27·58 | | 10·46 | 3·04 | 7·66 | 0·00 | 6·55 |
| 1903 | 45·42 | 27·13 | | 10·78 | 2·71 | 8·01 | 0·00 | 5·95 |

* See Note on previous page.

TABLE **11.**—Marriages, 1903. Ages of Men and Women at Marriage.

| AGES | SCOTLAND. | | PRINCIPAL TOWN DISTRICTS. | | LARGE TOWN DISTRICTS. | | SMALL TOWN DISTRICTS. | | MAINLAND-RURAL DISTRICTS. | | INSULAR-RURAL DISTRICTS. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| Under 15 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| 15—16 | – | 5 | – | 4 | – | – | – | 1 | – | – | – | – |
| 16—17 | 1 | 45 | 1 | 25 | – | 2 | – | 12 | – | 4 | – | 2 |
| 17—18 | 32 | 359 | 26 | 186 | 1 | 44 | 2 | 80 | 3 | 49 | – | – |
| 18—19 | 183 | 1126 | 115 | 599 | 26 | 146 | 26 | 226 | 15 | 147 | 1 | 8 |
| 19—20 | 630 | 1888 | 375 | 1027 | 83 | 254 | 111 | 357 | 58 | 239 | 3 | 11 |
| 20—21 | 1137 | 2478 | 625 | 1315 | 166 | 335 | 209 | 466 | 135 | 346 | 2 | 16 |
| 21—25 | 9764 | 11439 | 5115 | 6075 | 1411 | 1614 | 1878 | 2059 | 1308 | 1583 | 52 | 108 |
| 25—30 | 11162 | 8892 | 5900 | 4666 | 1495 | 1153 | 2047 | 1604 | 1591 | 1337 | 129 | 132 |
| 30—35 | 4722 | 3285 | 2529 | 1751 | 574 | 411 | 783 | 560 | 760 | 517 | 76 | 46 |
| 35—40 | 2152 | 1528 | 1125 | 842 | 241 | 190 | 366 | 249 | 365 | 222 | 55 | 25 |
| 40—45 | 1065 | 675 | 581 | 393 | 127 | 77 | 169 | 106 | 168 | 89 | 20 | 10 |
| 45—50 | 685 | 331 | 372 | 176 | 87 | 47 | 111 | 60 | 95 | 42 | 20 | 6 |
| 50—55 | 396 | 164 | 226 | 103 | 52 | 17 | 48 | 18 | 65 | 21 | 5 | 5 |
| 55—60 | 213 | 78 | 124 | 42 | 28 | 10 | 33 | 14 | 27 | 12 | 1 | - |
| 60—65 | 129 | 44 | 81 | 24 | 11 | 9 | 17 | 5 | 17 | 5 | 3 | 1 |
| 65—70 | 51 | 10 | 27 | 6 | 5 | – | 10 | 1 | 7 | 3 | 2 | – |
| 70—75 | 19 | 1 | 9 | 1 | 2 | – | 6 | – | 1 | – | 1 | – |
| 75—80 | 9 | 2 | 5 | 1 | 1 | – | 2 | – | 1 | 1 | – | – |
| 80—85 | – | – | – | – | – | – | – | – | – | – | – | – |
| 85—90 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Not stated | – | – | – | – | – | – | – | – | – | – | – | – |
| TOTAL MARRIAGES | 32351 | | 17236 | | 4310 | | 5818 | | 4617 | | 370 | |

TABLE **12.**—Marriages, 1903. Percentage of Men and Women at different Ages who contracted Marriage in Scotland and its Groups of Districts in 1903.

| Ages. | Men. | | | | | | Women. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Scotland. | Principal Town. | Large Town | Small Town. | Mainland-Rural. | Insular-Rural. | Scotland. | Principal Town. | Large Town. | Small Town. | Mainland-Rural. | Insular-Rural. |
| 15—20 years | 2·61 | 3·00 | 2·55 | 2·39 | 1·65 | 1·08 | 10·58 | 10·68 | 10·37 | 11·62 | 9·51 | 5·68 |
| 20—25 | 33·70 | 33·30 | 36·59 | 35·87 | 31·25 | 14·59 | 43·02 | 42·88 | 45·22 | 43·40 | 41·78 | 33·51 |
| 25—30 | 34·50 | 34·23 | 34·69 | 35·18 | 34·46 | 34·86 | 27·49 | 27·07 | 26·75 | 27·57 | 28·96 | 35·68 |
| 30—35 | 14·60 | 14·67 | 13·32 | 13·46 | 16·46 | 20·54 | 10·16 | 10·16 | 9·54 | 9·63 | 11·20 | 12·43 |
| 35—40 | 6·65 | 6·53 | 5·59 | 6·29 | 7·90 | 14·87 | 4·72 | 4·88 | 4·41 | 4·28 | 4·81 | 6·76 |
| 40—45 | 3·29 | 3·37 | 2·94 | 2·91 | 3·64 | 5·41 | 2·09 | 2·28 | 1·79 | 1·82 | 1·93 | 2·70 |
| 45—50 | 2·12 | 2·16 | 2·02 | 1·91 | 2·06 | 5·41 | 1·02 | 1·02 | 1·09 | 1·03 | 0·91 | 1·62 |
| 50 and above | 2·53 | 2·74 | 2·30 | 1·99 | 2·58 | 3·24 | 0·92 | 1·03 | 0·83 | 0·65 | 0·91 | 1·62 |
| Not stated | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| Total | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

TABLE **13.**—Marriages, 1855-1903. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855-1903.

| Ages. | Men. | | Women. | |
|---|---|---|---|---|
| | Number who Married at each Age. | Percentage at each Age to Total Marriages. | Number who Married at each Age. | Percentage at each Age to Total Marriages. |
| 15—20 years | 35,271 | 2·81 | 152,854 | 12·18 |
| 20—25 | 464,036 | 36·96 | 567,012 | 45·17 |
| 25—30 | 394,540 | 31·43 | 312,019 | 24·86 |
| 30—35 | 165,206 | 13·16 | 112,161 | 8·93 |
| 35—40 | 82,590 | 6·58 | 56,138 | 4·47 |
| 40—45 | 46,467 | 3·70 | 28,772 | 2·29 |
| 45—50 | 28,662 | 2·28 | 14,838 | 1·18 |
| 50 and above | 37,870 | 3·02 | 10,338 | 0·82 |
| Not stated | 703 | 0·06 | 1,213 | 0·10 |
| Total | 1,255,345 | 100·00 | 1,255,345 | 100·00 |

TABLE **14.**—Marriages in Scotland, 1855-1903. Numbers.

| YEARS. | Number who Married | | | | | | Number who Signed | | | | Number of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years. | | Under 25 years. | | Above 25 years. | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 7724 | 11118 | 11858 | 8390 | 17436 | 15174 | 2244 | 4506 | 15251 | 557 | 1863 | 619 |
| 1856 | ? | ? | 8433 | 12033 | 12307 | 8707 | 18485 | 15772 | 2455 | 4968 | 17035 | 536 | 1721 | 605 |
| 1857 | 1593 | 4568 | 8995 | 12513 | 12374 | 8856 | 18781 | 16064 | 2588 | 5305 | 17030 | 521 | 1648 | 601 |
| 1858 | 1448 | 4172 | 8096 | 11492 | 11511 | 8084 | 17328 | 14929 | 2327 | 4726 | 16196 | 492 | 1624 | 533 |
| 1859 | 1571 | 4565 | 8726 | 12425 | 12443 | 8704 | 18992 | 16494 | 2209 | 4707 | 17536 | 567 | 1864 | 603 |
| 1860 | 1561 | 4607 | 8666 | 12459 | 12525 | 8695 | 19036 | 16616 | 2189 | 4609 | 18157 | 508 | 1738 | 558 |
| 1861 | 1480 | 4403 | 8550 | 12235 | 12323 | 8601 | 18679 | 16439 | 2217 | 4457 | 17431 | 441 | 1768 | 517 |
| 1862 | 1569 | 4496 | 8663 | 12205 | 11912 | 8358 | 18535 | 16405 | 2062 | 4192 | 17392 | 464 | 1747 | 501 |
| 1863 | 1756 | 4897 | 8731 | 13304 | 12488 | 8896 | 19819 | 17319 | 2415 | 4915 | 19142 | 348 | 1856 | 584 |
| 1864 | 1695 | 4989 | 9662 | 13547 | 13033 | 9132 | 20120 | 17298 | 2605 | 5427 | 19383 | 497 | 1922 | 631 |
| 1865 | 1690 | 5010 | 9859 | 13864 | 13724 | 9696 | 20914 | 18364 | 2697 | 5247 | 20158 | 593 | 2055 | 642 |
| 1866 | 1706 | 4896 | 9923 | 13843 | 13752 | 9812 | 21032 | 18483 | 2656 | 5205 | 20080 | 601 | 2094 | 715 |
| 1867 | 1532 | 4611 | 9180 | 12991 | 13414 | 9595 | 20224 | 17931 | 2394 | 4687 | 19067 | 578 | 2075 | 689 |
| 1868 | 1459 | 4463 | 8668 | 12439 | 13169 | 9384 | 19712 | 17701 | 2143 | 4154 | 18609 | 484 | 1966 | 671 |
| 1869 | 1576 | 4622 | 8792 | 12699 | 13352 | 9445 | 19911 | 17723 | 2233 | 4421 | 18818 | 625 | 1949 | 651 |
| 1870 | 1744 | 5175 | 9657 | 13723 | 14176 | 10102 | 21403 | 19194 | 2451 | 4660 | 20262 | 653 | 2132 | 759 |
| 1871 | 1821 | 5321 | 9895 | 13945 | 14124 | 10074 | 21630 | 19315 | 2389 | 4704 | 20440 | 610 | 2099 | 778 |
| 1872 | 1978 | 5666 | 10714 | 14953 | 14927 | 10688 | 22965 | 20380 | 2676 | 5261 | 21637 | 798 | 2269 | 889 |
| 1873 | 2229 | 6129 | 11573 | 15938 | 15175 | 10810 | 24175 | 21754 | 2573 | 4994 | 22648 | 813 | 2368 | 851 |
| 1874 | 2176 | 6000 | 11425 | 15675 | 14965 | 10715 | 23989 | 21643 | 2401 | 4747 | 22291 | 840 | 2330 | 855 |
| 1875 | 2103 | 5829 | 11061 | 15252 | 14913 | 10722 | 23740 | 21581 | 2234 | 4393 | 21877 | 860 | 2353 | 837 |
| 1876 | 2173 | 6014 | 11472 | 15750 | 15107 | 10829 | 24586 | 22291 | 1993 | 4288 | 22438 | 794 | 2432 | 896 |
| 1877 | 2060 | 5767 | 11118 | 15349 | 14699 | 10468 | 23865 | 21839 | 1952 | 3978 | 21945 | 795 | 2285 | 778 |
| 1878 | 1877 | 5436 | 10418 | 14555 | 13940 | 9803 | 22684 | 20839 | 1674 | 3519 | 20809 | 691 | 2083 | 752 |
| 1879 | 1797 | 5188 | 9905 | 13877 | 13614 | 9642 | 21725 | 19919 | 1794 | 3600 | 19915 | 782 | 2083 | 725 |
| 1880 | 1769 | 5393 | 10220 | 14628 | 14285 | 9877 | 22696 | 20777 | 1809 | 3728 | 20848 | 764 | 2122 | 750 |
| 1881 | 1815 | 5792 | 10818 | 15522 | 15186 | 10482 | 24168 | 22380 | 1836 | 3624 | 22320 | 700 | 2151 | 826 |
| 1882 | 2062 | 5994 | 11131 | 15987 | 15465 | 10609 | 24774 | 23097 | 1822 | 3499 | 22984 | 684 | 2134 | 791 |
| 1883 | 2026 | 5935 | 11137 | 16010 | 15735 | 10859 | 25159 | 23617 | 1710 | 3252 | 23112 | 757 | 2224 | 765 |
| 1884 | 1925 | 5821 | 10631 | 15376 | 15472 | 10730 | 24498 | 23149 | 1608 | 2957 | 22354 | 745 | 2186 | 808 |
| 1885 | 1825 | 5430 | 10183 | 14782 | 15121 | 10522 | 23936 | 22854 | 1368 | 2450 | 21761 | 681 | 2063 | 794 |
| 1886 | 1687 | 5039 | 9505 | 14182 | 15007 | 10327 | 23374 | 22485 | 1141 | 2030 | 20917 | 659 | 2178 | 758 |
| 1887 | 1661 | 5063 | 9555 | 14137 | 15321 | 10739 | 23758 | 22836 | 1118 | 2040 | 21271 | 677 | 2166 | 758 |
| 1888 | 1664 | 5168 | 9708 | 14536 | 15597 | 10769 | 24305 | 23437 | 1000 | 1868 | 21807 | 672 | 2078 | 741 |
| 1889 | 1632 | 5154 | 10009 | 14869 | 16335 | 11475 | 25211 | 24401 | 1133 | 1943 | 22621 | 724 | 2176 | 808 |
| 1890 | 1713 | 5428 | 10520 | 15641 | 16949 | 11828 | 26391 | 25706 | 1078 | 1763 | 23715 | 747 | 2178 | 816 |
| 1891 | 1734 | 5450 | 10565 | 15683 | 17404 | 12286 | 27014 | 26385 | 955 | 1584 | 24183 | 740 | 2248 | 782 |
| 1892 | 1785 | 5641 | 10761 | 16036 | 17909 | 12634 | 27743 | 27244 | 927 | 1426 | 24873 | 769 | 2234 | 790 |
| 1893 | 1702 | 5224 | 10023 | 14948 | 17122 | 12197 | 26411 | 25940 | 734 | 1205 | 23575 | 705 | 2066 | 799 |
| 1894 | 1680 | 5185 | 10150 | 15130 | 17454 | 12474 | 26838 | 26360 | 766 | 1244 | 23964 | 721 | 2118 | 796 |
| 1895 | 1672 | 5293 | 10385 | 15721 | 18037 | 12701 | 27675 | 27211 | 747 | 1211 | 24745 | 769 | 2118 | 780 |
| 1896 | 1886 | 5666 | 11030 | 16490 | 19240 | 13780 | 29585 | 29125 | 685 | 1145 | 26460 | 775 | 2186 | 839 |
| 1897 | 1917 | 5801 | 11530 | 17284 | 19520 | 13766 | 30380 | 30036 | 670 | 1014 | 27329 | 844 | 2087 | 785 |
| 1898 | 1917 | 5916 | 11832 | 17810 | 20280 | 14302 | 31528 | 31146 | 584 | 966 | 28371 | 761 | 2153 | 819 |
| 1899 | 2009 | 6019 | 12214 | 18224 | 20764 | 14754 | 32349 | 32046 | 629 | 932 | 29198 | 863 | 2097 | 814 |
| 1900 | 2006 | 6039 | 12040 | 17763 | 20404 | 14681 | 31744 | 31547 | 700 | 897 | 28685 | 908 | 2044 | 801 |
| 1901 | 1927 | 5788 | 11429 | 16842 | 19958 | 14545 | 30769 | 30548 | 618 | 839 | 27702 | 892 | 1998 | 794 |
| 1902 | 1917 | 5608 | 11399 | 16801 | 20514 | 15112 | 31337 | 31099 | 576 | 814 | 28186 | 921 | 1988 | 805 |
| 1903 | 1983 | 5902 | 11747 | 17341 | 20604 | 15010 | 31787 | 31607 | 564 | 744 | 28602 | 920 | 2039 | 772 |

TABLE **15.**—Marriages in Scotland, 1855–1903. Proportions.

| YEARS. | Percentage who Married | | | | | | Percentage who signed | | | | Proportion in every 100 Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years | | Under 25 years | | Above 25 years | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 39·44 | 57·99 | 60·56 | 42·01 | 88·60 | 77·10 | 11·40 | 22·90 | 83·48 | 3·04 | 10·20 | 3·38 |
| 1856 | ? | ? | 40·79 | 58·44 | 59·21 | 41·56 | 89·13 | 76·05 | 10·87 | 23·95 | 85·62 | 2·69 | 8·65 | 3·04 |
| 1857 | 7·47 | 21·43 | 42·19 | 58·84 | 57·81 | 41·16 | 87·89 | 75·34 | 12·11 | 24·66 | 86·01 | 3·63 | 8·32 | 3·04 |
| 1858 | 7·38 | 21·23 | 41·25 | 58·70 | 58·75 | 41·30 | 88·16 | 75·95 | 11·84 | 24·05 | 85·95 | 2·61 | 8·62 | 2·82 |
| 1859 | 7·42 | 21·60 | 41·22 | 58·80 | 58·78 | 41·20 | 89·58 | 77·80 | 10·42 | 22·10 | 85·25 | 2·76 | 9·06 | 2·93 |
| 1860 | 7·36 | 21·77 | 40·89 | 58·89 | 59·11 | 41·11 | 89·68 | 78·28 | 10·32 | 21·72 | 86·62 | 2·42 | 8·29 | 2·67 |
| 1861 | 7·09 | 21·13 | 40·96 | 58·72 | 59·04 | 41·28 | 89·39 | 78·67 | 10·61 | 21·33 | 86·48 | 2·19 | 8·77 | 2·56 |
| 1862 | 7·62 | 21·86 | 42·11 | 59·35 | 57·89 | 40·65 | 89·99 | 79·65 | 10·01 | 20·35 | 86·51 | 2·31 | 8·69 | 2·49 |
| 1863 | 7·91 | 22·05 | 43·79 | 59·93 | 56·21 | 40·07 | 89·14 | 77·89 | 10·86 | 22·11 | 87·29 | 1·59 | 8·46 | 2·66 |
| 1864 | 7·46 | 21·99 | 42·57 | 59·73 | 57·42 | 40·26 | 88·54 | 76·12 | 11·46 | 23·88 | 86·41 | 2·21 | 8·57 | 2·81 |
| 1865 | 7·16 | 21·26 | 41·38 | 58·84 | 58·62 | 41·16 | 88·58 | 77·78 | 11·42 | 22·22 | 85·97 | 2·53 | 8·77 | 2·73 |
| 1866 | 7·20 | 20·69 | 41·91 | 58·52 | 58·09 | 41·48 | 88·78 | 78·50 | 11·22 | 22·00 | 85·49 | 2·55 | 8·92 | 3·04 |
| 1867 | 6·77 | 20·41 | 40·63 | 57·47 | 59·37 | 42·53 | 89·41 | 79·27 | 10·59 | 20·73 | 85·09 | 2·58 | 9·26 | 3·07 |
| 1868 | 6·68 | 20·45 | 39·69 | 57·00 | 60·31 | 43·00 | 90·19 | 80·99 | 9·81 | 19·01 | 85·64 | 2·22 | 9·05 | 3·09 |
| 1869 | 7·08 | 20·87 | 39·70 | 57·34 | 60·30 | 42·66 | 89·92 | 80·04 | 10·08 | 19·96 | 85·38 | 2·83 | 8·84 | 2·95 |
| 1870 | 7·32 | 21·72 | 40·52 | 57·60 | 85·94 | 42·40 | 89·73 | 80·46 | 10·27 | 19·54 | 85·11 | 2·74 | 8·96 | 3·19 |
| 1871 | 7·58 | 22·15 | 41·20 | 58·06 | 58·80 | 41·94 | 90·05 | 80·42 | 9·95 | 19·58 | 85·10 | 2·54 | 8·74 | 3·24 |
| 1872 | 7·71 | 22·10 | 41·78 | 58·32 | 58·22 | 41·68 | 89·56 | 79·48 | 10·44 | 20·52 | 84·38 | 3·11 | 8·35 | 3·47 |
| 1873 | 8·33 | 22·91 | 43·26 | 59·58 | 56·74 | 40·42 | 90·38 | 81·33 | 9·62 | 18·67 | 84·89 | 3·05 | 8·88 | 3·18 |
| 1874 | 8·25 | 22·73 | 43·29 | 59·40 | 56·71 | 40·60 | 90·90 | 82·01 | 9·10 | 17·99 | 84·47 | 3·18 | 8·83 | 3·24 |
| 1875 | 8·10 | 22·44 | 42·58 | 58·72 | 57·42 | 41·28 | 91·40 | 83·09 | 8·60 | 16·91 | 84·23 | 3·31 | 9·06 | 3·22 |
| 1876 | 8·18 | 22·63 | 43·16 | 59·26 | 56·84 | 40·74 | 92·50 | 83·87 | 7·50 | 16·13 | 84·42 | 2·99 | 9·15 | 3·37 |
| 1877 | 7·98 | 22·34 | 43·06 | 59·46 | 56·94 | 40·54 | 92·44 | 84·59 | 7·56 | 15·41 | 85·00 | 3·08 | 8·89 | 3·01 |
| 1878 | 7·71 | 22·32 | 42·77 | 59·75 | 57·23 | 40·25 | 93·13 | 85·55 | 6·87 | 14·45 | 85·43 | 2·84 | 8·55 | 3·09 |
| 1879 | 7·64 | 22·06 | 42·11 | 59·00 | 57·89 | 41·00 | 92·37 | 84·69 | 7·63 | 15·31 | 84·68 | 3·32 | 8·86 | 3·08 |
| 1880 | 7·22 | 22·01 | 41·71 | 59·69 | 58·29 | 40·31 | 92·62 | 84·79 | 7·38 | 15·21 | 85·07 | 3·12 | 8·66 | 3·06 |
| 1881 | 6·98 | 22·27 | 41·60 | 59·69 | 58·40 | 40·31 | 92·94 | 86·06 | 7·06 | 13·94 | 85·83 | 2·69 | 8·27 | 3·18 |
| 1882 | 7·75 | 22·54 | 41·85 | 60·11 | 58·15 | 39·89 | 93·15 | 86·84 | 6·85 | 13·16 | 86·42 | 2·57 | 8·02 | 2·97 |
| 1883 | 7·54 | 22·09 | 41·45 | 59·59 | 58·55 | 40·41 | 93·64 | 87·90 | 6·36 | 12·10 | 86·02 | 2·82 | 8·28 | 2·85 |
| 1884 | 7·37 | 22·30 | 40·72 | 58·90 | 59·28 | 41·10 | 93·84 | 88·67 | 6·16 | 11·33 | 85·63 | 2·85 | 8·37 | 3·10 |
| 1885 | 7·21 | 21·46 | 40·24 | 58·42 | 59·76 | 41·58 | 94·59 | 90·32 | 5·41 | 9·68 | 85·93 | 2·69 | 8·15 | 3·14 |
| 1886 | 6·88 | 20·55 | 38·77 | 57·85 | 61·21 | 42·12 | 95·35 | 91·72 | 4·65 | 8·28 | 85·32 | 2·69 | 8·88 | 3·09 |
| 1887 | 6·68 | 20·35 | 38·41 | 56·83 | 61·59 | 43·17 | 95·51 | 91·80 | 4·49 | 8·20 | 85·51 | 2·72 | 8·71 | 3·05 |
| 1888 | 6·58 | 20·42 | 38·36 | 57·44 | 61·64 | 42·56 | 96·05 | 92·62 | 3·95 | 7·38 | 86·18 | 2·66 | 8·21 | 2·93 |
| 1889 | 6·19 | 19·56 | 34·20 | 56·44 | 65·80 | 43·56 | 95·70 | 92·62 | 4·30 | 7·38 | 85·87 | 2·75 | 8·26 | 3·06 |
| 1890 | 6·24 | 19·76 | 38·30 | 56·94 | 61·70 | 43·06 | 96·08 | 93·58 | 3·92 | 6·42 | 86·33 | 2·72 | 7·93 | 2·97 |
| 1891 | 6·19 | 19·49 | 37·77 | 56·07 | 62·23 | 43·93 | 96·59 | 94·34 | 3·41 | 5·66 | 86·46 | 2·65 | 8·04 | 2·80 |
| 1892 | 6·23 | 19·68 | 37·53 | 55·93 | 62·47 | 44·07 | 96·77 | 95·03 | 3·23 | 4·97 | 86·76 | 2·68 | 7·79 | 2·76 |
| 1893 | 6·27 | 19·24 | 36·92 | 55·07 | 63·08 | 44·93 | 97·30 | 95·56 | 2·70 | 4·44 | 86·85 | 2·60 | 7·61 | 2·94 |
| 1894 | 6·09 | 18·78 | 36·31 | 54·15 | 63·23 | 45·19 | 97·23 | 95·49 | 2·77 | 4·51 | 86·81 | 2·61 | 7·67 | 2·88 |
| 1895 | 5·88 | 18·62 | 36·54 | 55·31 | 63·46 | 44·69 | 97·37 | 95·74 | 2·63 | 4·26 | 87·06 | 2·71 | 7·45 | 2·74 |
| 1896 | 6·23 | 18·72 | 36·44 | 54·48 | 63·56 | 45·52 | 97·74 | 96·22 | 2·26 | 3·78 | 87·41 | 2·56 | 7·22 | 2·77 |
| 1897 | 6·17 | 18·68 | 37·13 | 53·11 | 62·87 | 44·33 | 97·84 | 96·73 | 2·16 | 3·27 | 88·01 | 2·72 | 6·72 | 2·53 |
| 1898 | 5·97 | 18·42 | 36·85 | 55·46 | 63·15 | 44·54 | 98·18 | 96·99 | 1·82 | 3·01 | 88·35 | 2·37 | 6·70 | 2·55 |
| 1899 | 6·09 | 18·25 | 37·04 | 55·23 | 62 96 | 44·74 | 98·09 | 97·17 | 1·91 | 2·83 | 88·54 | 2·62 | 6·36 | 2·47 |
| 1900 | 6·18 | 18·61 | 37·11 | 54·75 | 62·89 | 45·25 | 97·84 | 97·24 | 2·16 | 2·76 | 88·41 | 2·80 | 6·30 | 2·47 |
| 1901 | 6·14 | 18·44 | 36 41 | 53·66 | 63·59 | 46·34 | 98·03 | 97·33 | 1·97 | 2·67 | 88·26 | 2·84 | 6·37 | 2·53 |
| 1902 | 6·01 | 17·57 | 35·72 | 52·65 | 64·28 | 47·35 | 98·20 | 97·45 | 1·80 | 2·55 | 88·36 | 2·89 | 6·23 | 2·52 |
| 1903 | 6·13 | 18·24 | 36·31 | 53·60 | 63·69 | 46·40 | 98·26 | 97·70 | 1·74 | 2·30 | 88·46 | 2·84 | 6·31 | 2·39 |

TABLE **16.**—Marriages, 1903. Percentage of Men and Women who signed by Writing or by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

| 1903. | Signed by Writing. | | Signed by Mark. | | Persons under 21 Years. | | Percentage of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| SCOTLAND. | 98·26 | 97·70 | 1·74 | 2·30 | 6·13 | 18·24 | 88·46 | 2·84 | 6·31 | 2·39 |
| GROUPS. | | | | | | | | | | |
| PRINCIPAL TOWN DISTS. | 98·27 | 97·68 | 1·73 | 2·32 | 6·63 | 18·31 | 87·05 | 3·51 | 6·49 | 2·95 |
| LARGE TOWN DISTRICTS | 98·21 | 98·12 | 1·79 | 1·88 | 6·40 | 18·14 | 88·55 | 2·41 | 6·76 | 2·28 |
| SMALL TOWN DISTRICTS | 97·49 | 96·51 | 2·51 | 3·49 | 5·98 | 19·63 | 90·65 | 2·06 | 5·45 | 1·84 |
| MAINLAND-RURAL DISTS. | 99·39 | 99·20 | 0·61 | 0·80 | 4·57 | 17·00 | 90·88 | 1·88 | 6·07 | 1·17 |
| INSULAR-RURAL DISTS. | 96·22 | 93·78 | 3·78 | 6·22 | 1·62 | 10·00 | 88·65 | 1·35 | 8·92 | 1·08 |
| DIVISIONS. | | | | | | | | | | |
| I. NORTHERN | 99·37 | 98·96 | 0·63 | 1·04 | 2·92 | 11·06 | 89·15 | 1·46 | 7·93 | 1·46 |
| II. NORTH-WESTERN | 95·61 | 91·37 | 4·39 | 8·63 | 1·46 | 8·63 | 88·89 | 1·75 | 8·77 | 0·59 |
| III. NORTH-EASTERN | 99·46 | 98·98 | 0·54 | 1·02 | 5·75 | 17·25 | 90·22 | 2·21 | 6·10 | 1·47 |
| IV. EAST-MIDLAND | 99·24 | 98·60 | 0·76 | 1·40 | 6·58 | 16·21 | 88·91 | 2·01 | 6·74 | 2·34 |
| V. WEST-MIDLAND | 98·34 | 97·96 | 1·66 | 2·04 | 4·74 | 17·69 | 89·76 | 2·13 | 5·98 | 2·13 |
| VI. SOUTH-WESTERN | 97·31 | 96·78 | 2·69 | 3·22 | 7·22 | 21·02 | 87·62 | 3·32 | 6·07 | 2·99 |
| VII. SOUTH-EASTERN | 99·31 | 98·94 | 0·69 | 1·06 | 4·92 | 16·37 | 88·61 | 3·22 | 6·16 | 2·01 |
| VIII. SOUTHERN | 99·52 | 99·52 | 0·48 | 0·48 | 3·58 | 11·77 | 89·18 | 2·55 | 7·24 | 1·03 |
| COUNTIES. | | | | | | | | | | |
| 1 Shetland | 99·28 | 98·56 | 0·72 | 1·44 | 1·44 | 3·60 | 84·89 | 2·16 | 12·23 | 0·72 |
| 2 Orkney | 100·00 | 100·00 | 0·00 | 0·00 | 4·38 | 16·06 | 88·32 | 0·73 | 8·76 | 2·19 |
| 3 Caithness | 99·35 | 98·69 | 0·65 | 1·31 | 3·27 | 13·73 | 92·16 | 1·96 | 3·92 | 1·96 |
| 4 Sutherland | 98·00 | 98·00 | 2·00 | 2·00 | 2·00 | 10·00 | 94·00 | 0·00 | 6·00 | 0·00 |
| 5 Ross and Cromarty | 97·02 | 89·07 | 2·98 | 10·93 | 1·32 | 9·60 | 88·41 | 1·66 | 9·27 | 0·66 |
| 6 Inverness | 94·50 | 93·19 | 5·50 | 6·81 | 1·57 | 7·85 | 89·27 | 1·83 | 8·38 | 0·52 |
| 7 Nairn | 97·67 | 95·35 | 2·33 | 4·65 | 0·00 | 4·65 | 86·05 | 0·00 | 9·30 | 4·65 |
| 8 Elgin | 99·58 | 99·58 | 0·42 | 0·42 | 3·39 | 9·32 | 88·14 | 2·97 | 8·47 | 0·42 |
| 9 Banff | 99·41 | 100·00 | 0·59 | 0·00 | 4·13 | 16·52 | 88·20 | 2·95 | 6·78 | 2·07 |
| 10 Aberdeen | 99·44 | 98·79 | 0·56 | 1·21 | 6·45 | 18·71 | 90·60 | 2·17 | 5·76 | 1·47 |
| 11 Kincardine | 100·00 | 99·51 | 0·00 | 0·49 | 4·43 | 13·79 | 92·61 | 0·99 | 5·41 | 0·99 |
| 12 Forfar | 98·90 | 97·75 | 1·10 | 2·25 | 7·04 | 14·99 | 87·44 | 2·11 | 7·43 | 3·02 |
| 13 Perth | 99·72 | 99·44 | 0·28 | 0·56 | 2·94 | 11·61 | 89·17 | 2·11 | 7·45 | 1·27 |
| 14 Fife | 99·40 | 99·34 | 0·60 | 0·66 | 7·89 | 20·23 | 90·38 | 1·92 | 5·71 | 1·99 |
| 15 Kinross | 100·00 | 97·78 | 0·00 | 2·22 | 6·67 | 15·56 | 88·89 | 2·22 | 6·67 | 2·22 |
| 16 Clackmannan | 99·55 | 99·10 | 0·45 | 0·90 | 4·98 | 15·38 | 91·85 | 1·36 | 4·98 | 1·81 |
| 17 Stirling | 98·50 | 98·60 | 1·50 | 1·40 | 6·71 | 22·12 | 90·79 | 2·70 | 4·71 | 1·80 |
| 18 Dumbarton | 97·94 | 96·97 | 2·06 | 3·03 | 3·85 | 16·37 | 88·15 | 1·93 | 6·61 | 3·31 |
| 19 Argyll | 98·67 | 97·67 | 1·33 | 2·33 | 1·00 | 8·31 | 91·03 | 0·33 | 8·31 | 0·33 |
| 20 Bute | 98·78 | 100·00 | 1·22 | 0·00 | 2·44 | 9·76 | 86·58 | 3·66 | 7·32 | 2·44 |
| 21 Renfrew | 98·62 | 98·77 | 1·38 | 1·23 | 6·95 | 18·65 | 88·48 | 2·41 | 6·04 | 3·07 |
| 22 Ayr | 98·03 | 98·08 | 1·97 | 1·92 | 8·16 | 20·88 | 90·24 | 2·25 | 5·54 | 1·97 |
| 23 Lanark | 96·96 | 96·22 | 3·04 | 3·78 | 7·11 | 21·46 | 87·04 | 3·66 | 6·16 | 3·14 |
| 24 Linlithgow | 98·01 | 97·01 | 1·99 | 2·99 | 7·71 | 29·10 | 91·29 | 1·74 | 4·48 | 2·49 |
| 25 Edinburgh | 99·42 | 99·13 | 0·58 | 0·87 | 4·85 | 15·86 | 87·60 | 3·65 | 6·55 | 2·20 |
| 26 Haddington | 98·76 | 97·52 | 1·24 | 2·48 | 4·55 | 13·64 | 93·39 | 1·65 | 3·72 | 1·24 |
| 27 Berwick | 100·00 | 100·00 | 0·00 | 0·00 | 1·74 | 9·30 | 94·19 | 0·58 | 5·23 | 0·00 |
| 28 Peebles | 100·00 | 98·48 | 0·00 | 1·52 | 1·52 | 13·64 | 95·45 | 1·52 | 3·03 | 0·00 |
| 29 Selkirk | 99·38 | 100·00 | 0·62 | 0·00 | 4·97 | 10·56 | 91·93 | 1·86 | 6·21 | 0·00 |
| 30 Roxburgh | 100·00 | 99·68 | 0·00 | 0·32 | 2·85 | 10·13 | 91·77 | 1·58 | 6·65 | 0·00 |
| 31 Dumfries | 99·61 | 99·61 | 0·39 | 0·39 | 3·85 | 11·75 | 88·05 | 3·85 | 6·94 | 1·16 |
| 32 Kirkcudbright | 99·36 | 100·00 | 0·94 | 0·00 | 3·30 | 11·32 | 88·68 | 1·89 | 7·54 | 1·89 |
| 33 Wigtown | 99·05 | 98·57 | 0·95 | 1·43 | 4·29 | 14·76 | 88·57 | 1·43 | 8·57 | 1·43 |
| EDINBURGH | 99·54 | 99·28 | 0·46 | 0·72 | 4·44 | 14·12 | 86·96 | 3·95 | 6·85 | 2·24 |
| GLASGOW | 97·34 | 96·46 | 2·66 | 3·54 | 7·11 | 19·26 | 85·91 | 4·23 | 6·26 | 3·60 |

TABLE **17.**—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1903.

| YEAR. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 30626 | 31378 | 11189 | 11517 | 2972 | 2982 | 4963 | 5052 | 10681 | 10975 | 821 | 852 |
| 1856 | 29418 | 29111 | 11155 | 11099 | 2703 | 2671 | 4785 | 4757 | 9855 | 9607 | 920 | 977 |
| 1857 | 30937 | 30969 | 11692 | 11671 | 2917 | 2943 | 4911 | 5098 | 10421 | 10285 | 996 | 972 |
| 1858 | 31652 | 31887 | 11770 | 11675 | 3034 | 3129 | 5046 | 5030 | 10792 | 10997 | 1010 | 1056 |
| 1859 | 30588 | 31126 | 11075 | 11277 | 2946 | 2829 | 4975 | 5070 | 10418 | 10672 | 1174 | 1278 |
| 1860 | 33610 | 34560 | 12814 | 13252 | 2972 | 3070 | 5480 | 5590 | 11169 | 11424 | 1175 | 1224 |
| 1861 | 30890 | 31451 | 11464 | 11685 | 2869 | 2962 | 5150 | 5216 | 10346 | 10474 | 1061 | 1114 |
| 1862 | 33179 | 34016 | 12270 | 12690 | 3286 | 3280 | 5368 | 5565 | 10967 | 11141 | 1288 | 1340 |
| 1863 | 35631 | 35850 | 13624 | 13421 | 3358 | 3422 | 5862 | 5680 | 11510 | 11999 | 1277 | 1328 |
| 1864 | 37010 | 37406 | 14504 | 14341 | 3544 | 3588 | 6132 | 6162 | 11722 | 12082 | 1108 | 1233 |
| 1865 | 35190 | 35701 | 14263 | 14252 | 3352 | 3544 | 5598 | 5658 | 10906 | 11174 | 1071 | 1073 |
| 1866 | 35355 | 35993 | 13742 | 13724 | 3378 | 3528 | 5777 | 6032 | 11334 | 11571 | 1124 | 1138 |
| 1867 | 34363 | 34705 | 13219 | 13300 | 3322 | 3454 | 5786 | 5771 | 10964 | 11022 | 1072 | 1158 |
| 1868 | 34662 | 34754 | 14154 | 13883 | 3359 | 3325 | 5640 | 5752 | 10522 | 10642 | 987 | 1152 |
| 1869 | 37868 | 38007 | 15744 | 15723 | 3647 | 3839 | 6022 | 5879 | 11274 | 11342 | 1181 | 1224 |
| 1870 | 36866 | 37299 | 14234 | 14274 | 3858 | 3854 | 5929 | 6168 | 11760 | 11894 | 1085 | 1109 |
| 1871 | 36827 | 37885 | 15478 | 15948 | 4003 | 4068 | 7913 | 8287 | 8527 | 8653 | 906 | 929 |
| 1872 | 37939 | 37355 | 15192 | 15007 | 4363 | 4240 | 8500 | 8315 | 8876 | 9217 | 1008 | 1076 |
| 1873 | 39037 | 37909 | 15227 | 14781 | 4766 | 4540 | 8869 | 8488 | 9155 | 8943 | 1020 | 1157 |
| 1874 | 40678 | 40042 | 16245 | 15879 | 5079 | 4947 | 8852 | 8708 | 9419 | 9397 | 1083 | 1111 |
| 1875 | 40323 | 41444 | 15272 | 15711 | 4984 | 4818 | 9026 | 9259 | 9925 | 10378 | 1116 | 1278 |
| 1876 | 37404 | 36725 | 14256 | 13721 | 4500 | 4524 | 8420 | 8406 | 9177 | 9015 | 1051 | 1059 |
| 1877 | 37173 | 36764 | 14190 | 14037 | 4521 | 4536 | 8052 | 8008 | 9383 | 9092 | 1027 | 1091 |
| 1878 | 38389 | 38404 | 14707 | 14718 | 5157 | 5031 | 8512 | 8493 | 9072 | 9140 | 941 | 1022 |
| 1879 | 36296 | 37051 | 13397 | 13747 | 4682 | 4751 | 8217 | 8345 | 8999 | 9040 | 1001 | 1168 |
| 1880 | 38055 | 37748 | 14578 | 14295 | 5019 | 4821 | 8635 | 8847 | 8800 | 8757 | 1023 | 1028 |
| 1881 | 36097 | 36228 | 15996 | 16144 | 3814 | 3890 | 7318 | 7428 | 7970 | 7742 | 999 | 1024 |
| 1882 | 36325 | 36664 | 16343 | 16354 | 4057 | 3997 | 7328 | 7457 | 7644 | 7792 | 953 | 1064 |
| 1883 | 38296 | 38595 | 17728 | 17578 | 4074 | 4143 | 7422 | 7747 | 7987 | 8100 | 1085 | 1027 |
| 1884 | 37556 | 37612 | 17058 | 16967 | 4042 | 4206 | 7403 | 7514 | 8105 | 7919 | 948 | 1006 |
| 1885 | 36932 | 37675 | 16206 | 16521 | 3952 | 4151 | 7620 | 7792 | 8152 | 8135 | 1002 | 1076 |
| 1886 | 36432 | 37208 | 15996 | 16240 | 4179 | 4257 | 7412 | 7704 | 7874 | 7986 | 971 | 1021 |
| 1887 | 36805 | 37741 | 16009 | 16667 | 4453 | 4458 | 7574 | 7570 | 7784 | 8017 | 985 | 1029 |
| 1888 | 34953 | 36221 | 15100 | 15405 | 4153 | 4247 | 6923 | 7361 | 7851 | 8076 | 926 | 1132 |
| 1889 | 36328 | 36910 | 16046 | 16390 | 4259 | 4203 | 7067 | 7546 | 8012 | 7851 | 944 | 920 |
| 1890 | 39130 | 39874 | 17594 | 17668 | 4654 | 4777 | 7752 | 7905 | 8194 | 8484 | 936 | 1040 |
| 1891 | 41122 | 42451 | 18018 | 18580 | 5040 | 5175 | 8414 | 8705 | 8604 | 8786 | 1046 | 1205 |
| 1892 | 37463 | 38082 | 16788 | 16589 | 4641 | 4727 | 7468 | 7958 | 7586 | 7763 | 980 | 1045 |
| 1893 | 39585 | 40085 | 17684 | 17536 | 5377 | 5465 | 7813 | 8168 | 7841 | 7904 | 870 | 1012 |
| 1894 | 35153 | 35960 | 15534 | 15341 | 4549 | 4787 | 7116 | 7466 | 7071 | 7352 | 883 | 1014 |
| 1895 | 40663 | 41189 | 18203 | 18460 | 5502 | 5390 | 8138 | 8316 | 7922 | 8029 | 898 | 994 |
| 1896 | 35321 | 35356 | 16002 | 15695 | 4678 | 4630 | 7021 | 7155 | 6807 | 7008 | 813 | 868 |
| 1897 | 39506 | 39638 | 18258 | 17771 | 5280 | 5223 | 7758 | 7968 | 7265 | 7579 | 945 | 1067 |
| 1898 | 39344 | 39053 | 17941 | 17426 | 5385 | 5344 | 7681 | 7930 | 7448 | 7411 | 889 | 942 |
| 1899 | 39903 | 39690 | 18130 | 17740 | 5508 | 5238 | 7697 | 8065 | 7701 | 7612 | 867 | 1035 |
| 1900 | 41276 | 41020 | 18550 | 18269 | 5588 | 5458 | 8167 | 8250 | 7934 | 7914 | 1037 | 1129 |
| 1901 | 40213 | 39894 | 19756 | 19000 | 5120 | 5127 | 7417 | 7543 | 7088 | 7261 | 832 | 963 |
| 1902 | 39183 | 38758 | 18945 | 18046 | 5134 | 5077 | 7136 | 7348 | 7039 | 7246 | 929 | 1041 |
| 1903 | 38136 | 37866 | 18128 | 17725 | 4984 | 4873 | 7178 | 7290 | 6971 | 7007 | 875 | 971 |

TABLE **18.**—Proportion of Male and Female Deaths per 1000 of the Population in Scotland and its Five Groups of Districts, during each of the Years 1855–1903.

| YEAR. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 21·62 | 20·03 | 29·29 | 25·84 | 26·44 | 23·82 | 21·63 | 19·95 | | | | |
| 1856 | 20·65 | 18·50 | 28·87 | 24·60 | 23·78 | 21·07 | 20·70 | 18·63 | | | | |
| 1857 | 21·61 | 19·58 | 29·91 | 25·56 | 25·39 | 22·92 | 21·09 | 19·81 | | | | |
| 1858 | 22·02 | 20·05 | 29·76 | 25·27 | 26·12 | 24·07 | 21·52 | 19·39 | | | | |
| 1859 | 21·20 | 19·40 | 27·69 | 24·12 | 25·09 | 21·79 | 21·07 | 19·38 | | | | |
| 1860 | 23·21 | 21·50 | 31·68 | 28·01 | 23·36 | 23·04 | 23·04 | 21·25 | | | | |
| 1861 | 21·25 | 19·46 | 27·96 | 24·38 | 23·86 | 21·93 | 21·57 | 19·24 | | | | |
| 1862 | 22·60 | 20·87 | 29·31 | 26·03 | 26·75 | 23·84 | 22·31 | 20·85 | | | | |
| 1863 | 24·02 | 21·81 | 31·88 | 27·06 | 26·76 | 24·41 | 23·63 | 21·14 | | | | |
| 1864 | 24·70 | 22·56 | 33·24 | 28·42 | 27·64 | 25·12 | 25·10 | 22·77 | | | | |
| 1865 | 23·25 | 21·35 | 32·02 | 27·77 | 25·59 | 24·35 | 22·74 | 20·76 | | | | |
| 1866 | 23·13 | 21·34 | 30·21 | 26·28 | 25·24 | 23·79 | 23·29 | 21·98 | | | | |
| 1867 | 22·26 | 20·40 | 28·53 | 25·04 | 24·30 | 22·86 | 23·15 | 20·88 | | | | |
| 1868 | 22·22 | 20·25 | 29·85 | 25·69 | 24·05 | 21·59 | 22·40 | 20·67 | | | | |
| 1869 | 24·04 | 21·96 | 32·52 | 28·60 | 25·56 | 24·48 | 23·74 | 20·98 | | | | |
| 1870 | 23·17 | 21·37 | 28·80 | 25·52 | 26·47 | 24·12 | 23·19 | 21·85 | | | | |
| 1871 | 22·90 | 21·51 | 30·39 | 27·86 | 25·44 | 23·59 | 21·43 | 20·55 | 16·69 | 15·96 | 14·84 | 13·09 |
| 1872 | 23·33 | 21·00 | 29·49 | 25·94 | 26·82 | 23·86 | 22·71 | 20·38 | 17·31 | 16·98 | 16·51 | 15·21 |
| 1873 | 23·72 | 21·11 | 29·23 | 25·29 | 28·34 | 24·79 | 23·38 | 20·56 | 17·78 | 16·45 | 16·71 | 16·39 |
| 1874 | 24·44 | 22·08 | 30·83 | 26·88 | 29·21 | 26·20 | 23·03 | 20·85 | 18·22 | 17·27 | 17·73 | 15·78 |
| 1875 | 23·94 | 22·63 | 28·65 | 26·32 | 27·72 | 24·76 | 23·17 | 21·91 | 19·13 | 19·05 | 18·26 | 18·20 |
| 1876 | 21·96 | 19·86 | 26·44 | 22·74 | 24·21 | 22·55 | 21·33 | 19·65 | 17·62 | 16·52 | 17·19 | 15·12 |
| 1877 | 21·57 | 19·69 | 26·03 | 23·02 | 23·52 | 21·94 | 20·12 | 18·50 | 17·94 | 16·64 | 16·80 | 15·62 |
| 1878 | 22·02 | 20·37 | 26·67 | 23·89 | 25·95 | 23·61 | 20·99 | 19·39 | 17·28 | 16·71 | 15·39 | 14·67 |
| 1879 | 20·59 | 19·47 | 24·01 | 22·08 | 22·78 | 21·62 | 19·99 | 18·83 | 17·07 | 16·51 | 16·37 | 16·80 |
| 1880 | 21·33 | 19·64 | 25·84 | 22·72 | 23·59 | 21·27 | 20·72 | 19·72 | 16·63 | 15·97 | 16·72 | 14·82 |
| 1881 | 20·02 | 18·68 | 23·74 | 21·72 | 19·48 | 18·74 | 19·33 | 18·23 | 16·10 | 15·12 | 16·35 | 14·81 |
| 1882 | 19·98 | 18·77 | 24·01 | 21·74 | 20·40 | 18·99 | 19·23 | 18·18 | 15·42 | 15·24 | 15·66 | 15·43 |
| 1883 | 20·90 | 19·61 | 25·72 | 23·09 | 20·17 | 19·40 | 19·34 | 18·76 | 16·08 | 15·86 | 17·90 | 14·94 |
| 1884 | 20·32 | 18·97 | 24·41 | 22·02 | 19·70 | 19·42 | 19·16 | 18·07 | 16·29 | 15·53 | 15·70 | 14·67 |
| 1885 | 19·83 | 18·87 | 22·95 | 21·19 | 18·97 | 18·89 | 19·58 | 18·61 | 16·36 | 15·97 | 16·66 | 15·74 |
| 1886 | 19·40 | 18·50 | 22·38 | 20·58 | 19·76 | 19·10 | 18·91 | 18·28 | 15·78 | 15·70 | 16·21 | 14·98 |
| 1887 | 19·44 | 18·63 | 22·13 | 20·87 | 20·73 | 19·72 | 19·19 | 17·84 | 15·57 | 15·78 | 16·52 | 15·14 |
| 1888 | 18·32 | 17·75 | 20·62 | 19·06 | 19·04 | 18·52 | 17·42 | 17·23 | 15·68 | 15·92 | 15·59 | 16·71 |
| 1889 | 18·88 | 17·96 | 21·64 | 20·04 | 18·84 | 18·06 | 17·66 | 17·54 | 15·98 | 15·49 | 15·96 | 13·62 |
| 1890 | 20·26 | 19·25 | 23·43 | 21·36 | 20·61 | 20·21 | 19·26 | 18·28 | 16·61 | 16·70 | 15·89 | 15·44 |
| 1891 | 21·11 | 20·33 | 23·74 | 22·22 | 21·96 | 21·56 | 20·73 | 19·98 | 17·44 | 17·30 | 17·82 | 17·95 |
| 1892 | 19·01 | 18·06 | 21·88 | 19·72 | 18·45 | 17·85 | 17·97 | 17·91 | 16·18 | 16·01 | 16·76 | 15·61 |
| 1893 | 19·87 | 18·82 | 22·75 | 20·58 | 20·97 | 20·27 | 18·59 | 18·18 | 16·89 | 16·47 | 14·97 | 15·18 |
| 1894 | 17·45 | 16·72 | 19·72 | 17·78 | 17·50 | 17·51 | 16·77 | 16·48 | 15·31 | 15·40 | 15·26 | 15·27 |
| 1895 | 19·95 | 18·96 | 22·81 | 21·13 | 20·62 | 19·26 | 19·00 | 18·19 | 17·36 | 17·01 | 15·60 | 15·03 |
| 1896 | 17·14 | 16·12 | 19·80 | 17·74 | 17·31 | 16·36 | 16·23 | 15·51 | 15·00 | 14·93 | 14·20 | 13·17 |
| 1897 | 18·96 | 17.89 | 22·13 | 19·68 | 19·30 | 18·21 | 17·98 | 17·36 | 16·12 | 16·27 | 16·62 | 16·76 |
| 1898 | 18·67 | 17·46 | 21·46 | 19·06 | 19·42 | 18·39 | 17·69 | 17·18 | 16·57 | 15·95 | 15·72 | 14·45 |
| 1899 | 18·72 | 17·57 | 21·02 | 18·90 | 19·35 | 17·81 | 17·01 | 16·93 | 16·24 | 15·64 | 15·14 | 16·25 |
| 1900 | 19·15 | 17·98 | 21·17 | 19·18 | 19·34 | 18·33 | 17·79 | 17·12 | 16·73 | 16·28 | 18·19 | 17·84 |
| 1901 | 18·45 | 17·32 | 20·95 | 18·72 | 18·03 | 17·29 | 16·89 | 16·37 | 15·45 | 15·45 | 15·13 | 15·65 |
| 1902 | 17·77 | 16·66 | 19·69 | 17·45 | 17·84 | 16·92 | 16·04 | 15·78 | 15·47 | 15·55 | 16·99 | 17·05 |
| 1903 | 17·11 | 16·11 | 18·53 | 16·88 | 17·10 | 16·07 | 15·94 | 15·50 | 15·32 | 15·05 | 16·06 | 15·99 |

TABLE **19.**—Showing Corrected Death-rates in Counties and Principal Towns, 1903.

| | | Per Standard Death-rate. | Factor for Correction. | Recorded Death-rate. | Corrected Death-rate. | Comparative Mortality Figure. |
|---|---|---|---|---|---|---|
| SCOTLAND - - - | | 18·23 | 1·0000 | 16·597 | 16·597 | 1,000 |
| | COUNTIES. | | | | | |
| 1 | Renfrew - - - | 15·76 | 1·1567 | 17·41 | 20·138 | 1,213 |
| 2 | Lanark - - - | 17·13 | 1·0642 | 17·90 | 19·049 | 1,148 |
| 3 | Edinburgh - - | 17·36 | 1·0501 | 16·91 | 17·757 | 1,070 |
| 4 | Dumbarton - - | 17·37 | 1·0495 | 16·07 | 16·865 | 1,016 |
| 5 | Selkirk - - - | 17·88 | 1·0196 | 16·31 | 16·630 | 1,002 |
| 6 | Forfar - - - | 18·53 | 0·9838 | 16·59 | 16·321 | 983 |
| 7 | Roxburgh - - - | 18·72 | 0·9738 | 16·32 | 15·909 | 958 |
| 8 | Haddington - - | 18·55 | 0·9827 | 16·02 | 15·743 | 948 |
| 9 | Ayr - - - - | 18·37 | 0·9924 | 15·79 | 15·670 | 944 |
| 10 | Stirling - - - | 18·17 | 1·0033 | 15·47 | 15·521 | 935 |
| 11 | Dumfries - - - | 19·91 | 0·9156 | 16·90 | 15·474 | 932 |
| 12 | Kirkcudbright - - | 19·86 | 0·9179 | 16·39 | 15·044 | 906 |
| 13 | Inverness - - - | 22·31 | 0·8171 | 16·47 | 15·015 | 905 |
| 14 | Clackmannan - - | 17·83 | 1·0224 | 14·38 | 14·702 | 886 |
| 15 | Aberdeen - - - | 19·37 | 0·9411 | 15·60 | 14·681 | 884 |
| 16 | Argyll - - - | 19·83 | 0·9193 | 15·96 | 14·673 | 882 |
| 17 | Wigtown - - - | 20·32 | 0·8971 | 16·08 | 14·425 | 869 |
| 18 | Kinross - - - | 22·37 | 0·8149 | 17·45 | 14·220 | 857 |
| 19 | Perth - - - | 20·08 | 0·9079 | 15·62 | 14·181 | 854 |
| 20 | Fife - - - - | 18·85 | 0·9671 | 14·57 | 14·091 | 849 |
| 21 | Ross and Cromarty - | 22·76 | 0·8010 | 17·54 | 14·050 | 846 |
| 22 | Bute - - - - | 20·83 | 0·8752 | 15·95 | 13·959 | 841 |
| 23 | Elgin - - - - | 21·10 | 0·8640 | 16·05 | 13·867 | 835 |
| 24 | Linlithgow - - | 17·49 | 1·0423 | 13·15 | 13·706 | 826 |
| 25 | Caithness - - - | 23·51 | 0·7754 | 17·37 | 13·469 | 811 |
| 26 | Sutherland - - | 24·81 | 0·7348 | 17·81 | 13·087 | 788 |
| 27 | Nairn - - - | 21·67 | 0·8413 | 15·17 | 12·764 | 769 |
| 28 | Banff - - - | 20·61 | 0·8845 | 14·40 | 12·737 | 767 |
| 29 | Berwick - - - | 19·96 | 0·9133 | 13·41 | 12·247 | 738 |
| 30 | Peebles - - - | 18·75 | 0·9723 | 12·65 | 12·230 | 737 |
| 31 | Kincardine - - | 20·19 | 0·9029 | 13·32 | 12·027 | 725 |
| 32 | Shetland - - - | 24·42 | 0·7465 | 15·30 | 11·421 | 688 |
| 33 | Orkney - - - | 23·71 | 0·7689 | 14·69 | 11·295 | 680 |
| | PRINCIPAL TOWNS. | | | | | |
| 1 | Glasgow - - - | 16·46 | 1·1075 | 19·15 | 21·209 | 1,279 |
| 2 | Greenock - - - | 17·35 | 1·0507 | 18·93 | 19·890 | 1,198 |
| 3 | Dundee - - - | 17·30 | 1·0538 | 18·10 | 19·074 | 1,149 |
| 4 | Kilmarnock - - | 17·19 | 1·0605 | 17·67 | 18·739 | 1,129 |
| 5 | Govan - - - | 16·53 | 1·1028 | 16·82 | 18·549 | 1,117 |
| 6 | Coatbridge - - | 16·85 | 1·0819 | 17·10 | 18·500 | 1,114 |
| 7 | Paisley - - - | 17·42 | 1·0465 | 17·29 | 18·094 | 1,100 |
| 8 | Edinburgh - - | 17·50 | 1·0417 | 16·86 | 17·563 | 1,078 |
| 9 | Leith - - - | 17·16 | 1·0624 | 16·17 | 17·179 | 1,035 |
| 10 | Hamilton - - - | 17·37 | 1·0495 | 16·17 | 16·970 | 1,022 |
| 11 | Aberdeen - - - | 18·36 | 0·9929 | 17·05 | 16·929 | 1,020 |
| 12 | Perth - - - | 18·17 | 1·0033 | 16·68 | 16·735 | 1,008 |
| 13 | Partick - - - | 16·53 | 1·1028 | 13·09 | 14·436 | 870 |
| 14 | Kirkcaldy - - - | 17·42 | 1·0465 | 13·19 | 13·803 | 832 |
| 15 | Motherwell - - | 16·52 | 1·1035 | 12·29 | 13·562 | 817 |

TABLE **20.**—Total Number of Deaths in the Principal Towns of Scotland during each of the Years 1893–1903.

| TOWNS | 1893 | 1894 | 1895 | 1896 | 1897 | 1898 | 1899 | 1900 | 1901 | 1902 | 1903 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . . | 15797 | 13673 | 16344 | 14385 | 15726 | 15328 | 15827 | 16392 | 16190 | 15530 | 15071 |
| Edinburgh . . . | 5266 | 4745 | 5679 | 4687 | 6223 | 5798 | 5858 | 5876 | 6173 | 5734 | 5522 |
| Dundee . . . | 3494 | 2992 | 3399 | 3103 | 3378 | 3455 | 3190 | 3391 | 3412 | 3078 | 2947 |
| Aberdeen . . . | 2393 | 2455 | 2817 | 2479 | 2472 | 2683 | 2719 | 2866 | 2813 | 2816 | 2741 |
| Govan . . . . | 1353 | 990 | 1157 | 1133 | 1286 | 1174 | 1199 | 1373 | 1320 | 1357 | 1464 |
| Paisley . . . . | 1518 | 1257 | 1548 | 1351 | 1466 | 1584 | 1509 | 1608 | 1486 | 1551 | 1428 |
| Leith . . . . | 1363 | 1212 | 1487 | 1184 | 1528 | 1364 | 1411 | 1230 | 1373 | 1207 | 1286 |
| Greenock . . . | 1311 | 1200 | 1432 | 1102 | 1363 | 1308 | 1321 | 1300 | 1328 | 1365 | 1311 |
| Partick . . . . | 780 | 715 | 779 | 622 | 766 | 783 | 841 | 780 | 957 | 809 | 777 |
| Coatbridge . . | 581 | 575 | 790 | 528 | 608 | 700 | 761 | 752 | 828 | 708 | 663 |
| Kilmarnock . . | 698 | 487 | 600 | 534 | 545 | 562 | 639 | 545 | 654 | 612 | 629 |
| Kirkcaldy . . . | 483 | 451 | 487 | 491 | 482 | 532 | 494 | 477 | 544 | 487 | 473 |
| Perth . . . . | 666 | 574 | 631 | 589 | 668 | 628 | 595 | 706 | 570 | 603 | 560 |
| Hamilton . . . | 536 | 464 | 669 | 483 | 541 | 523 | 606 | 630 | 575 | 636 | 564 |
| Motherwell . . | 358 | 385 | 472 | 377 | 499 | 535 | 613 | 585 | 533 | 498 | 417 |

TABLE **21.**—Proportion of Deaths per 1000 of the Population, in the Principal Towns of Scotland, during each of the Years 1893–1903.

| TOWNS | 1893 | 1894 | 1895 | 1896 | 1897 | 1898 | 1899 | 1900 | 1901 | 1902 | Mean Annual Mortality. | 1903 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . | 23·2 | 19·8 | 23·4 | 20·3 | 21·8 | 21·0 | 21·3 | 21·8 | 21·2 | 20·0 | *21·4* | 19·2 |
| Edinburgh | 19·6 | 17·4 | 20·6 | 16·7 | 20·9 | 19·2 | 19·2 | 19·0 | 19·4 | 17·8 | *19·0* | 16·9 |
| Dundee . | 22·4 | 19·1 | 21·6 | 19·7 | 21·3 | 21·7 | 19·9 | 21·1 | 21·1 | 19·0 | *20·7* | 18·1 |
| Aberdeen | 18·3 | 18·4 | 20·7 | 17·8 | 17·4 | 18·5 | 18·4 | 19·0 | 18·2 | 17·9 | *18·5* | 17·0 |
| Govan . | 20·9 | 15·0 | 17·1 | 16·4 | 18·2 | 16·3 | 16·3 | 18·2 | 17·2 | 16·0 | *17·2* | 16·8 |
| Paisley . | 22·0 | 17·9 | 21·6 | 18·5 | 19·8 | 21·0 | 19·6 | 20·5 | 18·6 | 19·1 | *19·9* | 17·3 |
| Leith . . | 19·3 | 17·0 | 20·6 | 16·2 | 20·6 | 18·2 | 18·6 | 16·0 | 17·7 | 15·4 | *18·0* | 16·2 |
| Greenock | 20·4 | 18·5 | 21·9 | 16·7 | 20·5 | 19·6 | 19·6 | 19·2 | 19·5 | 19·9 | *19·6* | 18·9 |
| Partick . | 19·5 | 17·2 | 18·0 | 13·8 | 16·4 | 16·1 | 16·6 | 14·8 | 17·5 | 14·2 | *16·4* | 13·1 |
| Coatbridge | 18·5 | 17·9 | 24·1 | 15·8 | 17·8 | 20·0 | 21·3 | 20·6 | 22·3 | 18·6 | *19·7* | 17·1 |
| Kilmarnock | 23·5 | 16·1 | 19·5 | 17·1 | 17·1 | 17·3 | 19·3 | 16·2 | 19·1 | 17·5 | *18·3* | 17·7 |
| Kirkcaldy | 16·9 | 15·4 | 16·3 | 16·0 | 15·4 | 16·6 | 15·1 | 14·2 | 15·9 | 13·9 | *15·6* | 13·2 |
| Perth . . | 21·8 | 18·6 | 20·3 | 18·7 | 21·1 | 19·6 | 18·4 | 21·6 | 17·3 | 18·1 | *19·6* | 16·7 |
| Hamilton | 20·3 | 17·1 | 23·9 | 16·9 | 18·3 | 17·2 | 19·4 | 19·6 | 17·4 | 18·7 | *18·9* | 16·2 |
| Motherwell | 17·1 | 17·6 | 20·5 | 15·6 | 19·7 | 20·1 | 21·9 | 19·9 | 17·3 | 15·4 | *18·5* | 12·3 |

TABLE **22.**—Ages of Males and Females who Died in Scotland, and in each of its Groups of Districts, during the Year 1903.

| AGES. | SCOTLAND. | | PRINCIPAL TOWN. | | LARGE TOWN. | | SMALL TOWN. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 8888 | 6805 | 4728 | 3654 | 1189 | 943 | 1643 | 1299 | 1229 | 828 | 99 | 81 |
| 1–2 | 2401 | 2133 | 1418 | 1272 | 344 | 278 | 398 | 361 | 217 | 194 | 24 | 28 |
| 2–3 | 907 | 890 | 521 | 542 | 131 | 116 | 152 | 148 | 97 | 77 | 6 | 7 |
| 3–4 | 513 | 522 | 306 | 298 | 64 | 75 | 86 | 89 | 50 | 54 | 7 | 6 |
| 4–5 | 367 | 406 | 192 | 221 | 58 | 61 | 73 | 62 | 41 | 58 | 3 | 4 |
| Under 5 Years | 13076 | 10756 | 7165 | 5987 | 1786 | 1473 | 2352 | 1959 | 1634 | 1211 | 139 | 126 |
| 5–10 | 1010 | 1048 | 536 | 541 | 121 | 132 | 183 | 198 | 154 | 160 | 16 | 17 |
| 10–15 | 664 | 668 | 307 | 318 | 93 | 87 | 130 | 123 | 120 | 128 | 14 | 12 |
| 15–20 | 993 | 1009 | 445 | 458 | 108 | 149 | 210 | 201 | 210 | 174 | 20 | 27 |
| 20–30 | 2411 | 2479 | 1157 | 1184 | 306 | 324 | 449 | 469 | 415 | 445 | 84 | 57 |
| 30–40 | 2484 | 2702 | 1279 | 1385 | 336 | 347 | 414 | 472 | 400 | 447 | 55 | 51 |
| 40–50 | 3041 | 2691 | 1600 | 1392 | 373 | 347 | 513 | 474 | 500 | 432 | 55 | 46 |
| 50–60 | 3894 | 3496 | 1937 | 1770 | 542 | 424 | 687 | 672 | 681 | 553 | 47 | 77 |
| 60–70 | 4684 | 4827 | 2050 | 2105 | 647 | 638 | 927 | 961 | 942 | 1003 | 118 | 120 |
| 70–80 | 3868 | 4918 | 1245 | 1762 | 449 | 604 | 885 | 1045 | 1130 | 1312 | 159 | 195 |
| 80–90 | 1827 | 2829 | 381 | 730 | 214 | 316 | 391 | 626 | 703 | 956 | 138 | 201 |
| 90–100 | 162 | 432 | 26 | 90 | 8 | 31 | 35 | 88 | 73 | 184 | 20 | 39 |
| 100 and above | 8 | 11 | – | 3 | 1 | 1 | 1 | 2 | 4 | 2 | 2 | 3 |
| Not stated | 14 | – | – | – | – | – | 1 | – | 5 | – | 8 | – |
| ALL AGES | 38136 | 37866 | 18128 | 17725 | 4984 | 4873 | 7178 | 7290 | 6971 | 7007 | 875 | 971 |

TABLE **23.**—Annual Rate of Mortality per 1000 of the Population at various Age-periods in 1903.

| Ages. | SCOTLAND. | | Principal Town. | | Large Town. | | Small Town. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 149·37 | 117·46 | 175·33 | 138·50 | 145·12 | 120·60 | 134·58 | 108·49 | 111·88 | 77·34 | 81·48 | 73·50 |
| 1–2 | 44·36 | 40·27 | 59·65 | 53·84 | 46·67 | 38·91 | 34·90 | 32·71 | 20·66 | 19·11 | 21·86 | 27·29 |
| 2–3 | 16·59 | 16·48 | 21·71 | 22·64 | 17·49 | 15·52 | 13·32 | 13·35 | 9·19 | 7·44 | 4·87 | 6·03 |
| 3–4 | 9·57 | 9·75 | 13·22 | 12·89 | 8·62 | 10·27 | 7·64 | 7·94 | 4·69 | 5·03 | 6·05 | 5·29 |
| 4–5 | 6·88 | 7·78 | 8·50 | 9·86 | 7·98 | 8·60 | 6·52 | 5·62 | 3·75 | 5·53 | 2·28 | 3·47 |
| Under 5 Y'rs. | 47·51 | 39·75 | 59·47 | 50·11 | 47·32 | 39·99 | 40·92 | 34·78 | 30·47 | 23·09 | 23·10 | 22·59 |
| 5–10 | 3·95 | 4·21 | 4·98 | 5·12 | 3·48 | 3·88 | 3·39 | 3·76 | 2·91 | 3·15 | 2·54 | 2·95 |
| 10–15 | 2·72 | 2·83 | 3·03 | 3·16 | 2·84 | 2·75 | 2·51 | 2·51 | 2·31 | 2·62 | 2·14 | 2·04 |
| 15–20 | 4·20 | 4·37 | 4·36 | 4·31 | 3·43 | 4·90 | 4·34 | 4·37 | 4·29 | 4·06 | 3·72 | 5·07 |
| 20–30 | 6·00 | 5·77 | 5·98 | 5·59 | 5·80 | 5·87 | 5·76 | 5·71 | 5·82 | 6·10 | 12·18 | 6·81 |
| 30–40 | 8·54 | 8·54 | 9·34 | 9·33 | 8·91 | 8·56 | 7·37 | 7·73 | 7·39 | 7·59 | 8·77 | 6·62 |
| 40–50 | 13·53 | 11·20 | 15·93 | 12·79 | 12·91 | 11·50 | 11·62 | 10·12 | 10·95 | 9·04 | 9·70 | 6·88 |
| 50–60 | 25·43 | 20·11 | 29·42 | 23·54 | 29·09 | 20·05 | 23·01 | 19·70 | 19·92 | 14·76 | 10·63 | 13·45 |
| 60–70 | 49·35 | 39·39 | 57·63 | 44·13 | 57·46 | 44·04 | 48·42 | 37·97 | 38·14 | 33·82 | 30·27 | 23·89 |
| 70–80 | 91·82 | 79·74 | 101·32 | 85·43 | 98·21 | 88·34 | 98·40 | 80·76 | 82·84 | 74·40 | 68·86 | 59·22 |
| 80–90 | 188·00 | 164·30 | 177·13 | 151·11 | 228·14 | 175·07 | 192·04 | 173·46 | 186·87 | 171·11 | 191·93 | 161·97 |
| 90 and above | 283·33 | 315·30 | 230·09 | 299·04 | 236·84 | 237·04 | 302·52 | 338·35 | 308·00 | 340·66 | 314·29 | 325·58 |
| All Ages . | 17·11 | 16·11 | 18·53 | 16·88 | 17·10 | 16·07 | 15·94 | 15·50 | 15·32 | 15·05 | 16·06 | 15·99 |

TABLE **24.**—Percentage of Deaths at each Age to the Total Deaths in 1903.

| Ages. | SCOTLAND. | | Principal Town. | | Large Town. | | Small Town. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 23·31 | 17·97 | 26·08 | 20·61 | 23·86 | 19·35 | 22·89 | 17·82 | 17·63 | 11·81 | 11·31 | 8·34 |
| 1–2 | 6·30 | 5·63 | 7·82 | 7·18 | 6·90 | 5·71 | 5·54 | 4·95 | 3·11 | 2·77 | 2·74 | 2·89 |
| 2–3 | 2·38 | 2·35 | 2·87 | 3·06 | 2·63 | 2·38 | 2·12 | 2·03 | 1·39 | 1·10 | 0·69 | 0·72 |
| 3–4 | 1·34 | 1·38 | 1·69 | 1·68 | 1·28 | 1·54 | 1·20 | 1·22 | 0·72 | 0·77 | 0·80 | 0·62 |
| 4–5 | 0·96 | 1·07 | 1·06 | 1·25 | 1·16 | 1·25 | 1·02 | 0·85 | 0·59 | 0·83 | 0·34 | 0·41 |
| Under 5 Y'rs. | 34·29 | 28·40 | 39·52 | 33·78 | 35·83 | 30·23 | 32·77 | 26·87 | 23·44 | 17·28 | 15·88 | 12·98 |
| 5–10 | 2·65 | 2·77 | 2·96 | 3·05 | 2·43 | 2·71 | 2·55 | 2·71 | 2·21 | 2·28 | 1·83 | 1·75 |
| 10–15 | 1·74 | 1·76 | 1·69 | 1·79 | 1·87 | 1·79 | 1·81 | 1·69 | 1·72 | 1·83 | 1·60 | 1·23 |
| 15–20 | 2·60 | 2·66 | 2·45 | 2·58 | 2·17 | 3·06 | 2·92 | 2·76 | 3·01 | 2·48 | 2·29 | 2·78 |
| 20–30 | 6·32 | 6·55 | 6·38 | 6·68 | 6·14 | 6·65 | 6·25 | 6·43 | 5·95 | 6·35 | 9·60 | 5·87 |
| 30–40 | 6·51 | 7·14 | 7·06 | 7·81 | 6·74 | 7·12 | 5·77 | 6·47 | 5·74 | 6·38 | 6·29 | 5·25 |
| 40–50 | 7·98 | 7·11 | 8·83 | 7·85 | 7·48 | 7·12 | 7·15 | 6·50 | 7·17 | 6·17 | 6·29 | 4·74 |
| 50–60 | 10·21 | 9·23 | 10·69 | 9·99 | 10·88 | 8·70 | 9·57 | 9·22 | 9·77 | 7·89 | 5·37 | 7·93 |
| 60–70 | 12·28 | 12·75 | 11·31 | 11·88 | 12·98 | 13·09 | 12·91 | 13·18 | 13·51 | 14·32 | 13·48 | 12·36 |
| 70–80 | 10·14 | 12·99 | 6·87 | 9·94 | 9·01 | 12·39 | 12·34 | 14·34 | 16·21 | 18·73 | 18·17 | 20·08 |
| 80–90 | 4·79 | 7·47 | 2·10 | 4·12 | 4·29 | 6·48 | 5·45 | 8·59 | 10·09 | 13·64 | 15·77 | 20·70 |
| 90–100 | 0·43 | 1·14 | 0·14 | 0·51 | 0·16 | 0·64 | 0·49 | 1·21 | 1·05 | 2·62 | 2·29 | 4·02 |
| 100 and above | 0·02 | 0·03 | 0·00 | 0·02 | 0·02 | 0·02 | 0·01 | 0·03 | 0·06 | 0·03 | 0·23 | 0·31 |
| Not stated | 0·04 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·01 | 0·00 | 0·07 | 0·00 | 0·91 | 0·00 |
| Total . . | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

TABLE **25.**—Percentage of Deaths at each Age to the Total Deaths in Scotland, for the ten years 1893–1902, and the Mean of the same. Also the Percentage for 1903.

| AGES. | 1893. | | 1894. | | 1895. | | 1896. | | 1897. | | 1898. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 24·49 | 18·95 | 23·05 | 17·84 | 23·46 | 17·81 | 24·00 | 18·24 | 24·95 | 19·98 | 24·76 | 20·03 |
| — 2 | 8·34 | 8·11 | 7·11 | 6·57 | 7·73 | 7·05 | 7·14 | 6·82 | 7·85 | 6·96 | 8·03 | 7·18 |
| — 3 | 3·50 | 3·40 | 2·84 | 2·67 | 3·05 | 2·93 | 2·96 | 2·82 | 2·94 | 2·68 | 2·92 | 2·85 |
| — 4 | 1·91 | 1·94 | 1·78 | 1·84 | 1·84 | 1·64 | 1·69 | 1·62 | 1·73 | 1·63 | 1·54 | 1·60 |
| — 5 | 1·40 | 1·32 | 1·28 | 1·33 | 1·16 | 1·16 | 1·15 | 1·17 | 1·19 | 1·18 | 1·14 | 1·30 |
| 0– 5 | 39·64 | 33·72 | 36·06 | 30·25 | 37·24 | 30·59 | 36·94 | 30·67 | 38·66 | 32·43 | 38·39 | 32·96 |
| 5–10 | 3·46 | 3·65 | 3·37 | 3·39 | 3·17 | 2·98 | 3·16 | 3·26 | 2·83 | 3·06 | 2·74 | 3·12 |
| 10–15 | 1·99 | 2·21 | 2·00 | 2·33 | 2·01 | 2·08 | 2·08 | 2·24 | 1·81 | 2·05 | 1·76 | 1·91 |
| 15–20 | 2·89 | 2·96 | 3·25 | 3·30 | 2·99 | 2·85 | 3·03 | 3·16 | 2·76 | 2·73 | 2·85 | 2·73 |
| 20–30 | 6·08 | 6·15 | 6·69 | 7·07 | 6·35 | 6·37 | 6·50 | 6·73 | 6·09 | 6·27 | 6·39 | 6·26 |
| 30–40 | 6·04 | 6·36 | 6·30 | 6·98 | 6·17 | 6·51 | 6·27 | 6·99 | 6·22 | 6·43 | 6·14 | 6·44 |
| 40–50 | 6·76 | 6·26 | 7·31 | 6·79 | 7·19 | 6·53 | 7·31 | 6·86 | 7·10 | 6·65 | 7·20 | 6·84 |
| 50–60 | 8·74 | 8·16 | 9·15 | 8·38 | 9·24 | 8·94 | 9·38 | 8·86 | 9·18 | 8·64 | 9·41 | 8·74 |
| 60–70 | 9·69 | 10·76 | 10·95 | 11·61 | 10·66 | 12·03 | 10·70 | 11·55 | 10·59 | 11·32 | 10·45 | 11·34 |
| 70–80 | 9·69 | 11·70 | 9·75 | 11·90 | 9·64 | 12·68 | 9·46 | 12·03 | 9·63 | 12·31 | 9·64 | 12·08 |
| 80–90 | 4·39 | 6·94 | 4·57 | 6·75 | 4·65 | 7·23 | 4·53 | 6·51 | 4·54 | 6·98 | 4·34 | 6·51 |
| 90–100 | 0·57 | 1·09 | 0·58 | 1·20 | 0·68 | 1·16 | 0·61 | 1·12 | 0·57 | 1·09 | 0·63 | 1·04 |
| 100 and above | 0·02 | 0·04 | 0·01 | 0·04 | 0·00 | 0·05 | 0·02 | 0·02 | 0·01 | 0·04 | 0·01 | 0·03 |
| Not stated | 0·04 | 0·00 | 0·01 | 0·01 | 0·01 | 0·00 | 0·01 | 0·00 | 0·01 | 0·00 | 0·05 | 0·00 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

| AGES. | 1899. | | 1900. | | 1901. | | 1902. | | Mean of Ten Years. | | 1903. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 23·97 | 19·06 | 23·04 | 17·99 | 23·73 | 18·95 | 21·74 | 16·74 | 23·72 | 18·56 | 23·31 | 17·97 |
| — 2 | 6·82 | 6·47 | 6·79 | 6·20 | 7·33 | 6·75 | 6·43 | 5·44 | 7·36 | 6·76 | 6·30 | 5·63 |
| — 3 | 2·55 | 2·66 | 2·60 | 2·42 | 2·69 | 2·64 | 2·50 | 2·34 | 2·86 | 2·74 | 2·38 | 2·35 |
| — 4 | 1·49 | 1·52 | 1·48 | 1·55 | 1·44 | 1·63 | 1·35 | 1·44 | 1·62 | 1·64 | 1·34 | 1·38 |
| — 5 | 1·03 | 0·96 | 1·04 | 1·02 | 1·11 | 1·07 | 0·99 | 1·14 | 1·15 | 1·16 | 0·96 | 1·07 |
| 0– 5 | 35·86 | 30·67 | 34·95 | 29·18 | 36·30 | 31·04 | 33·01 | 27·10 | 36·71 | 30·86 | 34·29 | 28·40 |
| 5–10 | 2·73 | 2·80 | 2·72 | 2·76 | 2·76 | 3·07 | 2·60 | 2·91 | 2·95 | 3·10 | 2·65 | 2·77 |
| 10–15 | 1·70 | 1·89 | 1·70 | 1·82 | 1·67 | 1·90 | 1·64 | 1·90 | 1·84 | 2·03 | 1·74 | 1·76 |
| 15–20 | 2·74 | 2·65 | 2·63 | 2·46 | 2·60 | 2·75 | 2·74 | 2·76 | 2·85 | 2·84 | 2·60 | 2·66 |
| 20–30 | 6·49 | 6·44 | 6·75 | 6·45 | 6·20 | 6·45 | 6·22 | 6·47 | 6·38 | 6·47 | 6·32 | 6·55 |
| 30–40 | 6·69 | 6·54 | 6·39 | 6·62 | 6·41 | 6·71 | 6·67 | 6·85 | 6·33 | 6·65 | 6·51 | 7·14 |
| 40–50 | 7·73 | 6·91 | 7·81 | 6·76 | 7·80 | 6·86 | 8·48 | 7·21 | 7·47 | 6·77 | 7·98 | 7·11 |
| 50–60 | 9·66 | 9·30 | 9·78 | 9·46 | 9·64 | 8·90 | 10·62 | 9·56 | 9·48 | 8·89 | 10·21 | 9·23 |
| 60–70 | 11·53 | 11·91 | 11·44 | 12·45 | 11·69 | 12·16 | 12·61 | 13·08 | 11·03 | 11·82 | 12·28 | 12·75 |
| 70–80 | 9·77 | 12·69 | 10·31 | 13·23 | 10·01 | 12·26 | 10·15 | 13·16 | 9·80 | 12·40 | 10·14 | 12·99 |
| 80–90 | 4·52 | 7·04 | 4·80 | 7·59 | 4·34 | 6·68 | 4·73 | 7·75 | 4·54 | 7·00 | 4·79 | 7·47 |
| 90–100 | 0·54 | 1·13 | 0·66 | 1·19 | 0·54 | 1·11 | 0·52 | 1·21 | 0·59 | 1·13 | 0·43 | 1·14 |
| 100 and above | 0·00 | 0·03 | 0·01 | 0·03 | 0·02 | 0·04 | 0·01 | 0·04 | 0·01 | 0·04 | 0·02 | 0·03 |
| Not stated | 0·04 | 0·00 | 0·05 | 0·00 | 0·02 | 0·01 | 0·00 | 0·00 | 0·02 | 0·00 | 0·04 | 0·00 |
| TOTAL | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

TABLE **26.**—PRINCIPAL TOWNS.—Deaths at different Ages during the Year 1903.

| AGES. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 3594 | 980 | 675 | 675 | 496 | 320 | 329 | 295 | 228 | 191 | 135 | 100 | 81 | 155 | 128 |
| 1– 2 | 1273 | 298 | 148 | 181 | 179 | 104 | 100 | 98 | 70 | 63 | 39 | 21 | 22 | 53 | 41 |
| 2– 3 | 518 | 117 | 58 | 73 | 61 | 46 | 32 | 31 | 37 | 19 | 20 | 7 | 11 | 15 | 18 |
| 3– 4 | 295 | 79 | 32 | 31 | 32 | 30 | 21 | 20 | 11 | 11 | 10 | 4 | 9 | 12 | 7 |
| 4– 5 | 209 | 61 | 20 | 20 | 13 | 23 | 10 | 13 | 7 | 6 | 6 | 9 | 6 | 6 | 4 |
| Under 5 Years | 5889 | 1535 | 933 | 980 | 781 | 523 | 492 | 457 | 353 | 290 | 210 | 141 | 129 | 241 | 198 |
| 5–10 | 469 | 152 | 82 | 69 | 55 | 43 | 37 | 51 | 12 | 32 | 20 | 11 | 16 | 17 | 11 |
| 10–15 | 258 | 99 | 64 | 33 | 24 | 27 | 19 | 18 | 13 | 19 | 17 | 4 | 8 | 13 | 9 |
| 15–20 | 363 | 152 | 91 | 70 | 24 | 30 | 37 | 39 | 18 | 16 | 13 | 13 | 14 | 14 | 9 |
| 20–30 | 1011 | 378 | 185 | 173 | 88 | 80 | 76 | 89 | 53 | 38 | 39 | 40 | 40 | 31 | 20 |
| 30–40 | 1200 | 464 | 195 | 166 | 85 | 92 | 87 | 95 | 52 | 37 | 44 | 34 | 50 | 39 | 24 |
| 40–50 | 1367 | 514 | 251 | 175 | 90 | 117 | 103 | 117 | 44 | 39 | 48 | 27 | 36 | 34 | 30 |
| 50–60 | 1556 | 617 | 349 | 253 | 120 | 143 | 122 | 142 | 89 | 58 | 57 | 35 | 67 | 59 | 40 |
| 60–70 | 1626 | 689 | 411 | 341 | 125 | 192 | 152 | 167 | 72 | 67 | 83 | 67 | 75 | 50 | 38 |
| 70–80 | 1002 | 629 | 285 | 307 | 55 | 134 | 119 | 102 | 51 | 51 | 65 | 67 | 76 | 42 | 22 |
| 80–90 | 300 | 270 | 91 | 153 | 14 | 40 | 35 | 32 | 19 | 15 | 28 | 32 | 46 | 21 | 15 |
| 90 and above | 30 | 23 | 10 | 21 | 3 | 7 | 7 | 2 | 1 | 1 | 5 | 2 | 3 | 3 | 1 |
| ALL AGES | 15071 | 5522 | 2947 | 2741 | 1464 | 1428 | 1286 | 1311 | 777 | 663 | 629 | 473 | 560 | 564 | 417 |

TABLE **27.**—PRINCIPAL TOWNS.—Annual rate of mortality per 1000 of the Population at various Age-periods in 1903.

| AGES. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 170·9 | 138·6 | 168·7 | 155·3 | 176·6 | 148·9 | 146·9 | 156·0 | 124·7 | 156·7 | 140·2 | 118·9 | 113·6 | 131·5 | 111·0 |
| 1– 2 | 68·5 | 46·9 | 41·4 | 45·6 | 74·7 | 51·8 | 51·3 | 60·0 | 44·4 | 57·5 | 46·7 | 25·3 | 32·8 | 52·6 | 41·0 |
| 2– 3 | 27·6 | 17·6 | 15·7 | 18·3 | 26·5 | 23·4 | 16·1 | 18·4 | 25·2 | 17·9 | 22·5 | 8·7 | 16·3 | 14·1 | 17·8 |
| 3– 4 | 16·2 | 12·6 | 9·1 | 7·8 | 14·2 | 15·9 | 11·5 | 12·4 | 7·6 | 10·3 | 11·9 | 4·7 | 13·2 | 11·8 | 6·9 |
| 4– 5 | 12·0 | 9·9 | 5·8 | 5·3 | 5·9 | 12·0 | 5·4 | 8·0 | 5·0 | 5·8 | 6·8 | 12·1 | 9·1 | 6·3 | 4·2 |
| 0– 5 | 62·7 | 47·2 | 51·1 | 49·0 | 65·4 | 52·7 | 49·8 | 54·1 | 45·7 | 52·9 | 47·7 | 34·7 | 38·0 | 46·2 | 38·5 |
| 5–10 | 5·7 | 5·0 | 4·9 | 3·9 | 5·5 | 4·6 | 4·3 | 6·8 | 1·9 | 6·6 | 5·0 | 2·9 | 4·9 | 4·1 | 2·5 |
| 10–15 | 3·3 | 3·3 | 3·9 | 1·9 | 2·7 | 3·0 | 2·3 | 2·5 | 2·3 | 4·7 | 4·4 | 1·1 | 2·4 | 3·5 | 2·4 |
| 15–20 | 4·6 | 4·5 | 5·2 | 4·1 | 2·7 | 3·4 | 4·6 | 5·4 | 3·1 | 4·2 | 3·4 | 3·3 | 4·0 | 3·9 | 2·8 |
| 20–30 | 6·2 | 5·6 | 6·2 | 5·9 | 5·1 | 5·1 | 5·0 | 6·7 | 4·2 | 5·0 | 5·8 | 6·1 | 6·3 | 4·4 | 2·9 |
| 30–40 | 10·6 | 9·6 | 8·8 | 8·1 | 7·0 | 8·4 | 7·8 | 10·3 | 5·8 | 7·0 | 9·4 | 7·2 | 10·8 | 8·7 | 5·1 |
| 40–50 | 16·8 | 14·4 | 14·2 | 11·3 | 10·5 | 13·8 | 12·5 | 16·7 | 7·7 | 10·7 | 13·5 | 7·2 | 10·0 | 11·2 | 9·7 |
| 50–60 | 29·0 | 24·6 | 28·6 | 22·6 | 21·1 | 27·0 | 21·6 | 28·6 | 23·7 | 25·8 | 24·5 | 13·3 | 25·6 | 30·4 | 23·3 |
| 60–70 | 54·5 | 44·0 | 53·0 | 45·9 | 45·8 | 59·3 | 46·6 | 52·7 | 37·3 | 52·5 | 59·0 | 39·8 | 42·2 | 43·6 | 45·3 |
| 70–80 | 93·6 | 95·2 | 91·0 | 82·9 | 65·1 | 98·0 | 102·7 | 87·2 | 71·0 | 110·6 | 109·1 | 90·2 | 86·9 | 93·5 | 73·1 |
| 80–90 | 149·5 | 168·6 | 148·7 | 164·0 | 83·3 | 151·5 | 127·3 | 142·9 | 135·7 | 189·9 | 204·4 | 211·9 | 212·0 | 200·0 | 263·2 |
| 90 and above | 294·1 | 234·7 | 243·9 | 291·7 | 375·0 | 304·3 | 411·8 | 117·6 | 250·0 | 1000·0 | 454·5 | 200·0 | 333·3 | 600·0 | 1000·0 |
| ALL AGES | 19·2 | 16·9 | 18·1 | 17·0 | 16·8 | 17·3 | 16·2 | 18·9 | 13·1 | 17·1 | 17·7 | 13·2 | 16·7 | 16·2 | 12·3 |

TABLE **28.**—Infantile Mortality in Scotland in 1903.

| | Births in 1903. | Deaths under One Year of Age. | Death-rate per 1000 Births. |
|---|---|---|---|
| **SCOTLAND** . . . | **133,525** | **15,693** | **117·5** |
| **Groups of Districts.** | | | |
| PRINCIPAL TOWN . | 62,006 | 8,382 | 135·2 |
| LARGE TOWN . . | 18,623 | 2,132 | 114·5 |
| SMALL TOWN . . | 26,933 | 2,942 | 109·2 |
| MAINLAND-RURAL . | 23,471 | 2,057 | 87·6 |
| INSULAR-RURAL . | 2,492 | 180 | 72·2 |
| **Divisions.** | | | |
| I. NORTHERN . . | 2,419 | 190 | 78·5 |
| II. NORTH-WESTERN | 3,536 | 295 | 83·4 |
| III. NORTH-EASTERN | 13,113 | 1,446 | 110·3 |
| IV. EAST-MIDLAND . | 17,727 | 1,879 | 106·0 |
| V. WEST-MIDLAND . | 10,136 | 1,029 | 101·5 |
| VI. SOUTH-WESTERN | 63,925 | 8,308 | 130·0 |
| VII. SOUTH-EASTERN | 18,277 | 2,123 | 116·2 |
| VIII. SOUTHERN . . | 4,392 | 423 | 96·3 |
| **Counties.** | | | |
| I. NORTHERN. | | | |
| SHETLAND. . . . | 597 | 32 | 53·6 |
| ORKNEY . . . . | 557 | 35 | 62·8 |
| CAITHNESS . . . | 825 | 90 | 109·1 |
| SUTHERLAND . . . | 440 | 33 | 75·0 |
| II. NORTH-WESTERN. | | | |
| ROSS AND CROMARTY . | 1,677 | 125 | 74·5 |
| INVERNESS . . . | 1,859 | 170 | 91·4 |
| III. NORTH-EASTERN. | | | |
| NAIRN . . . . | 183 | 20 | 109·3 |
| ELGIN . . . . | 1,113 | 121 | 108·7 |
| BANFF . . . . | 1,670 | 141 | 84·4 |
| ABERDEEN . . . | 8,939 | 1,027 | 114·9 |
| KINCARDINE . . . | 1,208 | 137 | 113·4 |
| IV. EAST-MIDLAND. | | | |
| FORFAR . . . . | 7,566 | 906 | 119·7 |
| PERTH . . . . | 2,796 | 254 | 90·8 |
| FIFE . . . . | 6,420 | 626 | 97·5 |
| KINROSS. . . . | 181 | 18 | 99·4 |
| CLACKMANNAN . . | 764 | 75 | 98·2 |
| V. WEST-MIDLAND. | | | |
| STIRLING . . . | 4,675 | 476 | 101·8 |
| DUMBARTON . . . | 3,581 | 396 | 110·6 |
| ARGYLL . . . . | 1,533 | 122 | 79·6 |
| BUTE . . . . | 347 | 35 | 100·9 |
| VI. SOUTH-WESTERN. | | | |
| RENFREW . . . | 8,921 | 1,079 | 121·0 |
| AYR . . . . | 8,028 | 872 | 108·6 |
| LANARK . . . . | 46,976 | 6,357 | 135·3 |
| VII. SOUTH-EASTERN. | | | |
| LINLITHGOW . . . | 2,466 | 238 | 96·5 |
| EDINBURGH . . . | 13,262 | 1,603 | 120·9 |
| HADDINGTON . . . | 1,070 | 135 | 126·2 |
| BERWICK . . . | 685 | 62 | 90·5 |
| PEEBLES . . . . | 311 | 28 | 90·0 |
| SELKIRK . . . . | 483 | 57 | 118·0 |
| VIII. SOUTHERN. | | | |
| ROXBURGH . . . | 1,013 | 100 | 98·7 |
| DUMFRIES . . . | 1,701 | 167 | 98·2 |
| KIRKCUDBRIGHT . . | 855 | 86 | 100·6 |
| WIGTOWN . . . | 823 | 70 | 85·1 |
| **Principal Towns.** | | | |
| GLASGOW . . . | 25,127 | 3,594 | 143·0 |
| EDINBURGH . . . | 8,091 | 980 | 121·1 |
| DUNDEE . . . . | 4,746 | 675 | 142·2 |
| ABERDEEN . . . | 4,985 | 675 | 135·4 |
| GOVAN . . . . | 3,160 | 496 | 157·0 |
| PAISLEY . . . . | 2,471 | 320 | 129·5 |
| LEITH . . . . | 2,379 | 329 | 133·3 |
| GREENOCK . . . | 2,047 | 295 | 144·1 |
| PARTICK . . . . | 2,047 | 228 | 111·4 |
| COATBRIDGE . . . | 1,505 | 191 | 126·9 |
| KILMARNOCK . . . | 1,063 | 135 | 127·0 |
| KIRKCALDY . . . | 942 | 100 | 106·2 |
| PERTH . . . . | 819 | 81 | 98·9 |
| HAMILTON . . . | 1,344 | 155 | 115·3 |
| MOTHERWELL. . . | 1,280 | 128 | 100·0 |

TABLE **29.**—INFANTILE MORTALITY in Scotland, 1855–1903.

| Year. | Death-rate of Infants under One Year per 1000 Births. | | | | | |
|---|---|---|---|---|---|---|
| | Scotland. | Principal Towns. | Large Towns. | Small Towns. | Mainland-Rural. | Insular-Rural. |
| 1855 | 125·2 | | 169·3 | | 97·3 | 97·0 |
| 1856 | 118·4 | | 158·7 | | 92·5 | 77·8 |
| 1857 | 117·9 | | 158·5 | | 91·1 | 87·0 |
| 1858 | 121·3 | | 159·6 | | 96·1 | 89·3 |
| 1859 | 108·2 | | 136·2 | | 89·1 | 94·9 |
| 1860 | 127·0 | | 164·8 | | 102·9 | 87·8 |
| *Average 1855–60* | *119·6* | | *157·5* | | *94·8* | *88·8* |
| 1861 | 110·9 | | 140·8 | | 91·0 | 73·6 |
| 1862 | 117·3 | | 151·0 | | 94·0 | 90·2 |
| 1863 | 120·0 | | 149·4 | | 99·6 | 88·1 |
| 1864 | 126·2 | | 159·4 | | 103·3 | 85·3 |
| 1865 | 124·7 | | 156·2 | | 102·6 | 80·7 |
| 1866 | 122·4 | | 151·7 | | 101·2 | 87·2 |
| 1867 | 118·6 | | 144·3 | | 99·8 | 82·5 |
| 1868 | 117·7 | | 147·9 | | 96·1 | 72·5 |
| 1869 | 129·3 | | 163·3 | | 103·6 | 82·8 |
| 1870 | 122·8 | | 147·3 | | 104·0 | 89·2 |
| *Average 1861–70* | *121·1* | | *151·2* | | *99·6* | *83·1* |
| 1871 | 130·3 | 172·9 | 139·1 | 126·3 | 84·8 | 69·5 |
| 1872 | 123·9 | 155·5 | 138·4 | 118·3 | 86·9 | 79·3 |
| 1873 | 124·9 | 155·6 | 141·7 | 119·0 | 87·1 | 85·9 |
| 1874 | 124·9 | 151·4 | 135·4 | 117·5 | 97·1 | 78·7 |
| 1875 | 132·1 | 154·8 | 145·9 | 129·2 | 101·6 | 100·9 |
| 1876 | 121·2 | 143·5 | 128·9 | 123·6 | 90·6 | 81·1 |
| 1877 | 114·9 | 139·6 | 125·4 | 105·6 | 88·8 | 79·6 |
| 1878 | 123·0 | 151·1 | 139·0 | 115·1 | 90·0 | 74·4 |
| 1879 | 107·9 | 127·6 | 113·4 | 103·7 | 85·8 | 80·9 |
| 1880 | 124·6 | 148·9 | 135·2 | 123·5 | 93·1 | 81·5 |
| *Average 1871–80* | *122·7* | *149·8* | *133·9* | *118·1* | *90·6* | *81·0* |
| 1881 | 112·5 | 134·5 | 114·4 | 107·0 | 83·1 | 82·5 |
| 1882 | 118·0 | 140·6 | 127·1 | 110·2 | 85·3 | 75·6 |
| 1883 | 119·0 | 143·2 | 126·6 | 110·2 | 84·3 | 78·3 |
| 1884 | 117·9 | 141·9 | 122·7 | 105·9 | 87·7 | 74·0 |
| 1885 | 120·5 | 142·8 | 124·2 | 113·2 | 91·1 | 75·7 |
| 1886 | 115·7 | 134·0 | 129·1 | 110·6 | 86·4 | 68·6 |
| 1887 | 122·2 | 143·3 | 134·4 | 118·7 | 88·5 | 65·3 |
| 1888 | 113·1 | 128·8 | 122·7 | 106·2 | 91·1 | 70·4 |
| 1889 | 121·3 | 142·1 | 129·2 | 114·5 | 90·9 | 68·9 |
| 1890 | 130·6 | 151·7 | 140·2 | 123·2 | 99·6 | 62·9 |
| *Average 1881–90* | *119·0* | *140·3* | *127·2* | *111·9* | *88·7* | *72·4* |
| 1891 | 127·9 | 142·7 | 129·7 | 126·5 | 95·3 | 95·1 |
| 1892 | 117·5 | 136·2 | 119·9 | 113·8 | 87·6 | 62·6 |
| 1893 | 136·0 | 154·8 | 152·2 | 128·8 | 101·0 | 75·4 |
| 1894 | 116·7 | 132·6 | 122·9 | 110·9 | 89·9 | 81·2 |
| 1895 | 133·4 | 156·4 | 136·3 | 125·4 | 99·4 | 69·7 |
| 1896 | 115·5 | 131·9 | 121·1 | 109·7 | 87·8 | 70·1 |
| 1897 | 137·9 | 160·7 | 143·8 | 126·8 | 101·6 | 83·2 |
| 1898 | 134·2 | 155·6 | 140·0 | 125·4 | 98·1 | 75·8 |
| 1899 | 131·0 | 150·6 | 134·3 | 125·1 | 97·6 | 68·0 |
| 1900 | 128·5 | 146·9 | 135·3 | 121·4 | 94·6 | 75·0 |
| *Average 1891–1900* | *127·9* | *147·4* | *133·6* | *121·4* | *95·3* | *75·7* |
| 1901 | 129·4 | 148·9 | 133·2 | 122·9 | 92·8 | 60·6 |
| 1902 | 113·4 | 127·1 | 113·9 | 106·5 | 88·5 | 85·5 |
| 1903 | 117·5 | 135·2 | 114·5 | 109·2 | 87·6 | 72·2 |

TABLE **30.**—Number and Proportion of Deaths at different Ages from the Principal Epidemic and other Diseases in Scotland in 1903.

| DISEASES. | Number of Deaths at each Age. | | | | | | Percentage at each Age. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 Years. | 5–10 | 10–15 | 15–60 | Above 60 | Total. | 0–5 Years. | 5–10 | 10–15 | 15–60 | Above 60 | Total. |
| Small-pox | 6 | 2 | 1 | 27 | 5 | 41 | 14·63 | 4·88 | 2·44 | 65·85 | 12·20 | 100·00 |
| Measles | 1060 | 55 | 6 | 11 | 1 | 1133 | 93·56 | 4·85 | 0·53 | 0·97 | 0·09 | 100·00 |
| Scarlet Fever | 227 | 113 | 30 | 37 | – | 407 | 55·77 | 27·77 | 7·37 | 9·09 | 0·00 | 100·00 |
| Influenza | 106 | 23 | 9 | 320 | 509 | 967 | 10·96 | 2·38 | 0·93 | 33·09 | 52·64 | 100·00 |
| Hooping-cough | 1884 | 59 | 1 | 1 | 1 | 1946 | 96·82 | 3·03 | 0·05 | 0·05 | 0·05 | 100·00 |
| Diphtheria | 434 | 167 | 16 | 20 | 3 | 640 | 67·81 | 26·09 | 2·50 | 3·13 | 0·47 | 100·00 |
| All Fevers, viz. :— | 26 | 46 | 50 | 442 | 19 | 583 | 4·46 | 7·89 | 8·58 | 75·81 | 3·26 | 100·00 |
| Typhus | – | – | 1 | 12 | – | 13 | 0·00 | 0·00 | 7·69 | 92·31 | 0·00 | 100·00 |
| Enteric | 15 | 46 | 48 | 424 | 19 | 552 | 2·72 | 8·33 | 8·70 | 76·81 | 3·44 | 100·00 |
| Relapsing | – | – | – | – | – | – | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| Cerebro-spinal | 1 | – | 1 | – | – | 2 | 50·00 | 0·00 | 50·00 | 0·00 | 0·00 | 100·00 |
| Ill-defined | 10 | – | – | 6 | – | 16 | 62·50 | 0·00 | 0·00 | 37·50 | 0·00 | 100·00 |
| All Diarrhœal Diseases* | 2387 | 48 | 24 | 254 | 283 | 2996 | 79·67 | 1·60 | 0·80 | 8·48 | 9·45 | 100·00 |
| Syphilis | 172 | – | 1 | 33 | 7 | 213 | 80·75 | 0·00 | 0·47 | 15·49 | 3·29 | 100·00 |
| Erysipelas | 69 | – | 2 | 83 | 82 | 236 | 29·24 | 0·00 | 0·85 | 35·17 | 34·74 | 100·00 |
| Pneumonia (all forms) | 3086 | 144 | 54 | 1947 | 1244 | 6475 | 47·66 | 2·22 | 0·84 | 30·07 | 19·21 | 100·00 |
| Lobar Pneumonia | 78 | 16 | 7 | 366 | 172 | 639 | 12·21 | 2·51 | 1·10 | 57·26 | 26·92 | 100·00 |
| Broncho-Pneumonia | 1745 | 45 | 14 | 149 | 151 | 2104 | 82·94 | 2·14 | 0·66 | 7·08 | 7·18 | 100·00 |
| Tuberculous Diseases | 1921 | 597 | 504 | 6323 | 381 | 9726 | 19·75 | 6·14 | 5·18 | 65·01 | 3·92 | 100·00 |
| Phthisis and Pulm. Tuberc. | 262 | 179 | 241 | 5621 | 327 | 6630 | 3·95 | 2·70 | 3·64 | 84·78 | 4·93 | 100·00 |
| Tuberculous Meningitis | 787 | 181 | 77 | 83 | 2 | 1130 | 69·65 | 16·02 | 6·81 | 7·34 | 0·18 | 100·00 |
| Tabes and Tub. Peritonitis | 546 | 137 | 66 | 189 | 8 | 946 | 57·72 | 14·48 | 6·98 | 19·98 | 0·84 | 100·00 |
| Other Tuberculous diseases | 326 | 100 | 120 | 430 | 44 | 1020 | 31·96 | 9·80 | 11·77 | 42·16 | 4·31 | 100·00 |
| Croup | 64 | 10 | – | – | 1 | 75 | 85·34 | 13·33 | 0·00 | 0·00 | 1·33 | 100·00 |
| Bronchitis | 1935 | 32 | 20 | 986 | 2448 | 5421 | 35·69 | 0·59 | 0·37 | 18·19 | 45·16 | 100·00 |
| All other diseases | 10455 | 762 | 614 | 14716 | 18596 | 45143 | 23·16 | 1·69 | 1·36 | 32·60 | 41·19 | 100·00 |
| Total Deaths | 23832 | 2058 | 1332 | 25200 | 23580 | 76002 | 31·36 | 2·71 | 1·75 | 33·16 | 31·02 | 100·00 |

* Includes Epidemic Diarrhœa or Infective Enteritis, Diarrhœa undefined, Dysentery, Enteritis, and Gastro-enteritis.

## TABLE 31.

SHOWING PROPORTION OF DEATHS FROM DIFFERENT DISEASES TO EVERY HUNDRED THOUSAND PERSONS OF THE POPULATION IN 1903, ALLOWING FOR CAUSES NOT SPECIFIED.

TABLE **31.**—Proportion of Deaths from different Diseases to every

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWN DISTRICTS. | | | LARGE TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| ALL CAUSES . . | 1660 | 1711 | 1611 | 1768 | 1853 | 1688 | 1657 | 1710 | 1607 |
| Dis. of Nervous System . . . | 111 | 125 | 87 | 117 | 134 | 102 | 132 | 147 | 117 |
| ,, Circulatory System . . | 265 | 257 | 272 | 247 | 243 | 250 | 268 | 266 | 269 |
| (*a*) Dis. of Heart . . . | 164 | 162 | 165 | 152 | 150 | 152 | 168 | 168 | 167 |
| (*b*) ,, Blood Vessels | 101 | 95 | 107 | 95 | 93 | 98 | 100 | 98 | 102 |
| Dis. of Respiratory System . . | 140 | 144 | 136 | 157 | 162 | 152 | 146 | 154 | 137 |
| ,, Digestive System . . . | 116 | 119 | 114 | 129 | 131 | 127 | 114 | 122 | 105 |
| ,, Urinary System . . . | 48 | 60 | 36 | 51 | 64 | 39 | 38 | 51 | 26 |
| ,, Generative System . . | 4 | – | 8 | 6 | 1 | 12 | 3 | – | 5 |
| ,, Parturition (not Septic) . | 9 | – | 17 | 10 | – | 20 | 8 | – | 15 |
| ,, Locomotor System . . | 5 | 5 | 4 | 6 | 7 | 5 | 4 | 4 | 3 |
| ,, The Skin . . . . . | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 2 | 1 |
| Violent deaths . . . . . | 69 | 101 | 38 | 73 | 103 | 45 | 58 | 89 | 28 |
| Small-pox . . . . . | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – |
| Measles . . . . . | 25 | 27 | 23 | 36 | 39 | 33 | 19 | 21 | 17 |
| Scarlet Fever . . . . . | 9 | 9 | 9 | 11 | 12 | 10 | 8 | 6 | 11 |
| Influenza . . . . . | 21 | 19 | 24 | 13 | 12 | 15 | 18 | 15 | 21 |
| Hooping-cough . . . . . | 43 | 40 | 46 | 60 | 57 | 63 | 44 | 40 | 48 |
| Diphtheria . . . . . | 14 | 13 | 15 | 13 | 11 | 14 | 16 | 17 | 15 |
| All Fevers, viz.:— . . . . | 13 | 14 | 11 | 14 | 17 | 12 | 15 | 18 | 13 |
| Typhus . . . . . | – | – | – | – | 1 | – | – | – | – |
| Enteric . . . . . | 12 | 14 | 11 | 14 | 15 | 12 | 15 | 18 | 12 |
| Relapsing . . . . . | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal . . . . | – | – | – | – | – | – | – | – | – |
| Ill-defined . . . . . | 1 | – | – | – | 1 | – | – | – | 1 |
| Diarrhœa, Infective Enteritis | 28 | 31 | 26 | 37 | 44 | 31 | 28 | 26 | 30 |
| Puerperal Septic Infection . | 7 | – | 13 | 7 | – | 13 | 5 | – | 11 |
| Erysipelas . . . . . | 5 | 5 | 5 | 5 | 5 | 4 | 7 | 7 | 7 |
| Pneumonia . . . . . | 143 | 168 | 119 | 174 | 208 | 142 | 140 | 162 | 119 |
| Tuberculous diseases, viz.:— | 214 | 220 | 209 | 241 | 251 | 232 | 232 | 234 | 229 |
| Pulm. Tuberc. & Phthisis | 146 | 146 | 147 | 159 | 162 | 157 | 154 | 150 | 158 |
| Tuberculous Meningitis . | 25 | 26 | 23 | 31 | 33 | 29 | 28 | 30 | 27 |
| Tuberc. Peritonitis and Tabes Mesenterica . . | 21 | 23 | 19 | 26 | 28 | 24 | 26 | 27 | 24 |
| Other Tuberc. diseases . | 22 | 25 | 20 | 25 | 28 | 22 | 24 | 27 | 20 |
| Rheumatic diseases . . . . | 10 | 9 | 12 | 10 | 7 | 12 | 10 | 9 | 12 |
| Malignant disease . . . . | 84 | 69 | 97 | 83 | 70 | 95 | 79 | 66 | 92 |
| Developmental Diseases of Children . . . . . | 74 | 87 | 62 | 86 | 101 | 72 | 73 | 84 | 63 |
| Inflammation of Brain . . . | 34 | 38 | 30 | 41 | 48 | 35 | 38 | 46 | 31 |
| Epilepsy . . . . . | 6 | 7 | 5 | 5 | 5 | 4 | 9 | 11 | 8 |
| Convulsions . . . . . | 25 | 30 | 20 | 29 | 34 | 24 | 31 | 37 | 26 |
| Cerebral Hæm., Hemiplegia . | 90 | 83 | 96 | 83 | 79 | 87 | 91 | 88 | 93 |
| Croup . . . . . | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| Bronchitis . . . . . | 119 | 120 | 119 | 139 | 140 | 137 | 124 | 127 | 121 |
| Diseases of Stomach (not Malig) | 27 | 24 | 29 | 30 | 27 | 32 | 22 | 22 | 22 |
| Enteritis, Gastro-enteritis . | 37 | 40 | 35 | 41 | 43 | 39 | 41 | 43 | 36 |
| All Liver diseases . . . . | 15 | 16 | 15 | 16 | 16 | 15 | 14 | 14 | 15 |
| Bright's disease . . . . . | 22 | 24 | 20 | 23 | 27 | 20 | 16 | 20 | 12 |
| Atrophy, Debility . . . . | 49 | 56 | 42 | 52 | 61 | 44 | 50 | 52 | 47 |
| Old Age . . . . . | 92 | 69 | 114 | 61 | 42 | 79 | 92 | 72 | 111 |
| Burns and Scalds . . . . | 7 | 6 | 9 | 10 | 8 | 12 | 6 | 7 | 5 |
| Drowning (including Suicide) | 13 | 24 | 4 | 8 | 15 | 2 | 14 | 22 | 6 |

Hundred Thousand Persons of the Population in 1903, allowing for Causes not Specified.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWN DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | INSULAR-RURAL DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| ALL CAUSES . . | 1572 | 1594 | 1550 | 1519 | 1532 | 1505 | 1602 | 1606 | 1599 |
| Dis. of Nervous System . . . | 111 | 121 | 100 | 90 | 101 | 80 | 74 | 73 | 75 |
| ,, Circulatory System . . | 269 | 255 | 283 | 303 | 289 | 317 | 233 | 224 | 242 |
| (*a*) Dis. of Heart . . | 166 | 161 | 170 | 187 | 185 | 189 | 150 | 145 | 155 |
| (*b*) ,, Blood Vessels | 103 | 94 | 113 | 116 | 104 | 128 | 83 | 79 | 87 |
| Dis. of Respiratory System . . | 123 | 126 | 120 | 119 | 121 | 117 | 120 | 102 | 135 |
| ,, Digestive System . . | 112 | 110 | 115 | 99 | 100 | 98 | 80 | 100 | 62 |
| ,, Urinary System . . . | 46 | 57 | 35 | 50 | 61 | 39 | 50 | 63 | 37 |
| ,, Generative System . . | 3 | – | 5 | 4 | 1 | 7 | 3 | – | 5 |
| ,, Parturition (not Septic) . | 8 | – | 16 | 8 | – | 15 | 7 | – | 14 |
| ,, Locomotor System . . | 4 | 4 | 4 | 4 | 4 | 3 | 6 | 8 | 4 |
| ,, The Skin . . . . . | 3 | 2 | 3 | 3 | 2 | 3 | 2 | 2 | 2 |
| Violent deaths . . . . . | 68 | 102 | 35 | 67 | 101 | 33 | 67 | 118 | 21 |
| Small-pox . . . . . | 1 | 2 | – | 1 | – | 1 | – | – | – |
| Measles . . . . . | 19 | 19 | 19 | 12 | 14 | 10 | 21 | 24 | 18 |
| Scarlet Fever . . . . . | 8 | 7 | 9 | 7 | 6 | 8 | 1 | 2 | – |
| Influenza . . . . . | 26 | 20 | 31 | 32 | 30 | 33 | 64 | 59 | 68 |
| Hooping-cough . . . . . | 32 | 30 | 34 | 19 | 17 | 21 | 8 | 8 | 9 |
| Diphtheria . . . . . | 15 | 15 | 15 | 16 | 15 | 16 | 9 | 10 | 9 |
| All Fevers, viz.:— . . . . . | 11 | 13 | 9 | 9 | 10 | 9 | 12 | 8 | 16 |
| Typhus . . . . . | – | – | – | – | – | – | 1 | – | 2 |
| Enteric . . . . . | 11 | 13 | 8 | 9 | 10 | 9 | 11 | 8 | 14 |
| Relapsing . . . . . | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal . . . . | – | – | – | – | – | – | – | – | – |
| Ill-defined . . . . . | – | – | 1 | – | – | – | – | – | – |
| Diarrhœa, Infective Enteritis | 23 | 24 | 21 | 18 | 18 | 17 | 9 | 8 | 11 |
| Puerperal Septic Infection . | 8 | – | 15 | 6 | – | 12 | 7 | – | 14 |
| Erysipelas . . . . . | 6 | 4 | 7 | 5 | 6 | 5 | 4 | 2 | 5 |
| Pneumonia . . . . . | 130 | 153 | 108 | 92 | 105 | 80 | 103 | 110 | 96 |
| Tuberculous diseases, viz.:— | 189 | 187 | 191 | 174 | 179 | 169 | 177 | 206 | 150 |
| Pulm. Tuberc. & Phthisis | 129 | 121 | 137 | 129 | 132 | 127 | 155 | 178 | 134 |
| Tuberculous Meningitis . | 22 | 24 | 21 | 14 | 14 | 14 | 9 | 12 | 7 |
| Tuberc. Peritonitis and Tabes Mesenterica . . | 18 | 19 | 16 | 12 | 13 | 10 | 2 | 2 | 2 |
| Other Tuberc. diseases . | 20 | 23 | 17 | 19 | 20 | 18 | 10 | 14 | 7 |
| Rheumatic diseases . . . . | 10 | 8 | 12 | 11 | 10 | 13 | 19 | 24 | 14 |
| Malignant disease . . . . | 78 | 61 | 94 | 93 | 76 | 110 | 89 | 88 | 89 |
| Developmental Diseases of Children . . . . . | 70 | 82 | 59 | 56 | 69 | 44 | 34 | 31 | 36 |
| Inflammation of Brain . . . | 29 | 31 | 27 | 21 | 22 | 21 | 15 | 12 | 18 |
| Epilepsy . . . . . | 6 | 8 | 5 | 7 | 8 | 6 | 6 | 4 | 7 |
| Convulsions . . . . . | 23 | 28 | 19 | 15 | 20 | 10 | 13 | 24 | 4 |
| Cerebral Hæm., Hemiplegia . | 92 | 81 | 102 | 103 | 91 | 114 | 76 | 71 | 80 |
| Croup . . . . . | 2 | 1 | 2 | 1 | 1 | 2 | 11 | 10 | 12 |
| Bronchitis . . . . . | 102 | 102 | 101 | 96 | 96 | 95 | 90 | 75 | 103 |
| Diseases of Stomach (not Malig) | 28 | 24 | 31 | 23 | 20 | 26 | 22 | 29 | 16 |
| Enteritis, Gastro-enteritis . . | 42 | 45 | 40 | 23 | 25 | 22 | 8 | 12 | 5 |
| All Liver diseases . . . . | 16 | 16 | 15 | 15 | 16 | 14 | 16 | 20 | 12 |
| Bright's disease . . . . . | 23 | 25 | 20 | 23 | 22 | 23 | 26 | 24 | 29 |
| Atrophy, Debility . . . . | 58 | 65 | 51 | 33 | 40 | 26 | 32 | 31 | 32 |
| Old Age . . . . . | 91 | 71 | 110 | 136 | 104 | 168 | 318 | 253 | 376 |
| Burns and Scalds . . . . | 5 | 3 | 6 | 5 | 4 | 6 | 7 | 6 | 7 |
| Drowning (including Suicide) | 19 | 32 | 6 | 17 | 30 | 5 | 35 | 73 | – |

TABLE **32.**—Proportion of Deaths from different

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWN DISTRICTS. | | | LARGE TOWN DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| Dis. of Nervous System . . . | 671 | 731 | 611 | 663 | 722 | 604 | 794 | 860 | 727 |
| ,, Circulatory System . . | 1597 | 1505 | 1689 | 1395 | 1312 | 1481 | 1616 | 1557 | 1676 |
| (*a*) Dis. of Heart . . | 986 | 946 | 1025 | 856 | 811 | 903 | 1013 | 985 | 1040 |
| (*b*) ,, Blood Vessels | 611 | 559 | 664 | 539 | 501 | 578 | 603 | 572 | 636 |
| Dis. of Respiratory System . . | 845 | 843 | 847 | 889 | 877 | 902 | 878 | 903 | 853 |
| ,, Digestive System . . . | 702 | 693 | 710 | 729 | 707 | 753 | 685 | 713 | 656 |
| ,, Urinary System . . . | 289 | 352 | 226 | 288 | 344 | 230 | 231 | 301 | 159 |
| ,, Generative System . . | 27 | 2 | 52 | 35 | 3 | 68 | 16 | 2 | 31 |
| ,, Parturition (not Septic) . | 54 | – | 108 | 58 | – | 117 | 46 | – | 93 |
| ,, Locomotor System . . | 28 | 31 | 25 | 32 | 37 | 27 | 23 | 26 | 21 |
| ,, The Skin . . . . . | 15 | 14 | 16 | 13 | 13 | 14 | 11 | 14 | 8 |
| Violent deaths . . . . . | 413 | 592 | 234 | 413 | 558 | 264 | 349 | 523 | 171 |
| Small-pox . . . . . | 5 | 7 | 4 | 8 | 10 | 5 | 1 | – | 2 |
| Measles . . . . . | 150 | 157 | 143 | 201 | 208 | 194 | 113 | 121 | 105 |
| Scarlet Fever . . . . . | 54 | 51 | 57 | 62 | 66 | 57 | 51 | 34 | 68 |
| Influenza . . . . . | 128 | 109 | 148 | 75 | 62 | 88 | 107 | 85 | 130 |
| Hooping-cough . . . . . | 258 | 234 | 283 | 340 | 310 | 371 | 267 | 234 | 301 |
| Diphtheria . . . . . | 85 | 79 | 91 | 73 | 61 | 85 | 94 | 97 | 91 |
| All Fevers, viz.:— . . . . | 77 | 85 | 70 | 82 | 89 | 74 | 93 | 105 | 80 |
| Typhus . . . . . | 2 | 2 | 2 | 3 | 3 | 2 | – | – | – |
| Enteric . . . . . | 73 | 81 | 66 | 76 | 83 | 70 | 90 | 103 | 76 |
| Relapsing . . . . . | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal . . . . | – | – | – | – | – | – | 1 | 2 | – |
| Ill-defined . . . . . | 2 | 2 | 2 | 3 | 3 | 2 | 2 | – | 4 |
| Diarrhœa, Infective Enteritis | 171 | 184 | 159 | 210 | 237 | 183 | 166 | 149 | 184 |
| Puerperal Septic Infection . | 40 | – | 81 | 39 | – | 78 | 33 | – | 66 |
| Erysipelas . . . . . | 31 | 30 | 33 | 26 | 27 | 25 | 40 | 38 | 41 |
| Pneumonia . . . . . | 860 | 980 | 739 | 986 | 1125 | 843 | 845 | 945 | 743 |
| Tuberculous diseases, viz.:— | 1291 | 1286 | 1296 | 1363 | 1352 | 1374 | 1399 | 1371 | 1427 |
| Pulm. Tuberc. & Phthisis | 880 | 852 | 909 | 897 | 864 | 930 | 928 | 874 | 983 |
| Tuberculous Meningitis . | 150 | 155 | 145 | 175 | 181 | 169 | 171 | 173 | 167 |
| Tuberc. Peritonitis and Tabes Mesenterica . . | 126 | 133 | 118 | 148 | 154 | 142 | 155 | 162 | 149 |
| Other Tuberc. diseases . | 135 | 146 | 124 | 143 | 153 | 133 | 145 | 162 | 128 |
| Rheumatic diseases . . . . | 63 | 50 | 76 | 56 | 40 | 72 | 62 | 53 | 72 |
| Malignant disease . . . . | 504 | 406 | 604 | 470 | 380 | 563 | 478 | 386 | 572 |
| Developmental Diseases of Children . . . . . | 446 | 507 | 385 | 487 | 544 | 429 | 443 | 493 | 392 |
| Inflammation of Brain . . . | 204 | 223 | 184 | 234 | 259 | 209 | 230 | 269 | 190 |
| Epilepsy . . . . . | 36 | 41 | 32 | 26 | 29 | 22 | 56 | 63 | 50 |
| Convulsions . . . . . | 149 | 174 | 124 | 162 | 181 | 143 | 188 | 216 | 159 |
| Cerebral Hæm., Hemiplegia . | 541 | 487 | 596 | 472 | 429 | 517 | 551 | 527 | 576 |
| Croup . . . . . | 10 | 9 | 11 | 7 | 7 | 7 | 12 | 12 | 12 |
| Bronchitis . . . . . | 720 | 703 | 737 | 784 | 757 | 812 | 748 | 741 | 756 |
| Diseases of Stomach (not Malig) | 162 | 143 | 181 | 169 | 146 | 192 | 132 | 127 | 136 |
| Enteritis, Gastro-enteritis . | 222 | 232 | 215 | 233 | 234 | 232 | 249 | 273 | 225 |
| All Liver diseases . . . . | 93 | 93 | 93 | 89 | 87 | 91 | 86 | 81 | 91 |
| Bright's disease . . . . . | 133 | 143 | 123 | 130 | 143 | 116 | 96 | 115 | 76 |
| Atrophy, Debility . . . . | 293 | 326 | 260 | 294 | 329 | 258 | 299 | 307 | 291 |
| Old Age . . . . . | 557 | 406 | 708 | 347 | 228 | 468 | 553 | 420 | 690 |
| Burns and Scalds . . . . | 44 | 34 | 54 | 56 | 43 | 70 | 37 | 40 | 33 |
| Drowning (including Suicide) | 81 | 138 | 25 | 46 | 80 | 11 | 83 | 129 | 35 |

Diseases to the Total Deaths from Specified Causes in 1903.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWN DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | INSULAR-RURAL DISTRICTS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| Dis. of Nervous System | 705 | 763 | 648 | 596 | 662 | 530 | 461 | 452 | 468 |
| ,, Circulatory System | 1713 | 1597 | 1827 | 1997 | 1890 | 2104 | 1458 | 1394 | 1516 |
| (*a*) Dis. of Heart | 1054 | 1011 | 1096 | 1233 | 1209 | 1257 | 939 | 905 | 970 |
| (*b*) ,, Blood Vessels | 659 | 586 | 731 | 764 | 681 | 847 | 519 | 489 | 546 |
| Dis. of Respiratory System | 781 | 790 | 773 | 784 | 790 | 778 | 746 | 636 | 847 |
| ,, Digestive System | 716 | 692 | 739 | 652 | 654 | 651 | 501 | 623 | 390 |
| ,, Urinary System | 293 | 359 | 227 | 327 | 396 | 259 | 309 | 391 | 234 |
| ,, Generative System | 16 | – | 32 | 27 | 4 | 49 | 17 | – | 33 |
| ,, Parturition (not Septic) | 53 | – | 105 | 51 | – | 102 | 47 | – | 89 |
| ,, Locomotor System | 24 | 24 | 25 | 23 | 23 | 23 | 35 | 49 | 22 |
| ,, The Skin | 17 | 14 | 19 | 19 | 16 | 22 | 12 | 12 | 11 |
| Violent deaths | 433 | 640 | 229 | 440 | 662 | 219 | 420 | 733 | 134 |
| Small-pox | 5 | 10 | – | 4 | 3 | 6 | – | – | – |
| Measles | 122 | 122 | 123 | 78 | 88 | 68 | 128 | 147 | 111 |
| Scarlet Fever | 51 | 46 | 57 | 46 | 36 | 55 | 6 | 12 | - |
| Influenza | 166 | 129 | 203 | 209 | 197 | 220 | 397 | 367 | 424 |
| Hooping-cough | 204 | 186 | 222 | 124 | 109 | 138 | 52 | 49 | 56 |
| Diphtheria | 95 | 95 | 94 | 103 | 97 | 108 | 58 | 61 | 56 |
| All Fevers, viz. :— | 70 | 83 | 57 | 64 | 67 | 60 | 76 | 49 | 100 |
| Typhus | 1 | – | 1 | 1 | – | 1 | 6 | – | 11 |
| Enteric | 67 | 81 | 53 | 61 | 64 | 58 | 70 | 49 | 89 |
| Relapsing | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal | – | – | – | 1 | – | 1 | – | – | – |
| Ill-defined | 2 | 2 | 3 | 1 | 3 | – | – | – | – |
| Diarrhœa, Infective Enteritis | 145 | 151 | 138 | 116 | 119 | 112 | 58 | 49 | 67 |
| Puerperal Septic Infection | 50 | – | 99 | 39 | – | 78 | 47 | – | 89 |
| Erysipelas | 35 | 24 | 47 | 36 | 39 | 33 | 23 | 12 | 33 |
| Pneumonia | 828 | 960 | 698 | 606 | 683 | 530 | 641 | 685 | 602 |
| Tuberculous diseases, viz. :— | 1201 | 1171 | 1230 | 1149 | 1171 | 1126 | 1102 | 1284 | 937 |
| Pulm. Tuberc. & Phthisis | 821 | 761 | 881 | 853 | 864 | 842 | 968 | 1113 | 836 |
| Tuberculous Meningitis | 141 | 148 | 134 | 93 | 91 | 94 | 58 | 73 | 45 |
| Tuberc. Peritonitis and Tabes Mesenterica | 111 | 119 | 102 | 77 | 87 | 68 | 12 | 12 | 11 |
| Other Tuberc. diseases | 128 | 143 | 113 | 126 | 129 | 122 | 64 | 86 | 45 |
| Rheumatic diseases | 64 | 48 | 80 | 75 | 65 | 85 | 117 | 147 | 89 |
| Malignant disease | 493 | 380 | 605 | 615 | 497 | 732 | 554 | 550 | 557 |
| Developmental Diseases of Children | 446 | 511 | 382 | 372 | 452 | 292 | 210 | 196 | 223 |
| Inflammation of Brain | 183 | 193 | 174 | 142 | 145 | 138 | 93 | 73 | 111 |
| Epilepsy | 40 | 48 | 33 | 46 | 51 | 40 | 35 | 24 | 45 |
| Convulsions | 147 | 174 | 121 | 97 | 128 | 66 | 82 | 147 | 22 |
| Cerebral Hæm., Hemiplegia | 584 | 510 | 656 | 676 | 591 | 760 | 472 | 440 | 502 |
| Croup | 10 | 8 | 11 | 9 | 6 | 13 | 70 | 61 | 78 |
| Bronchitis | 646 | 640 | 652 | 630 | 626 | 634 | 560 | 465 | 647 |
| Diseases of Stomach (not Malig) | 177 | 151 | 203 | 152 | 132 | 173 | 140 | 183 | 100 |
| Enteritis, Gastro-enteritis | 270 | 283 | 256 | 155 | 162 | 147 | 52 | 73 | 33 |
| All Liver diseases | 101 | 102 | 99 | 100 | 104 | 95 | 99 | 122 | 78 |
| Bright's disease | 144 | 157 | 131 | 151 | 146 | 156 | 163 | 147 | 178 |
| Atrophy, Debility | 370 | 409 | 331 | 220 | 264 | 176 | 198 | 196 | 201 |
| Old Age | 579 | 446 | 710 | 899 | 680 | 1116 | 1983 | 1577 | 2352 |
| Burns and Scalds | 29 | 17 | 41 | 32 | 23 | 40 | 41 | 37 | 45 |
| Drowning (including Suicide) | 120 | 200 | 41 | 115 | 194 | 36 | 216 | 452 | 236 |

TABLE **33.**—Proportion of Deaths from various Diseases to the Population in the Principal Towns of Scotland during the Year 1903, allowing for Causes not Specified.

| Diseases and Classes of Disease. | Proportion of DEATHS to every 100,000 persons living. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
| All Causes | 1915 | 1686 | 1810 | 1705 | 1682 | 1729 | 1617 | 1893 | 1309 | 1710 | 1767 | 1319 | 1668 | 1617 | 1229 |
| Diseases of Nervous System | 124 | 107 | 102 | 112 | 162 | 141 | 96 | 126 | 98 | 146 | 94 | 100 | 120 | 113 | 53 |
| Do. Circulatory System | 236 | 273 | 322 | 260 | 175 | 247 | 239 | 294 | 175 | 209 | 272 | 231 | 297 | 165 | 104 |
| (*a*) Dis. of Heart | 140 | 169 | 198 | 172 | 109 | 149 | 162 | 190 | 124 | 120 | 129 | 142 | 174 | 101 | 62 |
| (*b*) Do. Blood Vessels | 95 | 104 | 124 | 88 | 66 | 98 | 77 | 104 | 51 | 89 | 143 | 89 | 123 | 64 | 42 |
| Do. Respiratory System | 180 | 115 | 153 | 170 | 158 | 186 | 123 | 145 | 126 | 188 | 140 | 86 | 174 | 159 | 119 |
| Do. Digestive System | 144 | 115 | 111 | 147 | 88 | 112 | 107 | 120 | 119 | 125 | 212 | 103 | 108 | 139 | 116 |
| Do. Urinary System | 54 | 61 | 57 | 49 | 28 | 35 | 52 | 51 | 31 | 42 | 46 | 31 | 45 | 20 | 53 |
| Violent deaths | 85 | 71 | 72 | 54 | 51 | 52 | 74 | 112 | 36 | 73 | 66 | 64 | 72 | 55 | 42 |
| Small-pox | 3 | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| Measles | 45 | 30 | 2 | 74 | 65 | 34 | 29 | 1 | 14 | 29 | 23 | – | – | 17 | 18 |
| Scarlet Fever | 10 | 16 | 4 | 8 | 3 | 44 | 1 | 10 | 2 | 8 | 23 | 6 | 6 | 14 | 3 |
| Influenza | 12 | 17 | 7 | 15 | 10 | 23 | 8 | 7 | 7 | 10 | 43 | 14 | 15 | 17 | 6 |
| Hooping-cough | 78 | 46 | 31 | 26 | 136 | 29 | 44 | 103 | 66 | 44 | 34 | – | 15 | 78 | 50 |
| Diphtheria | 13 | 18 | 9 | 7 | 14 | 8 | 1 | 10 | 7 | 16 | 23 | 8 | 30 | 20 | 21 |
| All Fevers, viz.:— | 20 | 8 | 20 | 3 | 5 | 13 | 4 | 35 | 3 | 16 | 20 | 11 | 9 | 20 | 6 |
| Typhus | 1 | – | – | – | 1 | – | – | 3 | – | – | – | – | – | 3 | – |
| Enteric | 19 | 8 | 20 | 3 | 3 | 13 | 4 | 32 | 2 | 10 | 17 | 11 | 9 | 17 | 6 |
| Relapsing | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ill-defined | 1 | – | – | – | – | – | – | – | 2 | 5 | 3 | – | – | – | – |
| Diarrhœa, Infective Enteritis | 37 | 16 | 66 | 31 | 52 | 56 | 31 | 43 | 39 | 26 | 43 | 36 | 15 | 40 | 62 |
| Pneumonia | 216 | 135 | 165 | 129 | 237 | 125 | 175 | 165 | 124 | 185 | 109 | 117 | 108 | 101 | 110 |
| Tuberculous diseases, viz.:— | 258 | 238 | 265 | 219 | 193 | 210 | 266 | 251 | 183 | 229 | 192 | 173 | 294 | 266 | 152 |
| Pulmonary Tuberc. and Phthisis | 173 | 155 | 170 | 151 | 136 | 135 | 171 | 170 | 131 | 130 | 100 | 103 | 204 | 148 | 77 |
| Tuberculous Meningitis | 30 | 32 | 36 | 29 | 19 | 27 | 50 | 29 | 24 | 29 | 26 | 25 | 27 | 43 | 36 |
| Tuberc. Peritonitis and Tabes | 27 | 24 | 31 | 19 | 23 | 23 | 24 | 25 | 20 | 55 | 34 | 14 | 33 | 52 | 12 |
| Other Tuberculous diseases | 28 | 27 | 28 | 19 | 15 | 25 | 20 | 28 | 8 | 16 | 32 | 31 | 30 | 23 | 27 |
| Rheumatic diseases | 8 | 15 | 5 | 14 | 3 | 10 | 8 | 9 | 8 | 8 | 17 | 20 | 27 | 6 | – |
| Malignant disease | 80 | 124 | 84 | 81 | 34 | 74 | 73 | 96 | 59 | 34 | 77 | 67 | 75 | 64 | 53 |
| Inflammation of Brain | 52 | 21 | 35 | 21 | 78 | 53 | 19 | 45 | 46 | 68 | 49 | 39 | 42 | 35 | 9 |
| Convulsions | 29 | 26 | 20 | 43 | 44 | 18 | 30 | 30 | 22 | 23 | 23 | 31 | 3 | 49 | 21 |
| Cerebral Hæmorrhage, Hemiplegia | 87 | 87 | 102 | 69 | 58 | 90 | 67 | 99 | 44 | 78 | 132 | 78 | 102 | 64 | 39 |
| Croup | 1 | 1 | 1 | – | – | – | – | 3 | 3 | – | 6 | 3 | – | – | 3 |
| Bronchitis | 161 | 92 | 135 | 147 | 147 | 171 | 113 | 126 | 110 | 177 | 115 | 72 | 150 | 153 | 101 |
| Dis. of Stomach (not Malignant) | 33 | 24 | 23 | 31 | 32 | 40 | 23 | 35 | 36 | 18 | 29 | 22 | 21 | 40 | 27 |
| Enteritis, Gastro-enteritis | 48 | 25 | 36 | 47 | 31 | 25 | 26 | 41 | 58 | 55 | 100 | 31 | 21 | 55 | 48 |
| All Liver diseases | 15 | 18 | 11 | 17 | 7 | 18 | 18 | 14 | 10 | 13 | 29 | 25 | 30 | 14 | 12 |
| Bright's disease | 26 | 27 | 26 | 22 | 13 | 6 | 23 | 26 | 15 | 13 | 17 | 8 | 24 | 12 | 30 |
| Old Age | 54 | 65 | 85 | 72 | 27 | 87 | 50 | 45 | 41 | 70 | 80 | 72 | 84 | 87 | 53 |

TABLE **34.**—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in the Principal Towns of Scotland, during the Year 1903.

| Diseases and Classes of Disease. | Proportion of DEATHS to every 10,000 Specified Causes of Death. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
| Diseases of Nervous System | 649 | 636 | 561 | 656 | 966 | 814 | 600 | 666 | 752 | 854 | 535 | 761 | 718 | 698 | 435 |
| Do. Circulatory System | 1231 | 1621 | 1778 | 1524 | 1041 | 1432 | 1480 | 1554 | 1336 | 1219 | 1540 | 1755 | 1777 | 1020 | 845 |
| (*a*) Dis. of Heart | 733 | 1001 | 1095 | 1008 | 648 | 863 | 1005 | 1003 | 947 | 701 | 729 | 1078 | 1041 | 626 | 507 |
| (*b*) Do. Blood Vessels | 498 | 619 | 683 | 516 | 393 | 569 | 475 | 551 | 389 | 518 | 811 | 677 | 736 | 394 | 338 |
| Diseases of Respiratory System | 942 | 679 | 846 | 997 | 938 | 1074 | 763 | 766 | 960 | 1098 | 794 | 655 | 1041 | 984 | 966 |
| Do. Digestive System | 749 | 679 | 615 | 865 | 524 | 646 | 662 | 636 | 908 | 732 | 1199 | 782 | 646 | 859 | 942 |
| Do. Urinary System | 284 | 360 | 320 | 286 | 166 | 204 | 319 | 268 | 233 | 244 | 259 | 233 | 269 | 125 | 435 |
| Violent deaths | 442 | 418 | 398 | 319 | 303 | 302 | 460 | 590 | 272 | 427 | 373 | 486 | 431 | 340 | 338 |
| Small-pox | 16 | 2 | – | – | – | – | – | 15 | – | – | – | – | – | – | – |
| Measles | 234 | 177 | 14 | 436 | 386 | 196 | 179 | 8 | 104 | 168 | 130 | – | – | 107 | 145 |
| Scarlet Fever | 53 | 94 | 20 | 48 | 21 | 253 | 8 | 54 | 13 | 46 | 130 | 42 | 36 | 89 | 24 |
| Influenza | 63 | 103 | 37 | 88 | 62 | 133 | 47 | 38 | 52 | 61 | 243 | 106 | 90 | 107 | 48 |
| Hooping-cough | 405 | 275 | 173 | 150 | 807 | 168 | 273 | 544 | 506 | 259 | 194 | – | 90 | 483 | 411 |
| Diphtheria | 69 | 105 | 51 | 44 | 83 | 49 | 8 | 54 | 52 | 91 | 130 | 63 | 179 | 125 | 169 |
| All Fevers, viz.:— | 104 | 47 | 112 | 18 | 28 | 77 | 23 | 184 | 26 | 91 | 113 | 85 | 54 | 125 | 48 |
| Typhus | 4 | – | – | – | 7 | – | – | 15 | – | – | – | – | – | 18 | – |
| Enteric | 97 | 45 | 112 | 18 | 21 | 77 | 23 | 169 | 13 | 61 | 97 | 85 | 54 | 107 | 48 |
| Relapsing | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ill-defined | 3 | 2 | – | – | – | – | – | – | 13 | 30 | 16 | – | – | – | – |
| Diarrhœa, Infective Enteritis | 196 | 96 | 367 | 180 | 310 | 323 | 195 | 230 | 298 | 152 | 243 | 275 | 90 | 250 | 507 |
| Pneumonia | 1128 | 800 | 979 | 759 | 1407 | 723 | 1083 | 873 | 947 | 1082 | 616 | 888 | 646 | 626 | 894 |
| Tuberculous diseases, viz.:— | 1345 | 1409 | 1462 | 1286 | 1145 | 1214 | 1643 | 1325 | 1401 | 1341 | 1086 | 1311 | 1759 | 1646 | 1232 |
| Pulmonary Tuberc. and Phthisis | 902 | 918 | 938 | 887 | 807 | 779 | 1059 | 896 | 999 | 762 | 567 | 782 | 1221 | 913 | 628 |
| Tuberculous Meningitis | 158 | 188 | 201 | 172 | 110 | 155 | 312 | 153 | 182 | 168 | 146 | 190 | 162 | 268 | 290 |
| Tuber. Peritonitis and Tabes | 141 | 140 | 170 | 114 | 138 | 133 | 148 | 130 | 156 | 320 | 195 | 106 | 197 | 322 | 97 |
| Other Tuberculous diseases | 144 | 163 | 153 | 114 | 90 | 147 | 124 | 146 | 65 | 91 | 178 | 233 | 179 | 143 | 217 |
| Rheumatic diseases | 44 | 89 | 27 | 81 | 21 | 56 | 47 | 46 | 65 | 46 | 97 | 148 | 162 | 36 | – |
| Malignant disease | 419 | 753 | 466 | 476 | 200 | 428 | 452 | 505 | 454 | 198 | 438 | 507 | 449 | 394 | 435 |
| Inflammation of Brain | 271 | 125 | 194 | 125 | 462 | 309 | 117 | 237 | 350 | 396 | 276 | 296 | 251 | 215 | 72 |
| Convulsions | 154 | 152 | 109 | 253 | 262 | 105 | 187 | 161 | 169 | 137 | 130 | 233 | 18 | 304 | 169 |
| Cerebral Hæmorrhage, Hemiplegia | 454 | 514 | 561 | 407 | 345 | 519 | 413 | 521 | 337 | 457 | 746 | 592 | 610 | 394 | 314 |
| Croup | 7 | 5 | 7 | – | – | – | – | 15 | 26 | – | 32 | 21 | – | – | 24 |
| Bronchitis | 842 | 547 | 744 | 865 | 876 | 989 | 701 | 666 | 843 | 1037 | 648 | 550 | 898 | 948 | 821 |
| Dis. of Stomach (not Malignant) | 173 | 141 | 126 | 180 | 193 | 232 | 140 | 184 | 272 | 107 | 162 | 169 | 126 | 250 | 217 |
| Enteritis, Gastro-enteritis | 251 | 148 | 201 | 275 | 186 | 147 | 164 | 214 | 441 | 320 | 567 | 233 | 126 | 340 | 386 |
| All Liver diseases | 79 | 109 | 61 | 99 | 41 | 105 | 109 | 77 | 78 | 76 | 162 | 190 | 179 | 89 | 97 |
| Bright's disease | 134 | 158 | 146 | 132 | 76 | 35 | 140 | 138 | 117 | 76 | 97 | 63 | 144 | 72 | 242 |
| Old Age | 282 | 386 | 469 | 425 | 159 | 505 | 312 | 237 | 311 | 412 | 454 | 550 | 503 | 537 | 435 |

TABLE **35**.—DEATHS in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855-1903.

| Year. | Number of Deaths from | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Small-pox | Measles | Scarlet Fever | Diphtheria and Croup | Hooping-cough | Diarrhœa and Enteritis | Typhus | Enteric Fever | Syphilis | Cancer | Tubercle | Phthisis | Pneumonia | Bronchitis |
| 1855 | 1309 | 1180 | 2138 | 873 | 1903 | 3017 | 2419 | | 79 | 871 | 10,007 | 7129 | 2094 | 3036 |
| 1856 | 1306 | 1033 | 3011 | 1020 | 2331 | 2425 | 2363 | | 81 | 908 | 9,077 | 6247 | 1970 | 2762 |
| 1857 | 845 | 1028 | 2235 | 1148 | 1539 | 4132 | 3087 | | 60 | 960 | 10,326 | 7184 | 1890 | 2867 |
| 1858 | 332 | 1538 | 2671 | 1494 | 1963 | 3169 | 2790 | | 86 | 963 | 10,265 | 7264 | 2355 | 3935 |
| 1859 | 682 | 972 | 3614 | 1336 | 2660 | 2736 | 2436 | | 90 | 1004 | 9,951 | 7172 | 1900 | 3228 |
| 1860 | 1495 | 1587 | 2927 | 1485 | 1812 | 2379 | 2344 | | 96 | 1014 | 11,212 | 8165 | 2416 | 5400 |
| 1861 | 766 | 971 | 1764 | 1571 | 2204 | 2416 | 2579 | | 122 | 1165 | 10,582 | 7571 | 1974 | 5017 |
| 1862 | 426 | 1404 | 1281 | 2393 | 2799 | 2350 | 3021 | | 126 | 1152 | 11,429 | 8211 | 1932 | 5764 |
| 1863 | 1646 | 2212 | 3413 | 3615 | 1649 | 2493 | 3441 | | 139 | 1162 | 10,981 | 7614 | 2212 | 5484 |
| 1864 | 1741 | 1102 | 3411 | 3156 | 1993 | 2581 | 4804 | | 125 | 1300 | 11,445 | 8083 | 2268 | 6383 |
| 1865 | 383 | 1195 | 2244 | 2010 | 2318 | 3180 | 5221 | | 158 | 1257 | 11,417 | 8089 | 1969 | 6194 |
| 1866 | 200 | 1038 | 2706 | 1588 | 1860 | 3954 | 3859 | | 156 | 1327 | 11,653 | 8283 | 2207 | 6629 |
| 1867 | 100 | 1341 | 2253 | 1535 | 1728 | 2811 | 3268 | | 156 | 1288 | 11,668 | 8248 | 2070 | 6777 |
| 1868 | 15 | 1149 | 3141 | 1688 | 2490 | 3267 | 3110 | | 185 | 1327 | 11,487 | 8154 | 2098 | 6261 |
| 1869 | 64 | 1670 | 4680 | 1639 | 2461 | 2880 | 3544 | | 215 | 1426 | 12,079 | 8525 | 2630 | 8030 |
| 1870 | 114 | 834 | 4356 | 1487 | 1783 | 3150 | 3023 | | 186 | 1373 | 13,027 | 9148 | 2415 | 7777 |
| 1871 | 1442 | 2057 | 2586 | 1850 | 1504 | 2839 | 1129 | 1234 | 227 | 1432 | 13,011 | 9102 | 2655 | 8663 |
| 1872 | 2448 | 925 | 2101 | 2190 | 2850 | 2732 | 795 | 1223 | 193 | 1559 | 12,596 | 8715 | 2570 | 7897 |
| 1873 | 1126 | 1450 | 2227 | 2335 | 1598 | 3491 | 628 | 1495 | 180 | 1537 | 11,952 | 8286 | 3012 | 8308 |
| 1874 | 1246 | 1103 | 6321 | 2234 | 1690 | 3343 | 726 | 1455 | 193 | 1646 | 11,303 | 7873 | 3440 | 8667 |
| 1875 | 76 | 1022 | 4720 | 1842 | 2431 | 3604 | 615 | 1625 | 212 | 1672 | 12,450 | 8699 | 3685 | 9864 |
| 1876 | 39 | 1241 | 2364 | 1672 | 2250 | 3321 | 471 | 1448 | 210 | 1695 | 12,219 | 8491 | 3296 | 8194 |
| 1877 | 38 | 1019 | 1374 | 1871 | 1571 | 2665 | 265 | 1427 | 222 | 1732 | 12,193 | 8342 | 3144 | 9182 |
| 1878 | 4 | 1372 | 1870 | 1892 | 2788 | 3576 | 263 | 1477 | 207 | 1829 | 12,567 | 8445 | 2964 | 8689 |
| 1879 | 8 | 769 | 1592 | 1590 | 2483 | 2374 | 210 | 1013 | 225 | 1830 | 12,098 | 8336 | 3067 | 9185 |
| 1880 | 10 | 1427 | 2165 | 1639 | 2641 | 3367 | 170 | 1338 | 228 | 1873 | 11,989 | 8074 | 3203 | 8562 |
| 1881 | 19 | 1012 | 1573 | 1615 | 1620 | 2552 | 229 | 1004 | 225 | 1914 | 11,275 | 7739 | 3237 | 8765 |
| 1882 | 3 | 1289 | 1583 | 1867 | 2108 | 3119 | 180 | 1204 | 244 | 2056 | 11,608 | 8012 | 3342 | 7715 |
| 1883 | 11 | 1629 | 1336 | 1699 | 2968 | 2528 | 152 | 998 | 240 | 2037 | 11,092 | 8401 | 4824 | 7983 |
| 1884 | 14 | 1440 | 1266 | 1775 | 2511 | 3147 | 138 | 1050 | 276 | 2110 | 10,795 | 7915 | 4539 | 7220 |
| 1885 | 39 | 1426 | 944 | 1445 | 2157 | 2485 | 111 | 889 | 243 | 2173 | 10,724 | 7922 | 4432 | 7899 |
| 1886 | 24 | 681 | 1058 | 1251 | 1882 | 2846 | 80 | 755 | 248 | 2313 | 10,942 | 7959 | 4040 | 7908 |
| 1887 | 17 | 1598 | 1179 | 1605 | 3212 | 2863 | 126 | 835 | 244 | 2373 | 10,275 | 7418 | 4220 | 7409 |
| 1888 | 3 | 1406 | 732 | 1614 | 1722 | 2190 | 102 | 665 | 229 | 2450 | 9,725 | 7044 | 4171 | 7140 |
| 1889 | 8 | 1948 | 701 | 1882 | 2268 | 3028 | 69 | 795 | 226 | 2643 | 9,722 | 7098 | 3994 | 3 |
| 1890 | – | 2509 | 739 | 1762 | 3039 | 2743 | 77 | 777 | 196 | 2428 | 10,294 | 7660 | 4923 | 8057 |
| 1891 | – | 1775 | 736 | 1450 | 2437 | 2989 | 107 | 799 | 214 | 2703 | 10,141 | 7361 | 5642 | 9309 |
| 1892 | 11 | 2280 | 871 | 1347 | 1792 | 2504 | 59 | 644 | 204 | 2715 | 9,318 | 6765 | 4901 | 7260 |
| 1893 | 68 | 3639 | 832 | 1679 | 2026 | 4312 | 51 | 932 | 181 | 2816 | 9,801 | 6921 | 5446 | 7119 |
| 1894 | 129 | 791 | 834 | 1828 | 2552 | 2272 | 36 | 702 | 164 | 2928 | 9,729 | 7108 | 4551 | 6111 |
| 1895 | 47 | 2063 | 782 | 1260 | 1948 | 4000 | 34 | 730 | 208 | 2993 | 10,688 | 7688 | 5606 | 8202 |
| 1896 | 2 | 1515 | 669 | 1126 | 1970 | 2854 | 38 | 662 | 217 | 3013 | 9,685 | 6893 | 4745 | 5579 |
| 1897 | 10 | 2056 | 716 | 812 | 2877 | 3849 | 29 | 655 | 200 | 3212 | 10,085 | 7200 | 5942 | 6768 |
| 1898 | 2 | 2290 | 909 | 850 | 2476 | 4351 | 63 | 814 | 229 | 3453 | 10,140 | 7090 | 5613 | 5789 |
| 1899 | 1 | 1599 | 831 | 856 | 1894 | 4771 | 29 | 803 | 202 | 3572 | 10,497 | 7275 | 5712 | 6140 |
| 1900 | 53 | 1825 | 654 | 961 | 1812 | 3301 | 35 | 644 | 215 | 3503 | 10,336 | 7299 | 6270 | 6914 |
| 1901 | 278 | 1655 | 595 | 878 | 2751 | 4336 | 35 | 717 | 206 | 3662 | 9,911 | 6776 | 5784 | 5818 |
| 1902 | 80 | 1388 | 524 | 787 | 1765 | 2396 | 18 | 552 | 180 | 3711 | 9,536 | 6572 | 6976 | 6092 |
| 1903 | 41 | 1133 | 407 | 715 | 1946 | 2996 | 13 | 552 | 213 | 3798 | 9,726 | 6630 | 6475 | 5421 |

TABLE **36.**—DEATH-RATE per 100,000 of the Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES in each of the Years 1855–1903.

| Year. | Death-rate per 100,000 Persons from | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Smallpox | Measles | Scarlet Fever | Diphtheria and Croup | Hooping Cough | Diarrhœa and Enteritis | Typhus | Enteric Fever | Syphilis | Cancer | Tubercle | Phthisis | Pneumonia | Bronchitis |
| 1855 | 44 | 40 | 72 | 29 | 64 | 101 | 81 | | 3 | 29 | 336 | 239 | 70 | 102 |
| 1856 | 44 | 34 | 101 | 34 | 78 | 81 | 79 | | 3 | 29 | 303 | 208 | 66 | 92 |
| 1857 | 28 | 34 | 74 | 38 | 51 | 137 | 102 | | 3 | 32 | 343 | 238 | 63 | 95 |
| 1858 | 11 | 51 | 88 | 49 | 65 | 105 | 92 | | 3 | 32 | 339 | 240 | 78 | 130 |
| 1859 | 22 | 32 | 119 | 44 | 87 | 90 | 80 | | 3 | 33 | 327 | 236 | 62 | 106 |
| 1860 | 49 | 52 | 96 | 49 | 59 | 78 | 77 | | 3 | 33 | 367 | 267 | 79 | 177 |
| 1861 | 25 | 32 | 57 | 51 | 72 | 79 | 84 | | 4 | 38 | 345 | 247 | 64 | 163 |
| 1862 | 14 | 45 | 41 | 77 | 90 | 76 | 98 | | 4 | 37 | 369 | 265 | 62 | 186 |
| 1863 | 53 | 71 | 109 | 116 | 53 | 80 | 110 | | 4 | 37 | 351 | 244 | 71 | 175 |
| 1864 | 55 | 35 | 108 | 100 | 63 | 82 | 152 | | 4 | 41 | 363 | 256 | 72 | 202 |
| 1865 | 12 | 38 | 70 | 63 | 73 | 100 | 164 | | 5 | 39 | 358 | 254 | 62 | 194 |
| 1866 | 6 | 32 | 84 | 49 | 58 | 123 | 120 | | 5 | 41 | 362 | 258 | 69 | 206 |
| 1867 | 3 | 41 | 69 | 47 | 53 | 87 | 100 | | 5 | 38 | 362 | 254 | 64 | 209 |
| 1868 | – | 35 | 96 | 52 | 76 | 100 | 95 | | 6 | 41 | 351 | 249 | 64 | 191 |
| 1869 | 2 | 51 | 142 | 50 | 74 | 87 | 107 | | 7 | 43 | 365 | 258 | 80 | 243 |
| 1870 | 3 | 25 | 131 | 45 | 53 | 94 | 91 | | 6 | 41 | 390 | 274 | 72 | 233 |
| 1871 | 43 | 61 | 77 | 55 | 45 | 84 | 34 | 37 | 7 | 43 | 386 | 270 | 79 | 257 |
| 1872 | 72 | 27 | 62 | 64 | 84 | 80 | 23 | 36 | 6 | 46 | 370 | 256 | 75 | 232 |
| 1873 | 33 | 42 | 65 | 68 | 46 | 101 | 18 | 43 | 5 | 45 | 347 | 241 | 88 | 241 |
| 1874 | 36 | 32 | 182 | 64 | 49 | 96 | 21 | 42 | 6 | 47 | 325 | 226 | 99 | 249 |
| 1875 | 2 | 29 | 134 | 52 | 69 | 103 | 17 | 46 | 6 | 48 | 354 | 247 | 105 | 281 |
| 1876 | 1 | 35 | 67 | 47 | 63 | 93 | 13 | 41 | 6 | 48 | 344 | 239 | 93 | 231 |
| 1877 | 1 | 28 | 38 | 52 | 44 | 74 | 7 | 40 | 6 | 48 | 340 | 232 | 88 | 256 |
| 1878 | – | 38 | 52 | 52 | 77 | 99 | 7 | 41 | 6 | 50 | 346 | 233 | 82 | 239 |
| 1879 | – | 21 | 43 | 43 | 68 | 65 | 6 | 28 | 6 | 50 | 330 | 227 | 84 | 251 |
| 1880 | – | 39 | 58 | 44 | 71 | 91 | 5 | 36 | 6 | 51 | 324 | 218 | 86 | 231 |
| 1881 | 1 | 27 | 42 | 43 | 43 | 68 | 6 | 27 | 6 | 51 | 301 | 207 | 86 | 234 |
| 1882 | – | 34 | 42 | 50 | 56 | 83 | 5 | 32 | 6 | 55 | 308 | 212 | 89 | 205 |
| 1883 | – | 43 | 35 | 45 | 78 | 67 | 4 | 26 | 6 | 54 | 292 | 221 | 127 | 210 |
| 1884 | – | 38 | 33 | 46 | 66 | 82 | 4 | 27 | 7 | 55 | 282 | 207 | 119 | 189 |
| 1885 | 1 | 37 | 24 | 37 | 56 | 65 | 3 | 23 | 6 | 56 | 278 | 205 | 115 | 205 |
| 1886 | 1 | 18 | 27 | 32 | 48 | 73 | 2 | 19 | 6 | 60 | 282 | 205 | 104 | 204 |
| 1887 | – | 41 | 30 | 41 | 82 | 73 | 3 | 21 | 6 | 61 | 262 | 190 | 108 | 189 |
| 1888 | – | 36 | 19 | 41 | 44 | 56 | 3 | 17 | 6 | 62 | 247 | 179 | 106 | 181 |
| 1889 | – | 49 | 18 | 47 | 57 | 76 | 2 | 20 | 6 | 67 | 245 | 179 | 101 | 177 |
| 1890 | – | 63 | 18 | 44 | 76 | 69 | 2 | 19 | 5 | 61 | 257 | 191 | 123 | 201 |
| 1891 | – | 44 | 18 | 36 | 60 | 74 | 3 | 20 | 5 | 67 | 251 | 182 | 140 | 231 |
| 1892 | – | 56 | 21 | 33 | 44 | 61 | 1 | 16 | 5 | 67 | 228 | 166 | 120 | 178 |
| 1893 | 2 | 88 | 20 | 41 | 49 | 105 | 1 | 23 | 4 | 68 | 238 | 168 | 132 | 173 |
| 1894 | 3 | 19 | 20 | 44 | 61 | 65 | 1 | 17 | 4 | 70 | 234 | 171 | 109 | 147 |
| 1895 | 1 | 49 | 19 | 30 | 46 | 95 | 1 | 17 | 5 | 71 | 254 | 183 | 133 | 195 |
| 1896 | – | 36 | 16 | 27 | 46 | 67 | 1 | 16 | 5 | 71 | 228 | 162 | 112 | 131 |
| 1897 | – | 48 | 17 | 19 | 67 | 90 | 1 | 15 | 5 | 75 | 235 | 167 | 138 | 157 |
| 1898 | – | 53 | 21 | 20 | 57 | 100 | 1 | 19 | 5 | 79 | 233 | 163 | 129 | 133 |
| 1899 | – | 36 | 19 | 19 | 43 | 109 | 1 | 18 | 5 | 81 | 239 | 166 | 130 | 140 |
| 1900 | 1 | 41 | 15 | 22 | 41 | 74 | 1 | 15 | 5 | 79 | 233 | 165 | 141 | 156 |
| 1901 | 6 | 37 | 13 | 20 | 62 | 98 | 1 | 16 | 5 | 82 | 223 | 153 | 130 | 131 |
| 1902 | 2 | 31 | 12 | 18 | 39 | 53 | 1 | 12 | 4 | 83 | 212 | 146 | 155 | 136 |
| 1903 | 1 | 25 | 9 | 16 | 43 | 66 | – | 12 | 5 | 84 | 214 | 146 | 143 | 119 |

TABLE **37.**—Deaths from INFLUENZA in Scotland, its Five Groups of Regis-

| | | January. | | February. | | March. | | April. | | May. | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. |
| | SCOTLAND | 119 | 167 | 78 | 136 | 61 | 61 | 23 | 40 | 34 | 27 |
| | *Groups.* | | | | | | | | | | |
| | PRINCIPAL TOWN DISTRICTS | 23 | 38 | 21 | 29 | 13 | 15 | 6 | 14 | 12 | 4 |
| | LARGE TOWN DISTRICTS | 11 | 18 | 7 | 15 | 5 | 10 | 1 | 3 | 2 | 3 |
| | SMALL TOWN DISTRICTS | 31 | 55 | 10 | 33 | 20 | 10 | 8 | 12 | 5 | 8 |
| | MAINLAND-RURAL DISTRICTS | 51 | 48 | 32 | 50 | 17 | 17 | 6 | 6 | 11 | 8 |
| | INSULAR-RURAL DISTRICTS | 3 | 8 | 8 | 9 | 6 | 9 | 2 | 5 | 4 | 4 |
| | *Counties.* | | | | | | | | | | |
| | I. NORTHERN DIVISION. | | | | | | | | | | |
| 1 | Shetland | 1 | 4 | 1 | – | 1 | 1 | 1 | – | – | – |
| 2 | Orkney | – | – | – | – | 3 | 4 | – | – | 1 | 1 |
| 3 | Caithness | 3 | 4 | 1 | 1 | – | 1 | 1 | 1 | 1 | 1 |
| 4 | Sutherland | 6 | 1 | 1 | 2 | – | – | – | – | 1 | – |
| | II. NORTH-WESTERN DIVISION. | | | | | | | | | | |
| 5 | Ross and Cromarty | 3 | 9 | 6 | 6 | 4 | – | 3 | 7 | 2 | 1 |
| 6 | Inverness | 2 | 3 | – | 5 | 2 | 6 | – | 5 | 2 | – |
| | III. NORTH-EASTERN DIVISION. | | | | | | | | | | |
| 7 | Nairn | – | – | – | 1 | – | – | – | – | – | – |
| 8 | Elgin (or Moray) | 5 | 7 | 2 | 5 | – | – | – | – | – | – |
| 9 | Banff | 2 | 7 | 1 | 6 | 2 | 1 | – | 2 | – | 1 |
| 10 | Aberdeen | 16 | 21 | 5 | 13 | 4 | 3 | 3 | – | 5 | 3 |
| 11 | Kincardine | 1 | 3 | – | 2 | – | – | – | – | – | – |
| | IV. EAST-MIDLAND DIVISION. | | | | | | | | | | |
| 12 | Forfar | 7 | 3 | 4 | 5 | 1 | 3 | 2 | – | 2 | 1 |
| 13 | Perth | 5 | 11 | 1 | 2 | – | – | – | 1 | 1 | – |
| 14 | Fife | 4 | 9 | 2 | 8 | 2 | 3 | 1 | 2 | 1 | – |
| 15 | Kinross | – | – | 1 | 1 | – | – | – | – | – | – |
| 16 | Clackmannan | 2 | – | – | 3 | 1 | – | – | – | – | – |
| | V. WEST-MIDLAND DIVISION. | | | | | | | | | | |
| 17 | Stirling | 2 | 3 | 3 | 3 | 3 | 4 | – | – | 4 | 1 |
| 18 | Dumbarton | 8 | 4 | 1 | 6 | 1 | 2 | 1 | 1 | – | – |
| 19 | Argyll | 6 | 3 | 9 | 8 | 5 | 3 | 1 | – | – | 4 |
| 20 | Bute | – | – | 2 | 1 | – | – | – | – | – | – |
| | VI. SOUTH-WESTERN DIVISION. | | | | | | | | | | |
| 21 | Renfrew | 3 | 3 | 5 | 10 | 1 | 3 | 2 | 2 | 2 | 3 |
| 22 | Ayr | 12 | 15 | 9 | 11 | 4 | 3 | 2 | – | 3 | 3 |
| 23 | Lanark | 14 | 22 | 9 | 20 | 12 | 7 | 2 | 6 | 7 | 3 |
| | VII. SOUTH-EASTERN DIVISION. | | | | | | | | | | |
| 24 | Linlithgow | – | 2 | – | 1 | – | – | 1 | – | – | – |
| 25 | Edinburgh | 5 | 13 | 6 | 3 | 6 | 6 | 2 | 9 | 1 | 2 |
| 26 | Haddington | 2 | 3 | 1 | 3 | 2 | 1 | – | 1 | – | – |
| 27 | Berwick | 1 | 2 | – | – | 1 | 1 | – | – | – | 1 |
| 28 | Peebles | – | – | – | 1 | 2 | – | – | – | – | – |
| 29 | Selkirk | – | – | 1 | – | – | 3 | – | – | – | – |
| | VIII. SOUTHERN DIVISION. | | | | | | | | | | |
| 30 | Roxburgh | 2 | 2 | 1 | 2 | – | – | – | 1 | 1 | – |
| 31 | Dumfries | 1 | 7 | – | 5 | 3 | 2 | – | – | – | 2 |
| 32 | Kirkcudbright | 4 | 4 | 1 | 1 | 1 | 1 | – | 1 | – | – |
| 33 | Wigtown | 2 | 2 | 5 | 1 | – | 3 | 1 | 1 | – | – |

* In this Table are included those deaths of

tration Districts and Counties during each Month of the Year 1903.

| June. | | July. | | August. | | September. | | October. | | November. | | December. | | Total.* | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Mal. | Fem. | Both Sexes. |
| 17 | 19 | 6 | 5 | 11 | 6 | 6 | 11 | 12 | 20 | 15 | 27 | 38 | 53 | 420 | 572 | 992 |
| 5 | 4 | 1 | 2 | 1 | 2 | 3 | 6 | 2 | 11 | 7 | 11 | 18 | 18 | 112 | 154 | 266 |
| 3 | 3 | 2 | – | 2 | 1 | 1 | 1 | 3 | 3 | 1 | 4 | 4 | 4 | 42 | 65 | 107 |
| 4 | 7 | – | 1 | 3 | – | 1 | 2 | 2 | 4 | 2 | 9 | 10 | 14 | 96 | 155 | 251 |
| 4 | 4 | 2 | 1 | 4 | 2 | – | 1 | 3 | 2 | 5 | 3 | 5 | 15 | 140 | 157 | 297 |
| 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | – | – | – | 1 | 2 | 30 | 41 | 71 |
| – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | 2 | 1 | 2 | 7 | 11 | 18 |
| 1 | 1 | – | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – | 8 | 7 | 15 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 6 | 8 | 14 |
| – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 10 | 3 | 13 |
| – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | 18 | 25 | 43 |
| – | 2 | – | – | – | 1 | – | – | – | – | – | 2 | 2 | – | 8 | 24 | 32 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 7 | 13 | 20 |
| 1 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 | 8 | 19 | 27 |
| 1 | – | 1 | 1 | – | 2 | 1 | – | – | 1 | 2 | – | 2 | 7 | 40 | 51 | 91 |
| 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 3 | 6 | 9 |
| 2 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | 2 | 3 | 23 | 16 | 39 |
| 1 | 3 | 1 | – | – | – | – | – | – | 2 | 1 | 4 | 3 | – | 13 | 23 | 36 |
| 1 | 2 | – | – | – | 1 | – | – | – | – | 1 | 2 | 2 | 2 | 14 | 29 | 43 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 | 4 | 8 |
| – | – | – | – | 1 | – | 1 | 1 | – | 2 | – | – | – | – | 14 | 14 | 28 |
| – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | 3 | 13 | 17 | 30 |
| – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 22 | 18 | 40 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 |
| 1 | – | – | – | – | 1 | – | 1 | – | – | 2 | 3 | 3 | 3 | 19 | 29 | 48 |
| 1 | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 | 2 | 34 | 36 | 70 |
| 5 | 4 | 1 | 2 | 2 | 1 | 2 | 4 | 3 | 11 | 5 | 7 | 4 | 13 | 66 | 100 | 166 |
| – | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 | 2 | 5 | 7 |
| 2 | 1 | 1 | – | 1 | – | – | 3 | 1 | 1 | 2 | 1 | 9 | 6 | 36 | 45 | 81 |
| – | 1 | – | – | 1 | – | – | – | – | 1 | – | 1 | 2 | – | 8 | 11 | 19 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 5 | 7 |
| – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | 1 | 1 | 5 | 3 | 8 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 4 |
| – | – | – | – | – | – | – | – | 1 | – | – | 3 | – | 1 | 5 | 9 | 14 |
| – | 1 | – | – | – | – | – | 1 | – | – | – | – | 3 | 1 | 7 | 19 | 26 |
| – | – | – | – | – | – | – | – | – | – | – | – | – | – | 6 | 7 | 13 |
| – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 8 | 9 | 17 |

which Influenza was a secondary or contributory cause.

TABLE **38.**—Deaths from MALIGNANT DISEASE in 1903, classified according to Age and the Part of the Body affected.

| Part of the Body Affected | Total. | | Ages. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Under 25 | | 25–35 | | 35–45 | | 45–55 | | 55–65 | | 65–75 | | 75–85 | | 85 and upwards | |
| | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. |
| Lip | 18 | 8 | – | – | – | – | 1 | – | 3 | 1 | 6 | 2 | 4 | 1 | 3 | 4 | 1 | – |
| Mouth | 18 | 8 | – | – | – | 1 | 2 | – | 4 | – | 8 | 3 | 3 | 2 | 1 | 2 | – | – |
| Tongue | 66 | 11 | – | 1 | – | – | – | – | 20 | – | 19 | 3 | 20 | 4 | 6 | 3 | 1 | – |
| Jaw | 47 | 16 | – | – | – | – | 1 | 1 | 8 | 3 | 13 | 2 | 18 | 4 | 6 | 6 | 1 | – |
| Pharynx, Throat | 36 | 7 | 1 | – | – | – | 1 | – | 7 | 2 | 10 | 3 | 12 | 1 | 5 | 1 | – | – |
| Œsophagus | 43 | 25 | – | – | – | – | 2 | 2 | 11 | 3 | 17 | 9 | 7 | 9 | 6 | 1 | – | 1 |
| Stomach | 434 | 449 | 2 | 1 | 8 | 11 | 39 | 26 | 91 | 74 | 119 | 130 | 118 | 147 | 53 | 54 | 4 | 6 |
| Intestine | 130 | 184 | 2 | 1 | 2 | 2 | 9 | 17 | 24 | 24 | 43 | 54 | 32 | 54 | 18 | 27 | – | 5 |
| Rectum | 109 | 106 | 3 | – | 1 | 4 | 6 | 9 | 23 | 24 | 31 | 34 | 34 | 28 | 11 | 7 | – | – |
| Salivary Glands | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver | 175 | 277 | 1 | – | 5 | 3 | 12 | 16 | 29 | 52 | 63 | 93 | 49 | 79 | 16 | 30 | – | 4 |
| Pancreas | 16 | 13 | – | – | – | – | 1 | 2 | 2 | 2 | 8 | 3 | 5 | 2 | – | 3 | – | 1 |
| Peritoneum, Mesentery | 9 | 29 | – | – | – | 1 | – | 2 | 3 | 4 | 2 | 6 | 4 | 10 | – | 6 | – | – |
| Abdomen | 46 | 98 | – | 2 | – | 4 | 2 | 7 | 11 | 16 | 15 | 25 | 12 | 31 | 5 | 13 | 1 | – |
| Larynx | 24 | 5 | – | – | – | 1 | 2 | – | 6 | 2 | 8 | – | 7 | 1 | 1 | 1 | – | – |
| Lung | 33 | 17 | 9 | – | 2 | 2 | 2 | 2 | 6 | 1 | 11 | 7 | 2 | 4 | 1 | 1 | – | – |
| Pleura | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Heart | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Mediastinum | 7 | 5 | – | – | – | – | 2 | 2 | 3 | 3 | 1 | – | – | – | 1 | – | – | – |
| Thorax | 6 | 7 | – | 1 | – | – | – | 2 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | – | – | – |
| Kidney | 18 | 15 | 5 | 3 | 1 | 1 | 1 | – | 2 | 2 | 1 | 6 | 8 | 2 | – | – | – | 1 |
| Bladder and Urethra | 30 | 11 | – | – | – | – | – | – | 5 | 2 | 10 | 2 | 9 | 2 | 6 | 5 | – | – |
| Testis and Penis | 16 | – | 2 | – | 1 | – | – | – | 5 | – | 2 | – | 4 | – | 2 | – | – | – |
| Prostate | 11 | – | – | – | – | – | – | – | 1 | – | 3 | – | 5 | – | 1 | – | 1 | – |
| Breast | 3 | 320 | – | – | – | 8 | – | 42 | – | 73 | 1 | 78 | – | 69 | 2 | 37 | – | 13 |
| Ovary | – | 30 | – | 1 | – | 3 | – | 4 | – | 5 | – | 12 | – | 5 | – | – | – | – |
| Uterus | – | 364 | – | 1 | – | 21 | – | 83 | – | 112 | – | 86 | – | 45 | – | 16 | – | – |
| Pelvis | 7 | 22 | – | – | 1 | 1 | 2 | 4 | 2 | 5 | 2 | 9 | – | 1 | – | 1 | – | 1 |
| Brain | 2 | 5 | 1 | 1 | – | – | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – |
| Spinal Cord | 1 | 2 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Eye and Orbit | 4 | 9 | 3 | 2 | – | – | – | 1 | 1 | – | – | 1 | – | 3 | – | 2 | – | – |
| Skull and Spinal Column | 4 | 5 | – | – | – | – | – | 2 | 1 | – | 2 | – | 1 | 1 | – | 2 | – | – |
| Spleen | 2 | 2 | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Thyroid | 2 | 7 | – | – | – | – | 1 | – | – | 1 | 1 | 3 | – | 2 | – | 1 | – | – |
| Lymphatic Glands | 51 | 29 | 3 | 2 | 9 | 3 | 4 | 2 | 7 | 8 | 14 | 8 | 12 | 4 | 2 | 2 | – | – |
| Ribs and Sternum | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arm and Leg | 29 | 26 | 7 | 4 | 2 | 1 | 1 | 1 | 5 | 4 | 3 | 2 | 5 | 7 | 5 | 6 | 1 | 1 |
| Skin | 43 | 37 | 1 | – | – | 1 | – | – | 4 | 3 | 14 | 5 | 10 | 12 | 13 | 14 | 1 | 2 |
| Part not stated | 92 | 115 | 1 | 2 | 6 | 6 | 8 | 12 | 18 | 18 | 26 | 28 | 24 | 31 | 7 | 16 | 2 | 2 |
| TOTAL | 1533 | 2265 | 41 | 23 | 38 | 74 | 99 | 241 | 304 | 449 | 458 | 617 | 408 | 563 | 172 | 261 | 13 | 37 |

## TABLE 39.

SHOWING DEATHS FROM SUICIDE, AND THE METHODS BY WHICH IT WAS ACCOMPLISHED, IN SCOTLAND, ITS GROUPS OF DISTRICTS, COUNTIES, AND PRINCIPAL TOWNS, DURING THE YEAR 1903.

TABLE **39.**—Showing Deaths from SUICIDE, and the methods by which it was
Towns, during

| | | Railways. | | Gunshot Wounds. | | Cut; Stab. | |
|---|---|---|---|---|---|---|---|
| | | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| | SCOTLAND | 12 | 2 | 26 | 1 | 50 | 14 |
| | *Groups.* | | | | | | |
| | PRINCIPAL TOWN DISTRICTS | 4 | – | 11 | – | 22 | 10 |
| | LARGE TOWN DISTRICTS | 3 | – | – | 1 | 4 | 3 |
| | SMALL TOWN DISTRICTS | 1 | 1 | 5 | – | 9 | 1 |
| | MAINLAND-RURAL DISTRICTS | 4 | 1 | 10 | – | 15 | – |
| | INSULAR-RURAL DISTRICTS | – | – | – | – | – | – |
| | *Counties.* | | | | | | |
| 1 | Shetland | – | – | – | – | – | – |
| 2 | Orkney | – | – | – | – | – | – |
| 3 | Caithness, | – | – | 1 | – | – | – |
| 4 | Sutherland | – | – | – | – | – | – |
| 5 | Ross and Cromarty | – | – | – | – | 1 | – |
| 6 | Inverness | – | – | – | – | – | – |
| 7 | Nairn | – | – | – | – | – | – |
| 8 | Elgin (or Moray) | – | – | – | – | – | – |
| 9 | Banff | – | – | – | – | – | – |
| 10 | Aberdeen | – | – | 4 | – | 3 | 1 |
| 11 | Kincardine | – | – | – | – | 1 | – |
| 12 | Forfar | – | – | 2 | – | 3 | 2 |
| 13 | Perth | 1 | 1 | 1 | – | 7 | 1 |
| 14 | Fife | 5 | – | 4 | – | 2 | 2 |
| 15 | Kinross | – | – | – | – | – | – |
| 16 | Clackmannan | – | – | – | – | – | – |
| 17 | Stirling | – | – | – | – | 2 | – |
| 18 | Dumbarton | – | – | – | – | – | – |
| 19 | Argyll | – | – | – | – | 1 | – |
| 20 | Bute | – | – | – | – | – | – |
| 21 | Renfrew | 1 | – | – | – | 1 | 1 |
| 22 | Ayr | – | 1 | 1 | – | 6 | – |
| 23 | Lanark | 1 | – | 3 | 1 | 14 | 4 |
| 24 | Linlithgow | – | – | 2 | – | – | – |
| 25 | Edinburgh | 2 | – | 6 | – | 6 | 3 |
| 26 | Haddington | – | – | 1 | – | – | – |
| 27 | Berwick | – | – | – | – | 2 | – |
| 28 | Peebles | – | – | – | – | – | – |
| 29 | Selkirk | – | – | 1 | – | – | – |
| 30 | Roxburgh | 1 | – | – | – | 1 | – |
| 31 | Dumfries | 1 | – | – | – | – | – |
| 32 | Kirkcudbright | – | – | – | – | – | – |
| 33 | Wigtown | – | – | – | – | – | – |
| | Glasgow | 1 | – | 2 | – | 11 | 2 |
| | Edinburgh | 2 | – | 5 | – | 6 | 3 |
| | Dundee | – | – | 1 | – | 1 | 1 |
| | Aberdeen | – | – | 1 | – | 2 | 1 |
| | Govan | – | – | – | – | – | – |
| | Paisley | 1 | – | – | – | 1 | – |
| | Leith | – | – | – | – | – | – |
| | Greenock | – | – | – | – | – | – |
| | Partick | – | – | – | – | – | 1 |
| | Coatbridge | – | – | – | – | – | – |
| | Kilmarnock | – | – | – | – | 1 | – |
| | Kirkcaldy | – | – | 2 | – | – | 1 |
| | Perth | – | – | – | – | – | 1 |
| | Hamilton | – | – | – | – | – | – |
| | Motherwell | – | – | – | – | – | – |

accomplished, in Scotland, its Groups of Districts, Counties, and Principal
the Year 1903.

| Precipitation. | | Drowning. | | Hanging. | | Poison. | | Otherwise or Not Stated. | | Total. | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Males. | Fem. | Males. | Fem. | Male. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 6 | 5 | 40 | 18 | 49 | 25 | 14 | 8 | 4 | – | 201 | 73 |
| 4 | 3 | 13 | 2 | 20 | 12 | 8 | 4 | 1 | – | 83 | 31 |
| 1 | – | 1 | 6 | 4 | 3 | 2 | – | 1 | – | 16 | 13 |
| 1 | 1 | 15 | 7 | 10 | 5 | 1 | 1 | 1 | – | 43 | 16 |
| – | – | 11 | 3 | 14 | 5 | 3 | 3 | – | – | 57 | 12 |
| – | 1 | | – | 1 | – | – | – | 1 | – | 2 | 1 |
| – | 1 | – | – | – | 1 | – | – | 1 | – | 1 | 2 |
| – | – | – | – | – | – | – | – | – | – | – | – |
| – | – | – | – | – | – | – | – | – | – | 1 | – |
| – | – | – | – | – | – | – | – | – | – | – | – |
| – | – | 1 | – | – | – | – | – | – | – | 2 | – |
| – | – | – | – | – | – | – | – | – | – | – | – |
| – | – | – | – | – | – | – | – | – | – | – | – |
| – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| 1 | – | 8 | 1 | 3 | 1 | – | 1 | – | – | 19 | 4 |
| – | – | – | 1 | – | – | – | – | – | – | 1 | 1 |
| – | – | – | – | 6 | 5 | – | 1 | – | – | 11 | 8 |
| – | 1 | 3 | – | – | 1 | 1 | 1 | – | – | 13 | 5 |
| – | – | 6 | 4 | 6 | 4 | 2 | – | – | – | 25 | 10 |
| – | – | – | – | – | – | – | – | – | – | – | – |
| – | – | 1 | – | – | 1 | – | – | – | – | 1 | 1 |
| – | – | – | 1 | 1 | – | – | – | – | – | 3 | 1 |
| 1 | – | 1 | 1 | 1 | – | – | – | 1 | – | 4 | 1 |
| – | – | 1 | – | 1 | 1 | – | – | 1 | – | 4 | 1 |
| – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| – | 1 | 6 | 2 | 3 | 1 | 1 | 1 | – | – | 12 | 6 |
| – | – | 1 | 1 | 2 | – | 1 | – | – | – | 11 | 2 |
| 2 | 1 | 9 | 3 | 13 | 4 | 6 | 2 | 1 | – | 49 | 15 |
| – | – | 1 | – | – | – | – | – | – | – | 3 | – |
| 2 | 1 | 2 | 2 | 4 | 2 | 3 | 2 | – | – | 25 | 10 |
| – | – | – | – | 1 | – | – | – | – | – | 2 | – |
| – | – | – | 1 | – | – | – | – | – | – | 2 | 1 |
| – | – | – | – | – | – | – | – | – | – | – | – |
| – | – | – | – | 1 | 1 | – | – | – | – | 2 | 1 |
| – | – | – | – | – | 1 | – | – | – | – | 2 | 1 |
| – | – | – | – | 4 | – | – | – | – | – | 5 | – |
| – | – | – | 1 | – | 1 | – | – | – | – | – | 2 |
| – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| – | 1 | 3 | – | 7 | 4 | 2 | 1 | 1 | – | 27 | 8 |
| 2 | 1 | 1 | 1 | 4 | 2 | 2 | 1 | – | – | 22 | 8 |
| – | – | – | – | 3 | 3 | – | – | – | – | 5 | 4 |
| 1 | – | 5 | – | – | 1 | – | – | – | – | 9 | 2 |
| 1 | – | – | – | 1 | – | – | – | – | – | 2 | – |
| – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | 5 | 2 |
| – | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 |
| – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| – | – | – | – | – | – | – | – | – | – | – | 1 |
| – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| – | – | – | – | – | – | 1 | – | – | – | 2 | – |
| – | – | – | 1 | 3 | – | – | – | – | – | 5 | 2 |
| – | 1 | 1 | – | – | 1 | 1 | – | – | – | 2 | 3 |
| – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| – | – | – | – | – | – | – | – | – | – | – | – |

TABLE **40.**—DEATHS in 1903. NUMBER of DEATHS from CERTIFIED and from UNCERTIFIED CAUSES, with the Proportion of the Uncertified to the Total Deaths, in the Groups of Districts, Counties, and Principal Towns of Scotland.

| | | Population. 1891. | Population. 1901. | Total Deaths. | Certified Causes. | Uncertified Causes. | Percentage of Uncertified to Total Deaths. |
|---|---|---|---|---|---|---|---|
| | **SCOTLAND,** | 4,025,647 | 4,472,103 | 76,002 | 73,944 | 2,058 | 2·8 |
| | *Groups of Districts.* | | | | | | |
| 1 | PRINCIPAL TOWN | 1,672,764 | 1,956,561 | 35,853 | 35,321 | 532 | 1·5 |
| 2 | LARGE TOWN | 506,793 | 578,894 | 9,857 | 9,748 | 109 | 1·1 |
| 3 | SMALL TOWN | 789,322 | 896,880 | 14,468 | 14,271 | 197 | 1·4 |
| 4 | MAINLAND-RURAL | 933,375 | 923,099 | 13,978 | 13,400 | 578 | 4·1 |
| 5 | INSULAR-RURAL | 123,393 | 116,669 | 1,846 | 1,204 | 642 | 34·8 |
| | *Divisions.* | | | | | | |
| I. | NORTHERN, | 118,237 | 112,175 | 1,801 | 1,456 | 345 | 19·1 |
| II. | NORTH-WESTERN, | 165,191 | 162,728 | 2,753 | 2,089 | 664 | 24·1 |
| III. | NORTH-EASTERN, | 433,199 | 460,371 | 7,124 | 7,027 | 97 | 1·4 |
| IV. | EAST-MIDLAND, | 630,098 | 665,215 | 10,527 | 10,399 | 128 | 1·2 |
| V. | WEST-MIDLAND, | 312,820 | 352,981 | 5,725 | 5,547 | 178 | 3·1 |
| VI. | SOUTH-WESTERN, | 1,563,097 | 1,862,775 | 33,944 | 33,588 | 356 | 1·0 |
| VII. | SOUTH-EASTERN, | 599,213 | 662,415 | 10,971 | 10,711 | 260 | 2·4 |
| VIII. | SOUTHERN, | 203,792 | 198,443 | 3,157 | 3,127 | 30 | 1·0 |
| | *Counties.* | | | | | | |
| | I. NORTHERN. | | | | | | |
| 1 | Shetland, | 28,711 | 28,166 | 429 | 273 | 156 | 36·4 |
| 2 | Orkney, | 30,453 | 28,699 | 416 | 364 | 52 | 12·5 |
| 3 | Caithness, | 37,177 | 33,870 | 576 | 531 | 45 | 7·1 |
| 4 | Sutherland, | 21,896 | 21,440 | 380 | 288 | 92 | 24·2 |
| | II. NORTH-WESTERN. | | | | | | |
| 5 | Ross and Cromarty, | 78,727 | 76,450 | 1,332 | 1,005 | 327 | 24·5 |
| 6 | Inverness, | 86,464 | 86,278 | 1,421 | 1,084 | 337 | 23·7 |
| | III. NORTH-EASTERN. | | | | | | |
| 7 | Nairn, | 8,516 | 8,721 | 133 | 128 | 5 | 3·8 |
| 8 | Elgin (or Moray), | 43,175 | 44,499 | 719 | 700 | 19 | 2·6 |
| 9 | Banff, | 61,980 | 61,789 | 889 | 868 | 21 | 2·4 |
| 10 | Aberdeen, | 284,036 | 304,439 | 4 821 | 4,773 | 48 | 1·0 |
| 11 | Kincardine, | 35,492 | 40,923 | 562 | 558 | 4 | 0·7 |
| | IV. EAST-MIDLAND. | | | | | | |
| 12 | Forfar, | 277,735 | 284,082 | 4,734 | 4,706 | 28 | 0·6 |
| 13 | Perth, | 122,185 | 123,283 | 1,929 | 1,888 | 41 | 2·1 |
| 14 | Fife, | 190,365 | 218,840 | 3,284 | 3,232 | 52 | 1·5 |
| 15 | Kinross, | 6,673 | 6,981 | 123 | 120 | 3 | 2·4 |
| 16 | Clackmannan, | 33,140 | 32,029 | 457 | 453 | 4 | 0·9 |
| | V. WEST-MIDLAND. | | | | | | |
| 17 | Stirling, | 118,021 | 142,291 | 2,291 | 2,273 | 18 | 0·8 |
| 18 | Dumbarton, | 98,014 | 113,865 | 1,889 | 1,873 | 16 | 0·8 |
| 19 | Argyll, | 78,381 | 78,038 | 1,244 | 1,107 | 137 | 1·1 |
| 20 | Bute, | 18,404 | 18,787 | 301 | 294 | 7 | 2·3 |
| | VI. SOUTH-WESTERN. | | | | | | |
| 21 | Renfrew, | 245,067 | 293,497 | 5,317 | 5,227 | 90 | 1·7 |
| 22 | Ayr, | 226,386 | 254,468 | 4,123 | 4,095 | 28 | 0·7 |
| 23 | Lanark, | 1,091,644 | 1,314,810 | 24,504 | 24,266 | 238 | 1·0 |
| | VII. SOUTH-EASTERN. | | | | | | |
| 24 | Linlithgow, | 53,532 | 66,443 | 915 | 910 | 5 | 0·5 |
| 25 | Edinburgh, | 433,552 | 488,061 | 8,465 | 8,228 | 237 | 2·7 |
| 26 | Haddington, | 37,377 | 38,665 | 624 | 610 | 14 | 2·2 |
| 27 | Berwick, | 32,290 | 30,824 | 409 | 408 | 1 | 0·2 |
| 28 | Peebles, | 14,722 | 15,034 | 191 | 189 | 2 | 1·0 |
| 29 | Selkirk, | 27,740 | 23,388 | 367 | 366 | 1 | 0·3 |
| | VIII. SOUTHERN. | | | | | | |
| 30 | Roxburgh, | 53,500 | 48,804 | 780 | 772 | 8 | 1·0 |
| 31 | Dumfries, | 74,249 | 72,572 | 1,220 | 1,202 | 18 | 1·4 |
| 32 | Kirkcudbright, | 40,163 | 39,510 | 645 | 643 | 2 | 0·3 |
| 33 | Wigtown, | 35,880 | 32,557 | 512 | 510 | 2 | 0·4 |
| | *Principal Towns.* | | | | | | |
| | Glasgow, | 659,193 | 761,709 | 15,071 | 14,890 | 181 | 1·2 |
| | Edinburgh, | 276,652 | 317,459 | 5,522 | 5,321 | 201 | 3·6 |
| | Dundee, | 154,118 | 161,173 | 2,947 | 2,940 | 7 | 0·2 |
| | Aberdeen, | 124,943 | 153,503 | 2,741 | 2,726 | 15 | 0·5 |
| | Govan, | 63,625 | 82,174 | 1,464 | 1,451 | 13 | 0·9 |
| | Paisley, | 66,425 | 79,363 | 1,428 | 1,389 | 39 | 2·7 |
| | Leith, | 68,707 | 77,439 | 1,286 | 1,266 | 20 | 1·6 |
| | Greenock, | 63,423 | 68,142 | 1,311 | 1,281 | 30 | 2·3 |
| | Partick, | 36,538 | 54,298 | 777 | 771 | 6 | 0·7 |
| | Coatbridge, | 30,034 | 36,991 | 663 | 663 | – | 0·0 |
| | Kilmarnock | 28,447 | 34,165 | 629 | 626 | 3 | 0·5 |
| | Kirkcaldy, | 27,155 | 34 079 | 473 | 469 | 4 | 0·8 |
| | Perth, | 29,919 | 32,873 | 560 | 554 | 6 | 1·1 |
| | Hamilton, | 24,859 | 32,775 | 564 | 557 | 7 | 1·2 |
| | Motherwell, | 18,726 | 30,418 | 417 | 417 | – | 0·0 |

TABLE **41.**—SUMMARY of the VACCINATION RETURNS relative to the BIRTHS registered in 1903.

| No. of Division, &c. | REGISTRATION GROUPS, DIVISIONS, AND COUNTIES. | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccine Disease: On the ground of Constitutional Insusceptibility. | Insusceptible of Vaccine Disease: In respect of the Children having already had Small-pox. | Insusceptible of Vaccine Disease: On the ground of previous Successful Vaccination. | Died before Vaccination. | Removed from District before Vaccination, or otherwise unaccounted for. | Total Births for 1903. |
|---|---|---|---|---|---|---|---|---|---|
| | **SCOTLAND, - -** | 113599 | 2557 | 375 | 10 | 547 | 12699 | 3806 | 133593 |
| | *Groups of Districts.* | | | | | | | | |
| 1 | PRINCIPAL TOWN, - - | 51911 | 896 | 224 | 9 | 379 | 6594 | 2018 | 62031 |
| 2 | LARGE TOWN, - - - | 16036 | 308 | 46 | 1 | 51 | 1743 | 442 | 18627 |
| 3 | SMALL TOWN, - - - | 22946 | 679 | 47 | 0 | 96 | 2469 | 713 | 26950 |
| 4 | MAINLAND-RURAL, - - | 20750 | 586 | 51 | 0 | 15 | 1715 | 371 | 23488 |
| 5 | INSULAR-RURAL, - - | 1956 | 88 | 7 | 0 | 6 | 178 | 262 | 2497 |
| | *Divisions.* | | | | | | | | |
| I. | NORTHERN, - - - | 1971 | 136 | 2 | 0 | 9 | 182 | 121 | 2421 |
| II. | NORTH-WESTERN, - - | 2831 | 137 | 10 | 0 | 6 | 284 | 273 | 3541 |
| III. | NORTH-EASTERN, - - | 11397 | 317 | 20 | 0 | 14 | 1202 | 170 | 13120 |
| IV. | EAST-MIDLAND, - - - | 14698 | 435 | 44 | 0 | 256 | 1674 | 625 | 17732 |
| V | WEST-MIDLAND, - - - | 8690 | 240 | 33 | 0 | 20 | 870 | 293 | 10146 |
| VI. | SOUTH-WESTERN, - - | 54440 | 847 | 209 | 10 | 218 | 6423 | 1804 | 63951 |
| VII. | SOUTH-EASTERN, - - - | 15710 | 378 | 48 | 0 | 9 | 1681 | 461 | 18287 |
| VIII. | SOUTHERN, - - - - | 3862 | 67 | 9 | 0 | 15 | 383 | 59 | 4395 |
| | *Counties.* | | | | | | | | |
| | I. NORTHERN. | | | | | | | | |
| 1 | SHETLAND, - - - - | 461 | 35 | 1 | 0 | 0 | 30 | 70 | 597 |
| 2 | ORKNEY, - - - - - | 490 | 25 | 0 | 0 | 0 | 35 | 8 | 558 |
| 3 | CAITHNESS, - - - - | 666 | 51 | 0 | 0 | 9 | 79 | 21 | 826 |
| 4 | SUTHERLAND, - - - - | 354 | 25 | 1 | 0 | 0 | 38 | 22 | 440 |
| | II. NORTH-WESTERN. | | | | | | | | |
| 5 | ROSS and CROMARTY, - - | 1340 | 84 | 2 | 0 | 0 | 125 | 128 | 1679 |
| 6 | INVERNESS, - - - - | 1491 | 53 | 8 | 0 | 6 | 159 | 145 | 1862 |
| | III. NORTH-EASTERN. | | | | | | | | |
| 7 | NAIRN, - - - - - | 162 | 3 | 0 | 0 | 0 | 18 | 0 | 183 |
| 8 | ELGIN (or MORAY), - - - | 950 | 48 | 3 | 0 | 0 | 94 | 18 | 1113 |
| 9 | BANFF, - - - - - | 1514 | 19 | 8 | 0 | 0 | 123 | 9 | 1673 |
| 10 | ABERDEEN, - - - - | 7703 | 225 | 9 | 0 | 14 | 859 | 132 | 8942 |
| 11 | KINCARDINE, - - - - | 1068 | 22 | 0 | 0 | 0 | 108 | 11 | 1209 |
| | IV. EAST-MIDLAND. | | | | | | | | |
| 12 | FORFAR, - - - - - | 5986 | 175 | 20 | 0 | 227 | 848 | 311 | 7567 |
| 13 | PERTH, - - - - - | 2382 | 26 | 2 | 0 | 1 | 222 | 164 | 2797 |
| 14 | FIFE, - - - - - | 5510 | 204 | 22 | 0 | 21 | 526 | 139 | 6422 |
| 15 | KINROSS, - - - - - | 156 | 8 | 0 | 0 | 0 | 12 | 5 | 181 |
| 16 | CLACKMANNAN, - - - | 664 | 22 | 0 | 0 | 7 | 66 | 6 | 765 |
| | V. WEST-MIDLAND. | | | | | | | | |
| 17 | STIRLING, - - - - - | 4095 | 73 | 7 | 0 | 4 | 406 | 94 | 4679 |
| 18 | DUMBARTON, - - - - | 3034 | 72 | 16 | 0 | 16 | 335 | 110 | 3583 |
| 19 | ARGYLL, - - - - - | 1281 | 65 | 7 | 0 | 0 | 96 | 88 | 1537 |
| 20 | BUTE, - - - - - | 280 | 30 | 3 | 0 | 0 | 33 | 1 | 347 |
| | VI. SOUTH-WESTERN. | | | | | | | | |
| 21 | RENFREW, - - - - - | 7615 | 180 | 20 | 0 | 62 | 866 | 182 | 8925 |
| 22 | AYR, - - - - - | 6909 | 211 | 8 | 0 | 44 | 725 | 133 | 8030 |
| 23 | LANARK, - - - - - | 39916 | 456 | 181 | 10 | 112 | 4832 | 1489 | 46996 |
| | VII. SOUTH-EASTERN. | | | | | | | | |
| 24 | LINLITHGOW, - - - - | 2127 | 78 | 4 | 0 | 0 | 201 | 59 | 2469 |
| 25 | EDINBURGH, - - - - | 11364 | 245 | 39 | 0 | 3 | 1252 | 361 | 13264 |
| 26 | HADDINGTON, - - - - | 926 | 13 | 1 | 0 | 1 | 109 | 21 | 1071 |
| 27 | BERWICK, - - - - - | 615 | 17 | 0 | 0 | 0 | 51 | 6 | 689 |
| 28 | PEEBLES, - - - - - | 271 | 6 | 4 | 0 | 0 | 25 | 5 | 311 |
| 29 | SELKIRK, - - - - - | 407 | 19 | 0 | 0 | 5 | 43 | 9 | 483 |
| | VIII. SOUTHERN. | | | | | | | | |
| 30 | ROXBURGH, - - - - | 870 | 20 | 1 | 0 | 6 | 104 | 13 | 1014 |
| 31 | DUMFRIES, - - - - | 1494 | 27 | 3 | 0 | 7 | 144 | 28 | 1703 |
| 32 | KIRKCUDBRIGHT, - - - | 763 | 9 | 1 | 0 | 0 | 68 | 15 | 856 |
| 33 | WIGTOWN, - - - - | 735 | 11 | 4 | 0 | 2 | 67 | 3 | 822 |

TABLE **42.**—Vaccinations in Scotland, 1893-1903, and Proportion to the Births each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination. From Constitutional Insusceptibility. | From having had Small-pox. | From previous Vaccination. | Died before Vaccination. | Removed from District before Vaccination, or otherwise unaccounted for. | TOTAL BIRTHS. |
|---|---|---|---|---|---|---|---|---|---|
| 1893 | Numbers . | 108,117 | 2,474 | 509 | 1 | 273 | 12,781 | 3,000 | 127,155 |
| 1894 | Numbers . | 106,840 | 2.558 | 505 | 1 | 244 | 11,645 | 2,668 | 124,461 |
| 1895 | Numbers . | 108,035 | 2,567 | 492 | 1 | 232 | 12,474 | 2,760 | 126,561 |
| 1896 | Numbers . | 110,033 | 2,843 | 544 | 0 | 286 | 12,181 | 3,358 | 129,245 |
| 1897 | Numbers . | 108.378 | 2,945 | 569 | 1 | 255 | 13,552 | 3,314 | 129,014 |
| 1898 | Numbers . | 108,981 | 3,198 | 513 | 0 | 359 | 13,891 | 4,004 | 130,946 |
| 1899 | Numbers . | 109,261 | 2,942 | 597 | 0 | 355 | 13,719 | 3,920 | 130,794 |
| 1900 | Numbers . | 111,487 | 2,367 | 435 | 0 | 450 | 13,070 | 3,662 | 131,471 |
| 1901 | Numbers . | 110,664 | 2,834 | 997 | 1 | 496 | 13.436 | 3,852 | 132,280 |
| 1902 | Numbers . | 112,321 | 2.858 | 512 | 0 | 454 | 12,239 | 3,976 | 132,360 |
| *10 Years* | *Average .* | *109,412* | *2,759* | *567* | *1* | *340* | *12,899* | *3,451* | *129,429* |
| **1903** | **Numbers .** | **113,599** | **2,557** | **375** | **10** | **547** | **12,699** | **3,806** | **133.593** |
| 1893 | Percentage | 85·028 | 1·946 | 0·400 | 0·001 | 0·215 | 10·051 | 2·359 | 100·000 |
| 1894 | Percentage | 85·842 | 2·055 | 0·406 | 0·001 | 0·196 | 9·356 | 2·144 | 100·000 |
| 1895 | Percentage | 85·362 | 2·028 | 0·389 | 0·001 | 0·183 | 9·856 | 2·181 | 100·000 |
| 1896 | Percentage | 85·135 | 2·200 | 0·421 | 0·000 | 0·221 | 9·425 | 2·598 | 100·000 |
| 1897 | Percentage | 84·005 | 2·283 | 0·441 | 0·001 | 0·197 | 10·504 | 2·569 | 100·000 |
| 1898 | Percentage | 83·226 | 2·442 | 0·392 | 0·000 | 0·274 | 10·608 | 3·058 | 100·000 |
| 1899 | Percentage | 83·537 | 2·249 | 0·457 | 0·000 | 0·271 | 10·489 | 2·997 | 100·000 |
| 1900 | Percentage | 84·800 | 1·800 | 0·331 | 0·000 | 0·342 | 9·941 | 2·786 | 100·000 |
| 1901 | Percentage | 83·659 | 2·142 | 0·754 | 0·001 | 0·375 | 10·157 | 2·912 | 100·000 |
| 1902 | Percentage | 84·860 | 2·159 | 0·387 | 0·000 | 0·343 | 9·247 | 3·004 | 100·000 |
| *10 Years* | *Percentage* | *84·545* | *2·130* | *0·438* | *0·001* | *0·262* | *9,963* | *2·661* | *100·000* |
| **1903** | **Percentage** | **85·034** | **1·914** | **0·281** | **0·007** | **0·409** | **9·506** | **2·849** | **100·000** |

TABLE **43.**—Vaccinations in Scotland, 1893-1903, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination From Constitutional Insusceptibility. | From having had Small-pox. | From previous Vaccination. | Removed from District before Vaccination, or otherwise unaccounted for. | TOTAL LIVING. |
|---|---|---|---|---|---|---|---|---|
| 1893 | Numbers . | 108,117 | 2,474 | 509 | 1 | 273 | 3,000 | 114,374 |
| 1894 | Numbers . | 106,840 | 2,558 | 505 | 1 | 244 | 2,668 | 112,816 |
| 1895 | Numbers . | 108,035 | 2,567 | 492 | 1 | 232 | 2,760 | 114,087 |
| 1896 | Numbers . | 110,033 | 2,843 | 544 | 0 | 286 | 3,358 | 117,064 |
| 1897 | Numbers . | 108,378 | 2,945 | 569 | 1 | 255 | 3,314 | 115,462 |
| 1898 | Numbers . | 108,981 | 3,198 | 513 | 0 | 359 | 4,004 | 117,055 |
| 1899 | Numbers . | 109,261 | 2,942 | 597 | 0 | 355 | 3.920 | 117,075 |
| 1900 | Numbers . | 111,487 | 2,367 | 435 | 0 | 450 | 3,662 | 118,401 |
| 1901 | Numbers . | 110,664 | 2,834 | 997 | 1 | 496 | 3,852 | 118,844 |
| 1902 | Numbers . | 112,321 | 2,858 | 512 | 0 | 454 | 3,976 | 120,121 |
| *10 Years* | *Average .* | *109,412* | *2,759* | *567* | *1* | *340* | *3,451* | *116,530* |
| **1903** | **Numbers.** | **113,599** | **2,557** | **375** | **10** | **547** | **3,806** | **120,894** |
| 1893 | Percentage | 94·529 | 2·163 | 0·445 | 0·001 | 0·239 | 2·623 | 100·000 |
| 1894 | Percentage | 94·703 | 2·267 | 0·448 | 0·001 | 0·216 | 2·365 | 100·000 |
| 1895 | Percentage | 94·695 | 2·250 | 0·431 | 0·001 | 0·204 | 2·419 | 100·000 |
| 1896 | Percentage | 93·994 | 2·429 | 0·465 | 0·000 | 0·244 | 2·868 | 100·000 |
| 1897 | Percentage | 93·865 | 2·550 | 0·493 | 0·001 | 0·221 | 2·870 | 100·000 |
| 1898 | Percentage | 93·102 | 2·732 | 0·438 | 0·000 | 0·307 | 3·421 | 100·000 |
| 1899 | Percentage | 93·326 | 2·513 | 0·510 | 0·000 | 0·303 | 3·348 | 100·000 |
| 1900 | Percentage | 94·161 | 1·999 | 0·367 | 0·000 | 0·380 | 3·093 | 100·000 |
| 1901 | Percentage | 93·117 | 2·385 | 0·839 | 0·001 | 0·417 | 3·241 | 100·000 |
| 1902 | Percentage | 93·507 | 2·379 | 0·426 | 0·000 | 0·378 | 3·310 | 100·000 |
| *10 Years* | *Percentage* | *93·900* | *2·367* | *0·486* | *0·001* | *0·291* | *2·956* | *100·000* |
| **1903** | **Percentage** | **93·966** | **2·115** | **0·310** | **0·008** | **0·453** | **3·148** | **100·000** |

TABLE **44.**—Showing the Distribution of Deaths according to Months or the Influence of the Season on the Mortality, 1903.

| | | DEATHS IN 1903. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sep. | Oct. | Nov. | Dec. | YEAR |
| | SCOTLAND, - - | 8093 | 6139 | 6699 | 6455 | 6301 | 6264 | 5701 | 5451 | 5457 | 5879 | 6049 | 7485 | 75973 |
| | Mean Temperature in 1903 | 36°·5 | 42°·2 | 41°·1 | 41°·4 | 48°·9 | 53°·5 | 55°·6 | 54°·4 | 52°·5 | 47°·1 | 41°·5 | 36°·4 | 45°·9 |
| | *Groups of Districts.* | | | | | | | | | | | | | |
| 1 | PRINCIPAL TOWN DISTS. | 3870 | 2841 | 3215 | 2984 | 2923 | 3004 | 2658 | 2549 | 2595 | 2780 | 2884 | 3553 | 35856 |
| 2 | LARGE TOWN ,, | 997 | 788 | 863 | 837 | 818 | 824 | 756 | 696 | 703 | 745 | 856 | 971 | 9854 |
| 3 | SMALL TOWN ,, | 1571 | 1144 | 1255 | 1223 | 1173 | 1148 | 1036 | 1051 | 1069 | 1168 | 1187 | 1432 | 14457 |
| 4 | MAINLAND-RURAL ,, | 1483 | 1216 | 1208 | 1243 | 1231 | 1147 | 1086 | 1017 | 938 | 1036 | 990 | 1365 | 13960 |
| 5 | INSULAR-RURAL ,, | 172 | 150 | 158 | 168 | 156 | 141 | 165 | 138 | 152 | 150 | 132 | 164 | 1846 |
| | *Divisions.* | | | | | | | | | | | | | |
| I. | NORTHERN, - - - | 208 | 143 | 149 | 146 | 164 | 129 | 161 | 134 | 130 | 150 | 124 | 160 | 1798 |
| II. | NORTH-WESTERN, - - | 290 | 216 | 265 | 233 | 227 | 242 | 212 | 184 | 194 | 184 | 216 | 277 | 2740 |
| III. | NORTH-EASTERN, - - | 830 | 661 | 637 | 638 | 579 | 552 | 523 | 496 | 494 | 526 | 511 | 679 | 7126 |
| IV. | EAST-MIDLAND, - - | 1109 | 820 | 949 | 873 | 843 | 876 | 782 | 779 | 786 | 819 | 802 | 1080 | 10518 |
| V. | WEST-MIDLAND, - - | 558 | 508 | 489 | 516 | 492 | 462 | 425 | 379 | 427 | 440 | 465 | 560 | 5721 |
| VI. | SOUTH-WESTERN, - - | 3647 | 2655 | 2904 | 2797 | 2816 | 2820 | 2532 | 2473 | 2420 | 2662 | 2820 | 3401 | 33947 |
| VII. | SOUTH-EASTERN, - - | 1131 | 858 | 1025 | 992 | 895 | 939 | 819 | 774 | 809 | 852 | 866 | 1009 | 10969 |
| VIII. | SOUTHERN, - - - | 320 | 278 | 281 | 260 | 285 | 244 | 247 | 232 | 197 | 246 | 245 | 319 | 3154 |
| | *Counties.* | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | |
| 1 | Shetland, - - - - | 37 | 28 | 34 | 42 | 47 | 20 | 41 | 34 | 39 | 29 | 36 | 44 | 431 |
| 2 | Orkney, - - - - | 42 | 32 | 42 | 35 | 35 | 31 | 34 | 36 | 31 | 41 | 27 | 29 | 415 |
| 3 | Caithness, - - - - | 77 | 50 | 45 | 44 | 49 | 53 | 40 | 36 | 34 | 47 | 43 | 56 | 574 |
| 4 | Sutherland, - - - | 52 | 33 | 28 | 25 | 33 | 25 | 46 | 28 | 26 | 33 | 18 | 31 | 378 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | |
| 5 | Ross and Cromarty - - | 155 | 109 | 124 | 116 | 110 | 111 | 88 | 72 | 96 | 91 | 109 | 138 | 1319 |
| 6 | Inverness, - - - - | 135 | 107 | 141 | 117 | 117 | 131 | 124 | 112 | 98 | 93 | 107 | 139 | 1421 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | |
| 7 | Nairn, - - - - | 14 | 13 | 4 | 14 | 17 | 10 | 9 | 12 | 10 | 10 | 9 | 11 | 133 |
| 8 | Elgin (or Moray), - - | 98 | 64 | 65 | 63 | 58 | 55 | 51 | 57 | 47 | 53 | 42 | 66 | 719 |
| 9 | Banff, - - - - | 95 | 83 | 94 | 78 | 70 | 82 | 64 | 56 | 65 | 70 | 67 | 73 | 897 |
| 10 | Aberdeen, - - - - | 549 | 433 | 423 | 426 | 400 | 378 | 363 | 333 | 330 | 347 | 358 | 475 | 4815 |
| 11 | Kincardine, - - - | 74 | 68 | 51 | 57 | 34 | 27 | 36 | 38 | 42 | 46 | 35 | 54 | 562 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | |
| 12 | Forfar, - - - - | 503 | 390 | 454 | 396 | 360 | 380 | 336 | 347 | 358 | 382 | 349 | 480 | 4735 |
| 13 | Perth, - - - - | 206 | 132 | 178 | 171 | 165 | 184 | 133 | 153 | 140 | 149 | 136 | 178 | 1925 |
| 14 | Fife, - - - - - | 349 | 260 | 268 | 255 | 273 | 260 | 269 | 237 | 244 | 248 | 256 | 359 | 3278 |
| 15 | Kinross, - - - - | 13 | 8 | 8 | 8 | 13 | 10 | 11 | 9 | 8 | 11 | 8 | 16 | 123 |
| 16 | Clackmannan, - - - | 38 | 30 | 41 | 43 | 32 | 42 | 33 | 33 | 36 | 29 | 53 | 47 | 457 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | |
| 17 | Stirling, - - - - | 221 | 196 | 216 | 195 | 196 | 171 | 175 | 158 | 153 | 168 | 195 | 247 | 2291 |
| 18 | Dumbarton, - - - | 199 | 171 | 147 | 168 | 166 | 157 | 128 | 128 | 149 | 148 | 151 | 177 | 1889 |
| 19 | Argyll, - - - - | 115 | 119 | 100 | 122 | 114 | 111 | 90 | 70 | 95 | 95 | 96 | 113 | 1240 |
| 20 | Bute, - - - - - | 23 | 22 | 26 | 31 | 16 | 23 | 32 | 23 | 30 | 29 | 23 | 23 | 301 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | |
| 21 | Renfrew, - - - - | 564 | 404 | 432 | 433 | 456 | 436 | 434 | 387 | 398 | 434 | 431 | 508 | 5317 |
| 22 | Ayr, - - - - - | 453 | 308 | 382 | 316 | 345 | 324 | 313 | 319 | 295 | 330 | 321 | 414 | 4120 |
| 23 | Lanark, - - - - | 2630 | 1943 | 2090 | 2048 | 2015 | 2060 | 1785 | 1767 | 1727 | 1898 | 2068 | 2479 | 24510 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | |
| 24 | Linlithgow, - - - | 95 | 80 | 72 | 83 | 62 | 71 | 67 | 70 | 74 | 71 | 81 | 89 | 915 |
| 25 | Edinburgh, - - - | 842 | 629 | 806 | 749 | 736 | 761 | 639 | 589 | 616 | 649 | 680 | 770 | 8466 |
| 26 | Haddington, - - - | 73 | 65 | 54 | 64 | 39 | 43 | 38 | 40 | 48 | 49 | 42 | 68 | 623 |
| 27 | Berwick, - - - - | 49 | 37 | 40 | 43 | 25 | 26 | 31 | 26 | 39 | 34 | 22 | 35 | 407 |
| 28 | Peebles, - - - - | 25 | 12 | 15 | 19 | 12 | 13 | 18 | 18 | 17 | 20 | 10 | 12 | 191 |
| 29 | Selkirk, - - - - | 47 | 35 | 38 | 34 | 21 | 25 | 26 | 31 | 15 | 29 | 31 | 35 | 367 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | |
| 30 | Roxburgh, - - - - | 74 | 47 | 62 | 76 | 70 | 71 | 65 | 53 | 50 | 63 | 70 | 77 | 778 |
| 31 | Dumfries, - - - - | 124 | 117 | 115 | 95 | 107 | 86 | 103 | 92 | 75 | 100 | 86 | 119 | 1219 |
| 32 | Kirkcudbright, - - - | 77 | 45 | 55 | 49 | 60 | 57 | 46 | 49 | 30 | 58 | 51 | 68 | 645 |
| 33 | Wigtown, - - - - | 45 | 69 | 49 | 40 | 48 | 30 | 33 | 38 | 42 | 25 | 38 | 55 | 512 |

The numbers given above are compiled from the Returns, furnished by the Registrars, which appear in the Registrar-General's Quarterly Reports, and do not in all cases exactly correspond with those given in other parts of this Report.

TABLE **45.**—Meteorology of Scotland for 1903, deduced from Observations made at 60 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also the Number of Births, Deaths, and Marriages registered during each Month of the Year 1903.

| 1903. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | YEAR. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Barometer (inch) | 29·746 | 29·745 | 29·512 | 29·832 | 29·873 | 30·096 | 29·846 | 29·678 | 29·956 | 29·447 | 29·906 | 29·684 | 29·777 |
| Mean of Max. Tem. . | 40°·9 | 47°·5 | 46°·8 | 48°·7 | 56°·5 | 61°·7 | 63°·0 | 61°·8 | 59°·6 | 52°·5 | 46°·9 | 40°·8 | 52°·2 |
| ,, ,, Min. ,, . | 32°·2 | 36°·8 | 35°·4 | 34°·2 | 41°·2 | 45°·3 | 48°·3 | 47°·1 | 45°·3 | 41°·8 | 36°·2 | 32°·1 | 39°·7 |
| Mean Temperature | 36°·5 | 42°·2 | 41°·1 | 41°·4 | 48°·9 | 53°·5 | 55°·6 | 54°·4 | 52°·5 | 47°·1 | 41°·5 | 36°·4 | 45°·9 |
| Absolute Maximum . | 55°·0 | 59°·0 | 57°·8 | 61°·5 | 79°·7 | 82°·0 | 80°·0 | 74°·0 | 72°·0 | 69°·0 | 58°·2 | 57°·0 | 82°·0 |
| Absolute Minimum . | 1°·0 | 22°·8 | 22°·0 | 16°·0 | 20°·0 | 26°·5 | 33°·0 | 32°·5 | 27°·0 | 25°·0 | 15°·0 | 11°·5 | 1°·0 |
| Dry-bulb Temperature | 36°·8 | 41°·9 | 40°·8 | 41°·2 | 48°·4 | 53°·2 | 55°·4 | 54°·1 | 52°·0 | 47°·0 | 41°·3 | 36°·8 | 45°·7 |
| Depression of Wet-bulb | 1°·7 | 2°·1 | 2°·1 | 2°·6 | 3°·1 | 3°·4 | 2°·9 | 2°·7 | 2°·3 | 1°·8 | 1°·8 | 1°·2 | 2°·3 |
| Vapour Pressure (inch) | ·186 | ·224 | ·212 | ·207 | ·267 | ·315 | ·358 | ·343 | ·328 | ·280 | ·223 | ·195 | ·261 |
| Humidity of Air °/₀ . | 86 | 85 | 84 | 80 | 79 | 78 | 82 | 81 | 84 | 87 | 86 | 90 | 83 |
| Number of Rainy Days | 19 | 19 | 25 | 15 | 14 | 12 | 17 | 22 | 16 | 27 | 19 | 18 | 223 |
| Amount of Rain (inch) | 6·04 | 6·10 | 5·96 | 1·92 | 2·09 | 2·02 | 4·50 | 5·53 | 3·20 | 7·57 | 3·21 | 3·39 | 51·53 |
| Amount of Cloud (0–10) | 6·5 | 7·0 | 6·5 | 6·3 | 6·7 | 6·6 | 7·2 | 6·5 | 6·1 | 7·1 | 6·0 | 6·9 | 6·6 |
| Easterly Winds . . | 14 | 5 | 9 | 18 | 29 | 28 | 20 | 10 | 23 | 19 | 8 | 23 | 206 |
| Westerly Winds . . (Observations twice daily) | 32 | 40 | 40 | 27 | 20 | 19 | 29 | 41 | 21 | 27 | 38 | 19 | 353 |
| Births . . . . . | 11128 | 9723 | 11258 | 11754 | 12165 | 12458 | 11656 | 10741 | 10531 | 11002 | 9924 | 11159 | *133499 |
| Deaths . . . . . | 8093 | 6139 | 6699 | 6455 | 6301 | 6264 | 5701 | 5451 | 5457 | 5879 | 6049 | 7485 | 75973 |
| Marriages . . . . . | 4101 | 1709 | 1917 | 2477 | 1008 | 5030 | 3897 | 2116 | 2222 | 1986 | 2262 | 3595 | 32320 |
| Daily Births . . . . | 359 | 347 | 363 | 392 | 392 | 415 | 376 | 346 | 351 | 355 | 331 | 360 | 366 |
| Daily Deaths. . . | 261 | 219 | 216 | 215 | 203 | 209 | 184 | 176 | 182 | 190 | 202 | 241 | 208 |

* *See* Note to preceding Table.

TABLE **46.**—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Diseases, in Eight of the Principal Towns of Scotland, during each Month of the Year 1903.

| 1903. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Mean Temperature** | 37°·3 | 43°·3 | 42°·1 | 42°·4 | 49°·5 | 54°·4 | 57°·0 | 55°·5 | 53°·2 | 48°·0 | 42°·4 | 37°·0 |
| Highest Temperature | 54°·7 | 57°·5 | 57°·3 | 60°·5 | 75°·5 | 82°·0 | 78°·1 | 70°·4 | 71°·4 | 64°·5 | 57°·9 | 54°·5 |
| Lowest Temperature | 11°·0 | 27°·0 | 26°·0 | 23°·0 | 31°·6 | 32°·5 | 37°·2 | 37°·0 | 29°·0 | 27°·0 | 21°·5 | 19°·0 |
| **Rainfall in inches** | 6·13 | 5·59 | 5·60 | 1·53 | 2·07 | 1·96 | 4·26 | 5·46 | 3·09 | 6·85 | 2·36 | 3·12 |
| Easterly Winds (days) | 10 | 4 | 5 | 10 | 16 | 17 | 13 | 5 | 13 | 9 | 4 | 13 |
| Westerly Winds (days) | 14 | 21 | 20 | 14 | 9 | 8 | 14 | 23 | 11 | 14 | 21 | 8 |
| Total Deaths | 3291 | 2478 | 2780 | 2560 | 2497 | 2601 | 2262 | 2170 | 2262 | 2385 | 2479 | 3098 |
| Daily Deaths | 106 | 88 | 90 | 85 | 81 | 87 | 73 | 70 | 75 | 77 | 83 | 100 |
| Small-pox | – | 1 | – | – | – | – | 1 | 2 | – | 1 | 10 | 12 |
| Measles | 65 | 52 | 51 | 37 | 40 | 36 | 40 | 24 | 24 | 51 | 62 | 133 |
| Scarlet Fever | 17 | 23 | 18 | 9 | 17 | 20 | 18 | 18 | 11 | 17 | 11 | 15 |
| Influenza | 48 | 39 | 19 | 14 | 12 | 7 | 3 | 2 | 8 | 9 | 14 | 32 |
| Hooping-cough | 157 | 106 | 137 | 103 | 111 | 99 | 66 | 41 | 38 | 29 | 30 | 54 |
| Diphtheria | 29 | 21 | 18 | 14 | 20 | 14 | 15 | 16 | 22 | 16 | 23 | 14 |
| All Fevers | 24 | 28 | 15 | 18 | 17 | 10 | 28 | 28 | 27 | 27 | 23 | 13 |
| Diarrhœa, Infective Enteritis | 30 | 30 | 35 | 26 | 27 | 40 | 61 | 111 | 97 | 76 | 33 | 27 |
| Phthisis | 268 | 225 | 259 | 222 | 254 | 256 | 194 | 193 | 202 | 218 | 212 | 245 |
| Dis. of Respiratory Organs* | 728 | 458 | 514 | 512 | 456 | 397 | 362 | 232 | 294 | 380 | 567 | 770 |
| Diseases of Heart and Blood Vessels | 458 | 347 | 388 | 390 | 392 | 402 | 333 | 313 | 345 | 378 | 348 | 438 |
| Brain, etc., Diseases | 198 | 138 | 190 | 150 | 144 | 176 | 149 | 152 | 136 | 144 | 141 | 171 |
| Premature Birth | 111 | 77 | 87 | 85 | 75 | 91 | 61 | 87 | 63 | 70 | 68 | 94 |
| Old Age | 138 | 102 | 107 | 94 | 81 | 83 | 75 | 64 | 69 | 81 | 81 | 116 |

* Including Pneumonia.

TABLE **47.**—Deaths, Temperature, and Fall of Rain in Eight of the Principal Towns of Scotland during each Week of the Year 1903; also the Proportion of Deaths to every Thousand of the Population.

| No. of Week. | Week ending | Deaths. | Prop. to every 1000 of Population. | Temperature. Mean. | Highest | Lowest | Rain, in inches |
|---|---|---|---|---|---|---|---|
| | | | | ° | ° | ° | |
| 1 | January 3 | 707 | 21·6 | 37·1 | 52·8 | 22·0 | 1·38 |
| 2 | 10 | 740 | 22·6 | 37·1 | 48·9 | 28·0 | 2·02 |
| 3 | 17 | 766 | 23·4 | 28·3 | 40·0 | 11·0 | 0·00 |
| 4 | 24 | 804 | 24·6 | 37·9 | 48·8 | 22·8 | 0·99 |
| 5 | 31 | 696 | 21·3 | 45·2 | 54·7 | 35·0 | 1·77 |
| 6 | February 7 | 711 | 21·7 | 43·7 | 56·6 | 31·3 | 1·24 |
| 7 | 14 | 594 | 18·1 | 44·4 | 56·2 | 27·0 | 2·05 |
| 8 | 21 | 592 | 18·1 | 44·3 | 57·5 | 30·2 | 0·62 |
| 9 | 28 | 581 | 17·7 | 40·4 | 52·7 | 28·0 | 1·67 |
| 10 | March 7 | 606 | 18·5 | 37·9 | 50·7 | 27·8 | 0·82 |
| 11 | 14 | 645 | 19·7 | 41·8 | 53·2 | 26·0 | 0·75 |
| 12 | 21 | 657 | 20·1 | 42·5 | 57·8 | 27·0 | 1·85 |
| 13 | 28 | 609 | 18·6 | 45·3 | 57·0 | 32·8 | 1·63 |
| 14 | April 4 | 589 | 18·0 | 43·8 | 57·7 | 30·0 | 0·89 |
| 15 | 11 | 578 | 17·6 | 46·8 | 60·0 | 34·9 | 0·20 |
| 16 | 18 | 581 | 17·7 | 37·1 | 49·1 | 24·2 | 0·31 |
| 17 | 25 | 605 | 18·5 | 40·6 | 60·2 | 23·0 | 0·05 |
| 18 | May 2 | 628 | 19·2 | 45·6 | 59·0 | 33·1 | 0·79 |
| 19 | 9 | 585 | 17·9 | 45·5 | 56·8 | 34·4 | 0·76 |
| 20 | 16 | 590 | 18·0 | 47·2 | 62·2 | 28·0 | 0·74 |
| 21 | 23 | 563 | 17·2 | 50·1 | 66·2 | 33·0 | 0·20 |
| 22 | 30 | 601 | 18·4 | 55·1 | 75·3 | 35·5 | 0·13 |
| 23 | June 6 | 596 | 18·2 | 56·2 | 81·5 | 34·0 | 0·30 |
| 24 | 13 | 574 | 17·5 | 53·6 | 72·2 | 36·5 | 0·02 |
| 25 | 20 | 558 | 17·0 | 49·4 | 66·0 | 32·5 | 0·18 |
| 26 | 27 | 627 | 19·1 | 56·6 | 71·4 | 35·0 | 0·92 |

| No. of Week. | Week ending | Deaths. | Prop. to every 1000 of Population. | Temperature. Mean. | Highest | Lowest | Rain, in inches |
|---|---|---|---|---|---|---|---|
| | | | | ° | ° | ° | |
| 27 | July 4 | 533 | 16·3 | 59·8 | 76·6 | 46·0 | 0·96 |
| 28 | 11 | 531 | 16·2 | 58·0 | 75·8 | 41·0 | 0·73 |
| 29 | 18 | 497 | 15·2 | 53·8 | 68·0 | 39·0 | 1·97 |
| 30 | 25 | 503 | 15·4 | 57·4 | 73·0 | 37·0 | 0·40 |
| 31 | August 1 | 480 | 14·7 | 57·4 | 71·8 | 43·0 | 1·13 |
| 32 | 8 | 478 | 14·6 | 57·5 | 69·3 | 44·2 | 1·28 |
| 33 | 15 | 505 | 15·4 | 55·8 | 69·4 | 33·0 | 1·31 |
| 34 | 22 | 493 | 15·1 | 54·5 | 66·8 | 39·0 | 0·35 |
| 35 | 29 | 495 | 15·1 | 55·3 | 70·0 | 37·0 | 0·86 |
| 36 | September 5 | 542 | 16·6 | 54·8 | 68·8 | 36·0 | 2·43 |
| 37 | 12 | 470 | 14·4 | 51·2 | 65·1 | 36·0 | 1·00 |
| 38 | 19 | 527 | 16·1 | 48·9 | 67·8 | 29·0 | 0·04 |
| 39 | 26 | 550 | 16·8 | 56·4 | 71·4 | 42·8 | 0·46 |
| 40 | October 3 | 566 | 17·3 | 55·5 | 67·8 | 42·0 | 0·81 |
| 41 | 10 | 525 | 16·0 | 46·8 | 61·2 | 27·0 | 2·27 |
| 42 | 17 | 527 | 16·1 | 47·9 | 59·3 | 36·0 | 1·34 |
| 43 | 24 | 546 | 16·7 | 47·3 | 60·5 | 32·8 | 0·81 |
| 44 | 31 | 557 | 17·0 | 47·1 | 56·2 | 35·0 | 1·85 |
| 45 | November 7 | 516 | 15·8 | 44·3 | 58·9 | 24·0 | 0·25 |
| 46 | 14 | 571 | 17·4 | 46·0 | 55·5 | 27·6 | 0·71 |
| 47 | 21 | 569 | 17·4 | 41·4 | 57·2 | 27·0 | 0·22 |
| 48 | 28 | 611 | 18·7 | 40·2 | 53·5 | 24·0 | 1·16 |
| 49 | December 5 | 655 | 20·0 | 33·5 | 49·2 | 19·0 | 0·89 |
| 50 | 12 | 735 | 22·4 | 37·7 | 48·8 | 20·0 | 0·94 |
| 51 | 19 | 686 | 20·9 | 37·8 | 47·8 | 26·0 | 0·63 |
| 52 | 26 | 680 | 20·8 | 39·0 | 54·8 | 21·0 | 0·59 |
| 53 | Jan. 2, 1904 | 712 | 21·7 | 34·0 | 41·0 | 19·0 | 0·13 |

TABLE **48.**—Monthly Deaths at Four Periods of Life in Eight of the Principal Towns of Scotland during the Year 1903, and Proportion at each Age in every Hundred Deaths per Month.

| MONTHS. | Actual Number of Deaths in 1903. | | | | | Proportion at each Age in every Hundred Deaths per Month. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total Deaths. | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total Deaths. |
| January . . | 1,095 | 202 | 1111 | 883 | 3291 | 33·3 | 6·1 | 33·8 | 26·8 | 100 |
| February . | 853 | 181 | 838 | 606 | 2478 | 34·4 | 7·3 | 33·8 | 24·5 | 100 |
| March . . | 945 | 200 | 929 | 706 | 2780 | 34·0 | 7·2 | 33·4 | 25·4 | 100 |
| April . . . | 892 | 184 | 858 | 626 | 2560 | 34·8 | 7·2 | 33·5 | 24·5 | 100 |
| May . . . | 851 | 191 | 870 | 585 | 2497 | 34·1 | 7·7 | 34·8 | 23·4 | 100 |
| June . . . | 874 | 218 | 924 | 585 | 2601 | 33·6 | 8·4 | 35·5 | 22·5 | 100 |
| July . . . | 776 | 177 | 788 | 521 | 2262 | 34·3 | 7·8 | 34·9 | 23·0 | 100 |
| August . . | 829 | 171 | 714 | 456 | 2170 | 38·2 | 7·9 | 32·9 | 21·0 | 100 |
| September . | 838 | 187 | 721 | 516 | 2262 | 37·0 | 8·3 | 31·9 | 22·8 | 100 |
| October . | 876 | 164 | 793 | 552 | 2385 | 36·7 | 6·9 | 33·3 | 23·1 | 100 |
| November . | 981 | 162 | 774 | 562 | 2479 | 39·6 | 6·5 | 31·2 | 22·7 | 100 |
| December . | 1127 | 207 | 1002 | 762 | 3098 | 36·4 | 6·7 | 32·3 | 24·6 | 100 |
| YEAR . | 10,937 | 2244 | 10,322 | 7360 | 30,863 | 35·4 | 7·3 | 33·4 | 23·9 | 100 |

TABLE **49.**—Months equalised to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in Eight of the Principal Towns during each Month of the Year 1903.

| MONTHS. | Relative Number of Deaths in 1903. | | | | | Monthly Deaths proportioned to 1000 per Month or 12,000 per annum. |
|---|---|---|---|---|---|---|
| | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total. | |
| January . . . | 1095 | 202 | 1111 | 883 | 3291 | 1255 |
| February . . . | 944 | 200 | 928 | 671 | 2743 | 1046 |
| March . . . | 945 | 200 | 929 | 706 | 2780 | 1060 |
| April . . . | 922 | 190 | 886 | 647 | 2645 | 1009 |
| May . . . | 851 | 191 | 870 | 585 | 2497 | 953 |
| June . . . | 903 | 225 | 955 | 605 | 2688 | 1025 |
| July . . . | 776 | 177 | 788 | 521 | 2262 | 863 |
| August . . . | 829 | 171 | 714 | 456 | 2170 | 828 |
| September . . | 866 | 193 | 745 | 533 | 2337 | 892 |
| October . . . | 876 | 164 | 793 | 552 | 2385 | 910 |
| November . | 1014 | 167 | 800 | 581 | 2562 | 977 |
| December . . | 1127 | 207 | 1002 | 762 | 3098 | 1182 |
| YEAR . . | 11,148 | 2287 | 10,521 | 7502 | 31,458 | 12,000 |

## BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1903.

| | 1903. | Area in Square Miles.* | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. | Excess of Births over Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | 1891. | 1901. | Male. | Fem. | Total. | Mal. | Fem | Total. | Male. | Fem. | Total. | | |
| | SCOTLAND, - - | 29796·1 | 4,025,647 | 4,472,103 | 68087 | 65438 | 133525 | 4331 | 3964 | 8295 | 38136 | 37866 | 76002 | 32351 | 57523 |
| | *Groups of Districts.* | | | | | | | | | | | | | | |
| 1 | PRINCIPAL TOWNS . | | 1,672,764 | 1,956,561 | 31481 | 30525 | 62006 | 1996 | 1770 | 3766 | 18128 | 17725 | 35853 | 17236 | 26153 |
| 2 | LARGE TOWNS . . | | 506,793 | 578,894 | 9536 | 9087 | 18623 | 447 | 427 | 874 | 4984 | 4873 | 9857 | 4310 | 8766 |
| 3 | SMALL TOWNS . . | | 789,322 | 896,880 | 13800 | 13133 | 26933 | 807 | 727 | 1534 | 7178 | 7290 | 14468 | 5818 | 12465 |
| 4 | MAINLAND-RURAL . | | 933,375 | 923,099 | 11964 | 11507 | 23471 | 1011 | 974 | 1985 | 6971 | 7007 | 13978 | 4617 | 9493 |
| 5 | INSULAR-RURAL . . | | 123,393 | 116,669 | 1306 | 1186 | 2492 | 70 | 66 | 136 | 875 | 971 | 1846 | 370 | 646 |
| | *Divisions.* | | | | | | | | | | | | | | |
| 1 | NORTHERN . . . | 3640·8 | 118,237 | 112,175 | 1290 | 1129 | 2419 | 70 | 69 | 139 | 797 | 1004 | 1801 | 479 | 618 |
| 2 | NORTH-WESTERN . . | 7299·6 | 165,191 | 162,728 | 1839 | 1697 | 3536 | 117 | 95 | 212 | 1322 | 1431 | 2753 | 684 | 783 |
| 3 | NORTH-EASTERN . . | 3621·5 | 433,199 | 460,371 | 6686 | 6427 | 13113 | 804 | 646 | 1450 | 3523 | 3601 | 7124 | 3130 | 5989 |
| 4 | EAST-MIDLAND . . | 4008·0 | 630,098 | 665,215 | 9021 | 8706 | 17727 | 620 | 580 | 1200 | 4967 | 5560 | 10527 | 4577 | 7200 |
| 5 | WEST-MIDLAND . . | 4025·6 | 312,820 | 352,981 | 5115 | 5021 | 10136 | 217 | 230 | 447 | 2935 | 2790 | 5725 | 2109 | 4411 |
| 6 | SOUTH-WESTERN . . | 2251·1 | 1,563,097 | 1,862,775 | 32552 | 31373 | 63925 | 1667 | 1549 | 3216 | 17526 | 16418 | 33944 | 14930 | 29981 |
| 7 | SOUTH-EASTERN . . | 1825·2 | 599,213 | 662,415 | 9306 | 8971 | 18277 | 597 | 557 | 1154 | 5517 | 5454 | 10971 | 5185 | 7306 |
| 8 | SOUTHERN . . . | 3124·3 | 203,792 | 193,443 | 2278 | 2114 | 4392 | 239 | 238 | 477 | 1549 | 1608 | 3157 | 1257 | 1235 |
| | *Counties.* | | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | | |
| 1 | Shetland . . . . | 551·4 | 28,711 | 28,166 | 321 | 276 | 597 | 4 | 6 | 10 | 175 | 254 | 429 | 139 | 168 |
| 2 | Orkney . . . . | 375·7 | 30,453 | 28,699 | 305 | 252 | 557 | 20 | 19 | 39 | 189 | 227 | 416 | 137 | 141 |
| 3 | Caithness . . . . | 685·8 | 37,177 | 33,870 | 439 | 386 | 825 | 38 | 36 | 74 | 263 | 313 | 576 | 153 | 249 |
| 4 | Sutherland . . . . | 2027·9 | 21,896 | 21,440 | 225 | 215 | 440 | 8 | 8 | 16 | 170 | 210 | 380 | 50 | 60 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| 5 | Ross and Cromarty . . | 3088·6 | 78,727 | 76,450 | 853 | 824 | 1677 | 39 | 33 | 72 | 642 | 690 | 1332 | 302 | 345 |
| 6 | Inverness . . . . | 4211·0 | 86,464 | 86,278 | 986 | 873 | 1859 | 78 | 62 | 140 | 680 | 741 | 1421 | 382 | 438 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| 7 | Nairn . . . . | 161·6 | 8,516 | 8,721 | 94 | 89 | 183 | 9 | 5 | 14 | 57 | 76 | 133 | 43 | 50 |
| 8 | Elgin (or Moray) . . | 476·7 | 43,175 | 44,499 | 565 | 548 | 1113 | 80 | 61 | 141 | 340 | 379 | 719 | 236 | 394 |
| 9 | Banff . . . . . | 630·3 | 61,980 | 61,789 | 843 | 827 | 1670 | 104 | 94 | 198 | 413 | 476 | 889 | 339 | 781 |
| 10 | Aberdeen . . . . | 1971·7 | 284,036 | 304,439 | 4544 | 4395 | 8939 | 550 | 443 | 993 | 2418 | 2403 | 4821 | 2309 | 4118 |
| 11 | Kincardine . . . . | 381·2 | 35,492 | 40,923 | 640 | 568 | 1208 | 61 | 43 | 104 | 295 | 267 | 562 | 203 | 646 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| 12 | Forfar . . . . | 873·7 | 277,735 | 284,082 | 3909 | 3657 | 7566 | 337 | 279 | 616 | 2187 | 2547 | 4734 | 2088 | 2832 |
| 13 | Perth . . . . . | 2493·4 | 122,185 | 123,283 | 1369 | 1427 | 2796 | 105 | 116 | 221 | 905 | 1024 | 1929 | 715 | 867 |
| 14 | Fife . . . . . | 504·4 | 190,365 | 218,840 | 3267 | 3153 | 6420 | 156 | 155 | 311 | 1601 | 1683 | 3284 | 1508 | 3136 |
| 15 | Kinross . . . . | 81·9 | 6,673 | 6,981 | 95 | 86 | 181 | 7 | 7 | 14 | 64 | 59 | 123 | 45 | 58 |
| 16 | Clackmannan . . . | 54·6 | 33,140 | 32,029 | 381 | 383 | 764 | 15 | 23 | 38 | 210 | 247 | 457 | 221 | 307 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | | |
| 17 | Stirling . . . . | 451·3 | 118,021 | 142,291 | 2393 | 2282 | 4675 | 86 | 106 | 192 | 1189 | 1102 | 2291 | 999 | 2384 |
| 18 | Dumbarton . . . . | 246·0 | 98,014 | 113,865 | 1819 | 1762 | 3581 | 68 | 62 | 130 | 985 | 904 | 1889 | 727 | 1692 |
| 19 | Argyll . . . . | 3110·1 | 78,381 | 78,038 | 730 | 803 | 1533 | 51 | 54 | 105 | 615 | 629 | 1244 | 361 | 289 |
| 20 | Bute . . . . . | 218·2 | 18,404 | 18,787 | 173 | 174 | 347 | 12 | 8 | 20 | 146 | 155 | 301 | 82 | 46 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| 21 | Renfrew . . . . | 239·6 | 245,067 | 293,497 | 4565 | 4356 | 8921 | 202 | 167 | 369 | 2659 | 2658 | 5317 | 1957 | 3604 |
| 22 | Ayr . . . . . | 1132·1 | 226,386 | 254,468 | 4112 | 3916 | 8028 | 245 | 205 | 450 | 2128 | 1995 | 4123 | 1825 | 3905 |
| 23 | Lanark . . . . | 879·4 | 1,091,644 | 1,314,810 | 23875 | 23101 | 46976 | 1220 | 1177 | 2397 | 12739 | 11765 | 24504 | 11148 | 22472 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| 24 | Linlithgow . . . . | 120·1 | 53,532 | 66,443 | 1208 | 1258 | 2466 | 54 | 53 | 107 | 456 | 459 | 915 | 402 | 1551 |
| 25 | Edinburgh . . . . | 366·2 | 433,552 | 488,061 | 6738 | 6524 | 13262 | 441 | 422 | 863 | 4278 | 4187 | 8465 | 4142 | 4797 |
| 26 | Haddington . . . | 267·2 | 37,377 | 38,665 | 575 | 495 | 1070 | 42 | 15 | 57 | 316 | 308 | 624 | 242 | 446 |
| 27 | Berwick . . . . | 457·2 | 32,290 | 30,824 | 353 | 332 | 685 | 32 | 32 | 64 | 191 | 218 | 409 | 172 | 276 |
| 28 | Peebles . . . . | 347·8 | 14,722 | 15,034 | 179 | 132 | 311 | 12 | 15 | 27 | 93 | 98 | 191 | 66 | 120 |
| 29 | Selkirk . . . . | 266·8 | 27,740 | 23,388 | 253 | 230 | 483 | 16 | 20 | 36 | 183 | 184 | 367 | 161 | 116 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | | |
| 30 | Roxburgh . . . . | 665·7 | 53,500 | 48,804 | 532 | 481 | 1013 | 60 | 46 | 106 | 379 | 401 | 780 | 316 | 233 |
| 31 | Dumfries . . . . | 1072·3 | 74,249 | 72,572 | 870 | 831 | 1701 | 89 | 88 | 177 | 603 | 617 | 1220 | 519 | 481 |
| 32 | Kirkcudbright . . . | 899·3 | 40,163 | 39,510 | 451 | 404 | 855 | 41 | 51 | 92 | 320 | 325 | 645 | 212 | 210 |
| 33 | Wigtown . . . . | 486·9 | 35,880 | 32,557 | 425 | 398 | 823 | 49 | 53 | 102 | 247 | 265 | 512 | 210 | 311 |

*The acreage of Scotland, excluding inland water, tidal water, and foreshore, as furnished by the Ordnance Survey Department, Southampton, is 19,069,500 acres.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | I. NORTHERN. | | | | | | | | | | | | |
| | 1. SHETLAND. | | | | | | | | | | | | |
| 1 | Bressay, | 802 | 686 | 8 | 5 | 13 | – | – | – | – | 6 | 6 | 1 |
| 2 | Delting, | 1512 | 1389 | 16 | 14 | 30 | – | 1 | 1 | 6 | 14 | 20 | 2 |
| 3 | Dunrossness, etc.— | | | | | | | | | | | | |
| | (1) Dunrossness, | 1415 | 1375 | 12 | 19 | 31 | – | – | – | 5 | 10 | 15 | 1 |
| | (2) Sandwick and Cunningsburgh, | 2114 | 2116 | 28 | 18 | 46 | – | – | – | 11 | 17 | 28 | 3 |
| | (3) Fair Isle, | 223 | 147 | 2 | 2 | 4 | – | – | – | – | 1 | 1 | – |
| 4 | Fetlar, | 363 | 347 | 4 | 3 | 7 | – | – | – | 3 | 5 | 8 | 2 |
| 5 | LERWICK—(1) LERWICK, | 5013 | 5661 | 86 | 60 | 146 | 3 | 3 | 6 | 41 | 60 | 101 | 92 |
| | (2) Burra Isles, | 744 | 858 | 15 | 12 | 27 | – | – | – | 4 | 5 | 9 | 1 |
| 6 | Yell—(1) Mid and South Yell, | 1798 | 1792 | 15 | 22 | 37 | – | – | – | 11 | 20 | 31 | 4 |
| | (2) North Yell, | 713 | 691 | 10 | 4 | 14 | – | – | – | 3 | 10 | 13 | 1 |
| 7 | Nesting, etc.—(1) Nesting, | 776 | 726 | 3 | 2 | 5 | – | – | – | 5 | 4 | 9 | 1 |
| | (2) Lunnasting, | 719 | 655 | 7 | 8 | 15 | – | – | – | 3 | 6 | 9 | 3 |
| | (3) Whalsay, | 927 | 975 | 14 | 8 | 22 | – | – | – | 3 | 7 | 10 | 1 |
| | (4) Whalsay Skerries, | 167 | 124 | – | – | – | – | – | – | 1 | 1 | 2 | – |
| 8 | Northmavine, | 2197 | 2014 | 18 | 16 | 34 | – | – | – | 14 | 13 | 27 | 6 |
| 9 | Sandsting and Aithsting, | 2562 | 2396 | 23 | 15 | 38 | – | – | – | 11 | 22 | 33 | 3 |
| 10 | Tingwall, etc.— | | | | | | | | | | | | |
| | (1) Tingwall, | 1515 | 1502 | 20 | 14 | 34 | – | – | – | 9 | 13 | 22 | 5 |
| | (2) Whiteness & Weisdale, | 814 | 771 | 7 | 5 | 12 | – | – | – | 9 | 6 | 15 | 4 |
| 11 | Unst, | 2280 | 1946 | 21 | 25 | 46 | 1 | 1 | 2 | 24 | 20 | 44 | 5 |
| 12 | Walls, etc.—(1) Walls, | 1062 | 990 | 7 | 9 | 16 | – | – | – | 3 | 6 | 9 | 3 |
| | (2) Sandness, | 512 | 503 | 4 | 9 | 13 | – | – | – | 4 | 3 | 7 | – |
| | (3) Papa-Stour, | 244 | 272 | 1 | 1 | 2 | – | – | – | 2 | 2 | 4 | – |
| | (4) Foula, | 239 | 230 | – | 5 | 5 | – | 1 | 1 | 3 | 3 | 6 | 1 |
| | Total, | 28711 | 28166 | 321 | 276 | 597 | 4 | 6 | 10 | 175 | 254 | 429 | 139 |
| | 2. ORKNEY. | | | | | | | | | | | | |
| *13 | Birsay, | 1524 | 1329 | 7 | 10 | 17 | – | – | – | 8 | 14 | 22 | 6 |
| 14 | Deerness, | 844 | 742 | 5 | 6 | 11 | 1 | – | 1 | 4 | 7 | 11 | 2 |
| 15 | Eday and Pharay, | 705 | 643 | 8 | 4 | 12 | – | – | – | 1 | 2 | 3 | 2 |
| 16 | Evie and Rendall, | 1233 | 1084 | 17 | 8 | 25 | 2 | 2 | 4 | 7 | 14 | 21 | 8 |
| 17 | Firth and Stennes— | | | | | | | | | | | | |
| | (1) Firth, | 731 | 700 | 11 | 5 | 16 | 1 | 1 | 2 | 7 | 4 | 11 | 3 |
| | (2) Stennes, | 594 | 570 | 6 | 3 | 9 | – | – | – | 4 | 1 | 5 | 4 |
| *18 | Harray, | 735 | 675 | 4 | 7 | 11 | 1 | – | 1 | 4 | 4 | 8 | 7 |
| 19 | Holm and Paplay, | 950 | 818 | 8 | 8 | 16 | – | 2 | 2 | 8 | 7 | 15 | 5 |
| 20 | Hoy and Græmsay, | 537 | 485 | 5 | 1 | 6 | – | – | – | 2 | 6 | 8 | 1 |
| 21 | KIRKWALL and St Ola, | 4755 | 4522 | 54 | 42 | 96 | 6 | 2 | 8 | 33 | 43 | 76 | 29 |
| *22 | North Ronaldshay, | 501 | 442 | 7 | 2 | 9 | – | – | – | 3 | 1 | 4 | 2 |
| 23 | Orphir, | 1001 | 877 | 15 | 4 | 19 | 1 | 1 | 2 | 1 | 13 | 14 | 6 |
| 24 | Rousay and Egilshay, | 988 | 829 | 8 | 16 | 24 | 1 | – | 1 | 4 | 7 | 11 | 1 |
| †25 | St. Andrews, | 763 | 737 | 8 | 3 | 11 | – | – | – | 2 | 5 | 7 | 2 |
| *26 | Sanday, | 1929 | 1727 | 22 | 11 | 33 | 1 | – | 1 | 21 | 15 | 36 | 7 |
| 27 | Sandwick, | 1109 | 1071 | 10 | 13 | 23 | – | 2 | 2 | 3 | 4 | 7 | 8 |
| 28 | Shapinshay, | 903 | 769 | 7 | 4 | 11 | – | – | – | 5 | 3 | 8 | 3 |
| 29 | South Ronaldshay and Burray, | 3059 | 2707 | 35 | 33 | 68 | 3 | 3 | 6 | 23 | 20 | 43 | 11 |
| 30 | STROMNESS, | 2333 | 3180 | 18 | 24 | 42 | 1 | – | 1 | 14 | 22 | 36 | 4 |
| 31 | Stronsay, | 1309 | 1184 | 14 | 10 | 24 | 1 | 1 | 2 | 10 | 4 | 14 | 1 |
| 32 | Walls, etc.—(1) Walls, | 1006 | 926 | 7 | 10 | 17 | – | 1 | 1 | 6 | 7 | 13 | 7 |
| | (2) Flotta, | 499 | 431 | 7 | 6 | 13 | 1 | – | 1 | 3 | 4 | 7 | 2 |
| 33 | Westray, etc.—(1) Westray | 2108 | 1956 | 19 | 21 | 40 | – | 4 | 4 | 12 | 14 | 26 | 13 |
| | (2) Papa-Westray, | 337 | 295 | 3 | 1 | 4 | – | – | – | 4 | 6 | 10 | 3 |
| | Total, | 30453 | 28699 | 305 | 252 | 557 | 20 | 19 | 39 | 189 | 227 | 416 | 137 |

*N B.*—Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Police Burghs or Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—CARLUKE.

An asterisk "*" is prefixed to those Districts which have different names from the Parishes in which they are situated, or which comprise more, or parts of more, than one Parish. The component parts of these Districts will be found at page 564.

A dagger "†" is prefixed to those Districts which consist of only a part of the Civil Parish of the same name.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | 3. Caithness. | | | | | | | | | | | | |
| 34 | Bower, | 1506 | 1453 | 24 | 11 | 35 | 2 | 3 | 5 | 10 | 7 | 17 | 5 |
| †35 | Canisbay, | 2168 | 2006 | 16 | 22 | 38 | – | – | – | 13 | 15 | 28 | 10 |
| 36 | Dunnet, | 1488 | 1232 | 10 | 13 | 23 | 1 | 2 | 3 | 9 | 12 | 21 | 3 |
| 37*a* | Halkirk, | 2577 | 2355 | 34 | 31 | 65 | 2 | 2 | 4 | 22 | 18 | 40 | 9 |
| *37*b* | Keiss, | 1266 | 1110 | 10 | 11 | 21 | – | 2 | 2 | 9 | 8 | 17 | – |
| 38 | Latheron, | 5875 | 5223 | 61 | 52 | 113 | 3 | 6 | 9 | 39 | 43 | 82 | 22 |
| 39 | Olrig, | 1837 | 1555 | 21 | 15 | 36 | 3 | – | 3 | 15 | 18 | 33 | 5 |
| 40 | Reay, | 1182 | 974 | 11 | 7 | 18 | – | – | – | 3 | 9 | 12 | 2 |
| 41 | Thurso, | 5825 | 5406 | 69 | 44 | 113 | 8 | 2 | 10 | 56 | 69 | 125 | 30 |
| 42 | Watten, | 1390 | 1230 | 16 | 15 | 31 | 3 | 2 | 5 | 8 | 4 | 12 | 9 |
| †43 | WICK, | 12063 | 11326 | 167 | 165 | 332 | 16 | 17 | 33 | 79 | 110 | 189 | 58 |
| | Total, | 37177 | 33870 | 439 | 386 | 825 | 38 | 36 | 74 | 263 | 313 | 576 | 153 |
| | 4. Sutherland. | | | | | | | | | | | | |
| 44 | Assynt—(1) Kirkton, | 400 | 338 | 2 | 3 | 5 | – | – | – | 1 | 5 | 6 | 1 |
| | (2) Stoer, | 2151 | 2048 | 18 | 23 | 41 | – | – | – | 16 | 19 | 35 | 2 |
| 45 | Clyne, | 1713 | 1724 | 14 | 19 | 33 | 1 | – | 1 | 22 | 23 | 45 | 5 |
| 46 | Creich—(1) Bonar, | 1436 | 1355 | 18 | 17 | 35 | 4 | 1 | 5 | 13 | 16 | 29 | 3 |
| | (2) Rosehall, | 577 | 481 | 4 | 2 | 6 | – | – | – | 2 | 4 | 6 | 1 |
| 47 | DORNOCH, | 2331 | 2794 | 34 | 22 | 56 | – | – | – | 18 | 21 | 39 | 5 |
| 48 | Durness, | 960 | 870 | 7 | 11 | 18 | – | – | – | 7 | 12 | 19 | – |
| 49 | Eddrachillis—(1) Scourie, | 511 | 541 | 5 | 9 | 14 | – | – | – | 2 | 9 | 11 | 1 |
| | (2) Kinlochbervie, | 898 | 877 | 10 | 7 | 17 | – | – | – | 1 | 6 | 7 | 2 |
| 50 | Farr—(1) Kirkton, | 1081 | 1025 | 11 | 14 | 25 | – | – | – | 9 | 8 | 17 | 3 |
| | (2) Strathy, | 1669 | 1532 | 22 | 10 | 32 | 2 | 1 | 3 | 13 | 20 | 33 | 3 |
| 51 | Golspie, | 1451 | 1665 | 19 | 17 | 36 | – | – | – | 13 | 12 | 25 | 6 |
| 52 | Kildonan, | 1828 | 1772 | 21 | 19 | 40 | – | 2 | 2 | 10 | 13 | 23 | 6 |
| 53 | Lairg, | 1169 | 1081 | 8 | 7 | 15 | – | – | – | 11 | 9 | 20 | 6 |
| 54 | Loth, | 528 | 449 | 4 | 6 | 10 | – | 2 | 2 | 5 | 4 | 9 | – |
| 55 | Rogart, | 1268 | 1105 | 6 | 11 | 17 | – | 1 | 1 | 9 | 10 | 19 | 4 |
| 56 | Tongue, | 1925 | 1783 | 22 | 18 | 40 | 1 | 1 | 2 | 18 | 19 | 37 | 2 |
| | Total, | 21896 | 21440 | 225 | 215 | 440 | 8 | 8 | 16 | 170 | 210 | 380 | 50 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | |
| | 5. Ross and Cromarty. *Mainland.* | | | | | | | | | | | | |
| 57 | Alness, | 1039 | 956 | 10 | 9 | 19 | 1 | – | 1 | 9 | 10 | 19 | 5 |
| *58 | Applecross—(1) Applecross, | 890 | 813 | 7 | 7 | 14 | – | – | – | 12 | 7 | 19 | 2 |
| | (2) Shieldaig | 987 | 864 | 6 | 11 | 17 | 1 | – | 1 | 8 | 8 | 16 | – |
| 59*a* | Avoch, | 1817 | 1852 | 21 | 24 | 45 | 1 | 1 | 2 | 8 | 10 | 18 | 7 |
| *59*b* | Carnoch, | 249 | 235 | 1 | – | 1 | – | – | – | – | 1 | | 1 |
| †60 | Contin—(1) Contin, | 592 | 516 | 7 | 5 | 12 | 1 | – | 1 | 6 | 3 | 9 | – |
| | (2) Kinlochluichart, | 630 | 589 | 5 | 4 | 9 | – | – | – | 3 | 3 | 6 | 2 |
| 61 | CROMARTY, | 2007 | 1848 | 22 | 26 | 48 | 3 | 3 | 6 | 14 | 19 | 33 | 9 |
| 62 | DINGWALL, | 2576 | 2758 | 25 | 37 | 62 | – | 3 | 3 | 20 | 22 | 42 | 32 |
| 63 | Edderton, | 642 | 577 | 3 | 8 | 11 | – | – | – | 5 | 5 | 10 | – |
| 64 | Fearn, | 1900 | 1761 | 24 | 28 | 52 | – | 3 | 3 | 15 | 20 | 35 | 3 |
| 65 | Fodderty, | 1897 | 1787 | 14 | 14 | 28 | 2 | 2 | 4 | 16 | 21 | 37 | 5 |
| †66 | Gairloch—(1) Northern, | 1317 | 1118 | 10 | 10 | 20 | – | – | – | 8 | 14 | 22 | 2 |
| | (2) Southern, | 2773 | 2617 | 19 | 20 | 39 | – | – | – | 17 | 15 | 32 | 6 |
| 67 | Glenshiel, | 394 | 343 | 3 | – | 3 | 1 | – | 1 | 6 | – | 6 | 1 |
| 68 | Killearnan, | 951 | 933 | 10 | 8 | 18 | 1 | – | 1 | 6 | 9 | 15 | 1 |
| 69 | Kilmuir-Easter, | 1024 | 985 | 9 | 11 | 20 | – | – | – | 5 | 9 | 14 | 1 |
| 70 | Kiltearn, | 1301 | 1258 | 11 | 9 | 20 | 2 | 2 | 4 | 4 | 7 | 11 | 3 |
| 71 | Kincardine— | | | | | | | | | | | | |
| | (1) Kincardine, | 1078 | 1005 | 9 | 5 | 14 | – | – | – | 4 | 8 | 12 | 5 |
| | (2) Strathoykel, | 339 | 260 | – | 2 | 2 | – | – | – | – | 2 | 2 | – |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 72 | Kintail, | 588 | 491 | 2 | 2 | 4 | – | – | – | 2 | 8 | 10 | 2 |
| 73 | Knockbain, | 1667 | 1504 | 20 | 16 | 36 | 2 | – | 2 | 15 | 10 | 25 | 3 |
| 74 | Lochalsh, | 1868 | 1830 | 21 | 14 | 35 | – | 1 | 1 | 17 | 14 | 31 | 6 |
| 75 | Lochbroom—(1)Lochbroom | 2836 | 2322 | 17 | 15 | 32 | – | – | – | 12 | 16 | 28 | 4 |
| | (2) Coigach. | 1074 | 885 | 6 | 3 | 9 | – | – | – | 8 | 5 | 13 | 3 |
| 76 | Lochcarron, | 1642 | 1442 | 13 | 8 | 21 | – | – | – | 15 | 18 | 33 | 2 |
| 77 | Logie-Easter, | 870 | 819 | 4 | 7 | 11 | 1 | 1 | 2 | 2 | 8 | 10 | 3 |
| 78 | Nigg, | 930 | 892 | 12 | 5 | 17 | – | – | – | 7 | 5 | 12 | 2 |
| 79 | Resolis, | 1339 | 1036 | 7 | 6 | 13 | – | – | – | 11 | 7 | 18 | 5 |
| 80 | ROSEMARKIE, | 1343 | 1465 | 11 | 19 | 30 | – | 1 | 1 | 13 | 24 | 37 | 5 |
| 81 | Rosskeen, | 3480 | 3460 | 38 | 43 | 81 | 1 | 2 | 3 | 44 | 28 | 72 | 16 |
| 82 | TAIN, | 2818 | 2756 | 27 | 23 | 50 | 3 | 2 | 5 | 21 | 41 | 62 | 26 |
| 83 | Tarbat, | 1703 | 1358 | 23 | 17 | 40 | 1 | 2 | 3 | 13 | 13 | 26 | 3 |
| 84 | Urquhart & Logie-Wester. | 2328 | 2102 | 15 | 16 | 31 | 1 | 1 | 2 | 20 | 20 | 40 | 8 |
| †85 | Urray, | 2248 | 2064 | 18 | 18 | 36 | 2 | – | 2 | 19 | 19 | 38 | 14 |
| | *Insular.* | | | | | | | | | | | | |
| † 6*a* | Barvas, | 5699 | 5915 | 86 | 71 | 157 | 1 | – | 1 | 59 | 54 | 113 | 14 |
| * 6*b* | Carloway, | 2959 | 3076 | 43 | 39 | 82 | – | 1 | 1 | 31 | 31 | 62 | 16 |
| *87 | Lochs, | 4717 | 4768 | 66 | 68 | 134 | 6 | 2 | 8 | 41 | 39 | 80 | 16 |
| 88 | Stornoway, | 11799 | 12983 | 180 | 172 | 352 | 8 | 5 | 13 | 117 | 118 | 235 | 65 |
| †89 | Uig, | 2416 | 2207 | 28 | 24 | 52 | – | 1 | 1 | 9 | 19 | 28 | 4 |
| | Total, | 78727 | 76450 | 853 | 824 | 1677 | 39 | 33 | 72 | 642 | 690 | 1332 | 302 |
| | 6. Inverness. *Mainland.* | | | | | | | | | | | | |
| 90*a* | Abernethy & Kincardine, | 1354 | 1279 | 10 | 11 | 21 | 2 | 1 | 3 | 6 | 11 | 17 | 5 |
| 90*b* | Alvie, | 656 | 533 | 6 | 4 | 10 | – | 1 | 1 | 2 | 6 | 8 | 2 |
| 91*a* | Ardersier, | 1914 | 1594 | 22 | 18 | 40 | 2 | – | 2 | 13 | 10 | 23 | 11 |
| †91*b* | Arisaig, | 929 | 1079 | 11 | 13 | 24 | – | – | – | 7 | 5 | 12 | 1 |
| 92*a* | Boleskine, etc.— | | | | | | | | | | | | |
| | (1) Boleskine, | 508 | 838 | 12 | 20 | 32 | – | 1 | 1 | 3 | 8 | 11 | 2 |
| | (2) Fort-Augustus or Abertarff, | 930 | 1005 | 8 | 5 | 13 | 2 | – | 2 | 6 | 11 | 17 | 1 |
| *92*b* | Cannich, | 522 | 484 | 6 | 6 | 12 | – | – | – | 1 | 3 | 4 | – |
| 93 | Cromdale and Inverallan (now 128 *infra*). | | | | | | | | | | | | |
| 94 | Croy and Dalcross, | 1225 | 1149 | 12 | 8 | 20 | 1 | 1 | 2 | 9 | 6 | 15 | 4 |
| 95 | Daviot and Dunlichty, | 1106 | 999 | 10 | 7 | 17 | – | – | – | 10 | 6 | 16 | 1 |
| 96*a* | Dores, | 923 | 835 | 8 | 7 | 15 | – | – | – | 7 | 6 | 13 | 1 |
| 96*b* | Duthil, etc.—(1) Duthil, | 2165 | 1788 | 11 | 15 | 26 | 1 | 2 | 3 | 8 | 5 | 13 | 9 |
| | (2) Rothiemurchus, | 266 | 207 | 1 | 2 | 3 | – | 1 | 1 | – | 1 | 1 | 1 |
| 97 | Glenelg—(1) Glenelg, | 644 | 543 | 2 | 4 | 6 | – | 1 | 1 | 6 | 6 | 12 | 2 |
| | (2) Knoydart, | 415 | 309 | 2 | 1 | 3 | – | – | – | 1 | 2 | 3 | 3 |
| | (3)North Morar, | 444 | 651 | 5 | 6 | 11 | – | – | – | 2 | 6 | 8 | 5 |
| 98 | INVERNESS, | 24186 | 27046 | 327 | 306 | 633 | 31 | 26 | 57 | 255 | 257 | 512 | 189 |
| 99 | Kilmonivaig— | | | | | | | | | | | | |
| | (1) Glengarry | 501 | 617 | 4 | 3 | 7 | – | – | – | 4 | 1 | 5 | 1 |
| | (2) Lochaber, | 1704 | 1435 | 13 | 8 | 21 | 1 | – | 1 | 10 | 10 | 20 | 2 |
| †100 | Kilmorack, | 1906 | 1814 | 12 | 10 | 22 | 1 | 1 | 2 | 16 | 16 | 32 | 5 |
| †101 | Kiltarlity, | 1587 | 1628 | 16 | 11 | 27 | 2 | 1 | 3 | 11 | 14 | 25 | 9 |
| 102 | Kingussie and Insh, | 1941 | 2194 | 29 | 25 | 54 | 5 | 3 | 8 | 17 | 30 | 47 | 12 |
| 103 | Kirkhill, | 1307 | 1296 | 9 | 14 | 23 | – | – | – | 7 | 11 | 18 | 2 |
| 104 | Laggan, | 857 | 738 | 3 | 2 | 5 | – | – | – | 1 | 7 | 8 | 2 |
| 105 | Moy and Dalarossie. | 730 | 761 | 4 | 5 | 9 | – | – | – | 5 | 7 | 12 | – |
| 106 | Petty | 1298 | 1291 | 22 | 14 | 36 | – | – | – | 8 | 7 | 15 | 7 |
| 107 | Urquhart, etc.— | | | | | | | | | | | | |
| | (1) Urquhart, | 1663 | 1499 | 14 | 7 | 21 | – | – | – | 21 | 15 | 36 | 3 |
| | (2) Glenmoriston, *Insular.* | 377 | 329 | 2 | 4 | 6 | – | – | – | – | 5 | 5 | – |
| 108 | Barra, | 2365 | 2545 | 42 | 32 | 74 | 3 | 1 | 4 | 22 | 16 | 38 | 8 |
| 109 | Bracadale—(1) Bracadale | 386 | 384 | 2 | 6 | 8 | – | 1 | 1 | 5 | 3 | 8 | 2 |
| | (2) Minginish | 534 | 488 | 4 | 3 | 7 | – | – | – | 4 | 3 | 7 | 3 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 110 | Duirinish—(1) Duirinish, | 3056 | 2610 | 25 | 23 | 48 | - | - | - | 23 | 25 | 48 | 11 |
| | (2) Waternish, | 877 | 757 | 4 | 6 | 10 | 1 | - | 1 | 8 | 6 | 14 | 3 |
| 111 | Harris—(1) North Harris, | 2981 | 3191 | 69 | 40 | 109 | 6 | 1 | 7 | 25 | 32 | 57 | 8 |
| | (2) South Harris, | 1468 | 1476 | 22 | 23 | 45 | 1 | 3 | 4 | 6 | 14 | 20 | 4 |
| | (3) Bernera, . | 504 | 527 | 7 | 5 | 12 | - | 1 | 1 | 3 | 4 | 7 | 1 |
| | (4) St Kilda, . | 71 | 77 | 2 | - | 2 | - | - | - | 1 | - | 1 | - |
| *112 | Kilmuir—(1) Kilmuir, . | 1148 | 948 | 12 | 13 | 25 | 1 | 4 | 5 | 8 | 11 | 19 | 3 |
| | (2) Stenscholl, | 1261 | 1185 | 14 | 13 | 27 | 2 | - | 2 | 17 | 10 | 27 | - |
| 113 | North Uist, . . . | 4187 | 3891 | 49 | 44 | 93 | 4 | 4 | 8 | 33 | 33 | 66 | 19 |
| 114 | Portree—(1) Portree, . | 2506 | 2152 | 19 | 25 | 44 | 2 | 2 | 4 | 13 | 24 | 37 | 13 |
| | (2) Raasay, . | 670 | 629 | 7 | 4 | 11 | - | - | - | 3 | 4 | 7 | - |
| 115 | Sleat, . . . . | 1843 | 1665 | 15 | 18 | 33 | - | 2 | 2 | 8 | 14 | 22 | 4 |
| 116 | Small Isles, . . . | 436 | 495 | 11 | 1 | 12 | - | - | - | 4 | 3 | 7 | 2 |
| †117 | Snizort—(1) North, . | 665 | 614 | 4 | 8 | 12 | - | 1 | 1 | 4 | 4 | 8 | 1 |
| | (2) South, . | 1228 | 1035 | 13 | 10 | 23 | 2 | 1 | 3 | 7 | 7 | 14 | 2 |
| 118 | South Uist— | | | | | | | | | | | | |
| | (1) Benbecula, . . | 1659 | 1497 | 21 | 10 | 31 | 2 | 1 | 3 | 8 | 16 | 24 | 3 |
| | (2) Howmore, . . | 1879 | 1726 | 16 | 12 | 28 | 3 | - | 3 | 7 | 8 | 15 | 3 |
| | (3) Boisdale, . . | 2283 | 2293 | 27 | 28 | 55 | 1 | 1 | 2 | 16 | 17 | 33 | 6 |
| 119 | Strath, . . . . | 2399 | 2152 | 20 | 13 | 33 | 2 | - | 2 | 19 | 15 | 34 | 6 |
| | Total, | 86464 | 86278 | 986 | 873 | 1859 | 78 | 62 | 140 | 680 | 741 | 1421 | 382 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | |
| | 7. Nairn. | | | | | | | | | | | | |
| 120 | Ardclach, . . . | 942 | 772 | 9 | 6 | 15 | - | - | - | 5 | 3 | 8 | 3 |
| 121 | Auldearn, . . . | 1315 | 1292 | 16 | 14 | 30 | 3 | 1 | 4 | 7 | 7 | 14 | 6 |
| 122 | Cawdor, . . . | 1009 | 925 | 10 | 5 | 15 | 1 | - | 1 | 7 | 9 | 16 | 1 |
| 123 | NAIRN, . . . | 5250 | 5732 | 59 | 64 | 123 | 5 | 4 | 9 | 38 | 57 | 95 | 33 |
| | Total, | 8516 | 8721 | 94 | 89 | 183 | 9 | 5 | 14 | 57 | 76 | 133 | 43 |
| | 8. Elgin (or Moray). | | | | | | | | | | | | |
| 124 | Abernethy and Kincardine (now 90*a supra*). | | | | | | | | | | | | |
| 125 | Alves, . . . . | 1096 | 1025 | 22 | 12 | 34 | 1 | 1 | 2 | 7 | 5 | 12 | 4 |
| †126 | Bellie, . . . . | 1914 | 1801 | 28 | 20 | 48 | 5 | 5 | 10 | 11 | 13 | 24 | 7 |
| 127 | Birnie, . . . . | 405 | 356 | 2 | 4 | 6 | - | - | - | 1 | 3 | 4 | - |
| 128 | Cromdale, etc.— | | | | | | | | | | | | |
| | (1) Cromdale & Advie, | 1016 | 1048 | 13 | 10 | 23 | - | 2 | 2 | 5 | 7 | 12 | 1 |
| | (2) Inverallan, . | 2010 | 2181 | 27 | 14 | 41 | 3 | - | 3 | 24 | 26 | 50 | 8 |
| 129 | Dallas, . . . . | 860 | 738 | 8 | 3 | 11 | 1 | - | 1 | 5 | 6 | 11 | 3 |
| 130 | Drainie, . . . | 3922 | 4380 | 59 | 74 | 133 | 7 | 7 | 14 | 27 | 39 | 66 | 27 |
| 131 | Duffus—(1) Burghead, | 2284 | 2125 | 23 | 31 | 54 | 1 | 4 | 5 | 18 | 23 | 41 | 10 |
| | (2) Duffus, . | 2015 | 1940 | 31 | 26 | 57 | 1 | 1 | 2 | 14 | 11 | 25 | 10 |
| 132 | Duthil, etc. (now 96*b sup.*). | | | | | | | | | | | | |
| 133 | Dyke, . . . . | 1044 | 1049 | 11 | 10 | 21 | 2 | - | 2 | 10 | 4 | 14 | 5 |
| 134 | Edinkillie, . . . | 1032 | 869 | 7 | 14 | 21 | 1 | 1 | 2 | 5 | 2 | 7 | 3 |
| *135 | ELGIN, . . . | 10473 | 11560 | 126 | 149 | 275 | 24 | 19 | 43 | 95 | 101 | 196 | 72 |
| †136 | New Spynie, . . | 542 | 661 | 18 | 10 | 28 | 8 | 1 | 9 | 13 | 13 | 26 | 3 |
| 137 | FORRES, . . . | 4801 | 5241 | 71 | 56 | 127 | 10 | 8 | 18 | 47 | 44 | 91 | 39 |
| 138 | Kinloss, . . . | 958 | 929 | 13 | 14 | 27 | - | 1 | 1 | 5 | 3 | 8 | 3 |
| 139 | Knockando, . . . | 1712 | 1756 | 23 | 14 | 37 | 2 | - | 2 | 8 | 14 | 22 | 8 |
| 140 | Rafford, . . . | 982 | 934 | 14 | 10 | 24 | 2 | 1 | 3 | 6 | 8 | 14 | 2 |
| 141 | Rothes, . . . | 2299 | 2361 | 36 | 39 | 75 | 9 | 6 | 15 | 13 | 24 | 37 | 14 |
| †142 | St. Andrews-Lhanbryde, | 1277 | 1209 | 10 | 12 | 22 | 1 | 1 | 2 | 7 | 14 | 21 | - |
| 143 | Speymouth, . . . | 616 | 619 | 7 | 10 | 17 | - | 2 | 2 | 4 | 5 | 9 | 8 |
| 144 | Urquhart—(1) Urquhart, | 1149 | 977 | 10 | 6 | 16 | 2 | - | 2 | 9 | 8 | 17 | 4 |
| | (2) Garmouth, | 768 | 740 | 6 | 10 | 16 | - | 1 | 1 | 6 | 6 | 12 | 5 |
| | Total, | 43175 | 44499 | 565 | 548 | 1113 | 80 | 61 | 141 | 340 | 379 | 719 | 236 |

| No. of District. | Registration Districts. | Population. 1891. | Population. 1901. | Total Births, including the Illegitimate. Males. | Fem. | Total. | Illegitimate Births. Mal. | Fem | Tot. | Deaths. Mal. | Fem | Total. | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 9. Banff. | | | | | | | | | | | | |
| †145 | Aberlour, | 2072 | 2538 | 21 | 25 | 46 | 1 | 4 | 5 | 19 | 22 | 41 | 15 |
| 146 | Alvah, | 1435 | 1281 | 16 | 16 | 32 | 1 | 2 | 3 | 7 | 5 | 12 | 1 |
| 147*a* | BANFF, | 4763 | 4546 | 63 | 56 | 119 | 11 | 4 | 15 | 22 | 42 | 64 | 30 |
| 147*b* | Boharm, | 1266 | 1128 | 10 | 12 | 22 | 1 | 3 | 4 | 8 | 7 | 15 | 10 |
| 148 | Botriphnie, | 729 | 754 | 7 | 11 | 18 | – | – | – | 3 | 2 | 5 | 2 |
| 149*a* | Boyndie, | 2113 | 2005 | 26 | 33 | 59 | 3 | 1 | 4 | 21 | 18 | 39 | 14 |
| 149*b* | Cabrach, | 646 | 581 | 6 | 7 | 13 | 2 | 4 | 6 | 4 | 2 | 6 | 4 |
| †150 | CULLEN, | 2100 | 1936 | 33 | 27 | 60 | 2 | 3 | 5 | 7 | 14 | 21 | 13 |
| 151 | Deskford, | 745 | 714 | 6 | 5 | 11 | 1 | – | 1 | 8 | 3 | 11 | 2 |
| *152 | Enzie, | 2460 | 2277 | 34 | 34 | 68 | 4 | 3 | 7 | 15 | 14 | 29 | 15 |
| 153 | Fordyce—(1) Fordyce, | 1994 | 1850 | 33 | 25 | 58 | 4 | 6 | 10 | 10 | 11 | 21 | 8 |
| | (2) Portsoy, | 2274 | 2091 | 38 | 32 | 70 | 3 | 5 | 8 | 18 | 27 | 45 | 16 |
| 154 | Forglen, | 714 | 653 | 6 | 6 | 12 | – | – | – | 3 | 2 | 5 | 1 |
| 155*a* | GAMRIE—(1) Gamrie, | 2839 | 2557 | 40 | 33 | 73 | 1 | 3 | 4 | 13 | 8 | 21 | 15 |
| | (2) MACDUFF, | 4164 | 3852 | 51 | 37 | 88 | 9 | 5 | 14 | 33 | 42 | 75 | 18 |
| *155*b* | Glenrinnes, | 374 | 337 | 4 | 7 | 11 | 2 | 2 | 4 | 1 | 2 | 3 | – |
| 156 | Grange, | 1685 | 1673 | 22 | 18 | 40 | 3 | 4 | 7 | 10 | 9 | 19 | 3 |
| 157 | Inveravon—(1) Inveravon, | 842 | 760 | 7 | 11 | 18 | – | 2 | 2 | 3 | 2 | 5 | 4 |
| | (2) Glenlivat, | 1477 | 1441 | 12 | 15 | 27 | 3 | 3 | 6 | 11 | 16 | 27 | 3 |
| 158 | Inverkeithny, | 826 | 769 | 18 | 14 | 32 | 2 | 1 | 3 | 5 | 5 | 10 | 7 |
| 159 | Keith, | 6704 | 6828 | 82 | 77 | 159 | 18 | 10 | 28 | 53 | 58 | 111 | 45 |
| 160 | Kirkmichael, etc.— | | | | | | | | | | | | |
| | (1) Kirkmichael, | 348 | 353 | – | 4 | 4 | – | – | – | 1 | 3 | 4 | – |
| | (2) Tomintoul, | 695 | 682 | 9 | 10 | 19 | 3 | – | 3 | 7 | 5 | 12 | 2 |
| 161 | Marnoch, | 3006 | 2851 | 36 | 50 | 86 | 8 | 10 | 18 | 18 | 30 | 48 | 13 |
| †162 | Mortlach, | 2754 | 3170 | 38 | 42 | 80 | 3 | 4 | 7 | 28 | 24 | 52 | 21 |
| 163 | Ordiquhill, | 684 | 642 | 11 | 12 | 23 | 3 | 1 | 4 | 5 | 1 | 6 | 4 |
| †164 | Rathven, | 9095 | 10133 | 162 | 156 | 318 | 12 | 10 | 22 | 60 | 81 | 141 | 57 |
| 165 | Rothiemay, | 1291 | 1252 | 19 | 13 | 32 | 4 | 1 | 5 | 8 | 6 | 14 | 3 |
| 166 | St. Fergus (now 237*c inf.*). | | | | | | | | | | | | |
| *167 | SEAFIELD, | 1885 | 2135 | 33 | 39 | 72 | – | 3 | 3 | 12 | 15 | 27 | 13 |
| | Total, | 61980 | 61789 | 843 | 827 | 1670 | 104 | 94 | 198 | 413 | 476 | 889 | 339 |
| | 10. Aberdeen. | | | | | | | | | | | | |
| †168 | ABERDEEN— | | | | | | | | | | | | |
| | (1) St. Nicholas, | 51748 | 52053 | 956 | 917 | 1873 | 116 | 93 | 209 | 660 | 541 | 1201 | 875 |
| | (2) St. Machar, | 61436 | 80911 | 1164 | 1136 | 2300 | 87 | 57 | 144 | 532 | 670 | 1202 | 479 |
| | (3) Woodside, | 6108 | 8115 | 145 | 143 | 288 | 15 | 13 | 28 | 57 | 61 | 118 | 48 |
| | (4) Old Aberdeen, | 2603 | 2949 | 41 | 43 | 84 | 8 | 5 | 13 | 38 | 23 | 61 | 15 |
| †169 | Aberdour, | 1751 | 1496 | 16 | 29 | 45 | 2 | 4 | 6 | 14 | 9 | 23 | 8 |
| 170 | Aboyne, | 1403 | 1477 | 17 | 25 | 42 | 5 | 2 | 7 | 8 | 7 | 15 | 9 |
| 171*a* | Alford, | 1402 | 1486 | 13 | 29 | 42 | 1 | 4 | 5 | 7 | 8 | 15 | 8 |
| *171*b* | Ardallie, | 1220 | 1080 | 16 | 15 | 31 | 3 | 3 | 6 | 9 | 7 | 16 | 3 |
| 172 | Auchindoir, | 1374 | 1216 | 16 | 22 | 38 | 4 | 8 | 12 | 8 | 18 | 26 | 3 |
| †173 | Auchterless, | 1698 | 1623 | 23 | 24 | 47 | 4 | 1 | 5 | 8 | 8 | 16 | 7 |
| 174 | Belhelvie, | 1613 | 1614 | 28 | 18 | 46 | 2 | 1 | 3 | 14 | 6 | 20 | 7 |
| 175 | Birse, | 1154 | 1085 | 14 | 16 | 30 | 2 | 5 | 7 | 8 | 5 | 13 | 4 |
| 176 | Bourtie, | 454 | 408 | 6 | 3 | 9 | 2 | 1 | 3 | 1 | 1 | 2 | 1 |
| 177 | Cabrach (now 149*b sup.*). | | | | | | | | | | | | |
| 178 | Cairney, | 1399 | 1283 | 16 | 23 | 39 | 2 | 2 | 4 | 3 | 13 | 16 | 2 |
| 179 | Chapel of Garioch, | 1690 | 1559 | 26 | 11 | 37 | 1 | – | 1 | 13 | 6 | 19 | 4 |
| 180 | Clatt, | 458 | 425 | 7 | 11 | 18 | – | – | – | 3 | 3 | 6 | – |
| 181 | Cluny, | 1196 | 1207 | 13 | 20 | 33 | 3 | 3 | 6 | 7 | 8 | 15 | 6 |
| 182 | Coull, | 746 | 684 | 9 | 10 | 19 | 2 | 2 | 4 | 5 | 4 | 9 | 1 |
| 183 | Crathie, etc.—(1) Braemar, | 835 | 846 | 9 | 7 | 16 | – | – | | 7 | 6 | 13 | 2 |
| | (2) Crathie, | 699 | 606 | 5 | 3 | 8 | – | – | – | 3 | 1 | 4 | 1 |
| †184 | Crimond, | 808 | 719 | 11 | 7 | 18 | 1 | – | 1 | 7 | 3 | 10 | 7 |
| †185 | Cruden, | 3154 | 3060 | 50 | 0 | 100 | 7 | 3 | 10 | 31 | 14 | 45 | 12 |
| 186 | Culsamond, | 791 | 683 | 7 | 4 | 11 | 2 | – | 2 | 5 | 2 | 7 | 1 |
| 187 | Daviot, | 520 | 568 | 10 | 5 | 15 | – | – | – | 1 | 2 | 3 | 1 |
| 188 | Drumblade, | 956 | 948 | 12 | 8 | 20 | 2 | 1 | 3 | 9 | 8 | 17 | – |
| 189 | Drumoak, | 869 | 865 | 12 | 10 | 22 | 2 | – | 2 | 3 | 3 | 6 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 190 | Dyce, | 1343 | 1482 | 22 | 13 | 35 | 1 | 2 | 3 | 7 | 6 | 13 | 5 |
| 191 | Echt, | 1207 | 1249 | 15 | 17 | 32 | 1 | 2 | 3 | 9 | 8 | 17 | 4 |
| †192 | Ellon, | 3194 | 3395 | 47 | 43 | 90 | 7 | 6 | 13 | 17 | 19 | 36 | 55 |
| 193 | Fintray, | 999 | 866 | 12 | 13 | 25 | 2 | 3 | 5 | 4 | 8 | 12 | 2 |
| †194 | Forgue, | 1258 | 1107 | 18 | 15 | 33 | 5 | 3 | 8 | 10 | 14 | 24 | 4 |
| 195 | Foveran, | 1945 | 1793 | 22 | 29 | 51 | 4 | 3 | 7 | 11 | 11 | 22 | 11 |
| 196 | Fraserburgh, | 8092 | 9715 | 182 | 166 | 348 | 15 | 17 | 32 | 71 | 69 | 140 | 66 |
| †197 | Fyvie, | 3050 | 2774 | 39 | 28 | 67 | 9 | 2 | 11 | 23 | 22 | 45 | 15 |
| 198 | Gartly, | 928 | 862 | 13 | 6 | 19 | 2 | – | 2 | 1 | 2 | 3 | 2 |
| 199 | Glass, | 964 | 809 | 9 | 13 | 22 | 3 | 3 | 6 | 6 | 5 | 11 | 5 |
| 200 | Glenbuchat, | 408 | 403 | 9 | 4 | 13 | 2 | 1 | 3 | 1 | 3 | 4 | 1 |
| †201 | Glenmuick, Tullich, and Glengairn, | 2152 | 2347 | 24 | 26 | 50 | 3 | 1 | 4 | 18 | 23 | 41 | 13 |
| 202 | Huntly, | 4583 | 4899 | 66 | 55 | 121 | 16 | 13 | 29 | 38 | 51 | 89 | 59 |
| 203 | Insch, | 1384 | 1408 | 15 | 19 | 34 | 3 | 3 | 6 | 9 | 9 | 18 | 11 |
| 204 | INVERURIE, | 2954 | 3491 | 53 | 74 | 127 | 7 | 13 | 20 | 30 | 28 | 58 | 38 |
| 205 | Keig, | 748 | 626 | 9 | 12 | 21 | 1 | 4 | 5 | 7 | 4 | 11 | 2 |
| 206 | Keith-hall, | 822 | 803 | 10 | 8 | 18 | – | 1 | 1 | 7 | 7 | 14 | 1 |
| 207 | Kemnay, | 1799 | 2084 | 30 | 20 | 50 | 2 | 4 | 6 | 6 | 8 | 14 | 13 |
| 208 | Kildrummy, | 569 | 574 | 6 | 4 | 10 | 1 | – | 1 | 2 | 4 | 6 | 1 |
| 209 | Kincardine O'Neil, | 1830 | 2005 | 24 | 20 | 44 | 2 | – | 2 | 17 | 16 | 33 | 6 |
| *210*a* | King Edward— | | | | | | | | | | | | |
| | (1) King Edward, | 982 | 897 | 17 | 9 | 26 | 2 | – | 2 | 5 | 1 | 6 | 2 |
| | (2) New Byth, | 1732 | 1537 | 22 | 22 | 44 | 7 | 6 | 13 | 15 | 7 | 22 | 6 |
| *210*b* | Kininmonth, | 1004 | 934 | 12 | 12 | 24 | 3 | 3 | 6 | 3 | 7 | 10 | 5 |
| 211 | Kinnellar, | 580 | 551 | 8 | 4 | 12 | 2 | – | 2 | 5 | 4 | 9 | 3 |
| 212 | Kinnethmont, | 932 | 920 | 14 | 5 | 19 | 1 | 1 | 2 | 9 | 5 | 14 | 5 |
| 213 | KINTORE, | 2409 | 2553 | 27 | 26 | 53 | 3 | 1 | 4 | 18 | 15 | 33 | 6 |
| 214 | Leochel-Cushnie, | 1146 | 1018 | 15 | 11 | 26 | 2 | 4 | 6 | – | 4 | 4 | 7 |
| 215 | Leslie, | 461 | 443 | 2 | 3 | 5 | – | 1 | 1 | 3 | 4 | 7 | – |
| 216 | Logie-Buchan, | 763 | 651 | 11 | 11 | 22 | 1 | – | 1 | 3 | 3 | 6 | 1 |
| *217 | Logie-Coldstone & Cromar, | 1085 | 974 | 16 | 10 | 26 | 8 | 2 | 10 | 6 | 4 | 10 | 5 |
| †218 | Longside, | 2966 | 2697 | 33 | 28 | 61 | 2 | 6 | 8 | 11 | 15 | 26 | 18 |
| †219 | Lonmay, | 1710 | 1622 | 15 | 29 | 44 | 1 | 6 | 7 | 8 | 13 | 21 | 12 |
| 220 | Lumphanan, | 992 | 966 | 11 | 11 | 22 | 1 | – | 1 | 6 | 10 | 16 | 7 |
| 221 | Methlic, | 1905 | 1692 | 24 | 24 | 48 | 3 | 7 | 10 | 17 | 8 | 25 | 8 |
| 222*a* | Midmar, | 1081 | 1000 | 10 | 7 | 17 | 1 | – | 1 | 8 | 9 | 17 | 3 |
| *222*b* | Millbrex, | 1291 | 1207 | 9 | 17 | 26 | 2 | 2 | 4 | 5 | 10 | 15 | 5 |
| †223 | Monquhitter, | 2220 | 2170 | 22 | 30 | 52 | 4 | 7 | 11 | 9 | 16 | 25 | 13 |
| 224 | Monymusk, | 1025 | 1106 | 18 | 14 | 32 | – | 1 | 1 | 6 | 7 | 3 | 3 |
| †225 | New Deer, | 3732 | 3706 | 47 | 45 | 92 | 8 | 10 | 18 | 32 | 13 | 45 | 25 |
| 226 | Newhills, | 5526 | 5753 | 79 | 78 | 157 | 7 | 5 | 12 | 39 | 34 | 73 | 32 |
| 227*a* | New Machar, | 1432 | 1393 | 17 | 18 | 35 | 2 | 2 | 4 | 8 | 14 | 22 | 2 |
| *227*b* | New Pitsligo, | 2436 | 2332 | 41 | 40 | 81 | 14 | 8 | 22 | 22 | 24 | 46 | 16 |
| †228*a* | Old Deer, | 3395 | 3144 | 38 | 33 | 71 | 5 | 4 | 9 | 16 | 33 | 49 | 20 |
| 228*b* | Old Machar, | 1432 | 1457 | 22 | 14 | 36 | – | – | – | 8 | 10 | 18 | 2 |
| 229 | Old Meldrum, | 2019 | 1855 | 32 | 29 | 61 | 5 | 6 | 11 | 21 | 14 | 35 | 15 |
| 230 | Oyne, | 883 | 770 | 10 | 9 | 19 | 4 | 2 | 6 | 8 | 3 | 11 | 4 |
| *231 | PETERCULTER— | | | | | | | | | | | | |
| | (1) EAST PETERCULTER— | | | | | | | | | | | | |
| | Aberdeen portion, | 107 | 89 | 1 | 2 | 3 | 1 | – | 1 | 2 | 1 | 3 | – |
| | Landward, | 1685 | 2125 | 17 | 11 | 28 | 1 | – | 1 | 7 | 15 | 22 | 6 |
| | (2) West Peterculter, | 1837 | 2815 | 40 | 33 | 73 | 3 | 3 | 6 | 1 | 10 | 24 | 12 |
| 232 | PETERHEAD— | | | | | | | | | | | | |
| | (1) PETERHEAD, | 13975 | 13705 | 245 | 240 | 485 | 24 | 14 | 38 | 129 | 145 | 274 | 92 |
| | (2) Boddam, | 1855 | 1441 | 25 | 22 | 47 | 2 | 2 | 4 | 14 | 4 | 18 | 16 |
| 233 | Pitsligo, | 2290 | 2307 | 46 | 35 | 81 | 5 | 3 | 8 | 24 | 19 | 43 | 11 |
| 234 | Premnay, | 930 | 926 | 11 | 14 | 25 | 3 | 4 | 7 | 9 | 11 | 20 | 5 |
| 235 | Rathen—(1) Rathen, | 1164 | 1012 | 9 | 8 | 17 | 1 | – | 1 | 7 | 3 | 10 | 1 |
| | (2) Inverallochy, | 1463 | 1565 | 24 | 25 | 49 | 2 | 2 | 4 | 16 | 10 | 26 | 14 |
| 236 | Rayne, | 1225 | 1097 | 15 | 10 | 25 | 2 | 2 | 4 | 9 | 4 | 13 | 4 |
| 237*a* | Rhynie, | 1043 | 1005 | 14 | 19 | 33 | 3 | 2 | 5 | 7 | 5 | 12 | 6 |
| 237*b* | Savoch, | 1891 | 1736 | 23 | 19 | 42 | 5 | 1 | 6 | 9 | 11 | 20 | 7 |

| No. of District. | Registration Districts. | Population. 1891. | Population. 1901. | Total Births, including the Illegitimate. Males. | Fem. | Total. | Illegitimate Births. Mal. | Fem | Tot. | Deaths. Mal. | Fem | Total. | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 237c | St. Fergus, | 1318 | 1194 | 15 | 17 | 32 | 4 | 3 | 7 | 9 | 8 | 17 | 4 |
| 238 | Skene, | 1673 | 1546 | 17 | 22 | 39 | 2 | 3 | 5 | 8 | 6 | 14 | 3 |
| 239 | Slains, | 1279 | 936 | 5 | 12 | 17 | 2 | 1 | 3 | 4 | 2 | 6 | 1 |
| 240 | Strathdon, | 1220 | 1096 | 12 | 8 | 20 | 5 | 2 | 7 | 10 | 9 | 19 | 5 |
| †241 | Strichen, | 2246 | 2033 | 26 | 34 | 60 | 6 | 8 | 14 | 11 | 17 | 28 | 7 |
| 242 | Tarland, | 736 | 733 | 12 | 8 | 20 | 2 | 2 | 4 | 2 | 7 | 9 | 1 |
| †243 | Tarves, | 2196 | 2101 | 24 | 24 | 48 | 3 | 5 | 8 | 17 | 9 | 26 | 2 |
| 244 | Tough, | 675 | 675 | 11 | 13 | 24 | – | 3 | 3 | 3 | 5 | 8 | – |
| 245 | Towie, | 939 | 938 | 9 | 12 | 21 | 4 | 1 | 5 | 4 | 6 | 10 | 9 |
| 246 | Tullynessle and Forbes, | 975 | 903 | 14 | 9 | 23 | 4 | 1 | 5 | 8 | 5 | 13 | 4 |
| 247 | Turriff, | 4253 | 4139 | 52 | 45 | 97 | 12 | 4 | 16 | 27 | 28 | 55 | 44 |
| †248 | Tyrie, | 795 | 747 | 8 | 7 | 15 | 3 | – | 3 | 3 | 6 | 9 | 3 |
| 249a | Udny, | 1677 | 1564 | 21 | 18 | 39 | 2 | 2 | 4 | 11 | 11 | 22 | 6 |
| *249b | Ythan Wells, | 1136 | 1005 | 9 | 15 | 24 | 2 | 2 | 4 | 8 | 5 | 13 | 2 |
| | Total, | 284036 | 304439 | 4544 | 4395 | 8939 | 550 | 443 | 993 | 2418 | 2403 | 4821 | 2309 |
| | 11. Kincardine. | | | | | | | | | | | | |
| 250 | Arbuthnot, | 795 | 698 | 9 | 5 | 14 | – | – | – | 4 | 4 | 8 | 1 |
| 251 | Banchory-Devenick— | | | | | | | | | | | | |
| | (1) Banchory-Devenick, | 500 | 508 | 7 | 7 | 14 | 1 | 1 | 2 | 2 | 1 | 3 | 2 |
| | (2) Portlethen, | 1481 | 1218 | 15 | 14 | 29 | 4 | 2 | 6 | 8 | 8 | 16 | 3 |
| 252 | Banchory-Ternan, | 3193 | 3449 | 29 | 43 | 72 | 3 | 6 | 9 | 19 | 23 | 42 | 19 |
| 253 | BENHOLM, | 1552 | 1426 | 19 | 21 | 40 | 2 | 2 | 4 | 13 | 8 | 21 | 11 |
| 254 | BERVIE, | 2387 | 2523 | 37 | 28 | 65 | 4 | 1 | 5 | 20 | 25 | 45 | 19 |
| 255 | Dunnottar, | 2739 | 2533 | 45 | 31 | 76 | 6 | 4 | 10 | 16 | 17 | 33 | 14 |
| 256 | Durris, | 918 | 884 | 14 | 15 | 29 | 2 | 3 | 5 | 4 | 2 | 6 | 2 |
| 257 | Fettercairn, | 1421 | 1390 | 26 | 24 | 50 | 2 | 2 | 4 | 11 | 4 | 15 | 10 |
| 258 | Fetteresso— | | | | | | | | | | | | |
| | (1) Fetteresso, | 3743 | 3930 | 43 | 38 | 81 | 5 | 4 | 9 | 33 | 39 | 72 | 25 |
| | (2) Cookney, | 1784 | 1479 | 16 | 15 | 31 | 4 | – | 4 | 5 | 7 | 12 | 4 |
| 259 | Fordoun, | 2004 | 1809 | 29 | 23 | 52 | 1 | 1 | 2 | 13 | 14 | 27 | 6 |
| 260 | Garvock, | 415 | 368 | 5 | 4 | 9 | – | – | – | 2 | 2 | 4 | – |
| 261 | Glenbervie | 887 | 870 | 11 | 7 | 18 | 1 | – | 1 | 8 | 1 | 9 | 6 |
| 262 | Kinneff and Catterline, | 907 | 899 | 8 | 11 | 19 | – | 1 | 1 | 6 | 1 | 7 | 1 |
| 263 | Laurencekirk, | 1934 | 2011 | 34 | 28 | 62 | 4 | 4 | 8 | 17 | 14 | 31 | 14 |
| 264 | Maryculter, | 1030 | 951 | 11 | 6 | 17 | 2 | 1 | 3 | 7 | 1 | 8 | 1 |
| 265 | Marykirk, | 1307 | 1209 | 12 | 9 | 21 | 2 | – | 2 | 5 | 5 | 10 | 5 |
| *266 | NIGG—Aberdeen portion | 2941 | 9386 | 231 | 206 | 437 | 13 | 9 | 22 | 82 | 74 | 156 | 42 |
| | Do. Landward, | 1572 | 1528 | 18 | 18 | 36 | 3 | 1 | 4 | 14 | 8 | 22 | 10 |
| 267 | St. Cyrus, | 1327 | 1228 | 12 | 10 | 22 | 1 | 1 | 2 | 4 | 6 | 10 | 8 |
| 268 | Strachan, | 655 | 626 | 9 | 5 | 14 | 1 | – | 1 | 2 | 3 | 5 | – |
| | Total, | 35492 | 40923 | 640 | 568 | 1208 | 61 | 43 | 104 | 295 | 267 | 562 | 203 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | |
| | 12. Forfar. | | | | | | | | | | | | |
| 269 | Aberlemno, | 926 | 804 | 8 | 7 | 15 | 2 | – | 2 | 4 | 4 | 8 | 1 |
| 270 | Airlie, | 741 | 698 | 9 | 10 | 19 | – | – | – | 1 | 1 | 2 | 2 |
| 271 | Arbirlot, | 848 | 800 | 10 | 10 | 20 | – | – | – | 6 | 5 | 11 | 4 |
| 272 | ARBROATH, etc.— | | | | | | | | | | | | |
| | (1) ARBROATH, | 22984 | 22569 | 288 | 251 | 539 | 21 | 16 | 37 | 179 | 178 | 357 | 171 |
| | (2) St Vigeans, | 2269 | 2108 | 30 | 31 | 61 | 3 | 3 | 6 | 9 | 10 | 19 | 6 |
| 273 | Auchterhouse, | 566 | 547 | 12 | 5 | 17 | 1 | – | 1 | 1 | 5 | 6 | 3 |
| 274 | Barry, | 3787 | 4652 | 53 | 54 | 107 | 3 | 5 | 8 | 28 | 37 | 65 | 17 |
| 275 | BRECHIN, | 10453 | 10444 | 115 | 97 | 212 | 8 | 10 | 18 | 62 | 86 | 148 | 84 |
| 276 | Carmylie, | 1083 | 1063 | 18 | 19 | 37 | 1 | 2 | 3 | 5 | 5 | 10 | 2 |
| 277 | Careston, | 198 | 221 | 2 | – | 2 | 1 | – | 1 | 4 | 2 | 6 | 1 |
| 278 | Cortachy and Clova, | 615 | 569 | 9 | 6 | 15 | 1 | – | 1 | 3 | 4 | 7 | 3 |
| 279 | Coupar-Angus (now 341b *infra*). | | | | | | | | | | | | |
| 280 | Craig, | 2309 | 2019 | 19 | 23 | 42 | 2 | 5 | 7 | 20 | 11 | 31 | 13 |
| 281 | Dun, | 552 | 526 | 9 | 4 | 13 | – | – | – | 2 | 1 | 3 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| *282 | DUNDEE— | | | | | | | | | | | | |
| | (1) St. Peter, | 30079 | 29343 | 419 | 387 | 806 | 52 | 28 | 80 | 203 | 228 | 431 | 223 |
| | (2) St. Mary, | 26803 | 29222 | 507 | 462 | 969 | 73 | 69 | 142 | 353 | 402 | 755 | 354 |
| | (3) St. Clement, | 28929 | 28077 | 426 | 359 | 785 | 31 | 19 | 50 | 231 | 212 | 443 | 253 |
| | (4) St. Andrew, | 53630 | 57946 | 867 | 853 | 1720 | 65 | 51 | 116 | 446 | 616 | 1062 | 374 |
| | Do. Landward, etc. | 2235 | 2457 | 26 | 29 | 55 | – | 1 | 1 | 16 | 14 | 30 | 12 |
| | (5) Lochee, | 13867 | 14790 | 205 | 209 | 414 | 13 | 12 | 25 | 110 | 114 | 224 | 154 |
| 283 | Dunnichen, | 1233 | 1132 | 9 | 11 | 20 | 1 | 2 | 3 | 8 | 6 | 14 | 4 |
| 284 | Eassie and Nevay | 553 | 474 | 7 | 5 | 12 | – | – | – | 5 | – | 5 | 1 |
| 285 | Edzell, | 700 | 822 | 11 | 6 | 17 | 1 | – | 1 | 8 | 5 | 13 | 4 |
| 286 | Farnell, | 627 | 536 | 10 | 10 | 20 | 1 | – | 1 | 1 | 3 | 4 | 2 |
| 287 | Fern, | 277 | 322 | 2 | 2 | 4 | – | – | – | 2 | 2 | 4 | – |
| 288*a* | FORFAR, | 13665 | 12879 | 154 | 138 | 292 | 13 | 15 | 28 | 98 | 113 | 211 | 93 |
| 288*b* | Fowlis-Easter, | 283 | 254 | – | 4 | 4 | – | 1 | 1 | – | 1 | 1 | 2 |
| 289 | Glamis, | 1464 | 1351 | 14 | 13 | 27 | 1 | 2 | 3 | 9 | 8 | 17 | 4 |
| 290 | Glenisla, | 396 | 409 | 1 | 3 | 4 | – | – | – | 1 | 4 | 5 | 1 |
| 291 | Guthrie, | 267 | 264 | 3 | 5 | 8 | – | – | – | – | 1 | 1 | 2 |
| 292 | Inverarity, | 926 | 823 | 10 | 12 | 22 | 2 | – | 2 | 5 | 6 | 11 | 1 |
| 293 | Inverkeillor, | 1531 | 1397 | 24 | 16 | 40 | 4 | – | 4 | 4 | 8 | 12 | 4 |
| 294*a* | Kettins, | 722 | 704 | 12 | 8 | 20 | 1 | 2 | 3 | 6 | 2 | 8 | 1 |
| 294*b* | Kilry, | 330 | 324 | 5 | 2 | 7 | – | – | – | 1 | – | 1 | – |
| 295 | Kingoldrum, | 368 | 355 | 5 | 6 | 11 | – | – | – | – | 2 | 2 | 2 |
| 296 | Kinnell, | 653 | 574 | 10 | 11 | 21 | 2 | 1 | 3 | 2 | 5 | 7 | 3 |
| 297 | Kinnettles, | 340 | 323 | 4 | 9 | 13 | 1 | 1 | 2 | 2 | 3 | 5 | 1 |
| 298 | Kirkden, | 1541 | 1491 | 21 | 15 | 36 | 3 | 2 | 5 | 8 | 10 | 18 | 10 |
| 299 | KIRRIEMUIR, | 6090 | 5902 | 50 | 61 | 111 | 4 | 4 | 8 | 28 | 53 | 81 | 30 |
| 300 | Lethnott and Navar, | 239 | 238 | 4 | 1 | 5 | – | – | – | – | – | – | 1 |
| 301 | Liff, Benvie, and Invergowrie, | 1816 | 1834 | 13 | 16 | 29 | 2 | 1 | 3 | 28 | 38 | 66 | 5 |
| 302 | Lintrathen, | 508 | 495 | 4 | 6 | 10 | 1 | – | 1 | 3 | 3 | 6 | 1 |
| 303 | Lochlee, | 343 | 326 | 7 | 3 | 10 | 1 | 1 | 2 | – | 2 | 2 | 1 |
| 304 | Logie-Pert, | 979 | 982 | 14 | 11 | 25 | – | – | – | 9 | 4 | 13 | 6 |
| 305 | Lunan, | 349 | 302 | 7 | 6 | 13 | 1 | – | 1 | – | 2 | 2 | 1 |
| 306 | Lundie, | 301 | 268 | 4 | 4 | 8 | – | – | – | 3 | 3 | 6 | – |
| 307 | MAINS, etc.— | | | | | | | | | | | | |
| | (1) MAINS— | | | | | | | | | | | | |
| | Dundee portion, | 810 | 1795 | 26 | 26 | 52 | 2 | – | 2 | 16 | 16 | 32 | 3 |
| | Landward, | 1862 | 2229 | 23 | 23 | 46 | – | – | – | 8 | 17 | 25 | 18 |
| | (2) Strathmartine, | 1326 | 1419 | 21 | 12 | 33 | 2 | – | 2 | 8 | 10 | 18 | 2 |
| 308 | Marytown, | 270 | 278 | 3 | 3 | 6 | – | 1 | 1 | – | – | – | 1 |
| 309 | Menmuir, | 664 | 704 | 12 | 10 | 22 | 1 | 1 | 2 | 3 | 2 | 5 | 2 |
| 310 | MONIFIETH, | 10531 | 11672 | 138 | 153 | 291 | 2 | 5 | 7 | 77 | 89 | 166 | 75 |
| 311 | Monikie, | 1328 | 1299 | 20 | 18 | 38 | 1 | 5 | 6 | 3 | 10 | 13 | 10 |
| 312 | MONTROSE, | 14591 | 14027 | 150 | 122 | 272 | 9 | 9 | 18 | 126 | 151 | 277 | 90 |
| 313 | Murroes, | 905 | 1041 | 18 | 13 | 31 | – | 1 | 1 | 5 | 1 | 6 | 4 |
| 314 | Newtyle, | 833 | 818 | 8 | 12 | 20 | 2 | – | 2 | 7 | 7 | 14 | 2 |
| 315 | Oathlaw, | 399 | 365 | 5 | 4 | 9 | – | – | – | 1 | – | 1 | 1 |
| 316 | PANBRIDE, | 1741 | 1885 | 23 | 25 | 48 | 1 | 2 | 3 | 10 | 10 | 20 | 11 |
| 317 | Rescobie, | 660 | 594 | 5 | 10 | 15 | – | 1 | 1 | 1 | 4 | 5 | 4 |
| 318 | Ruthven, | 188 | 169 | 1 | 4 | 5 | – | – | – | – | 1 | 1 | – |
| 319 | St. Vigeans (now 272 (2) *supra*). | | | | | | | | | | | | |
| 320 | Stracathro, | 505 | 430 | 4 | 5 | 9 | – | – | – | 2 | 3 | 5 | – |
| 321 | Tannadice, | 1117 | 1106 | 9 | 9 | 18 | 1 | 1 | 2 | 3 | 2 | 5 | 4 |
| 322 | Tealing, | 630 | 615 | 6 | 8 | 14 | – | – | – | 3 | 5 | 8 | 2 |
| | Total, | 277735 | 284082 | 3909 | 3657 | 7566 | 337 | 279 | 616 | 2187 | 2547 | 4734 | 2088 |
| | 13. PERTH. | | | | | | | | | | | | |
| 323 | Aberdalgie, | 280 | 278 | 4 | 2 | 6 | – | – | – | – | 1 | 1 | 1 |
| 324 | ABERFELDY, | 2278 | 2198 | 12 | 19 | 31 | – | 1 | 1 | 22 | 23 | 45 | 4 |
| 325 | Aberfoyle, | 1023 | 1052 | 17 | 17 | 34 | – | – | – | 5 | 5 | 10 | 4 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 326 | Abernethy, | 1550 | 1276 | 16 | 10 | 26 | – | 1 | 1 | 6 | 12 | 18 | 6 |
| 327 | Abernyte, | 263 | 241 | 1 | 1 | 2 | – | – | – | – | 1 | 1 | 2 |
| †328*a* | Alyth, | 3324 | 2943 | 37 | 40 | 77 | 6 | 6 | 12 | 21 | 30 | 51 | 19 |
| 328*b* | Ardoch, | 907 | 916 | 7 | 10 | 17 | 1 | – | 1 | 10 | 5 | 15 | 3 |
| 328*c* | Arngask, | 564 | 593 | 7 | 9 | 16 | – | – | – | 3 | 9 | 12 | 2 |
| 329 | Auchterarder, | 3494 | 3159 | 39 | 34 | 73 | 2 | 5 | 7 | 45 | 34 | 79 | 15 |
| *330 | Auchtergaven, | 1308 | 1288 | 17 | 13 | 30 | 3 | 2 | 5 | 6 | 13 | 19 | 6 |
| *331 | Balquhidder, | 728 | 709 | 7 | 9 | 16 | – | – | – | 7 | 7 | 14 | 2 |
| 332 | Bendochy, | 529 | 473 | 4 | 12 | 16 | – | 3 | 3 | 4 | 2 | 6 | 2 |
| 333 | Blackford, | 1522 | 1539 | 13 | 16 | 29 | 1 | – | 1 | 9 | 12 | 21 | 10 |
| †334 | Blair-Athol, | 1560 | 1501 | 17 | 16 | 33 | 2 | – | 2 | 7 | 6 | 13 | 8 |
| †335 | Blairgowrie, | 4510 | 4282 | 40 | 56 | 96 | 3 | 3 | 6 | 36 | 48 | 84 | 41 |
| 336 | Callander, | 2279 | 2171 | 14 | 22 | 36 | 1 | 3 | 4 | 19 | 22 | 41 | 8 |
| 337 | Caputh, | 993 | 1005 | 9 | 8 | 17 | – | – | – | 6 | 12 | 18 | 4 |
| 338 | Cargill, | 1318 | 1411 | 14 | 20 | 34 | 2 | 1 | 3 | 9 | 12 | 21 | 9 |
| 339 | Clunie, | 574 | 561 | 5 | 2 | 7 | – | – | – | 3 | 5 | 8 | 1 |
| 340 | Collace, | 419 | 440 | 4 | 4 | 8 | – | 1 | 1 | 2 | 2 | 4 | 1 |
| †341*a* | Comrie, | 1475 | 1964 | 21 | 23 | 44 | 2 | 1 | 3 | 14 | 17 | 31 | 3 |
| †341*b* | Coupar-Angus, | 2496 | 2468 | 28 | 27 | 55 | 2 | 4 | 6 | 17 | 17 | 34 | 18 |
| 342 | Crieff, | 5413 | 5706 | 65 | 61 | 126 | 4 | 9 | 13 | 46 | 46 | 92 | 17 |
| 343 | Culross (now 418*b* *infra*). | | | | | | | | | | | | |
| *344 | Dowally, | 319 | 304 | 4 | – | 4 | – | – | – | 3 | 3 | 6 | 2 |
| 345 | Dron, | 298 | 232 | 6 | 4 | 10 | – | 2 | 2 | 1 | 6 | 7 | 1 |
| †346 | Dull, | 404 | 355 | 1 | – | 1 | – | – | – | 3 | 4 | 7 | 1 |
| 347 | Dunbarney, | 829 | 909 | 9 | 12 | 21 | 2 | 1 | 3 | 6 | 7 | 13 | 4 |
| 348 | Dunblane & Lecropt, | 3545 | 3812 | 55 | 38 | 93 | 8 | 2 | 10 | 27 | 35 | 62 | 17 |
| *349 | Dunkeld, | 941 | 897 | 9 | 7 | 16 | 2 | 1 | 3 | 5 | 4 | 9 | 6 |
| 350 | Dunning, | 1345 | 1141 | 12 | 16 | 28 | 2 | 1 | 3 | 5 | 9 | 14 | 6 |
| 351 | Errol, | 2158 | 2070 | 13 | 23 | 36 | – | – | – | 11 | 21 | 32 | 9 |
| 352 | Findo-Gask, | 361 | 323 | 6 | 5 | 11 | 1 | – | 1 | 5 | 4 | 9 | 1 |
| 353 | Forgandenny, | 575 | 527 | 5 | 6 | 11 | – | – | – | 4 | 4 | 8 | 1 |
| 354 | Forteviot, | 538 | 562 | 9 | 6 | 15 | – | 2 | 2 | 2 | 4 | 6 | 3 |
| 355*a* | Fortingall— | | | | | | | | | | | | |
| | (1) Innerwick in Glenlyon | 297 | 312 | 5 | 2 | 7 | – | – | – | 1 | 2 | 3 | – |
| | (2) Fortingall, | 476 | 465 | 5 | 2 | 7 | – | – | – | – | 4 | 4 | 1 |
| | (3) Kinloch-Rannoch, | 837 | 807 | 11 | 9 | 20 | 1 | – | 1 | 7 | 2 | 9 | 3 |
| *355*b* | Foss, | 210 | 197 | 3 | 2 | 5 | – | 1 | 1 | 4 | 1 | 5 | – |
| 356 | Fowlis - Easter (now 288*b* *supra*). | | | | | | | | | | | | |
| 357 | Fowlis-Wester, | 968 | 1000 | 12 | 4 | 16 | 1 | 1 | 2 | 3 | 7 | 10 | 3 |
| 358 | Glendevon, | 141 | 147 | 1 | – | 1 | – | – | – | 2 | 3 | 5 | 1 |
| 359 | Inchture, | 624 | 552 | 7 | 6 | 13 | 1 | – | 1 | 4 | 1 | 5 | 2 |
| 360 | Kenmore, | 1039 | 971 | 6 | 10 | 16 | – | – | – | 6 | 9 | 15 | 1 |
| 361 | Killin, | 1395 | 1269 | 8 | 16 | 24 | 2 | 2 | 4 | 6 | 13 | 19 | 3 |
| 362 | Kilmadock, | 2760 | 2705 | 46 | 22 | 68 | 2 | 3 | 5 | 21 | 22 | 43 | 15 |
| 363 | Kilspindie, | 630 | 568 | 11 | 5 | 16 | 3 | – | 3 | 4 | 2 | 6 | 10 |
| 364 | Kincardine, | 1277 | 1309 | 15 | 19 | 34 | 2 | 3 | 5 | 9 | 8 | 17 | 8 |
| †365 | Kinclaven, | 511 | 562 | 5 | 7 | 12 | – | 1 | 1 | 4 | 1 | 5 | 1 |
| 366 | Kinfauns, | 562 | 611 | 8 | 13 | 21 | 1 | 1 | 2 | 3 | 1 | 4 | 6 |
| 367 | Kinloch-Rannoch (now 355*a* (3) *supra*). | | | | | | | | | | | | |
| 368 | Kinnaird, | 228 | 217 | 3 | 2 | 5 | 1 | 1 | 2 | 2 | 3 | 5 | – |
| †369 | Kinnoul, | 328 | 407 | 6 | 5 | 11 | 1 | – | 1 | 2 | 3 | 5 | 1 |
| †370 | Kirkmichael— | | | | | | | | | | | | |
| | (1) Kirkmichael, | 534 | 508 | 3 | 9 | 12 | 1 | 2 | 3 | 2 | 3 | 5 | 2 |
| | (2) Glenshee, | 163 | 163 | 2 | 1 | 3 | – | – | – | 1 | – | 1 | 2 |
| 371 | Lecropt (merged in 348.) | | | | | | | | | | | | |
| 372 | Lethendy and Kinloch, | 343 | 351 | 4 | 2 | 6 | – | 1 | 1 | 4 | 1 | 5 | – |
| †373 | Little Dunkeld, | 2068 | 2072 | 20 | 12 | 32 | 1 | 1 | 2 | 21 | 36 | 57 | 6 |
| 374 | Logie (now 485*b* *infra*) | | | | | | | | | | | | |
| *375 | Logiealmond, | 551 | 619 | 4 | 7 | 11 | – | 1 | 1 | 6 | – | 6 | – |
| †376 | Logierait, | 1387 | 1374 | 8 | 7 | 15 | – | – | – | 11 | 8 | 19 | 4 |
| 377 | Longforgan, | 1779 | 1886 | 22 | 30 | 52 | 2 | 1 | 3 | 12 | 9 | 21 | 7 |
| 378 | Madderty, | 483 | 443 | 5 | 7 | 12 | – | 1 | 1 | – | 4 | 4 | – |
| 379 | Meigle, | 924 | 959 | 9 | 12 | 21 | 2 | 1 | 3 | 7 | 5 | 12 | 3 |

| No. of District. | Registration Districts. | Population. 1891. | Population. 1901. | Total Births, including the Illegitimate. Males. | Total Births. Fem. | Total Births. Total. | Illegitimate Births. Mal. | Illegitimate Births. Fem | Illegitimate Births. Tot. | Deaths. Mal. | Deaths. Fem | Deaths. Total. | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 380 | Methven, | 1681 | 1638 | 17 | 20 | 37 | 1 | 2 | 3 | 13 | 14 | 27 | 7 |
| 381 | Moneydie, | 251 | 251 | 3 | 1 | 4 | – | – | – | 1 | 1 | 2 | – |
| 382 | Monzie (merged in 342, 380, and 383). | | | | | | | | | | | | |
| 383 | Monzievaird and Strowan | 590 | 588 | 8 | 7 | 15 | – | – | – | 3 | – | 3 | 5 |
| 384 | Moulin—(1) Moulin, | 2001 | 2192 | 21 | 25 | 46 | 1 | 3 | 4 | 13 | 12 | 25 | 8 |
| | (2) Strathloch, | 202 | 158 | 4 | 3 | 7 | – | – | – | 1 | – | 1 | – |
| 385 | Muckart, | 542 | 475 | 5 | 2 | 7 | 1 | – | 1 | 2 | 2 | 4 | – |
| 386*a* | Muthil, | 1505 | 1401 | 17 | 16 | 33 | 1 | – | 1 | 6 | 5 | 11 | 6 |
| 386*b* | Persie, | 596 | 513 | 5 | 6 | 11 | – | 1 | 1 | 7 | 2 | 9 | 4 |
| 387 | PERTH, | 29919 | 32873 | 396 | 423 | 819 | 27 | 28 | 55 | 268 | 292 | 560 | 296 |
| | Do. Landward, | 277 | 308 | 1 | 4 | 5 | 1 | – | 1 | 2 | 6 | 8 | 1 |
| 388 | Port of Menteith, | 1092 | 1088 | 15 | 3 | 18 | 2 | – | 2 | 10 | 5 | 15 | 7 |
| 389 | RATTRAY, | 2667 | 2462 | 16 | 29 | 45 | 1 | 4 | 5 | 18 | 18 | 36 | 16 |
| 390 | Redgorton, | 996 | 1077 | 14 | 11 | 25 | – | 1 | 1 | 6 | 12 | 18 | 7 |
| 391 | Rhynd, | 270 | 183 | 2 | 2 | 4 | – | – | – | 3 | 2 | 5 | – |
| 392 | St. Madoes, | 420 | 336 | 6 | 5 | 11 | – | – | – | 3 | 3 | 6 | 1 |
| 393*a* | St. Martins, | 871 | 850 | 13 | 8 | 21 | – | 1 | 1 | 2 | 7 | 9 | 4 |
| 393*b* | Stanley, | 1304 | 1220 | 15 | 16 | 31 | 1 | – | 1 | 8 | 14 | 22 | 4 |
| 394*a* | Scone, | 2100 | 2362 | 20 | 35 | 55 | 1 | 1 | 2 | 17 | 16 | 33 | 21 |
| 394*b* | Strathfillan, | 1362 | 443 | 7 | 6 | 13 | – | – | – | 1 | 5 | 6 | 1 |
| 394*c* | Tenandry, | 389 | 355 | 3 | 6 | 9 | – | 1 | 1 | 1 | 1 | 2 | 2 |
| 395 | TIBBERMORE, | 1692 | 1943 | 19 | 29 | 48 | 3 | 3 | 6 | 7 | 12 | 19 | 7 |
| 396 | Trinity-Gask, | 386 | 381 | 4 | 7 | 11 | – | 1 | 1 | – | 3 | 3 | 1 |
| 397 | Tulliallan (now 458*b inf.*). | | | | | | | | | | | | |
| 398 | Weem, | 437 | 406 | 2 | 4 | 6 | – | – | – | 2 | 2 | 4 | 1 |
| | Total, | 122185 | 123283 | 1369 | 1427 | 2796 | 105 | 116 | 221 | 905 | 1024 | 1929 | 715 |
| | 14. FIFE. | | | | | | | | | | | | |
| 399 | Abbotshall (merged in 442). | | | | | | | | | | | | |
| 400 | ABDIE, | 754 | 664 | 7 | 7 | 14 | – | 1 | 1 | 6 | 5 | 11 | 5 |
| 401 | Aberdour, | 1955 | 1997 | 19 | 23 | 42 | 1 | – | 1 | 13 | 11 | 24 | 4 |
| 402 | ANSTRUTHER-EASTER, | 1142 | 1190 | 15 | 17 | 32 | 2 | 3 | 5 | 8 | 7 | 15 | 7 |
| 403 | ANSTRUTHER-WESTER, | 593 | 558 | 6 | 5 | 11 | 1 | – | 1 | 4 | 5 | 9 | 2 |
| 404 | Arngask (now 328*c sup.*). | | | | | | | | | | | | |
| 405 | AUCHTERDERRAN, | 6194 | 8626 | 234 | 248 | 482 | 6 | 5 | 11 | 78 | 67 | 145 | 83 |
| 406 | AUCHTERMUCHTY, | 2002 | 1884 | 24 | 18 | 42 | 1 | 2 | 3 | 11 | 18 | 29 | 7 |
| 407 | Auchtertool, | 721 | 742 | 12 | 18 | 30 | 1 | 4 | 5 | 3 | 10 | 13 | 2 |
| 408 | BALLINGRY, | 2231 | 4156 | 109 | 88 | 197 | 6 | 3 | 9 | 47 | 40 | 87 | 23 |
| 409 | Balmerino, | 688 | 576 | 3 | 6 | 9 | 1 | 1 | 2 | 3 | 2 | 5 | 1 |
| 410 | BEATH, | 8298 | 15812 | 385 | 404 | 789 | 13 | 7 | 20 | 131 | 122 | 253 | 136 |
| 411 | BURNTISLAND, | 6174 | 5599 | 53 | 57 | 110 | 2 | 5 | 7 | 36 | 36 | 72 | 14 |
| 412 | Cameron, | 886 | 738 | 11 | 6 | 17 | – | – | – | 2 | 3 | 5 | 4 |
| 413 | Carnbee, | 952 | 910 | 12 | 5 | 17 | – | – | – | 7 | 6 | 13 | 11 |
| 414 | Carnock, | 987 | 1349 | 14 | 26 | 40 | 1 | – | 1 | 12 | 9 | 21 | 8 |
| 415 | Ceres, | 1677 | 1545 | 22 | 11 | 33 | 2 | 1 | 3 | 12 | 13 | 25 | 7 |
| 416 | COLLESSIE, | 2093 | 2161 | 28 | 29 | 57 | 3 | 2 | 5 | 10 | 13 | 23 | 10 |
| 417 | CRAIL, | 1647 | 1534 | 17 | 15 | 32 | – | 3 | 3 | 7 | 14 | 21 | 12 |
| 418*a* | Creich, | 325 | 297 | – | 3 | 3 | – | – | – | 1 | – | 1 | 1 |
| 418*b* | CULROSS, | 1096 | 1120 | 9 | 11 | 20 | – | 3 | 3 | 8 | 4 | 12 | 8 |
| 419 | Cults, | 680 | 628 | 8 | 5 | 13 | 3 | – | 3 | 5 | 4 | 9 | 6 |
| 420 | CUPAR, | 6990 | 6768 | 61 | 71 | 132 | 4 | 6 | 10 | 65 | 79 | 144 | 50 |
| 421 | Dairsie, | 606 | 464 | 2 | 7 | 9 | – | – | – | – | 3 | 3 | 3 |
| 422 | Dalgetty, | 1341 | 1133 | 23 | 23 | 46 | 2 | 3 | 5 | 4 | 10 | 14 | 12 |
| 423 | Dunbog, | 346 | 323 | 7 | 4 | 11 | – | 1 | 1 | 2 | – | 2 | 5 |
| 424 | DUNFERMLINE, | 28667 | 31697 | 425 | 412 | 837 | 21 | 16 | 37 | 235 | 239 | 474 | 288 |
| 425 | Dunino, | 383 | 359 | 6 | 4 | 10 | 1 | 1 | 2 | 2 | 2 | 4 | 3 |
| 426 | DYSART— | | | | | | | | | | | | |
| | Kirkcaldy portion, | 9839 | 11733 | 186 | 168 | 354 | 8 | 9 | 17 | 83 | 80 | 163 | 93 |
| | Dysart portion, | 3533 | 3976 | 70 | 56 | 126 | 4 | 2 | 6 | 20 | 34 | 54 | 39 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 427 | ELIE, | 1172 | 1142 | 4 | 7 | 11 | – | – | – | 9 | 11 | 20 | 7 |
| 428 | FALKLAND, | 2470 | 2231 | 21 | 17 | 38 | 1 | 2 | 3 | 20 | 29 | 49 | 21 |
| 429 | FERRY-PORT-ON-CRAIG, | 3008 | 3445 | 43 | 28 | 71 | – | 3 | 3 | 26 | 30 | 56 | 19 |
| †430 | Flisk, | 192 | 195 | 6 | 1 | 7 | – | – | – | 2 | 2 | 4 | – |
| 431 | FORGAN, | 3763 | 4720 | 32 | 34 | 66 | – | 1 | 1 | 20 | 28 | 48 | 16 |
| 432 | INVERKEITHING, | 2943 | 3468 | 56 | 51 | 107 | 5 | 4 | 9 | 21 | 16 | 37 | 26 |
| 433 | Kemback, | 794 | 412 | 5 | 3 | 8 | – | 1 | 1 | 2 | 3 | 5 | 6 |
| 434 | Kennoway, | 1458 | 1505 | 25 | 16 | 41 | 1 | – | 1 | 18 | 15 | 33 | 6 |
| 435 | Kettle, | 1939 | 1759 | 21 | 14 | 35 | 1 | 1 | 2 | 13 | 17 | 30 | 13 |
| 436 | Kilconquhar, | 1642 | 1517 | 14 | 27 | 41 | 2 | 2 | 4 | 17 | 12 | 29 | 7 |
| 437 | Kilmany, | 588 | 502 | 9 | 7 | 16 | – | 1 | 1 | 5 | 5 | 10 | 4 |
| †438 | KILRENNY, | 2889 | 2784 | 45 | 39 | 84 | 1 | 1 | 2 | 12 | 21 | 33 | 10 |
| †439 | KINGHORN, | 2790 | 2311 | 29 | 31 | 60 | 1 | 3 | 4 | 24 | 29 | 53 | 16 |
| 440 | Kinglassie, | 1436 | 1478 | 21 | 27 | 48 | 1 | – | 1 | 14 | 11 | 25 | 9 |
| 441 | Kingsbarns, | 731 | 652 | 10 | 7 | 17 | 1 | – | 1 | 4 | 10 | 14 | 4 |
| 442 | KIRKCALDY, etc., | 17316 | 22346 | 320 | 268 | 588 | 14 | 19 | 33 | 152 | 158 | 310 | 179 |
| | Do. Landward, | 659 | 651 | 7 | 5 | 12 | 1 | – | 1 | 5 | 5 | 10 | 1 |
| 443 | Largo, | 2324 | 2046 | 16 | 25 | 41 | – | 2 | 2 | 12 | 11 | 23 | 8 |
| 444 | LESLIE, | 3886 | 3960 | 42 | 43 | 85 | 6 | 3 | 9 | 23 | 38 | 61 | 36 |
| 445 | Leuchars, | 2370 | 2499 | 34 | 30 | 64 | 3 | 4 | 7 | 14 | 21 | 35 | 11 |
| 446 | Logie, | 360 | 285 | 5 | 3 | 8 | 1 | – | 1 | – | 1 | 1 | 2 |
| 447 | MARKINCH— | | | | | | | | | | | | |
| | (1) MARKINCH, | 3297 | 3580 | 38 | 37 | 75 | – | – | – | 21 | 24 | 45 | 19 |
| | (2) Windygates, | 1551 | 1815 | 29 | 20 | 49 | – | 1 | 1 | 14 | 16 | 30 | 15 |
| 448 | Monimail, | 769 | 720 | 5 | 4 | 9 | – | – | – | 7 | – | 7 | 3 |
| 449 | Moonzie, | 128 | 138 | 3 | 2 | 5 | – | – | – | 1 | – | 1 | 2 |
| 450 | NEWBURGH, | 1852 | 1780 | 24 | 26 | 50 | 1 | 4 | 5 | 19 | 22 | 41 | 10 |
| 451 | Newburn, | 322 | 296 | 3 | 3 | 6 | – | – | – | 2 | 3 | 5 | 2 |
| 452 | PITTENWEEM, | 1991 | 1911 | 26 | 28 | 54 | – | – | – | 20 | 14 | 34 | 7 |
| 453 | ST. ANDREWS and ST. LEONARDS, | 8755 | 9410 | 84 | 87 | 171 | 8 | 4 | 12 | 55 | 49 | 104 | 38 |
| 454 | St. Monance (or Abercrombie), | 1998 | 2007 | 30 | 12 | 42 | 3 | 1 | 4 | 9 | 18 | 27 | 15 |
| 455 | Saline, | 760 | 1012 | 21 | 9 | 30 | – | – | – | 8 | 9 | 17 | 5 |
| 456 | SCOONIE, | 4693 | 6342 | 110 | 100 | 210 | 7 | 3 | 10 | 52 | 42 | 94 | 35 |
| 457*a* | Strathmiglo, | 1772 | 1618 | 9 | 18 | 27 | 1 | 1 | 2 | 8 | 16 | 24 | 13 |
| 457*b* | Thornton, | 1204 | 1741 | 30 | 30 | 60 | 1 | 4 | 5 | 28 | 22 | 50 | 1 |
| 458*a* | Torryburn, | 1032 | 1130 | 18 | 19 | 37 | 1 | – | 1 | 7 | 9 | 16 | 2 |
| 458*b* | Tulliallan, | 2177 | 1862 | 24 | 34 | 58 | 5 | 3 | 8 | 16 | 19 | 35 | 11 |
| 459 | WEMYSS—(1) WEMYSS, | 3024 | 4587 | 76 | 88 | 164 | 1 | 2 | 3 | 33 | 29 | 62 | 23 |
| | (2) BUCKHAVEN, | 7510 | 10444 | 204 | 206 | 410 | 6 | 7 | 13 | 73 | 82 | 155 | 62 |
| | Total, | 190365 | 218840 | 3267 | 3153 | 6420 | 156 | 155 | 311 | 1601 | 1683 | 3284 | 1508 |
| | 15. KINROSS. | | | | | | | | | | | | |
| 460 | CLEISH, | 539 | 631 | 8 | 9 | 17 | – | 1 | 1 | 5 | 2 | 7 | 4 |
| 461 | Fossoway and Tulliebole, | 1053 | 1046 | 13 | 15 | 28 | 2 | 2 | 4 | 8 | 9 | 17 | 6 |
| 462 | KINROSS, | 2385 | 2655 | 29 | 30 | 59 | 3 | 3 | 6 | 26 | 26 | 52 | 16 |
| 463 | Orwell, | 1852 | 1822 | 29 | 26 | 55 | 1 | 1 | 2 | 22 | 16 | 38 | 13 |
| 464 | Portmoak, | 844 | 827 | 16 | 6 | 22 | 1 | – | 1 | 3 | 6 | 9 | 6 |
| | Total, | 6673 | 6981 | 95 | 86 | 181 | 7 | 7 | 14 | 64 | 59 | 123 | 45 |
| | 16. CLACKMANNAN. | | | | | | | | | | | | |
| 465*a* | ALLOA, | 15862 | 16858 | 198 | 223 | 421 | 7 | 10 | 17 | 114 | 133 | 247 | 115 |
| 465*b* | ALVA, | 6366 | 5641 | 74 | 57 | 131 | 3 | 3 | 6 | 40 | 47 | 87 | 37 |
| 466 | Clackmannan, | 2996 | 2501 | 30 | 26 | 56 | 1 | 1 | 2 | 17 | 19 | 36 | 20 |
| 467 | DOLLAR, | 2221 | 2042 | 16 | 16 | 32 | – | 3 | 3 | 14 | 12 | 26 | 8 |
| 468 | TILLICOULTRY, | 5695 | 4987 | 63 | 61 | 124 | 4 | 6 | 10 | 25 | 36 | 61 | 41 |
| | Total, | 33140 | 32029 | 381 | 383 | 764 | 15 | 23 | 38 | 210 | 247 | 457 | 221 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | |
| | 17. STIRLING. | | | | | | | | | | | | |
| 469 | Airth, | 1325 | 1360 | 21 | 19 | 40 | 3 | 1 | 4 | 16 | 12 | 28 | 5 |
| 470 | ALVA (now 465*b* *supra*). | | | | | | | | | | | | |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 471 | Baldernock, | 553 | 582 | 8 | 2 | 10 | – | – | – | 1 | 3 | 4 | 1 |
| 472 | Balfron, | 1203 | 1092 | 15 | 7 | 22 | 1 | 1 | 2 | 11 | 8 | 19 | 4 |
| 473 | Bothkennar (now 481*b* (1) *infra*). | | | | | | | | | | | | |
| 474 | Buchanan, | 658 | 487 | 4 | 4 | 8 | 1 | – | 1 | 5 | 6 | 11 | 3 |
| 475 | Campsie, | 5338 | 5424 | 87 | 77 | 164 | 2 | 8 | 10 | 50 | 48 | 98 | 37 |
| 476 | Denny—(1) Denny, | 4813 | 6121 | 106 | 110 | 216 | 1 | 5 | 6 | 39 | 40 | 79 | 39 |
| | (2) Haggs, | 1560 | 2147 | 41 | 46 | 87 | 2 | 1 | 3 | 22 | 16 | 38 | 20 |
| 477 | Drymen, | 1512 | 1390 | 11 | 10 | 21 | – | 1 | 1 | 7 | 7 | 14 | 5 |
| 478 | Dunipace, | 1716 | 2050 | 34 | 40 | 74 | 2 | 1 | 3 | 16 | 15 | 31 | 8 |
| 479 | Falkirk, | 26105 | 36628 | 743 | 665 | 1408 | 26 | 20 | 46 | 311 | 251 | 562 | 272 |
| 480 | Fintry, | 357 | 314 | 4 | – | 4 | – | – | – | 5 | 5 | 10 | 3 |
| 481*a* | Gargunnock, | 674 | 633 | 1 | 6 | 7 | – | 1 | 1 | 2 | 5 | 7 | – |
| 481*b* | Grangemouth— | | | | | | | | | | | | |
| | (1) Bothkennar, | 2012 | 1964 | 28 | 42 | 70 | – | 5 | 5 | 11 | 13 | 24 | 22 |
| | (2) Grangemouth, | 6625 | 8486 | 125 | 139 | 264 | 4 | 3 | 7 | 63 | 48 | 111 | 57 |
| | (3) Polmont, | 4582 | 7013 | 120 | 117 | 237 | 3 | 4 | 7 | 39 | 42 | 81 | 48 |
| 482 | Killearn, | 1182 | 929 | 5 | 6 | 11 | 1 | 1 | 2 | 9 | 6 | 15 | 4 |
| 483 | Kilsyth, | 7424 | 9840 | 199 | 202 | 401 | 8 | 8 | 16 | 80 | 78 | 158 | 64 |
| 484 | Kippen, | 1486 | 1456 | 16 | 14 | 30 | 2 | 1 | 3 | 11 | 10 | 21 | 6 |
| 485*a* | Larbert, | 8340 | 11684 | 195 | 161 | 356 | 4 | 5 | 9 | 149 | 131 | 280 | 79 |
| 485*b* | Logie, | 4252 | 4432 | 49 | 30 | 79 | 2 | – | 2 | 32 | 34 | 66 | 16 |
| 486 | Muiravonside, | 3671 | 5332 | 112 | 100 | 212 | 6 | 4 | 10 | 29 | 32 | 61 | 31 |
| 487 | Polmont (now 481*b* (3) *sup.*) | | | | | | | | | | | | |
| *488 | St. Ninians— | | | | | | | | | | | | |
| | (1) St. Ninians, | 5110 | 5005 | 59 | 66 | 125 | 3 | 5 | 8 | 39 | 37 | 76 | 24 |
| | (2) Bannockburn, | 3620 | 5400 | 112 | 111 | 223 | 1 | 7 | 8 | 49 | 35 | 84 | 31 |
| 489 | Slamannan, | 7221 | 5286 | 90 | 82 | 172 | 4 | 7 | 11 | 29 | 31 | 60 | 39 |
| *490 | Stirling, | 15011 | 16356 | 201 | 219 | 420 | 10 | 16 | 26 | 161 | 181 | 342 | 175 |
| 491 | Strathblane, | 1671 | 880 | 7 | 7 | 14 | – | 1 | 1 | 3 | 8 | 11 | 6 |
| | Total, | 118021 | 142291 | 2393 | 2282 | 4675 | 86 | 106 | 192 | 1189 | 1102 | 2291 | 999 |
| | 18. Dumbarton. | | | | | | | | | | | | |
| 492 | Arrochar, | 1457 | 605 | 7 | 4 | 11 | – | – | – | 8 | 7 | 15 | 2 |
| 493 | Bonhill, | 14379 | 14581 | 219 | 173 | 392 | 6 | 9 | 15 | 99 | 104 | 203 | 116 |
| †494 | Cardross—(1) Cardross. | 1284 | 1372 | 23 | 14 | 37 | 1 | – | 1 | 13 | 6 | 19 | 10 |
| | (2) Renton, | 5327 | 5114 | 85 | 91 | 176 | 3 | 4 | 7 | 43 | 42 | 85 | 41 |
| 495 | Cumbernauld, | 4283 | 4905 | 86 | 88 | 174 | 3 | 3 | 6 | 42 | 30 | 72 | 43 |
| *496 | Dumbarton, | 18021 | 20205 | 338 | 326 | 664 | 12 | 15 | 27 | 210 | 194 | 404 | 111 |
| 497 | Kilmaronock, | 900 | 874 | 9 | 9 | 18 | – | 1 | 1 | 7 | 6 | 13 | – |
| 498 | Kirkintilloch, | 12427 | 14401 | 225 | 255 | 480 | 9 | 10 | 19 | 178 | 150 | 328 | 106 |
| 499 | Luss, | 633 | 572 | 4 | 6 | 10 | – | – | – | 7 | 3 | 10 | 3 |
| 500 | New or East Kilpatrick, | 8309 | 10815 | 164 | 190 | 354 | 9 | 3 | 12 | 73 | 79 | 152 | 43 |
| 501 | Old or West Kilpatrick, | 17758 | 27311 | 525 | 500 | 1025 | 17 | 14 | 31 | 200 | 164 | 364 | 180 |
| 502 | Roseneath— | | | | | | | | | | | | |
| | (1) Roseneath, | 900 | 778 | 3 | 3 | 6 | – | – | – | 5 | 2 | 7 | 5 |
| | (2) Kilcreggan & Cove | 1164 | 1145 | 13 | 4 | 17 | 1 | – | 1 | 11 | 11 | 22 | 3 |
| 503 | Row, | 11172 | 11187 | 118 | 99 | 217 | 7 | 3 | 10 | 89 | 106 | 195 | 64 |
| | Total, | 98014 | 113865 | 1819 | 1762 | 3581 | 68 | 62 | 130 | 985 | 904 | 1889 | 727 |
| | 19. Argyll. *Mainland.* | | | | | | | | | | | | |
| 504 | Ardchattan, | 709 | 841 | 8 | 3 | 11 | – | – | – | 11 | 4 | 15 | 4 |
| 505 | Ardnamurchan— | | | | | | | | | | | | |
| | (1) Aharacle, | 1318 | 1386 | 13 | 10 | 23 | – | – | – | 10 | 14 | 24 | 2 |
| | (2) Arisaig (now 91*b sup.*) | | | | | | | | | | | | |
| | (3) Sunart (or Strontian), | 614 | 519 | 3 | 4 | 7 | – | 1 | 1 | 3 | 5 | 8 | 1 |
| | (4) Western Ardnamurchan, | 775 | 648 | 6 | 7 | 13 | 1 | 3 | 4 | 6 | 4 | 10 | – |
| 506 | Ballachulish and Corran of Ardgour, | 757 | 687 | – | 7 | 7 | – | 1 | 1 | 5 | 4 | 9 | 4 |
| 507 | Campbeltown, | 10260 | 10236 | 137 | 119 | 256 | 13 | 3 | 16 | 71 | 81 | 152 | 53 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 508 | Craignish, | 389 | 327 | 5 | 4 | 9 | 2 | – | 2 | – | 2 | 2 | 2 |
| *509 | Cumlodden and Minard, | 912 | 875 | 5 | 3 | 8 | – | – | – | 4 | 3 | 7 | 3 |
| 510 | Dunoon and Kilmun— | | | | | | | | | | | | |
| | (1) Dunoon, | 7287 | 8924 | 82 | 86 | 168 | 2 | 6 | 8 | 89 | 88 | 177 | 27 |
| | (2) Kilmun, | 1396 | 1544 | 14 | 13 | 27 | – | – | – | 9 | 9 | 18 | 5 |
| †511 | Glassary, | 1032 | 939 | 8 | 10 | 18 | 3 | 1 | 4 | 7 | 14 | 21 | 2 |
| †512 | Glenorchy and Inishail, | 1252 | 827 | 2 | 11 | 13 | – | 1 | 1 | 4 | 5 | 9 | 5 |
| *513 | INVERARAY, | 1261 | 1118 | 11 | 5 | 16 | – | – | – | 4 | 17 | 21 | 2 |
| 514 | Inverchaolain, | 359 | 334 | 1 | 6 | 7 | – | – | – | 1 | 1 | 2 | 2 |
| *515 | Kilbrandon & Kilchattan, | 1677 | 1631 | 17 | 22 | 39 | – | 2 | 2 | 14 | 12 | 26 | 2 |
| †516 | Kilcalmonell, | 502 | 495 | 4 | 5 | 9 | – | – | – | 1 | 5 | 6 | 1 |
| *517 | Kilchrenan, etc.— | | | | | | | | | | | | |
| | (1) Kilchrenan, | 406 | 416 | 3 | 1 | 4 | – | – | – | 3 | 4 | 7 | – |
| | (2) Dalavich, | 158 | 138 | – | 2 | 2 | – | – | – | – | – | – | – |
| 518 | Kilfinan, | 2074 | 1915 | 14 | 21 | 35 | 1 | – | 1 | 13 | 12 | 25 | 14 |
| 519 | Killean and Kilchenzie, | 1293 | 1078 | 5 | 12 | 17 | – | 1 | 1 | 4 | 4 | 8 | 7 |
| *520 | Kilmallie, | 3448 | 3580 | 24 | 33 | 57 | 1 | – | 1 | 23 | 24 | 47 | 9 |
| 521 | Kilmartin, | 695 | 663 | 1 | 9 | 10 | – | – | – | 3 | 5 | 8 | 4 |
| 522 | Kilmodan, | 351 | 387 | 2 | 3 | 5 | – | – | – | – | 4 | 4 | 1 |
| 523 | KILMORE and KILBRIDE, | 5729 | 6301 | 70 | 78 | 148 | 7 | 6 | 13 | 65 | 46 | 111 | 64 |
| 524 | Kilninver, etc.— | | | | | | | | | | | | |
| | (1) Kilninver, | 200 | 172 | – | 1 | 1 | – | – | – | 2 | 2 | 4 | 1 |
| | (2) Kilmelford, | 207 | 185 | 2 | 6 | 8 | – | – | – | 1 | 3 | 4 | – |
| *525 | Lismore, etc.— | | | | | | | | | | | | |
| | (1) Lismore, | 681 | 581 | 5 | 3 | 8 | – | 1 | 1 | 4 | 2 | 6 | 2 |
| | (2) Appin, | 669 | 940 | 15 | 4 | 19 | – | – | – | 6 | 5 | 11 | 2 |
| | (3) Glencoe & Ballachulish, | 1480 | 1718 | 14 | 14 | 28 | 1 | 1 | 2 | 13 | 7 | 20 | 1 |
| | (4) Duror, | 412 | 545 | 3 | 1 | 4 | – | – | – | 3 | 2 | 5 | – |
| *526 | Lochgilphead, | 3458 | 3560 | 34 | 31 | 65 | 4 | 4 | 8 | 38 | 41 | 79 | 10 |
| 527 | Lochgoilhead, etc.— | | | | | | | | | | | | |
| | (1) Lochgoilhead, | 520 | 430 | 2 | 9 | 11 | – | 1 | 1 | 5 | 6 | 11 | 3 |
| | (2) Kilmorich, | 267 | 241 | 2 | 5 | 7 | – | 1 | 1 | 4 | 3 | 7 | – |
| 528 | Morvern, | 820 | 730 | 7 | 5 | 12 | – | – | – | 3 | 4 | 7 | 1 |
| *529 | Muckairn, | 1506 | 1492 | 19 | 12 | 31 | 1 | 1 | 2 | 6 | 11 | 17 | 6 |
| 530 | North Knapdale, | 867 | 768 | 5 | 6 | 11 | – | – | – | 6 | 8 | 14 | 1 |
| †531 | Saddell, etc.—(1) Saddell, | 757 | 764 | 8 | 12 | 20 | – | 1 | 1 | 5 | 3 | 8 | 3 |
| | (2) Skipness, | 395 | 321 | 3 | 5 | 8 | – | – | – | – | 1 | 1 | 1 |
| 532 | Southend, | 844 | 732 | 8 | 13 | 21 | – | 1 | 1 | 8 | 6 | 14 | 5 |
| †533 | South Knapdale— | | | | | | | | | | | | |
| | (1) South Knapdale, | 463 | 390 | 4 | 5 | 9 | – | – | – | 3 | 2 | 5 | 2 |
| | (2) Kilberry, | 388 | 343 | 4 | 7 | 11 | – | 1 | 1 | 2 | 2 | 4 | 1 |
| 534 | Stralachlan, etc.— | | | | | | | | | | | | |
| | (1) Stralachlan, | 270 | 238 | 3 | – | 3 | – | – | – | 3 | 2 | 5 | 1 |
| | (2) Strachur, | 478 | 496 | 4 | 7 | 11 | – | – | – | 4 | 1 | 5 | – |
| *535 | Tarbert, | 2208 | 2128 | 23 | 26 | 49 | 1 | 1 | 2 | 16 | 22 | 38 | 10 |
| | *Insular.* | | | | | | | | | | | | |
| *536 | Bowmore (or Kilarrow), | 1855 | 1813 | 17 | 22 | 39 | 4 | 4 | 8 | 14 | 16 | 30 | 3 |
| 537 | Gigha, | 401 | 374 | 7 | 3 | 10 | 1 | 1 | 2 | 2 | 4 | 6 | – |
| 538 | Iona (merged in 542). | | | | | | | | | | | | |
| †539 | Jura, etc.—(1) Jura, | 621 | 562 | 4 | 10 | 14 | – | – | – | 9 | 7 | 16 | 4 |
| | (2) Colonsay, | 381 | 313 | 1 | 1 | 2 | – | – | – | 1 | – | 1 | – |
| †540 | Kilchoman, | 1828 | 1632 | 16 | 22 | 38 | 2 | 2 | 4 | 14 | 11 | 25 | 5 |
| 541 | Kildalton and Oa, | 2027 | 1872 | 15 | 20 | 35 | 2 | 4 | 6 | 16 | 17 | 33 | 5 |
| 542 | Kilfinichen & Kilvickeon, | 1745 | 1529 | 11 | 11 | 22 | 2 | – | 2 | 14 | 10 | 24 | 3 |
| *543 | Kilmeny, | 805 | 822 | 11 | 10 | 21 | 3 | 2 | 5 | 9 | 7 | 16 | 5 |
| †544 | Kilninian and Kilmore— | | | | | | | | | | | | |
| | (1) Ulva, | 222 | 242 | 1 | 2 | 3 | – | – | – | 1 | 1 | 2 | – |
| | (2) Kilninian & Kilmore, | 695 | 624 | 7 | 2 | 9 | – | – | – | 4 | 4 | 8 | 1 |
| *545 | Kinlochspelvie, | 270 | 259 | – | 4 | 4 | – | – | – | 1 | – | 1 | 1 |
| 546 | Oa (merged in 541). | | | | | | | | | | | | |
| *547 | Portnahaven, | 869 | 728 | 6 | 5 | 11 | – | 1 | 1 | 12 | 12 | 24 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 548 | Salen, | 521 | 441 | 4 | 5 | 9 | – | – | – | 4 | 3 | 7 | – |
| 549 | Tobermory, | 1265 | 1301 | 15 | 16 | 31 | – | – | – | 6 | 14 | 20 | 4 |
| 550 | Torosay, | 358 | 316 | 1 | 5 | 6 | – | – | – | 1 | – | 1 | 1 |
| 551 | Tyree, etc.—(1) Tyree, | 2452 | 2195 | 13 | 13 | 26 | – | 2 | 2 | 23 | 21 | 44 | 2 |
| | (2) Coll, | 522 | 432 | 1 | 6 | 7 | – | – | – | 2 | 2 | 4 | 2 |
| | Total, | 78381 | 78038 | 730 | 803 | 1533 | 51 | 54 | 105 | 615 | 629 | 1244 | 301 |
| | 20. Bute. | | | | | | | | | | | | |
| 552 | Cumbrae, | 1801 | 1769 | 14 | 20 | 34 | 1 | – | 1 | 17 | 18 | 35 | 4 |
| 553 | Kilbride—(1) Brodick, | 912 | 1048 | 7 | 15 | 22 | 1 | 2 | 3 | 8 | 10 | 18 | 2 |
| | (2) Kilbride, | 1276 | 1335 | 10 | 12 | 22 | – | – | – | 6 | 12 | 18 | 5 |
| 554 | Kilmory—(1) Kilmory, | 1045 | 978 | 3 | 11 | 14 | – | 1 | 1 | 9 | 10 | 19 | 4 |
| | (2) Shiskine, | 925 | 831 | 7 | 6 | 13 | 1 | – | 1 | 9 | 2 | 11 | 3 |
| 555 | Kingarth, | 1062 | 1056 | 10 | 5 | 15 | – | – | – | 16 | 10 | 26 | 5 |
| 556 | Lochranza, | 692 | 645 | 5 | 4 | 9 | – | – | – | 5 | 3 | 8 | 1 |
| 557 | North Bute, | 1583 | 1747 | 24 | 15 | 39 | 2 | – | 2 | 12 | 9 | 21 | 6 |
| 558 | ROTHESAY, | 9108 | 9378 | 93 | 86 | 179 | 7 | 5 | 2 | 64 | 81 | 145 | 52 |
| | Total, | 18404 | 18787 | 173 | 174 | 347 | 12 | 8 | 20 | 146 | 155 | 301 | 82 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | |
| | 21. Renfrew. | | | | | | | | | | | | |
| 559a | Abbey (merged in 572 (2) and 573 *infra*). | | | | | | | | | | | | |
| 559b | Bridge of Weir, | 1760 | 2316 | 19 | 30 | 49 | – | – | – | 20 | 19 | 39 | 9 |
| 560 | CATHCART— | | | | | | | | | | | | |
| | Glasgow portion, | 11957 | 20983 | 261 | 258 | 519 | 6 | 2 | 8 | 223 | 215 | 438 | 130 |
| | Landward, etc., | 4552 | 7375 | 113 | 87 | 200 | 3 | 2 | 5 | 59 | 47 | 106 | 25 |
| 561 | Eaglesham, | 1207 | 1075 | 11 | 11 | 22 | – | 2 | 2 | 14 | 11 | 25 | 1 |
| 562 | EASTWOOD— | | | | | | | | | | | | |
| | Glasgow portion, | 2298 | 3534 | 35 | 37 | 72 | – | – | – | 16 | 28 | 44 | 19 |
| | Landward, etc, | 13744 | 15366 | 244 | 245 | 489 | 9 | 10 | 19 | 110 | 126 | 236 | 95 |
| 563 | Erskine, | 1691 | 1519 | 25 | 16 | 41 | 1 | 3 | 4 | 13 | 8 | 21 | 7 |
| 564 | GREENOCK— | | | | | | | | | | | | |
| | (1) East, | 32883 | 34555 | 587 | 515 | 1102 | 28 | 13 | 41 | 303 | 300 | 603 | 160 |
| | Do. Landward, | 54 | 44 | – | – | – | – | – | – | 1 | – | 1 | – |
| | (2) West, | 30540 | 33587 | 461 | 484 | 945 | 25 | 25 | 50 | 376 | 332 | 708 | 380 |
| | Do. Landward, | 35 | 31 | 1 | – | 1 | – | – | – | 3 | – | 3 | – |
| 565 | Houstoun and Killellan, | 1389 | 1402 | 16 | 16 | 32 | 1 | 1 | 2 | 13 | 6 | 19 | 8 |
| 566 | Inchinnan, | 567 | 573 | 6 | 10 | 16 | 1 | – | 1 | 6 | 2 | 8 | 5 |
| 567 | Inverkip—(1) Inverkip, | 1253 | 1151 | 13 | 14 | 27 | – | – | – | 11 | 5 | 16 | 8 |
| | (2) Gourock, | 5288 | 6112 | 75 | 54 | 129 | 6 | 5 | 11 | 106 | 97 | 203 | 19 |
| 568 | Kilbarchan— | | | | | | | | | | | | |
| | (1) Kilbarchan, | 3262 | 3450 | 34 | 48 | 82 | 8 | 2 | 10 | 26 | 23 | 49 | 10 |
| | (2) Linwood, | 2646 | 2099 | 30 | 32 | 62 | 1 | 1 | 2 | 25 | 21 | 46 | 8 |
| 569 | Kilmalcolm, | 3649 | 4869 | 45 | 38 | 83 | 3 | 1 | 4 | 29 | 30 | 59 | 18 |
| 570 | Lochwinnoch, | 3477 | 4402 | 75 | 63 | 138 | 3 | – | 3 | 26 | 34 | 60 | 17 |
| 571 | Mearns,—(1) Busby, | 1421 | 1297 | 13 | 13 | 26 | – | – | – | 10 | 4 | 14 | 6 |
| | (2) Newton Mearns, | 2005 | 2112 | 28 | 27 | 55 | 1 | 3 | 4 | 13 | 10 | 23 | 6 |
| 572 | Neilston—(1) Neilston, | 4015 | 4459 | 58 | 70 | 128 | 5 | 3 | 8 | 24 | 33 | 57 | 20 |
| | (2) Barrhead and Levern, | 9976 | 12051 | 220 | 204 | 424 | 13 | 5 | 18 | 115 | 107 | 222 | 69 |
| 573 | PAISLEY— | | | | | | | | | | | | |
| | (1) PAISLEY—Burgh, | 66425 | 79363 | 1235 | 1236 | 2471 | 59 | 62 | 121 | 688 | 740 | 1428 | 621 |
| | Do. Landward, | 2870 | 4129 | 67 | 49 | 116 | 3 | 2 | 5 | 43 | 67 | 110 | 19 |
| | (2) Johnstone and Elderslie, | 12088 | 13613 | 225 | 207 | 432 | 7 | 5 | 12 | 100 | 101 | 201 | 89 |
| 574 | PORT-GLASGOW, | 14708 | 16888 | 317 | 296 | 613 | 14 | 13 | 27 | 137 | 158 | 295 | 135 |
| 575 | RENFREW, | 9307 | 15142 | 351 | 296 | 647 | 5 | 7 | 12 | 149 | 134 | 283 | 73 |
| | Total, | 245067 | 293497 | 4565 | 4356 | 8921 | 202 | 167 | 369 | 2659 | 2658 | 5317 | 1957 |
| | 22. Ayr. | | | | | | | | | | | | |
| 576 | Ardrossan— | | | | | | | | | | | | |
| | (1) Old Ardrossan, | 4549 | 5834 | 98 | 73 | 171 | 4 | 6 | 10 | 48 | 53 | 101 | 48 |
| | (2) New Ardrossan, | 5362 | 6054 | 97 | 97 | 194 | 8 | 5 | 13 | 43 | 35 | 78 | 29 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 577 | Auchinleck— | | | | | | | | | | | | |
| | (1) Auchinleck, | 2179 | 2828 | 63 | 59 | 122 | 2 | 4 | 6 | 32 | 30 | 62 | 2 |
| | (2) Lugar, | 3924 | 3777 | 71 | 62 | 133 | 8 | 3 | 11 | 34 | 26 | 60 | 3 |
| 578 | AYR—(1) AYR, | 26318 | 30318 | 469 | 472 | 941 | 30 | 32 | 62 | 318 | 279 | 597 | 25 |
| | (2) St Quivox, | 1138 | 1219 | 23 | 23 | 46 | 2 | 3 | 5 | 8 | 13 | 21 | 1 |
| 579 | Ballantrae, | 1268 | 1124 | 9 | 10 | 19 | 1 | – | 1 | 8 | 9 | 17 | |
| 580 | Barr, | 549 | 581 | 7 | 2 | 9 | – | – | – | 2 | 6 | 8 | |
| 581 | Beith, | 7126 | 7523 | 95 | 95 | 190 | 4 | 4 | 8 | 51 | 65 | 116 | 4 |
| 582 | Colmonell—(1) Colmonell, | 988 | 993 | 12 | 14 | 26 | 1 | 3 | 4 | 7 | 5 | 12 | |
| | (2) Barrhill, | 912 | 961 | 10 | 6 | 16 | – | 1 | 1 | 3 | 6 | 9 | |
| 583 | Coylton —(1) Coylton, | 2097 | 1875 | 40 | 43 | 83 | 4 | 3 | 7 | 10 | 9 | 19 | 1 |
| | (2) Rankinston, | 570 | 667 | 17 | 15 | 32 | 1 | 2 | 3 | 7 | 2 | 9 | |
| 584*a* | Craigie, | 552 | 509 | 9 | 8 | 17 | – | – | – | 3 | 2 | 5 | |
| *584*b* | Crosshill, | 1178 | 1108 | 18 | 17 | 35 | 1 | – | 1 | 8 | 6 | 14 | |
| 585 | Dailly, | 1830 | 1673 | 24 | 29 | 53 | 1 | – | 1 | 13 | 6 | 19 | 1 |
| †586 | Dalmellington— | | | | | | | | | | | | |
| | (1) Dalmellington, | 2568 | 2585 | 44 | 40 | 84 | 3 | 3 | 6 | 20 | 9 | 29 | 1 |
| | (2) Waterside, | 2320 | 2533 | 45 | 54 | 99 | 3 | 2 | 5 | 21 | 17 | 38 | 2 |
| 587 | Dalry, | 8164 | 8212 | 125 | 105 | 230 | 3 | 2 | 5 | 54 | 55 | 109 | 5 |
| †588 | Dalrymple, | 1018 | 931 | 12 | 13 | 25 | – | 1 | 1 | 9 | 8 | 17 | 1 |
| 589 | Dreghorn, | 4057 | 4332 | 81 | 92 | 173 | 4 | 6 | 10 | 21 | 28 | 49 | 3 |
| †590 | Dundonald— | | | | | | | | | | | | |
| | (1) Dundonald, | 1166 | 1260 | 19 | 14 | 33 | 2 | 2 | 4 | 10 | 8 | 18 | |
| | (2) Troon, | 3849 | 5181 | 87 | 83 | 170 | 2 | 3 | 5 | 34 | 42 | 76 | 3 |
| 591 | Dunlop, | 1410 | 1542 | 22 | 16 | 38 | 1 | – | 1 | 12 | 8 | 20 | |
| 592 | Fenwick, | 1007 | 1063 | 11 | 10 | 21 | 1 | – | 1 | 11 | 7 | 18 | |
| 593 | Galston, | 6408 | 6979 | 118 | 91 | 209 | 7 | 3 | 10 | 58 | 61 | 119 | 6 |
| 594 | Girvan, | 4906 | 4872 | 52 | 53 | 105 | 4 | 3 | 7 | 46 | 49 | 95 | 2 |
| *595 | IRVINE, | 10671 | 11267 | 196 | 201 | 397 | 18 | 12 | 30 | 153 | 106 | 259 | 6 |
| 596 | Kilbirnie, | 5468 | 7207 | 127 | 125 | 252 | 2 | 6 | 8 | 61 | 54 | 115 | 7 |
| 597 | KILMARNOCK, | 26140 | 31150 | 488 | 457 | 945 | 18 | 14 | 32 | 279 | 290 | 569 | 28 |
| | Do. Landward, | 1828 | 1992 | 44 | 37 | 81 | 3 | – | 3 | 21 | 11 | 32 | 1 |
| 598 | Kilmaurs, | 4453 | 4549 | 91 | 72 | 163 | 5 | 9 | 14 | 34 | 30 | 64 | 3 |
| 599 | Kilwinning, | 7007 | 8125 | 152 | 161 | 313 | 9 | 5 | 14 | 57 | 62 | 119 | 4 |
| †600 | Kirkmichael, | 885 | 839 | 10 | 10 | 20 | 2 | 3 | 5 | 8 | 9 | 17 | |
| †601 | Kirkoswald, | 1477 | 1452 | 26 | 20 | 46 | 4 | 3 | 7 | 12 | 12 | 24 | |
| 602 | Largs—(1) Largs, | 4241 | 4405 | 42 | 34 | 76 | – | – | – | 34 | 37 | 71 | 2 |
| | (2) Skelmorlie, | 1079 | 1096 | 13 | 17 | 30 | – | – | – | 9 | 7 | 16 | |
| 603 | Loudoun, | 6379 | 8205 | 111 | 111 | 222 | 6 | 5 | 11 | 46 | 48 | 94 | 6 |
| 604 | Mauchline, | 2339 | 2572 | 41 | 26 | 67 | 1 | 2 | 3 | 20 | 10 | 30 | 2 |
| †605 | Maybole, | 7536 | 7852 | 133 | 109 | 242 | 6 | 5 | 11 | 66 | 66 | 132 | 3 |
| 606 | Monkton & Prestwick, | 2608 | 3854 | 58 | 48 | 106 | 7 | 2 | 9 | 26 | 21 | 47 | 2 |
| 607 | Muirkirk, | 5165 | 5670 | 104 | 80 | 184 | 6 | 5 | 11 | 40 | 35 | 75 | 3 |
| 608 | New Cumnock, | 4419 | 5367 | 85 | 99 | 184 | 5 | 7 | 12 | 39 | 29 | 68 | 4 |
| 609 | Ochiltree, | 1910 | 1932 | 29 | 38 | 67 | 3 | 3 | 6 | 12 | 12 | 24 | 1 |
| 610*a* | Old Cumnock, | 4811 | 5144 | 68 | 85 | 153 | 5 | 6 | 11 | 56 | 43 | 99 | 4 |
| *610*b* | Patna, | 908 | 906 | 18 | 20 | 38 | 1 | 3 | 4 | 5 | 12 | 17 | 1 |
| 611 | RICCARTON— | | | | | | | | | | | | |
| | (1) RICCARTON— | | | | | | | | | | | | |
| | Kilmarnock portion, | 2307 | 3015 | 62 | 56 | 118 | 4 | 1 | 5 | 34 | 26 | 60 | 2 |
| | Landward, | 1158 | 1013 | 13 | 11 | 24 | – | 1 | 1 | 7 | 4 | 11 | 1 |
| | (2) Hurlford, | 3852 | 4052 | 78 | 71 | 149 | 5 | 5 | 10 | 29 | 28 | 57 | 1 |
| 612 | St Quivox (now 578 (2) *supra*). | | | | | | | | | | | | |
| 613 | Sorn—(1) Sorn, | 1461 | 1267 | 21 | 23 | 44 | 1 | – | 1 | 14 | 11 | 25 | 6 |
| | (2) Catrine, | 2458 | 2340 | 35 | 34 | 69 | 4 | 4 | 8 | 12 | 27 | 39 | 1 |
| 614 | Stair, | 1289 | 1175 | 25 | 26 | 51 | 3 | 1 | 4 | 8 | 6 | 14 | 1 |
| 615 | Stevenston, | 6209 | 9497 | 188 | 181 | 369 | 12 | 3 | 15 | 67 | 56 | 123 | 7 |
| 616 | Stewarton, | 3804 | 3958 | 47 | 49 | 96 | 6 | 2 | 8 | 27 | 36 | 63 | 1 |
| †617 | Straiton, | 633 | 545 | 12 | 7 | 19 | – | – | – | 2 | 8 | 10 | 1 |
| 618 | Symington, | 621 | 592 | 6 | 4 | 10 | – | – | – | 7 | 4 | 11 | 3 |
| 619 | Tarbolton, | 3586 | 3961 | 79 | 82 | 161 | 10 | 5 | 15 | 35 | 25 | 60 | 2 |
| †620 | West Kilbride, | 2271 | 2935 | 32 | 26 | 58 | 2 | 2 | 4 | 17 | 26 | 43 | 1 |
| | Total, | 226386 | 254468 | 4112 | 3916 | 8028 | 245 | 205 | 450 | 2128 | 1995 | 4123 | 182 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | 23. Lanark. | | | | | | | | | | | | |
| 621 | Avondale, | 5069 | 5773 | 75 | 69 | 144 | 5 | 7 | 12 | 47 | 48 | 95 | 53 |
| 622 | BARONY— | | | | | | | | | | | | |
| | (1) MARYHILL— | | | | | | | | | | | | |
| | Glasgow portion, | 25679 | 43750 | 894 | 931 | 1825 | 28 | 36 | 64 | 421 | 373 | 794 | 328 |
| | Landward, | 995 | 1185 | 26 | 15 | 41 | 1 | 1 | 2 | 10 | 6 | 16 | 20 |
| | (2) SHETTLESTON— | | | | | | | | | | | | |
| | Glasgow portion, | 18 | 16 | – | – | – | – | – | – | – | – | – | – |
| | Landward, etc., | 12573 | 22049 | 475 | 463 | 938 | 14 | 10 | 24 | 191 | 184 | 375 | 139 |
| 623 | Biggar, | 1902 | 1897 | 17 | 21 | 38 | 2 | 2 | 4 | 9 | 11 | 20 | 15 |
| 624 | Blantyre, | 11352 | 14145 | 350 | 311 | 661 | 18 | 21 | 39 | 145 | 113 | 258 | 114 |
| 625 | Bothwell— | | | | | | | | | | | | |
| | (1) Bothwell, | 11490 | 16260 | 338 | 303 | 641 | 9 | 7 | 16 | 145 | 155 | 300 | 119 |
| | (2) Holytown, | 11553 | 15510 | 357 | 328 | 685 | 10 | 16 | 26 | 139 | 132 | 271 | 107 |
| | (3) Bellshill, | 8319 | 14135 | 347 | 330 | 677 | 5 | 12 | 17 | 145 | 116 | 261 | 133 |
| 626*a* | Cadder—(1) Western, | 3927 | 4743 | 91 | 101 | 192 | 2 | 4 | 6 | 32 | 35 | 67 | 15 |
| | (2) Eastern, | 4305 | 5731 | 91 | 88 | 179 | 2 | 2 | 4 | 77 | 61 | 138 | 21 |
| 626*b* | Calderhead, | 4528 | 6641 | 145 | 159 | 304 | 3 | 6 | 9 | 58 | 55 | 113 | 61 |
| 627 | Cambuslang, | 15364 | 20211 | 439 | 390 | 829 | 11 | 15 | 26 | 152 | 133 | 285 | 131 |
| 628 | Cambusnethan, | 21142 | 25878 | 556 | 494 | 1050 | 19 | 17 | 36 | 204 | 180 | 384 | 176 |
| 629 | Carluke, | 8058 | 8966 | 133 | 142 | 275 | 5 | 7 | 12 | 69 | 48 | 117 | 75 |
| 630 | Carmichael, | 593 | 1198 | 22 | 18 | 40 | – | – | – | 5 | 2 | 7 | 7 |
| 631 | Carmunnock, | 703 | 682 | 12 | 7 | 19 | – | – | – | 5 | 4 | 9 | 4 |
| 632 | Carnwath—(1) Carnwath, | 2502 | 3052 | 28 | 31 | 59 | 3 | 3 | 6 | 24 | 20 | 44 | 16 |
| | (2) Forth, | 1526 | 1790 | 31 | 42 | 73 | 2 | 2 | 4 | 7 | 18 | 25 | 9 |
| | (3) Haywood, | 1296 | 995 | 7 | 7 | 14 | 1 | – | 1 | 1 | 5 | 6 | 2 |
| 633 | Carstairs, | 1977 | 1893 | 20 | 23 | 43 | 1 | 1 | 2 | 17 | 13 | 30 | 11 |
| 634 | Covington and Thankerton | 396 | 314 | 4 | 3 | 7 | – | – | – | 4 | 2 | 6 | 2 |
| 635 | Crawford—(1) Crawford, | 636 | 719 | 4 | 10 | 14 | – | – | – | 6 | 4 | 10 | 3 |
| | (2) Leadhills, | 998 | 895 | 12 | 7 | 19 | 2 | – | 2 | 11 | 8 | 19 | 5 |
| 636 | Crawfordjohn, | 789 | 707 | 7 | 10 | 17 | 1 | 3 | 4 | 3 | 11 | 14 | 5 |
| 637 | Culter, | 420 | 392 | 5 | 3 | 8 | – | – | – | 6 | 4 | 10 | 1 |
| 638 | Dalserf—(1) Larkhall, | 8845 | 12034 | 270 | 234 | 504 | 5 | 13 | 18 | 103 | 85 | 188 | 98 |
| | (2) Dalserf, | 2965 | 4088 | 97 | 104 | 201 | 3 | 7 | 10 | 28 | 22 | 50 | 23 |
| 639 | Dalziel— | | | | | | | | | | | | |
| | Motherwell portion, | 18726 | 30418 | 650 | 630 | 1280 | 15 | 18 | 33 | 224 | 193 | 417 | 211 |
| | Landward, etc., | 4248 | 6839 | 164 | 156 | 320 | 8 | 5 | 13 | 81 | 70 | 151 | 42 |
| 640 | Dolphinton, | 248 | 250 | 2 | 2 | 4 | – | – | – | – | 2 | 2 | 1 |
| 641 | Douglas, | 2266 | 2397 | 40 | 48 | 88 | 2 | 3 | 5 | 17 | 16 | 33 | 13 |
| 642 | Dunsyre, | 191 | 200 | 5 | 2 | 7 | 1 | – | 1 | – | – | – | 1 |
| 643 | East Kilbride, | 3861 | 3948 | 49 | 43 | 92 | 5 | 5 | 10 | 38 | 38 | 76 | 20 |
| 644 | GLASGOW— | | | | | | | | | | | | |
| | (1) Bridgeton, | 44342 | 54119 | 1100 | 1069 | 2169 | 46 | 43 | 89 | 586 | 622 | 1208 | 405 |
| | (2) Camlachie, | 43690 | 50397 | 1024 | 1020 | 2044 | 44 | 42 | 86 | 444 | 489 | 933 | 361 |
| | (3) Dennistoun, | 63371 | 86212 | 1601 | 1484 | 3085 | 60 | 60 | 120 | 1425 | 1022 | 2447 | 576 |
| | Do. Landward, | 517 | 548 | 8 | 12 | 20 | 4 | 8 | 12 | – | 1 | 1 | 2 |
| | (4) Calton, | 36154 | 35678 | 595 | 526 | 1121 | 51 | 35 | 86 | 334 | 361 | 95 | 456 |
| | (5) Blackfriars, | 31610 | 30786 | 667 | 669 | 1336 | 191 | 166 | 357 | 273 | 284 | 557 | 255 |
| | (6) St. Rollox, | 50377 | 56851 | 1020 | 1022 | 2042 | 74 | 89 | 163 | 916 | 806 | 1722 | 374 |
| | Do. Landward, | 49 | 188 | 6 | 1 | 7 | – | – | – | 1 | – | 1 | 3 |
| | (7) Blythswood, | 29311 | 26755 | 230 | 280 | 510 | 30 | 31 | 61 | 212 | 205 | 417 | 1336 |
| | (8) Milton, | 38737 | 45166 | 810 | 825 | 1635 | 63 | 53 | 116 | 385 | 417 | 802 | 360 |
| | (9) Kelvin, | 67634 | 75643 | 877 | 816 | 1693 | 44 | 32 | 76 | 839 | 763 | 1602 | 651 |
| | (10) Anderston, | 42263 | 43046 | 713 | 712 | 1425 | 41 | 31 | 72 | 337 | 333 | 670 | 430 |
| | (11) Hutchesontown, | 59750 | 68730 | 1388 | 1391 | 2779 | 59 | 70 | 129 | 552 | 521 | 1073 | 356 |
| | (12) Gorbals, | 49939 | 51425 | 685 | 702 | 1387 | 41 | 33 | 74 | 392 | 377 | 769 | 595 |
| | (13) Tradeston, | 27436 | 28990 | 395 | 396 | 791 | 13 | 19 | 32 | 207 | 199 | 406 | 157 |
| | (14) Kinning Park— | | | | | | | | | | | | |
| | Glasgow portion, | 19612 | 21422 | 227 | 215 | 442 | 8 | 8 | 16 | 146 | 149 | 295 | 307 |
| | Kinning Park portion, | 13679 | 13852 | 255 | 259 | 514 | 12 | 4 | 16 | 151 | 127 | 278 | 163 |
| 645 | Glassford, | 1317 | 1321 | 27 | 26 | 53 | – | 1 | 1 | 9 | 17 | 26 | 10 |
| 646 | GOVAN— | | | | | | | | | | | | |
| | (1) PLANTATION— | | | | | | | | | | | | |
| | Glasgow portion, | 409 | 894 | 2 | 4 | 6 | – | – | – | – | 4 | 4 | 29 |
| | Govan portion, | 22571 | 27228 | 464 | 443 | 907 | 10 | 21 | 31 | 259 | 219 | 478 | 110 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total | |
| | (2) GOVAN— | | | | | | | | | | | | |
| | Glasgow portion, | 548 | 907 | 21 | 19 | 40 | 1 | 2 | 3 | 11 | 10 | 21 | 2 |
| | Govan portion, . | 41054 | 54946 | 1124 | 1129 | 2253 | 43 | 36 | 79 | 486 | 500 | 986 | 393 |
| | Landward, . | 133 | 1656 | 19 | 17 | 36 | 10 | 14 | 24 | 292 | 202 | 494 | 2 |
| | (3) PARTICK— | | | | | | | | | | | | |
| | Glasgow portion, | 13928 | 16328 | 105 | 100 | 205 | 3 | – | 3 | 79 | 95 | 174 | 78 |
| | Partick portion, . | 36538 | 54298 | 1051 | 996 | 2047 | 41 | 28 | 69 | 371 | 406 | 777 | 389 |
| 647 | HAMILTON, . . | 24859 | 32775 | 695 | 649 | 1344 | 29 | 17 | 46 | 300 | 264 | 564 | 244 |
| | Do. Landward, | 6164 | 7597 | 151 | 169 | 320 | 4 | 8 | 12 | 68 | 51 | 119 | 37 |
| 648 | LANARK, . . . | 7110 | 8103 | 112 | 76 | 188 | 6 | 4 | 10 | 89 | 73 | 162 | 56 |
| 649 | Lesmahagow— | | | | | | | | | | | | |
| | (1) Lesmahagow, . | 8423 | 9608 | 176 | 168 | 344 | 4 | 4 | 8 | 59 | 57 | 116 | 74 |
| | (2) Kirkfieldbank, . | 1329 | 1346 | 25 | 23 | 48 | 5 | 4 | 9 | 8 | 8 | 16 | 8 |
| 650 | Libberton, . . . | 486 | 432 | 4 | 5 | 9 | 1 | – | 1 | 2 | 3 | 5 | 5 |
| 651 | NEW MONKLAND, . | 33743 | 36786 | 705 | 710 | 1415 | 29 | 30 | 59 | 309 | 268 | 577 | 279 |
| 652 | OLD MONKLAND— | | | | | | | | | | | | |
| | (1) Western, . . . | 9614 | 10653 | 226 | 212 | 438 | 10 | 14 | 24 | 82 | 74 | 156 | 119 |
| | (2) COATBRIDGE, . | 30034 | 36991 | 800 | 705 | 1505 | 32 | 19 | 51 | 358 | 305 | 663 | 231 |
| | Do. Landward, | 2675 | 2939 | 64 | 52 | 116 | 4 | 2 | 6 | 24 | 19 | 43 | 19 |
| | (3) Eastern, . . | 2410 | 2665 | 53 | 59 | 112 | 3 | 1 | 4 | 21 | 22 | 43 | 11 |
| 653 | Pettinain, . . . | 259 | 271 | 3 | 2 | 5 | – | – | – | 2 | 2 | 4 | 2 |
| 654 | RUTHERGLEN— | | | | | | | | | | | | |
| | Glasgow portion, . | 130 | 77 | 1 | – | 1 | – | – | – | – | – | – | – |
| | Rutherglen portion, | 16048 | 20934 | 386 | 354 | 740 | 12 | 11 | 23 | 146 | 181 | 327 | 160 |
| †655 | Shotts—(1) Middle Dist. | 1610 | 2823 | 43 | 44 | 87 | – | 2 | 2 | 41 | 45 | 86 | 9 |
| | (2) Eastern do., | 2822 | 3593 | 72 | 70 | 142 | 3 | 3 | 6 | 20 | 17 | 37 | 25 |
| | (3) Western do., | 3148 | 3757 | 96 | 71 | 167 | 3 | 4 | 7 | 32 | 29 | 61 | 30 |
| | (4) Northern do., | 1416 | 1263 | 15 | 14 | 29 | 1 | 1 | 2 | 5 | 6 | 11 | 15 |
| 656 | Stonehouse, . . . | 3400 | 3665 | 58 | 47 | 105 | – | 2 | 2 | 26 | 30 | 56 | 32 |
| 657 | Symington, . . . | 432 | 388 | 1 | 3 | 4 | – | 1 | 1 | 5 | 4 | 9 | 2 |
| 658 | Walston, . . . | 301 | 283 | 1 | 3 | 4 | – | 1 | 1 | 1 | 5 | 6 | 2 |
| 659 | Wandell and Lamington, | 305 | 362 | 4 | 2 | 6 | 1 | – | 1 | 3 | 3 | 6 | 4 |
| 660 | Wiston and Roberton, . | 497 | 412 | 7 | 5 | 12 | 1 | – | 1 | 7 | 3 | 10 | 3 |
| | Total, | 1091644 | 1314810 | 23875 | 23101 | 46976 | 1220 | 1177 | 2397 | 12739 | 11765 | 24504 | 1114 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | |
| | 24. Linlithgow. | | | | | | | | | | | | |
| 661 | Abercorn, . . . | 863 | 866 | 6 | 13 | 19 | – | 1 | 1 | 6 | 7 | 13 | 5 |
| 662 | Bathgate— | | | | | | | | | | | | |
| | (1) Bathgate, . . | 7557 | 9371 | 181 | 187 | 368 | 9 | 8 | 17 | 67 | 84 | 151 | 62 |
| | (2) Armadale, . . | 3802 | 4633 | 119 | 105 | 224 | 5 | 3 | 8 | 38 | 28 | 66 | 31 |
| 663 | Borrowstounness, etc.— | | | | | | | | | | | | |
| | (1) Borrowstounness, | 6399 | 7921 | 122 | 142 | 264 | 3 | 4 | 7 | 49 | 45 | 94 | 57 |
| | (2) Carriden, . . | 2453 | 3552 | 62 | 75 | 137 | 3 | 2 | 5 | 18 | 17 | 35 | 21 |
| 664 | Carriden (now 663 (2) *sup.*). | | | | | | | | | | | | |
| 665 | DALMENY— | | | | | | | | | | | | |
| | (1) Dalmeny, . . | 1349 | 1523 | 29 | 24 | 53 | 1 | – | 1 | 9 | 14 | 23 | 8 |
| | (2) QUEENSFERRY, | 1531 | 2557 | 37 | 39 | 76 | 2 | 5 | 7 | 14 | 17 | 31 | 13 |
| 666 | Ecclesmachen, . . | 506 | 681 | 12 | 16 | 28 | 1 | – | 1 | 1 | 4 | 5 | 1 |
| 667 | Kirkliston, . . . | 3777 | 3904 | 64 | 77 | 141 | 5 | 3 | 8 | 26 | 33 | 59 | 18 |
| 668 | LINLITHGOW, . . | 7520 | 8076 | 82 | 108 | 190 | 6 | 9 | 15 | 91 | 74 | 165 | 38 |
| 669 | Livingstone, . . . | 1616 | 2764 | 66 | 55 | 121 | – | 2 | 2 | 14 | 10 | 24 | 13 |
| 670 | Queensferry (now 665 (2) *supra*). | | | | | | | | | | | | |
| 671 | Torphichen— | | | | | | | | | | | | |
| | (1) Torphichen, . | 938 | 1377 | 14 | 25 | 39 | 2 | 1 | 3 | 6 | 7 | 13 | 13 |
| | (2) Blackridge, . | 786 | 1848 | 35 | 41 | 76 | 2 | – | 2 | 8 | 8 | 16 | 6 |
| 672 | Uphall, . . . | 8653 | 10535 | 206 | 217 | 423 | 8 | 8 | 16 | 62 | 63 | 125 | 64 |
| 673 | Whitburn— . . | | | | | | | | | | | | |
| | (1) Whitburn, . . | 2313 | 3318 | 102 | 63 | 165 | 3 | 3 | 6 | 21 | 23 | 44 | 20 |
| | (2) Fauldhouse, . | 3469 | 3517 | 71 | 71 | 142 | 4 | 4 | 8 | 26 | 25 | 51 | 2 |
| | Total, | 53532 | 66443 | 1208 | 1258 | 2466 | 54 | 53 | 107 | 456 | 459 | 915 | 40 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | **25. Edinburgh.** | | | | | | | | | | | | |
| †674 | Borthwick, | 1426 | 1237 | 19 | 16 | 35 | – | 3 | 3 | 6 | 10 | 16 | 6 |
| 675 | Carrington, | 563 | 460 | 7 | 3 | 10 | – | – | – | 4 | 10 | 14 | 2 |
| †676 | Cockpen, | 3387 | 3720 | 45 | 59 | 104 | 2 | 3 | 5 | 24 | 23 | 47 | 20 |
| 677 | Colinton, | 4650 | 5499 | 75 | 76 | 151 | 13 | 13 | 26 | 164 | 124 | 288 | 22 |
| 678 | Corstorphine, | 2233 | 2725 | 29 | 33 | 62 | – | 3 | 3 | 25 | 23 | 48 | 8 |
| 679 | Cramond, | 2061 | 2727 | 44 | 34 | 78 | 2 | 2 | 4 | 16 | 11 | 27 | 16 |
| 680 | Cranston, | 859 | 846 | 6 | 6 | 12 | 1 | – | 1 | 1 | 4 | 5 | – |
| 681 | Crichton, | 946 | 810 | 10 | 8 | 18 | 1 | – | 1 | 6 | 5 | 11 | 12 |
| 682 | Currie, | 2580 | 2513 | 30 | 28 | 58 | 1 | 1 | 2 | 17 | 18 | 35 | 20 |
| 683 | Dalkeith, | 7786 | 7297 | 100 | 91 | 191 | 10 | 5 | 15 | 76 | 72 | 148 | 43 |
| 684 | Duddingston (merged in 685 (7) | | | | | | | | | | | | |
| *685 | EDINBURGH— | | | | | | | | | | | | |
| | (1) St. George, | | 53128 | 662 | 615 | 1277 | 17 | 19 | 36 | 356 | 398 | 754 | 378 |
| | (2) St. Andrew, | | 47103 | 475 | 481 | 956 | 29 | 22 | 51 | 243 | 294 | 537 | 423 |
| | (3) Canongate, | | 49365 | 807 | 726 | 1533 | 39 | 26 | 65 | 310 | 348 | 658 | 358 |
| | (4) St. Giles, | 265718 | 53077 | 833 | 806 | 1639 | 166 | 167 | 333 | 1025 | 775 | 1800 | 1239 |
| | (5) Newington, | | 45445 | 514 | 557 | 1071 | 19 | 23 | 42 | 390 | 449 | 839 | 258 |
| | (6) Morningside | | 56682 | 640 | 612 | 1252 | 34 | 34 | 68 | 339 | 410 | 749 | 327 |
| | (7) Portobello, | 10934 | 12659 | 185 | 178 | 363 | 9 | 13 | 22 | 101 | 84 | 185 | 75 |
| 686 | Fala and Soutra, | 285 | 319 | 4 | 5 | 9 | – | – | – | 1 | 1 | 2 | – |
| 687 | Glencorse, | 1451 | 1347 | 14 | 25 | 39 | – | – | – | 10 | 4 | 14 | 11 |
| 688 | Heriot, | 486 | 417 | 4 | 3 | 7 | – | – | – | 1 | 2 | 3 | 2 |
| †689 | INVERESK, | 11059 | 14094 | 262 | 218 | 480 | 14 | 9 | 23 | 134 | 143 | 277 | 103 |
| 690 | Kirknewton and East Calder, | 3352 | 3221 | 63 | 54 | 117 | 6 | 2 | 8 | 19 | 17 | 36 | 21 |
| 691 | Lasswade, | 10455 | 9708 | 147 | 133 | 280 | 6 | 6 | 12 | 79 | 83 | 162 | 48 |
| 692 | LEITH— | | | | | | | | | | | | |
| | (1) North Leith, | 25956 | 29828 | 469 | 435 | 904 | 21 | 21 | 42 | 260 | 248 | 508 | 164 |
| | (2) South Leith, | 42751 | 47611 | 738 | 737 | 1475 | 30 | 27 | 57 | 395 | 383 | 778 | 392 |
| 693 | Liberton, | 4910 | 5301 | 57 | 67 | 124 | – | 3 | 3 | 43 | 48 | 91 | 22 |
| 694 | Mid-Calder, | 3126 | 3132 | 61 | 61 | 122 | 2 | 1 | 3 | 25 | 13 | 38 | 12 |
| †695*a* | Newbattle, | 2761 | 3754 | 73 | 71 | 144 | 2 | 3 | 5 | 29 | 18 | 47 | 36 |
| *695*b* | New Craighall, | 1756 | 2414 | 62 | 61 | 123 | 2 | 2 | 4 | 19 | 21 | 40 | 3 |
| 696 | Newton, | 1180 | 1028 | 23 | 19 | 42 | – | 1 | 1 | 11 | 5 | 16 | 2 |
| 697 | Penicuik, | 4919 | 5097 | 55 | 59 | 114 | 5 | 3 | 8 | 36 | 37 | 73 | 35 |
| 698*a* | Ratho, | 1839 | 1946 | 31 | 25 | 56 | – | 3 | 3 | 12 | 13 | 25 | 8 |
| 698*b* | Stobhill, | 3501 | 3514 | 51 | 58 | 109 | 2 | 1 | 3 | 24 | 28 | 52 | 21 |
| 699 | Stow, | 1716 | 1560 | 12 | 12 | 24 | 2 | – | 2 | 12 | 17 | 29 | 7 |
| 700 | Temple, | 455 | 385 | 5 | 4 | 9 | – | – | – | 8 | 3 | 11 | 3 |
| 701 | West Calder, | 8456 | 8092 | 126 | 148 | 274 | 6 | 6 | 12 | 57 | 45 | 102 | 65 |
| | Total, | 433552 | 488061 | 6738 | 6524 | 13262 | 441 | 422 | 863 | 4278 | 4187 | 8465 | 4142 |
| | **26. Haddington.** | | | | | | | | | | | | |
| 702 | Aberlady, | 1063 | 950 | 11 | 9 | 20 | 1 | – | 1 | 5 | 4 | 9 | 4 |
| 703 | Athelstaneford, | 741 | 635 | 9 | 5 | 14 | 2 | – | 2 | 2 | 9 | 11 | 7 |
| 704 | Bolton, | 271 | 298 | 3 | 1 | 4 | – | – | – | 2 | 3 | 5 | – |
| 705 | Dirleton, | 1445 | 1810 | 24 | 11 | 35 | 1 | – | 1 | 9 | 11 | 20 | 7 |
| 706 | DUNBAR, | 5210 | 5031 | 71 | 68 | 139 | 7 | 4 | 11 | 54 | 55 | 109 | 25 |
| 707 | Garvald, | 600 | 628 | 7 | 8 | 15 | – | – | – | 2 | 3 | 5 | 4 |
| 708 | Gladsmuir, | 1604 | 1481 | 24 | 12 | 36 | 3 | 2 | 5 | 16 | 10 | 26 | 10 |
| 709 | HADDINGTON, | 5216 | 5126 | 73 | 54 | 127 | 5 | – | 5 | 52 | 44 | 96 | 27 |
| 710 | Humbie, | 791 | 720 | 7 | 9 | 16 | 1 | – | 1 | 1 | 4 | 5 | 8 |
| 711 | Innerwick, | 761 | 782 | 11 | 5 | 16 | 1 | – | 1 | 3 | – | 3 | 4 |
| 712 | Morham, | 199 | 201 | 2 | 2 | 4 | – | – | – | 1 | – | 1 | 2 |
| 713 | NORTH BERWICK, | 3038 | 3649 | 43 | 24 | 67 | 1 | 1 | 2 | 22 | 25 | 47 | 20 |
| 714 | Oldhamstocks, | 443 | 429 | 3 | 5 | 8 | – | – | – | 3 | 4 | 7 | 2 |
| 715 | Ormiston, | 1178 | 1190 | 21 | 18 | 39 | 2 | – | 2 | 8 | 3 | 11 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1891. | 1901. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 716 | Pencaitland, | 1125 | 1112 | 18 | 16 | 34 | 2 | – | 2 | 3 | 8 | 11 | 7 |
| 717 | Prestonkirk, | 1802 | 1673 | 14 | 20 | 34 | 2 | 1 | 3 | 15 | 23 | 38 | 12 |
| 718 | Prestonpans, | 2659 | 3382 | 76 | 72 | 148 | 2 | 2 | 4 | 27 | 19 | 46 | 31 |
| 719 | Salton, | 495 | 431 | 3 | 4 | 7 | 1 | – | 1 | 2 | 1 | 3 | 2 |
| 720 | Spott, | 475 | 423 | 5 | 6 | 11 | 1 | – | 1 | 5 | 4 | 9 | 1 |
| 721 | Stenton, | 556 | 511 | 4 | 8 | 12 | 1 | – | 1 | 7 | 6 | 13 | 2 |
| 722 | Tranent, | 5470 | 6117 | 117 | 110 | 227 | 8 | 4 | 12 | 57 | 62 | 119 | 48 |
| 723 | Whitekirk and Tynninghame, | 933 | 835 | 8 | 7 | 15 | – | – | – | 10 | 2 | 12 | 6 |
| 724 | Whittinghame, | 586 | 521 | 11 | 7 | 18 | – | 1 | 1 | 6 | 2 | 8 | 3 |
| 725 | Yester, | 716 | 730 | 10 | 14 | 24 | 1 | – | 1 | 4 | 6 | 10 | 5 |
| | Total, | 37377 | 38665 | 575 | 495 | 1070 | 42 | 15 | 57 | 316 | 308 | 624 | 242 |
| | 27. Berwick. | | | | | | | | | | | | |
| 726 | Abbey St Bathans, | 246 | 213 | 2 | 3 | 5 | – | – | – | – | 2 | 2 | – |
| 727 | Ayton, | 1827 | 1629 | 21 | 24 | 45 | 1 | 2 | 3 | 8 | 11 | 19 | 15 |
| 728 | Bunkle and Preston, | 672 | 629 | 11 | 9 | 20 | 1 | 1 | 2 | 5 | 6 | 11 | 6 |
| 729 | Channelkirk, | 545 | 568 | 6 | 7 | 13 | – | 1 | 1 | 3 | 3 | 6 | 4 |
| 730 | Chirnside, | 1459 | 1580 | 17 | 10 | 27 | 3 | 1 | 4 | 9 | 14 | 23 | 7 |
| 731 | Cockburnspath, | 1112 | 982 | 13 | 9 | 22 | 2 | 5 | 7 | 6 | 3 | 9 | 6 |
| 732 | Coldingham— | | | | | | | | | | | | |
| | (1) Coldingham, | 2463 | 2315 | 29 | 21 | 50 | 1 | 2 | 3 | 12 | 17 | 29 | 11 |
| | (2) Grantshouse, | 553 | 498 | 6 | 2 | 8 | – | – | – | 1 | 2 | 3 | 3 |
| 733 | Coldstream, | 2388 | 2281 | 22 | 18 | 40 | 3 | 1 | 4 | 18 | 21 | 39 | 10 |
| 734 | Cranshaws, | 132 | 159 | 3 | – | 3 | – | – | – | – | – | – | – |
| 735 | Duns, | 3137 | 3199 | 33 | 31 | 64 | 1 | 1 | 2 | 27 | 28 | 55 | 19 |
| 736 | Earlston, | 1766 | 1677 | 9 | 18 | 27 | 1 | – | 1 | 13 | 7 | 20 | 11 |
| 737 | Eccles, | 1446 | 1433 | 13 | 10 | 23 | 1 | 1 | 2 | 6 | 6 | 12 | 5 |
| 738 | Edrom, | 1361 | 1290 | 11 | 15 | 26 | 1 | 3 | 4 | 8 | 5 | 13 | 6 |
| 739 | Eyemouth, | 2686 | 2487 | 34 | 50 | 84 | 3 | 3 | 6 | 16 | 20 | 36 | 20 |
| 740 | Fogo, | 420 | 445 | 8 | 4 | 12 | 1 | 1 | 2 | 2 | 2 | 4 | 4 |
| 741 | Foulden, | 351 | 386 | 5 | 3 | 8 | – | – | – | 3 | 3 | 6 | 1 |
| 742 | Gordon, | 843 | 791 | 4 | 7 | 11 | – | – | – | 6 | 9 | 15 | 4 |
| 743 | Greenlaw, | 1110 | 1015 | 7 | 9 | 16 | 2 | – | 2 | 7 | 10 | 17 | 9 |
| 744 | Hume, | 375 | 311 | 5 | 5 | 10 | – | 1 | 1 | 3 | 1 | 4 | 3 |
| 745 | Hutton, | 815 | 750 | 7 | 7 | 14 | 1 | 2 | 3 | 5 | 8 | 13 | 1 |
| 746 | Ladykirk, | 339 | 316 | 8 | 4 | 12 | – | – | – | 2 | 1 | 3 | 2 |
| 747 | Langton, | 417 | 398 | 6 | 7 | 13 | 1 | 1 | 2 | 2 | 3 | 5 | 3 |
| 748 | LAUDER, | 1499 | 1461 | 17 | 16 | 33 | – | 1 | 1 | 8 | 8 | 16 | 10 |
| 749 | Legerwood, | 475 | 431 | 7 | 8 | 15 | 2 | – | 2 | 2 | 2 | 4 | – |
| 750 | Longformacus, | 278 | 281 | 1 | 3 | 4 | – | – | – | 1 | – | 1 | – |
| 751 | Merton, | 622 | 576 | 9 | 5 | 14 | – | 1 | 1 | 4 | 4 | 8 | 2 |
| 752 | Mordington, | 324 | 284 | 7 | 5 | 12 | – | – | – | 1 | 1 | 2 | – |
| 753 | Nenthorn, | 391 | 416 | 5 | 2 | 7 | 1 | – | 1 | 3 | 3 | 6 | 3 |
| 754 | Polwarth, | 203 | 203 | 3 | 2 | 5 | – | 1 | 1 | 1 | 2 | 3 | – |
| 755 | Swinton, | 847 | 791 | 12 | 8 | 20 | 2 | 2 | 4 | 5 | 8 | 13 | 2 |
| 756 | Westruther, | 615 | 504 | 5 | 3 | 8 | 1 | – | 1 | 2 | 3 | 5 | 3 |
| 757 | Whitsome, | 573 | 525 | 7 | 7 | 14 | 3 | 1 | 4 | 2 | 5 | 7 | 2 |
| | Total, | 32290 | 30824 | 353 | 332 | 685 | 32 | 32 | 64 | 191 | 218 | 409 | 17[illegible] |
| | 28. Peebles. | | | | | | | | | | | | |
| 758 | Broughton (merged in 763). | | | | | | | | | | | | |
| 759 | Drumelzier, | 187 | 194 | 2 | – | 2 | – | – | – | – | – | – | 2 |
| 760 | Eddlestone, | 571 | 535 | 7 | 7 | 14 | – | 1 | 1 | 5 | 3 | 8 | – |
| 761 | Glenholm (merged in 763). | | | | | | | | | | | | |
| †762 | Innerleithen— | | | | | | | | | | | | |
| | (1) Innerleithen, | 2775 | 2410 | 33 | 24 | 57 | 1 | 5 | 6 | 13 | 13 | 26 | 1[illegible] |
| | (2) Walkerburn, | 1358 | 1217 | 13 | 1 | 14 | 1 | – | 1 | 4 | 7 | 11 | [illegible] |

| No. of District. | Registration Districts. | Population. 1891. | Population. 1901. | Total Births, including the Illegitimate. Males. | Fem. | Total. | Illegitimate Births. Mal. | Fem | Tot. | Deaths. Mal. | Fem | Total. | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 763 | Kilbucho, Broughton, and Glenholm, | 676 | 862 | 13 | 5 | 18 | – | 1 | 1 | 4 | 5 | 9 | 2 |
| 764 | Kirkurd, | 265 | 293 | 3 | 2 | 5 | – | – | – | 2 | 3 | 5 | 1 |
| 765 | Lyne, | 104 | 98 | 1 | 1 | 2 | – | 1 | 1 | – | 1 | 1 | – |
| 766 | Manor, | 249 | 257 | 4 | 3 | 7 | – | – | – | 2 | 3 | 5 | 2 |
| 767 | Newlands, | 715 | 564 | 4 | 7 | 11 | – | – | – | 1 | 4 | 5 | 2 |
| 768 | PEEBLES, | 5261 | 5810 | 66 | 56 | 122 | 6 | 3 | 9 | 40 | 45 | 85 | 23 |
| 769 | Skirling, | 216 | 230 | 4 | 3 | 7 | 2 | 1 | 3 | 1 | 1 | 2 | – |
| 770 | Stobo, | 433 | 401 | 8 | 2 | 10 | 1 | – | 1 | – | 3 | 3 | 4 |
| 771 | Traquair, | 700 | 618 | 3 | 2 | 5 | – | 1 | 1 | 2 | 3 | 5 | 1 |
| 772 | Tweedsmuir, | 207 | 435 | 6 | 6 | 12 | 1 | 1 | 2 | 8 | 1 | 9 | 2 |
| 773*a* | West Linton, | 1005 | 1110 | 12 | 13 | 25 | – | 1 | 1 | 11 | 6 | 17 | 3 |
| | Total, | 14722 | 15034 | 179 | 132 | 311 | 12 | 15 | 27 | 93 | 98 | 191 | 66 |
| | 29. Selkirk. | | | | | | | | | | | | |
| 773*b* | Ashkirk, | 479 | 404 | 4 | 3 | 7 | – | – | – | 2 | 1 | 3 | 1 |
| 774*a* | Caddonfoot, | 763 | 695 | 9 | 5 | 14 | – | 1 | 1 | 3 | 2 | 5 | 5 |
| 774*b* | Ettrick, | 414 | 331 | 6 | 2 | 8 | – | – | – | 4 | 1 | 5 | – |
| 775 | GALASHIELS, | 17785 | 13969 | 161 | 145 | 306 | 11 | 16 | 27 | 117 | 130 | 247 | 107 |
| 776 | Kirkhope, | 500 | 399 | 3 | 5 | 8 | – | 1 | 1 | 2 | – | 2 | 2 |
| 777 | Roberton (now 802*b inf.*). | | | | | | | | | | | | |
| 778 | SELKIRK, | 7238 | 7090 | 67 | 63 | 130 | 5 | 2 | 7 | 51 | 46 | 97 | 43 |
| 779 | Yarrow—(1) Yarrow, | 475 | 427 | 1 | 5 | 6 | – | – | – | 4 | 4 | 8 | 3 |
| | (2) Megget, | 86 | 73 | 2 | 2 | 4 | – | – | – | – | – | – | – |
| | Total, | 27740 | 23388 | 253 | 230 | 483 | 16 | 20 | 36 | 183 | 184 | 367 | 161 |
| | VIII. SOUTHERN. 30. Roxburgh. | | | | | | | | | | | | |
| 780 | Ancrum, | 1241 | 973 | 12 | 8 | 20 | | 1 | 4 | 8 | 6 | 14 | 4 |
| 781 | Ashkirk (now 773*b sup.*). | | | | | | | | | | | | |
| 782 | Bedrule, | 246 | 206 | 1 | 2 | 3 | – | – | – | – | 1 | 1 | 1 |
| 783 | Bowden, | 694 | 660 | 4 | 4 | 8 | 1 | – | 1 | 3 | 7 | 10 | 6 |
| 784 | Castleton, | 2023 | 1872 | 21 | 15 | 36 | 3 | 1 | 4 | 18 | 11 | 29 | 8 |
| 785 | Cavers—(1) Cavers, | 707 | 559 | 9 | 6 | 15 | 1 | – | 1 | 6 | 2 | 8 | 1 |
| | (2) Kirktown, | 824 | 691 | 4 | 7 | 11 | 1 | 1 | 2 | 9 | 7 | 16 | 2 |
| 786 | Crailing, | 600 | 501 | 2 | 5 | 7 | 2 | – | 2 | 2 | 5 | 7 | 4 |
| 787*a* | Eckford, | 757 | 707 | 10 | 12 | 22 | 3 | 3 | 6 | 2 | 3 | 5 | 4 |
| 787*b* | Edgerston, | 289 | 262 | 4 | 4 | 8 | – | – | – | 1 | 1 | 2 | – |
| 788 | Ednam, | 581 | 523 | 4 | 5 | 9 | – | – | – | 2 | 4 | 6 | 3 |
| 789 | HAWICK—(1) Hawick, | 14181 | 12871 | 152 | 139 | 291 | 15 | 13 | 28 | 105 | 113 | 218 | 90 |
| | (2) Wilton, | 6375 | 5631 | 76 | 67 | 143 | 8 | 4 | 12 | 37 | 52 | 89 | 48 |
| 790 | Hobkirk, | 631 | 552 | 6 | 3 | 9 | – | – | – | 3 | 2 | 5 | 6 |
| 791 | Hownam, | 223 | 192 | 3 | 2 | 5 | 1 | – | 1 | – | 2 | 2 | – |
| 792 | JEDBURGH, | 4585 | 4318 | 33 | 39 | 72 | 1 | 5 | 6 | 37 | 38 | 75 | 29 |
| 793 | Kelso, | 4739 | 4525 | 46 | 28 | 74 | 5 | 1 | 6 | 37 | 42 | 79 | 25 |
| 794 | Kirktown (now 785 (2) *supra*). | | | | | | | | | | | | |
| 795 | Lilliesleaf, | 649 | 592 | 8 | 8 | 16 | 1 | 1 | 2 | 7 | 3 | 10 | 5 |
| 796 | Linton, | 468 | 405 | 3 | 4 | 7 | – | – | – | 7 | 2 | 9 | 1 |
| 797 | Makerston, | 401 | 337 | 5 | 1 | 6 | – | – | – | 1 | 3 | 4 | 4 |
| 798 | Maxton, | 473 | 411 | 1 | 4 | 5 | – | 1 | 1 | 3 | 2 | 5 | 1 |
| 799 | Melrose—(1) Melrose, | 4153 | 4148 | 45 | 53 | 98 | 5 | 3 | 8 | 34 | 38 | 72 | 27 |
| | (2) Langshaw, | 729 | 559 | 5 | 9 | 14 | 1 | 3 | 4 | 2 | 7 | 9 | 5 |
| 800 | Minto, | 430 | 427 | 3 | 4 | 7 | – | – | – | 3 | 6 | 9 | 2 |
| 801 | Morebattle, | 846 | 779 | 10 | 6 | 16 | 4 | 1 | 5 | 5 | 4 | 9 | 8 |
| 802*a* | Oxnam, | 684 | 624 | 8 | 1 | 9 | – | – | – | 5 | 1 | 6 | 3 |
| 802*b* | Roberton, | 455 | 397 | 7 | 6 | 13 | – | 2 | 2 | 4 | 1 | 5 | – |
| 803 | Roxburgh, | 945 | 835 | 8 | 5 | 13 | 1 | 1 | 2 | 6 | 8 | 14 | 8 |
| 804 | St Boswells, | 962 | 940 | 9 | 5 | 14 | – | 1 | 1 | 9 | 3 | 12 | 2 |

| No. of District. | Registration Districts. | Population. 1891. | Population. 1901. | Total Births, including the Illegitimate. Males. | Fem. | Total. | Illegitimate Births. Mal. | Fem | Tot. | Deaths. Mal. | Fem | Total. | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 805 | Smailholm, | 340 | 341 | 5 | 2 | 7 | 1 | – | 1 | 3 | 3 | 6 | 1 |
| †806 | Southdean, | 612 | 530 | 7 | 5 | 12 | – | – | – | 4 | 6 | 10 | – |
| 807 | Sprouston, | 1006 | 911 | 8 | 8 | 16 | 1 | 3 | 4 | 7 | 6 | 13 | 8 |
| 808 | Stitchel, | 314 | 304 | 4 | 1 | 5 | – | – | – | 1 | 5 | 6 | 2 |
| 809 | Teviothead, | 453 | 419 | 7 | 5 | 12 | 2 | – | 2 | 1 | 3 | 4 | 3 |
| 810 | Wilton (now 789 (2) *sup.*) | | | | | | | | | | | | |
| 811 | Yetholm, | 884 | 802 | 2 | 8 | 10 | – | 1 | 1 | 7 | 4 | 11 | 5 |
| | Total, | 53500 | 48804 | 532 | 481 | 1013 | 60 | 46 | 106 | 379 | 401 | 780 | 31 |
| | 31. Dumfries. | | | | | | | | | | | | |
| †812 | ANNAN, | 5297 | 6378 | 83 | 80 | 163 | 9 | 9 | 18 | 54 | 43 | 97 | 52 |
| 813*a* | Applegarth, | 858 | 807 | 12 | 14 | 26 | – | – | – | 4 | 9 | 13 | 4 |
| *813*b* | BRYDEKIRK, | 750 | 832 | 11 | 17 | 28 | 1 | 2 | 3 | 4 | 3 | 7 | 4 |
| 814 | Canonbie, | 2476 | 1959 | 22 | 21 | 43 | 3 | 1 | 4 | 17 | 22 | 39 | 9 |
| 815 | Carlaverock, | 921 | 841 | 6 | 11 | 17 | 3 | 2 | 5 | 4 | 8 | 12 | 7 |
| 816 | Closeburn, | 1333 | 1275 | 23 | 20 | 43 | 3 | 2 | 5 | 8 | 7 | 15 | 8 |
| †817 | Cummertrees, | 1079 | 938 | 14 | 14 | 28 | 2 | 1 | 3 | 8 | 9 | 17 | 6 |
| 818 | Dalton, | 563 | 563 | 3 | 4 | 7 | – | 3 | 3 | 2 | – | 2 | 3 |
| 819 | Dornock, | 831 | 871 | 7 | 9 | 16 | 2 | – | 2 | 3 | 5 | 8 | 8 |
| 820 | Dryfesdale, | 3233 | 3130 | 25 | 27 | 52 | 7 | 6 | 13 | 24 | 14 | 38 | 19 |
| 821 | DUMFRIES, | 17878 | 18146 | 253 | 234 | 496 | 19 | 20 | 39 | 202 | 187 | 389 | 171 |
| 822 | Dunscore, | 1260 | 1055 | 13 | 12 | 25 | 1 | 2 | 3 | 8 | 13 | 21 | 6 |
| 823 | Durrisdeer, | 1076 | 970 | 6 | 7 | 13 | 2 | – | 2 | 9 | 5 | 14 | 16 |
| 824 | Eskdalemuir, | 488 | 441 | 10 | 1 | 11 | – | – | – | 9 | 3 | 12 | 1 |
| 825 | Ewes, | 299 | 261 | 8 | 3 | 11 | – | – | – | 2 | 1 | 3 | – |
| 826 | Glencairn, | 1647 | 1490 | 18 | 12 | 30 | 2 | 1 | 3 | 17 | 6 | 23 | 4 |
| 827 | Graitney (or Gretna), | 1141 | 1250 | 21 | 11 | 32 | – | – | – | 8 | 8 | 16 | 3 |
| 828 | Halfmorton, | 484 | 346 | 3 | 7 | 10 | 1 | – | 1 | 1 | 2 | 3 | 2 |
| †829 | Hoddom, | 1453 | 1415 | 17 | 15 | 32 | 2 | 2 | 4 | 7 | 6 | 13 | 7 |
| *830 | Holywood, | 1015 | 939 | 16 | 10 | 26 | – | 1 | 1 | 4 | 12 | 16 | 1 |
| 831 | Hutton, | 726 | 663 | 4 | 8 | 12 | – | – | – | 3 | 6 | 9 | 1 |
| 832 | Johnstone, | 927 | 800 | 7 | 9 | 16 | – | 2 | 2 | 5 | 4 | 9 | |
| 833 | Keir, | 639 | 540 | 4 | 5 | 9 | 1 | – | 1 | 1 | 5 | 6 | |
| 834 | Kirkconnel, | 1087 | 1248 | 22 | 20 | 42 | 1 | 1 | 2 | 7 | 7 | 14 | 1 |
| 835 | Kirkmahoe, | 1159 | 1106 | 16 | 16 | 32 | 3 | 1 | 4 | 7 | 8 | 15 | 1 |
| 836 | Kirkmichael, | 808 | 748 | 6 | 9 | 15 | – | – | – | 4 | 6 | 10 | |
| 837 | Kirkpatrick-Fleming— | | | | | | | | | | | | |
| | (1) Northern District, | 318 | 355 | 6 | 7 | 13 | – | – | – | 1 | 1 | 2 | |
| | (2) Southern District, | 930 | 1111 | 22 | 13 | 35 | 1 | 1 | 2 | 13 | 10 | 23 | |
| 838 | Kirkpatrick-Juxta, | 976 | 980 | 9 | 10 | 19 | 1 | 1 | 2 | 6 | 10 | 16 | |
| 839 | Langholm, | 3970 | 3500 | 27 | 33 | 60 | 5 | 3 | 8 | 19 | 37 | 56 | 2 |
| 840 | LOCHMABEN, | 2522 | 2388 | 30 | 22 | 52 | 5 | 4 | 9 | 29 | 25 | 54 | 1 |
| 841 | Middlebie— | | | | | | | | | | | | |
| | (1) Northern District, | 695 | 654 | 4 | 11 | 15 | 1 | 3 | 4 | 6 | 5 | 11 | |
| | (2) Southern District, | 1111 | 1169 | 4 | 13 | 17 | – | 2 | 2 | 6 | 10 | 16 | |
| 842 | Moffat, | 2977 | 2799 | 26 | 19 | 45 | 1 | 4 | 5 | 11 | 15 | 26 | 1 |
| 843 | Morton, | 1855 | 1872 | 24 | 23 | 47 | 3 | 4 | 7 | 22 | 25 | 47 | 1 |
| 844 | Mouswald, | 500 | 475 | 5 | 6 | 11 | 3 | 1 | 4 | 4 | 5 | 9 | |
| 845 | Penpont, | 1063 | 923 | 9 | 3 | 12 | 2 | – | 2 | 9 | 11 | 20 | |
| 846 | Ruthwell, | 858 | 766 | 8 | 6 | 14 | – | 1 | 1 | 3 | 6 | 9 | |
| 847 | St Mungo, | 603 | 567 | 3 | 4 | 7 | – | 1 | 1 | 3 | 1 | 4 | |
| †848 | SANQUHAR, | 2165 | 2309 | 28 | 26 | 54 | 1 | 1 | 2 | 31 | 16 | 47 | 1 |
| 849 | Tinwald, | 902 | 741 | 9 | 8 | 17 | – | 2 | 2 | 5 | 6 | 11 | |
| 850 | Torthorwald, | 921 | 779 | 3 | 9 | 12 | 1 | 2 | 3 | 5 | 15 | 20 | |
| 851 | Tundergarth, | 439 | 403 | 2 | 5 | 7 | – | 2 | 2 | 1 | 7 | 8 | |
| 852 | Tynron, | 359 | 334 | 5 | 2 | 7 | 2 | – | 2 | 3 | 3 | 6 | |
| 853*a* | Wamphray, | 458 | 396 | 3 | 1 | 4 | – | – | – | 1 | 4 | 5 | |
| 853*b* | Wanlockhead, | 745 | 624 | 7 | 2 | 9 | 1 | – | 1 | 3 | 5 | 8 | |
| 854 | Westerkirk, | 454 | 415 | 6 | 3 | 9 | – | – | – | – | 1 | 1 | |
| | Total, | 74249 | 72572 | 870 | 831 | 1701 | 89 | 88 | 177 | 603 | 617 | 1220 | 5 |

| No. of District. | Registration Districts. | Population. 1891. | Population. 1901. | Total Births, including the Illegitimate. Males. | Fem. | Total. | Illegitimate Births. Mal. | Fem | Tot. | Deaths. Mal. | Fem | Total. | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **32. Kirkcudbright.** | | | | | | | | | | | | |
| 855 | Anwoth, | 724 | 651 | 12 | 7 | 19 | 4 | 2 | 6 | 7 | 6 | 13 | 1 |
| †856 | Balmaclellan, | 652 | 546 | 4 | 3 | 7 | 1 | – | 1 | 4 | 3 | 7 | 2 |
| 857*a* | Balmaghie, | 839 | 802 | 12 | 12 | 24 | – | – | – | 8 | 11 | 19 | 1 |
| *857*b* | Bargrennan, | 391 | 323 | 2 | 3 | 5 | – | – | – | 4 | 2 | 6 | – |
| 858 | Borgue, | 1121 | 1045 | 17 | 12 | 29 | – | – | – | 7 | 5 | 12 | 7 |
| 859 | Buittle, | 960 | 879 | 8 | 14 | 22 | 1 | 4 | 5 | 8 | 7 | 15 | 6 |
| 860 | Carsphairn, | 394 | 351 | 6 | 3 | 9 | – | – | – | 1 | 3 | 4 | 1 |
| 861 | Colvend—(1) Colvend, | 633 | 695 | 5 | 5 | 10 | – | 1 | 1 | 6 | 3 | 9 | 4 |
| | (2) Southwick, | 494 | 476 | 5 | 3 | 8 | 1 | – | 1 | 5 | 2 | 7 | 2 |
| *862 | Corsock Bridge, | 474 | 406 | 2 | 4 | 6 | – | – | – | 2 | 2 | 4 | 3 |
| 863 | Crossmichael, | 1348 | 1231 | 11 | 13 | 24 | 1 | 3 | 4 | 4 | 8 | 12 | 7 |
| *864 | Dalbeattie, | 3348 | 3670 | 44 | 29 | 73 | 2 | 3 | 5 | 41 | 28 | 69 | 29 |
| 865 | Dalry, | 925 | 826 | 7 | 5 | 12 | – | – | – | 4 | 6 | 10 | 5 |
| 866 | Girthon, | 1354 | 1209 | 7 | 8 | 15 | 3 | – | 3 | 7 | 8 | 15 | 7 |
| 867 | Irongray, | 747 | 701 | 8 | 14 | 22 | – | 2 | 2 | 8 | 7 | 15 | 4 |
| 868 | KELLS, | 931 | 878 | 8 | 10 | 18 | 1 | 3 | 4 | 6 | 6 | 12 | 1 |
| 869 | Kelton, | 3692 | 3734 | 49 | 30 | 79 | 8 | 5 | 13 | 35 | 38 | 73 | 32 |
| 870 | Kirkbean, | 714 | 685 | 10 | 4 | 14 | 1 | 1 | 2 | 7 | 4 | 11 | 2 |
| 871 | KIRKCUDBRIGHT, | 3477 | 3309 | 32 | 24 | 56 | – | 5 | 5 | 28 | 37 | 65 | 13 |
| 872 | Kirkgunzeon, | 539 | 527 | 2 | 6 | 8 | – | 1 | 1 | 2 | 4 | 6 | 1 |
| 873 | Kirkmabreck, | 1599 | 1859 | 25 | 19 | 44 | – | 2 | 2 | 18 | 18 | 36 | 12 |
| †874 | Kirkpatrick-Durham, | 989 | 818 | 8 | 5 | 13 | 1 | – | 1 | 4 | 6 | 10 | 3 |
| 875 | Lochrutton, | 534 | 497 | 5 | 4 | 9 | 1 | 1 | 2 | 3 | 3 | 6 | 1 |
| †876 | Minnigaff, | 1216 | 1114 | 16 | 13 | 29 | 2 | 2 | 4 | 7 | 15 | 22 | 9 |
| 877 | New Abbey, | 866 | 957 | 14 | 12 | 26 | 2 | 3 | 5 | 9 | 5 | 14 | 4 |
| †878 | Parton, | 479 | 436 | 4 | 5 | 9 | – | 1 | 1 | 4 | 2 | 6 | 2 |
| 879 | Rerrick, | 1582 | 1356 | 14 | 14 | 28 | 4 | 2 | 6 | 7 | 11 | 18 | 5 |
| †880 | TERREGLES, | 474 | 453 | 2 | 5 | 7 | – | – | – | 3 | 1 | 4 | 2 |
| 881 | Tongland, | 845 | 693 | 7 | 6 | 13 | 1 | – | 1 | 4 | 5 | 9 | 2 |
| 882 | TROQUEER, | 5887 | 6599 | 85 | 90 | 175 | 5 | 8 | 13 | 59 | 60 | 119 | 34 |
| 883 | Twynholm, | 694 | 718 | 10 | 10 | 20 | – | – | – | 4 | 4 | 8 | 2 |
| †884 | Urr, | 1241 | 1066 | 10 | 12 | 22 | 2 | 2 | 4 | 4 | 5 | 9 | 8 |
| | Total, | 40163 | 39510 | 451 | 404 | 855 | 41 | 51 | 92 | 320 | 325 | 645 | 212 |
| | **33. Wigtown.** | | | | | | | | | | | | |
| 885 | Glasserton, | 1154 | 887 | 18 | 13 | 31 | – | 2 | 2 | 3 | 8 | 11 | 5 |
| †886 | Inch, | 2161 | 1987 | 26 | 20 | 46 | 3 | 1 | 4 | 12 | 8 | 20 | 14 |
| 887 | Kirkcolm, | 1705 | 1506 | 16 | 28 | 44 | 5 | 2 | 7 | 9 | 10 | 19 | 12 |
| 888 | Kirkcowan, | 1263 | 1153 | 12 | 11 | 23 | 2 | – | 2 | 9 | 7 | 16 | 13 |
| 889 | Kirkinner, | 1455 | 1255 | 18 | 19 | 37 | 2 | 1 | 3 | 14 | 14 | 28 | 9 |
| 890 | Kirkmaiden, | 2192 | 1943 | 27 | 18 | 45 | 6 | 2 | 8 | 15 | 13 | 28 | 12 |
| †891 | Leswalt, | 1105 | 979 | 13 | 15 | 28 | 1 | 4 | 5 | 6 | 10 | 16 | 8 |
| 892 | Mochrum, | 2166 | 1958 | 22 | 21 | 43 | 2 | 2 | 4 | 13 | 13 | 26 | 10 |
| 893 | New Luce, | 588 | 557 | 8 | 2 | 10 | 1 | – | 1 | 4 | – | 4 | 1 |
| 894 | Old Luce (or Glenluce), | 2517 | 2157 | 29 | 23 | 52 | 7 | 4 | 11 | 14 | 13 | 27 | 16 |
| †895 | Penninghame, | 3411 | 3228 | 42 | 38 | 80 | 2 | 6 | 8 | 23 | 31 | 54 | 13 |
| 896 | Portpatrick, | 1219 | 1136 | 11 | 21 | 32 | – | 2 | 2 | 12 | 13 | 25 | 7 |
| 897 | Sorbie, | 1563 | 1373 | 17 | 22 | 39 | – | 1 | 1 | 13 | 5 | 18 | 8 |
| 898 | Stoneykirk, | 2703 | 2420 | 25 | 28 | 53 | 2 | 4 | 6 | 10 | 10 | 20 | 16 |
| *899 | STRANRAER, | 6193 | 6036 | 94 | 64 | 158 | 10 | 17 | 27 | 58 | 69 | 127 | 50 |
| 900 | WHITHORN, | 2574 | 2235 | 35 | 30 | 65 | 3 | 3 | 6 | 21 | 22 | 43 | 10 |
| 901 | WIGTOWN, | 1911 | 1747 | 12 | 25 | 37 | 3 | 2 | 5 | 11 | 19 | 30 | 6 |
| | Total, | 35880 | 32557 | 425 | 398 | 823 | 49 | 53 | 102 | 247 | 265 | 512 | 210 |

MARRIAGES registered in SCOTLAND in 1903, according to the Rites of the several Religious Denominations with the Condition of Parties, and the Number of Men and Women who signed the Registers by Mark.

| DISTRICTS, DIVISIONS, AND COUNTIES. | Total Marriages. | Regular Marriages according to the Rites of | | | | | | Irregular Marriages. | Condition of Parties. | | | | | Signed the Registers by Mark. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Established Church. | United Free Church. | Roman Catholic Church. | Episcopalian. | Other Denominations. | Not stated. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Not stated. | Men. | Women. |
| SCOTLAND | 32351 | 14692 | 8778 | 3487 | 876 | 2592 | – | 1926 | 28602 | 920 | 2039 | 772 | 18 | 564 | 744 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | |
| Principal Town | 17236 | 6507 | 4673 | 2103 | 597 | 1547 | – | 1809 | 14994 | 604 | 1118 | 509 | 11 | 299 | 400 |
| Large Town | 4310 | 1994 | 1070 | 599 | 140 | 421 | – | 86 | 3814 | 104 | 291 | 98 | 3 | 77 | 81 |
| Small Town | 5818 | 2940 | 1729 | 633 | 100 | 386 | – | 30 | 5273 | 120 | 317 | 107 | 1 | 146 | 203 |
| Mainland-Rural | 4617 | 3069 | 1181 | 136 | 38 | 192 | – | 1 | 4193 | 87 | 280 | 54 | 3 | 28 | 37 |
| Insular-Rural | 370 | 182 | 125 | 16 | 1 | 46 | – | – | 328 | 5 | 33 | 4 | – | 14 | 23 |
| DIVISIONS. | | | | | | | | | | | | | | | |
| I. Northern | 479 | 241 | 177 | – | 4 | 56 | – | 1 | 427 | 7 | 38 | 7 | – | 3 | 5 |
| II. North-Western | 684 | 242 | 241 | 39 | 8 | 148 | – | 6 | 608 | 12 | 60 | 4 | – | 30 | 59 |
| III. North-Eastern | 3130 | 1931 | 743 | 51 | 102 | 215 | – | 88 | 2824 | 69 | 191 | 46 | – | 17 | 32 |
| IV. East Midland | 4577 | 2336 | 1341 | 326 | 160 | 325 | – | 89 | 4063 | 92 | 308 | 107 | 7 | 35 | 64 |
| V. West Midland | 2109 | 1028 | 619 | 268 | 46 | 124 | – | 24 | 1892 | 45 | 126 | 45 | 1 | 35 | 43 |
| VI. South-Western | 14930 | 5756 | 3944 | 2455 | 294 | 1455 | – | 1026 | 13075 | 496 | 906 | 446 | 7 | 402 | 480 |
| VII. South-Eastern | 5185 | 2349 | 1393 | 308 | 233 | 227 | – | 675 | 4592 | 167 | 319 | 104 | 3 | 36 | 55 |
| VIII. Southern | 1257 | 809 | 320 | 40 | 29 | 42 | – | 17 | 1121 | 32 | 91 | 13 | – | 6 | 6 |
| COUNTIES. | | | | | | | | | | | | | | | |
| 1 Shetland | 139 | 83 | 39 | – | 2 | 15 | – | – | 118 | 3 | 17 | 1 | – | 1 | 2 |
| 2 Orkney | 137 | 75 | 54 | – | – | 8 | – | – | 121 | 1 | 12 | 3 | – | – | – |
| 3 Caithness | 153 | 69 | 65 | – | 2 | 16 | – | 1 | 141 | 3 | 6 | 3 | – | 1 | 2 |
| 4 Sutherland | 50 | 14 | 19 | – | – | 17 | – | – | 47 | – | 3 | – | – | 1 | 1 |
| 5 Ross and Cromarty | 302 | 88 | 113 | 2 | 3 | 95 | – | 1 | 267 | 5 | 28 | 2 | – | 9 | 33 |
| 6 Inverness | 382 | 154 | 128 | 37 | 5 | 53 | – | 5 | 341 | 7 | 32 | 2 | – | 21 | 26 |
| 7 Nairn | 43 | 15 | 23 | – | 1 | 4 | – | – | 37 | – | 4 | 2 | – | 1 | 2 |
| 8 Elgin (or Moray) | 236 | 130 | 82 | 1 | 3 | 13 | – | 7 | 208 | 7 | 20 | 1 | – | 1 | 1 |
| 9 Banff | 339 | 213 | 86 | 15 | 6 | 18 | – | 1 | 299 | 10 | 23 | 7 | – | 2 | – |
| 10 Aberdeen | 2309 | 1427 | 523 | 35 | 69 | 175 | – | 80 | 2092 | 50 | 133 | 34 | – | 13 | 28 |
| 11 Kincardine | 203 | 146 | 29 | – | 23 | 5 | – | – | 188 | 2 | 11 | 2 | – | – | 1 |
| 12 Forfar | 2088 | 936 | 552 | 237 | 121 | 179 | – | 63 | 1824 | 44 | 155 | 63 | 2 | 23 | 47 |
| 13 Perth | 715 | 407 | 226 | 24 | 12 | 30 | – | 16 | 634 | 15 | 53 | 9 | 4 | 2 | 4 |
| 14 Fife | 1508 | 826 | 494 | 56 | 19 | 104 | – | 9 | 1362 | 29 | 86 | 30 | 1 | 9 | 10 |
| 15 Kinross | 45 | 29 | 14 | – | 2 | – | – | – | 40 | 1 | 3 | 1 | – | – | 1 |
| 16 Clackmannan | 221 | 138 | 55 | 9 | 6 | 12 | – | 1 | 203 | 3 | 11 | 4 | – | 1 | 2 |
| 17 Stirling | 999 | 532 | 298 | 87 | 17 | 52 | – | 13 | 907 | 27 | 47 | 18 | – | 15 | 14 |
| 18 Dumbarton | 727 | 293 | 207 | 155 | 20 | 49 | – | 3 | 640 | 14 | 48 | 24 | 1 | 15 | 22 |
| 19 Argyll | 301 | 170 | 84 | 18 | 8 | 14 | – | 7 | 274 | 1 | 25 | 1 | – | 4 | 7 |
| 20 Bute | 82 | 33 | 30 | 8 | 1 | 9 | – | 1 | 71 | 3 | 6 | 2 | – | 1 | – |
| 21 Renfrew | 1957 | 795 | 543 | 320 | 55 | 212 | – | 32 | 1729 | 47 | 118 | 60 | 3 | 27 | 24 |
| 22 Ayr | 1825 | 985 | 503 | 131 | 47 | 129 | – | 30 | 1646 | 41 | 101 | 36 | 1 | 36 | 35 |
| 23 Lanark | 11148 | 3976 | 2898 | 2004 | 192 | 1114 | – | 964 | 9700 | 408 | 687 | 350 | 3 | 339 | 421 |
| 24 Linlithgow | 402 | 244 | 89 | 48 | 3 | 16 | – | 2 | 367 | 7 | 18 | 10 | – | 8 | 12 |
| 25 Edinburgh | 4142 | 1734 | 1118 | 224 | 212 | 182 | – | 672 | 3626 | 151 | 271 | 91 | 3 | 24 | 36 |
| 26 Haddington | 242 | 154 | 60 | 22 | 3 | 3 | – | – | 226 | 4 | 9 | 3 | – | 3 | 6 |
| 27 Berwick | 172 | 99 | 63 | – | 3 | 6 | – | 1 | 162 | 1 | 9 | – | – | – | – |
| 28 Peebles | 66 | 46 | 12 | 4 | 2 | 2 | – | – | 63 | 1 | 2 | – | – | – | 1 |
| 29 Selkirk | 161 | 72 | 51 | 10 | 10 | 18 | – | – | 148 | 3 | 10 | – | – | 1 | – |
| 30 Roxburgh | 316 | 195 | 95 | 4 | 11 | 10 | – | 1 | 290 | 5 | 21 | – | – | – | 1 |
| 31 Dumfries | 519 | 323 | 122 | 30 | 11 | 21 | – | 12 | 457 | 20 | 36 | 6 | – | 2 | 2 |
| 32 Kirkcudbright | 212 | 144 | 52 | 4 | 5 | 6 | – | 1 | 188 | 4 | 16 | 4 | – | 2 | – |
| 33 Wigtown | 210 | 147 | 51 | 2 | 2 | 5 | – | 3 | 186 | 3 | 18 | 3 | – | 2 | 3 |

## CONDITION and AGE of PERSONS MARRIED in SCOTLAND in 1903.

| CONDITION. | Total Marriages. | AGES AT MARRIAGE. Under 15 | Under 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Bachelors with Spinsters. | 28602 | – | – | 1 | 31 | 182 | 627 | 1131 | 9610 | 10653 | 4036 | 1454 | 527 | 203 | 93 | 34 | 12 | 8 | – | – | – | – | – |
| | 28602 | 1 | 5 | 42 | 355 | 1111 | 1862 | 2441 | 11069 | 8115 | 2472 | 808 | 205 | 70 | 34 | 7 | 4 | 1 | – | – | – | – | – |
| Bachelors with Widows. | 920 | – | – | – | 1 | 1 | 3 | 6 | 106 | 256 | 226 | 141 | 86 | 57 | 21 | 6 | 9 | – | – | 1 | – | – | – |
| | 920 | – | – | – | – | – | 2 | 3 | 52 | 210 | 263 | 204 | 107 | 39 | 27 | 8 | 4 | – | – | 1 | – | – | – |
| Widowers with Spinsters. | 2039 | – | – | – | – | – | – | – | 42 | 222 | 388 | 424 | 303 | 293 | 172 | 106 | 53 | 22 | 10 | 3 | – | 1 | – |
| | 2039 | – | – | 3 | 4 | 15 | 23 | 33 | 304 | 499 | 420 | 342 | 217 | 110 | 48 | 17 | 4 | – | – | – | – | – | – |
| Widowers with Widows. | 772 | – | – | – | – | – | – | – | 4 | 27 | 71 | 128 | 145 | 130 | 110 | 67 | 55 | 21 | 9 | 5 | – | – | – |
| | 772 | – | – | – | – | – | 1 | 1 | 11 | 63 | 127 | 170 | 144 | 112 | 54 | 46 | 32 | 9 | 1 | 1 | – | – | – |
| Condition not stated. Men | 18 | – | – | – | – | – | – | – | 2 | 4 | 1 | | 4 | 2 | – | – | – | – | – | – | – | – | – |
| Condition not stated. Women | 18 | – | – | – | – | – | – | – | 3 | 5 | 3 | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Total Men | 32351 | – | – | 1 | 32 | 183 | 630 | 1137 | 9764 | 11162 | 4722 | 2152 | 1065 | 685 | 396 | 213 | 129 | 51 | 19 | 9 | – | 1 | – |
| Total Women | 32351 | 1 | 5 | 45 | 359 | 1126 | 1888 | 2478 | 11439 | 8892 | 3285 | 1528 | 675 | 331 | 164 | 78 | 44 | 10 | 1 | 2 | – | – | – |

AGES of the MEN MARRIED in SCOTLAND in 1903.

| | Total Marriages. | AGES of the MEN MARRIED in SCOTLAND in 1903. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **SCOTLAND** | 32351 | – | – | 1 | 32 | 183 | 630 | 1137 | 9764 | 11162 | 4722 | 2152 | 1065 | 685 | 396 | 213 | 129 | 51 | 19 | 9 | – | 1 | – |
| *Groups of Districts.* | | | | | | | | | | | | | | | | | | | | | | | |
| Principal Town | 17236 | – | – | 1 | 26 | 115 | 375 | 625 | 5115 | 5900 | 2529 | 1125 | 581 | 372 | 226 | 124 | 81 | 27 | 9 | 5 | – | – | – |
| Large Town | 4310 | – | – | – | 1 | 26 | 83 | 166 | 1411 | 1495 | 574 | 241 | 127 | 87 | 52 | 28 | 11 | 5 | 2 | 1 | – | – | – |
| Small Town | 5818 | – | – | – | 2 | 26 | 111 | 209 | 1878 | 2047 | 783 | 366 | 169 | 111 | 48 | 33 | 17 | 10 | 6 | 2 | – | – | – |
| Mainland-Rural | 4617 | – | – | – | 3 | 15 | 58 | 135 | 1308 | 1591 | 760 | 365 | 168 | 95 | 65 | 27 | 17 | 7 | 1 | 1 | – | 1 | – |
| Insular-Rural | 370 | – | – | – | – | 1 | 3 | 2 | 52 | 129 | 76 | 55 | 20 | 20 | 5 | 1 | 3 | 2 | 1 | – | – | – | – |
| *Divisions.* | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern | 479 | – | – | – | – | 1 | 6 | 7 | 107 | 162 | 80 | 43 | 33 | 21 | 9 | 2 | 2 | 5 | 1 | – | – | – | – |
| 2. North-Western | 684 | – | – | – | – | 1 | 5 | 4 | 95 | 205 | 159 | 106 | 54 | 24 | 14 | 10 | 4 | 1 | 2 | – | – | – | – |
| 3. North-Eastern | 3130 | – | – | – | 3 | 15 | 52 | 110 | 925 | 1025 | 498 | 194 | 130 | 85 | 47 | 19 | 16 | 6 | 4 | – | – | 1 | – |
| 4. East Midland | 4577 | – | – | – | 1 | 33 | 93 | 174 | 1427 | 1611 | 634 | 265 | 139 | 97 | 49 | 29 | 15 | 6 | 3 | 1 | – | – | – |
| 5. West Midland | 2109 | – | – | – | 1 | 7 | 33 | 59 | 639 | 761 | 310 | 149 | 61 | 45 | 22 | 12 | 9 | 1 | – | – | – | – | – |
| 6. South-Western | 14930 | – | – | 1 | 21 | 101 | 349 | 606 | 4759 | 5101 | 2009 | 900 | 440 | 276 | 196 | 87 | 52 | 21 | 5 | 6 | – | – | – |
| 7. South-Eastern | 5185 | – | – | – | 4 | 22 | 83 | 146 | 1461 | 1880 | 816 | 382 | 162 | 100 | 44 | 44 | 27 | 8 | 4 | 2 | – | – | – |
| 8. Southern | 1257 | – | – | – | 2 | 3 | 9 | 31 | 351 | 417 | 216 | 113 | 46 | 37 | 15 | 10 | 4 | 3 | – | – | – | – | – |
| *Counties.* | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland | 139 | – | – | – | – | – | 1 | 1 | 28 | 46 | 22 | 17 | 11 | 5 | 3 | – | 1 | 3 | 1 | – | – | – | – |
| Orkney | 137 | – | – | – | – | – | 3 | 3 | 33 | 52 | 16 | 7 | 10 | 10 | 1 | – | 1 | 1 | – | – | – | – | – |
| Caithness | 153 | – | – | – | – | 1 | 2 | 2 | 38 | 49 | 28 | 13 | 8 | 5 | 5 | 1 | – | 1 | – | – | – | – | – |
| Sutherland | 50 | – | – | – | – | – | – | 1 | 8 | 15 | 14 | 6 | 4 | 1 | – | 1 | – | – | – | – | – | – | – |
| Ross and Cromarty | 302 | – | – | – | – | – | 3 | 1 | 45 | 107 | 61 | 44 | 20 | 5 | 9 | 3 | 3 | – | 1 | – | – | – | – |
| Inverness | 382 | – | – | – | – | 1 | 2 | 3 | 50 | 98 | 98 | 62 | 34 | 19 | 5 | 7 | 1 | 1 | 1 | – | – | – | – |

AGES of the MEN MARRIED in SCOTLAND in 1903.

AGES of the MEN MARRIED in SCOTLAND in 1903.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn | 43 | – | – | – | – | – | – | – | 2 | 21 | 10 | 4 | 3 | 1 | 2 | – | – | – | – | – | – | – | – |
| Elgin (or Moray) | 236 | – | – | – | – | – | 2 | 6 | 56 | 87 | 41 | 15 | 12 | 10 | 5 | 2 | – | – | – | – | – | – | – |
| Banff | 339 | – | – | – | – | – | 6 | 8 | 106 | 107 | 55 | 20 | 15 | 13 | 2 | 5 | 1 | 1 | – | – | – | – | – |
| Aberdeen | 2309 | – | – | – | 3 | 15 | 40 | 91 | 697 | 737 | 363 | 147 | 91 | 56 | 36 | 12 | 12 | 4 | 4 | – | – | 1 | – |
| Kincardine | 203 | – | – | – | – | – | 4 | 5 | 64 | 73 | 29 | 8 | 9 | 5 | 2 | – | 3 | 1 | – | – | – | – | – |
| Forfar | 2088 | – | – | – | 1 | 18 | 49 | 79 | 645 | 724 | 277 | 124 | 69 | 52 | 27 | 11 | 7 | 2 | 2 | 1 | – | – | – |
| Perth | 715 | – | – | – | – | – | 9 | 12 | 169 | 263 | 133 | 60 | 28 | 18 | 8 | 8 | 3 | 3 | 1 | – | – | – | – |
| Fife | 1508 | – | – | – | – | 15 | 31 | 73 | 517 | 534 | 184 | 73 | 35 | 24 | 9 | 8 | 5 | – | – | – | – | – | – |
| Kinross | 45 | – | – | – | – | – | 2 | 1 | 19 | 9 | 11 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Clackmannan | 221 | – | – | – | – | – | 2 | 9 | 77 | 81 | 29 | 5 | 7 | 3 | 5 | 2 | – | 1 | – | – | – | – | – |
| Stirling | 999 | – | – | – | 1 | 6 | 22 | 38 | 337 | 363 | 125 | 52 | 22 | 15 | 7 | 6 | 5 | – | – | – | – | – | – |
| Dumbarton | 727 | – | – | – | – | 1 | 10 | 17 | 232 | 269 | 100 | 45 | 20 | 15 | 10 | 5 | 3 | – | – | – | – | – | – |
| Argyll | 301 | – | – | – | – | – | – | 3 | 51 | 105 | 69 | 40 | 16 | 12 | 3 | – | 1 | 1 | – | – | – | – | – |
| Bute | 82 | – | – | – | – | – | 1 | 1 | 19 | 24 | 16 | 12 | 3 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Renfrew | 1957 | – | – | – | 6 | 17 | 30 | 83 | 647 | 653 | 272 | 109 | 55 | 38 | 24 | 12 | 9 | – | 1 | 1 | – | – | – |
| Ayr | 1825 | – | – | – | 1 | 3 | 56 | 89 | 611 | 612 | 221 | 106 | 59 | 31 | 18 | 8 | 6 | 2 | – | 2 | – | – | – |
| Lanark | 11148 | – | – | 1 | 14 | 81 | 263 | 434 | 3501 | 3836 | 1516 | 685 | 326 | 207 | 154 | 67 | 37 | 19 | 4 | 3 | – | – | – |
| Linlithgow | 402 | – | – | – | 1 | 1 | 7 | 22 | 155 | 141 | 29 | 25 | 8 | 7 | 3 | 3 | – | – | – | – | – | – | – |
| Edinburgh | 4142 | – | – | – | 3 | 20 | 69 | 109 | 1145 | 1465 | 693 | 305 | 135 | 87 | 35 | 39 | 24 | 7 | 4 | 2 | – | – | – |
| Haddington | 242 | – | – | – | – | 1 | 1 | 9 | 76 | 104 | 24 | 13 | 5 | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Berwick | 172 | – | – | – | – | – | 1 | 2 | 37 | 78 | 30 | 19 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Peebles | 66 | – | – | – | – | – | 1 | – | 13 | 25 | 14 | 8 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Selkirk | 161 | – | – | – | – | – | 4 | 4 | 35 | 67 | 26 | 12 | 7 | 2 | 3 | – | 1 | – | – | – | – | – | – |
| Roxburgh | 316 | – | – | – | – | 1 | 2 | 6 | 88 | 120 | 55 | 24 | 9 | 5 | 3 | 2 | 1 | – | – | – | – | – | – |
| Dumfries | 519 | – | – | – | 2 | 1 | 3 | 14 | 142 | 168 | 94 | 40 | 19 | 22 | 7 | 6 | 1 | – | – | – | – | – | – |
| Kirkcudbright | 212 | – | – | – | – | 1 | 1 | 5 | 53 | 66 | 39 | 24 | 14 | 4 | 3 | 1 | – | 1 | – | – | – | – | – |
| Wigtown | 210 | – | – | – | – | – | 3 | 6 | 68 | 63 | 28 | 25 | 4 | 6 | 2 | 1 | 2 | 2 | – | – | – | – | – |

AGES of the WOMEN MARRIED in SCOTLAND in 1903.

| | Total Marriages. | AGES of the WOMEN MARRIED in SCOTLAND in 1903. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| SCOTLAND . | 32351 | 1 | 5 | 45 | 359 | 1126 | 1888 | 2478 | 11439 | 8892 | 3285 | 1528 | 675 | 331 | 164 | 78 | 44 | 10 | 1 | 2 | – | – | – |
| *Groups of Districts.* | | | | | | | | | | | | | | | | | | | | | | | |
| Principal Town . | 17236 | – | 4 | 25 | 186 | 599 | 1027 | 1315 | 6075 | 4666 | 1751 | 842 | 393 | 176 | 103 | 42 | 24 | 6 | 1 | 1 | – | – | – |
| Large Town . . | 4310 | 1 | – | 2 | 44 | 146 | 254 | 335 | 1614 | 1153 | 411 | 190 | 77 | 47 | 17 | 10 | 9 | – | – | – | – | – | – |
| Small Town . . | 5818 | – | 1 | 12 | 80 | 226 | 357 | 466 | 2059 | 1604 | 560 | 249 | 106 | 60 | 18 | 14 | 5 | 1 | – | – | – | – | – |
| Mainland-Rural . | 4617 | – | – | 4 | 49 | 147 | 239 | 346 | 1583 | 1337 | 517 | 222 | 89 | 42 | 21 | 12 | 5 | 3 | – | 1 | – | – | – |
| Insular-Rural . | 370 | – | – | 2 | – | 8 | 11 | 16 | 108 | 132 | 46 | 25 | 10 | 6 | 5 | – | 1 | – | – | – | – | – | – |
| *Divisions.* | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern . . | 479 | – | – | 2 | 3 | 12 | 9 | 27 | 152 | 137 | 67 | 30 | 20 | 13 | 5 | – | 2 | – | – | – | – | – | – |
| 2. North-Western . | 684 | 1 | – | 1 | 4 | 6 | 15 | 32 | 189 | 238 | 111 | 53 | 18 | 11 | 3 | 2 | – | – | – | – | – | – | – |
| 3. North-Eastern . | 3130 | – | 1 | 5 | 32 | 114 | 161 | 227 | 1116 | 841 | 333 | 160 | 81 | 30 | 16 | 6 | 4 | 3 | – | – | – | – | – |
| 4. East Midland . | 4577 | – | – | 4 | 42 | 132 | 245 | 319 | 1590 | 1334 | 495 | 230 | 94 | 46 | 27 | 12 | 7 | – | – | – | – | – | – |
| 5. West Midland . | 2109 | – | – | 2 | 21 | 66 | 122 | 162 | 766 | 591 | 203 | 95 | 45 | 23 | 9 | 2 | 2 | – | – | – | – | – | – |
| 6. South-Western . | 14930 | – | 2 | 26 | 206 | 624 | 1005 | 1275 | 5406 | 3860 | 1315 | 650 | 279 | 142 | 74 | 42 | 19 | 4 | 1 | – | – | – | – |
| 7. South-Eastern . | 5185 | – | 2 | 5 | 46 | 146 | 286 | 364 | 1780 | 1491 | 607 | 244 | 109 | 50 | 28 | 14 | 10 | 2 | – | 1 | – | – | – |
| 8. Southern . . | 1257 | – | – | – | 5 | 26 | 45 | 72 | 440 | 400 | 154 | 66 | 29 | 16 | 2 | – | – | 1 | – | 1 | – | – | – |
| *Counties.* | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland . . . | 139 | – | – | – | – | 1 | 1 | 3 | 32 | 49 | 26 | 11 | 6 | 7 | 2 | – | 1 | – | – | – | – | – | – |
| Orkney . . . | 137 | – | – | 2 | 1 | 7 | 7 | 5 | 48 | 35 | 15 | 7 | 5 | 2 | 3 | – | – | – | – | – | – | – | – |
| Caithness . . . | 153 | – | – | – | 2 | 2 | 1 | 16 | 51 | 42 | 17 | 10 | 8 | 3 | – | – | 1 | – | – | – | – | – | – |
| Sutherland . . | 50 | – | – | – | – | 2 | – | 3 | 21 | 11 | 9 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ross and Cromarty . | 302 | – | – | 1 | 2 | 3 | 4 | 19 | 87 | 101 | 51 | 20 | 7 | 4 | 2 | 1 | – | – | – | – | – | – | – |
| Inverness . . . | 382 | 1 | – | – | 2 | 3 | 11 | 13 | 102 | 137 | 60 | 33 | 11 | 7 | 1 | 1 | – | – | – | – | – | – | – |

AGES of the WOMEN MARRIED in SCOTLAND in 1903.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn . . . | 43 | – | – | – | – | – | – | 2 | 8 | 18 | 4 | 8 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Elgin (or Moray) . | 236 | – | – | – | 1 | 6 | 7 | 8 | 85 | 71 | 32 | 10 | 9 | 6 | – | – | 1 | – | – | – | – | – | – |
| Banff . . . | 339 | – | – | – | 5 | 12 | 17 | 22 | 128 | 84 | 41 | 13 | 10 | 3 | 1 | 2 | 1 | – | – | – | – | – | – |
| Aberdeen . . | 2309 | – | 1 | 5 | 25 | 89 | 126 | 186 | 823 | 598 | 242 | 117 | 57 | 19 | 14 | 3 | 2 | 2 | – | – | – | – | – |
| Kincardine . . | 203 | – | – | – | 1 | 7 | 11 | 9 | 72 | 70 | 14 | 12 | 4 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Forfar . . . | 2088 | – | – | 1 | 15 | 51 | 101 | 145 | 764 | 581 | 214 | 121 | 50 | 23 | 11 | 8 | 3 | – | – | – | – | – | – |
| Perth . . . | 715 | – | – | – | 6 | 17 | 27 | 33 | 213 | 239 | 113 | 38 | 13 | 9 | 6 | 1 | – | – | – | – | – | – | – |
| Fife . . . | 1508 | – | – | 2 | 18 | 56 | 104 | 125 | 524 | 421 | 147 | 63 | 24 | 14 | 6 | 1 | 3 | – | – | – | – | – | – |
| Kinross . . . | 45 | – | – | 1 | – | 3 | 3 | – | 14 | 17 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Clackmannan . . | 221 | – | – | – | 3 | 5 | 10 | 16 | 75 | 76 | 17 | 6 | 6 | – | 4 | 2 | 1 | – | – | – | – | – | – |
| Stirling . . . | 999 | – | – | 2 | 18 | 44 | 69 | 88 | 380 | 250 | 78 | 33 | 16 | 12 | 6 | 2 | 1 | – | – | – | – | – | – |
| Dumbarton . . | 727 | – | – | – | 2 | 17 | 43 | 57 | 272 | 207 | 67 | 35 | 17 | 7 | 2 | – | 1 | – | – | – | – | – | – |
| Argyll . . . | 301 | – | – | – | 1 | 4 | 6 | 14 | 92 | 105 | 49 | 19 | 8 | 2 | 1 | – | – | – | – | – | – | – | – |
| Bute . . . | 82 | – | – | – | – | 1 | 4 | 3 | 22 | 29 | 9 | 8 | 4 | 2 | – | – | – | – | – | – | – | – | – |
| Renfrew . . . | 1957 | – | – | 1 | 20 | 67 | 128 | 149 | 726 | 522 | 176 | 91 | 35 | 21 | 12 | 6 | 2 | – | 1 | – | – | – | – |
| Ayr . . . | 1825 | – | – | 2 | 17 | 67 | 129 | 166 | 665 | 487 | 156 | 73 | 32 | 15 | 6 | 7 | 1 | 2 | – | – | – | – | – |
| Lanark . . . | 11148 | – | 2 | 23 | 169 | 490 | 748 | 960 | 4015 | 2851 | 983 | 486 | 212 | 106 | 56 | 29 | 16 | 2 | – | – | – | – | – |
| Linlithgow . . | 402 | – | 1 | 1 | 6 | 23 | 41 | 45 | 158 | 81 | 20 | 15 | 4 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| Edinburgh . . | 4142 | – | 1 | 4 | 37 | 116 | 221 | 278 | 1409 | 1190 | 504 | 199 | 95 | 43 | 24 | 11 | 7 | 2 | – | 1 | – | – | – |
| Haddington . . | 242 | – | – | – | 2 | 6 | 7 | 18 | 91 | 75 | 20 | 13 | 2 | 4 | – | 2 | 2 | – | – | – | – | – | – |
| Berwick . . . | 172 | – | – | – | – | – | 5 | 11 | 53 | 66 | 29 | 5 | 3 | – | – | – | – | – | – | – | – | – | – |
| Peebles . . . | 66 | – | – | – | 1 | – | 4 | 4 | 14 | 28 | 11 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Selkirk . . . | 161 | – | – | – | – | 1 | 8 | 8 | 55 | 51 | 23 | 9 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Roxburgh . . | 316 | – | – | – | – | 6 | 9 | 17 | 108 | 109 | 45 | 14 | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| Dumfries . . | 519 | – | – | – | 2 | 10 | 21 | 28 | 175 | 168 | 62 | 31 | 13 | 8 | 1 | – | – | – | – | – | – | – | – |
| Kirkcudbright . | 212 | – | – | – | – | 3 | 6 | 15 | 75 | 70 | 25 | 11 | 3 | 3 | – | – | – | 1 | – | – | – | – | – |
| Wigtown . . | 210 | – | – | – | 3 | 7 | 9 | 12 | 82 | 53 | 22 | 10 | 9 | 2 | – | – | – | – | – | 1 | – | – | – |

DEATHS at Different Ages Registered during the YEAR 1903.—BOTH SEXES.

| | POPULATION. | | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | |
| | 1891. | 1901. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| **SCOTLAND** | 4025647 | 4472103 | 76002 | 8221 | 2874 | 4598 | 4534 | 1797 | 1035 | 773 | 2058 | 1332 | 2002 | 2385 | 2505 |
| **Groups.** | | | | | | | | | | | | | | | |
| PRINCIPAL TOWNS | 1672764 | 1956561 | 35853 | 4131 | 1560 | 2691 | 2690 | 1063 | 604 | 413 | 1077 | 625 | 903 | 1146 | 1195 |
| LARGE TOWNS . | 506793 | 578894 | 9857 | 1136 | 384 | 612 | 622 | 247 | 139 | 119 | 253 | 180 | 257 | 318 | 312 |
| SMALL TOWNS . | 789322 | 896880 | 14468 | 1622 | 548 | 772 | 759 | 300 | 175 | 135 | 381 | 253 | 411 | 420 | 498 |
| MAINLAND-RURAL | 933375 | 923099 | 13978 | 1213 | 353 | 491 | 411 | 174 | 104 | 99 | 314 | 248 | 384 | 419 | 441 |
| INSULAR-RURAL | 123393 | 116669 | 1846 | 119 | 29 | 32 | 52 | 13 | 13 | 7 | 33 | 26 | 47 | 82 | 59 |
| **Counties.** | | | | | | | | | | | | | | | |
| Shetland . . | 28711 | 28166 | 429 | 19 | 7 | 6 | 4 | 1 | 3 | 2 | 4 | 9 | 13 | 24 | 18 |
| Orkney . . | 30453 | 28699 | 416 | 25 | 4 | 6 | 10 | 2 | – | – | 9 | 2 | 7 | 14 | 7 |
| Caithness . | 37177 | 33870 | 576 | 49 | 18 | 23 | 18 | 4 | 2 | 6 | 10 | 8 | 13 | 13 | 15 |
| Sutherland . | 21896 | 21440 | 380 | 25 | 5 | 3 | 6 | 3 | 2 | 1 | 11 | 5 | 11 | 14 | 6 |
| Ross & Cromarty | 78727 | 76450 | 1332 | 72 | 26 | 27 | 43 | 14 | 16 | 9 | 31 | 15 | 41 | 54 | 46 |
| Inverness . | 86464 | 86278 | 1421 | 107 | 23 | 40 | 45 | 12 | 5 | 6 | 27 | 16 | 34 | 59 | 56 |
| Nairn . . | 8516 | 8721 | 133 | 8 | 7 | 5 | 3 | – | 2 | 1 | 3 | – | – | 4 | 3 |
| Elgin . . | 43175 | 44499 | 719 | 63 | 20 | 38 | 23 | 7 | 7 | 5 | 12 | 10 | 20 | 26 | 27 |
| Banff . . | 61980 | 61789 | 889 | 84 | 27 | 30 | 30 | 13 | 6 | 8 | 22 | 20 | 28 | 31 | 23 |
| Aberdeen . | 284036 | 304459 | 4821 | 515 | 206 | 306 | 265 | 99 | 52 | 36 | 124 | 71 | 117 | 138 | 134 |
| Kincardine . | 35492 | 40923 | 562 | 73 | 26 | 38 | 35 | 17 | 6 | 7 | 16 | 9 | 17 | 16 | 21 |
| Forfar . . | 277735 | 284082 | 4734 | 516 | 178 | 212 | 190 | 83 | 46 | 34 | 120 | 95 | 142 | 129 | 165 |
| Perth . . | 122185 | 123283 | 1929 | 150 | 49 | 55 | 41 | 29 | 20 | 12 | 46 | 27 | 43 | 68 | 47 |
| Fife . . . | 190365 | 218840 | 3284 | 342 | 107 | 177 | 135 | 62 | 34 | 36 | 81 | 59 | 84 | 110 | 130 |
| Kinross . . | 6673 | 6981 | 123 | 8 | 6 | 4 | 4 | – | 2 | 2 | – | – | 3 | 4 | 5 |
| Clackmannan . | 33140 | 32029 | 457 | 41 | 15 | 19 | 19 | 6 | 6 | 2 | 12 | 8 | 17 | 20 | 18 |
| Stirling . . | 118021 | 142291 | 2291 | 285 | 78 | 113 | 132 | 43 | 27 | 20 | 54 | 59 | 83 | 61 | 75 |
| Dumbarton . | 98014 | 113865 | 1889 | 227 | 62 | 107 | 103 | 58 | 17 | 30 | 63 | 33 | 51 | 72 | 68 |
| Argyll . . | 78381 | 78038 | 1244 | 65 | 17 | 40 | 35 | 13 | 9 | 5 | 19 | 22 | 31 | 42 | 34 |
| Bute . . | 18404 | 18787 | 301 | 24 | 5 | 6 | 12 | 1 | 3 | 1 | 9 | 5 | 8 | 8 | 6 |
| Renfrew . . | 245067 | 293497 | 5317 | 549 | 207 | 323 | 339 | 142 | 89 | 67 | 187 | 103 | 156 | 161 | 190 |
| Ayr . . | 226386 | 254468 | 4123 | 483 | 168 | 221 | 209 | 91 | 56 | 45 | 104 | 82 | 113 | 120 | 157 |
| Lanark . . | 1091644 | 1314810 | 24504 | 3079 | 1169 | 2109 | 2146 | 825 | 463 | 300 | 718 | 440 | 584 | 767 | 795 |
| Linlithgow . | 53532 | 66443 | 915 | 124 | 40 | 74 | 57 | 25 | 15 | 6 | 35 | 23 | 18 | 16 | 24 |
| Edinburgh . | 433552 | 488061 | 8465 | 848 | 284 | 471 | 487 | 179 | 120 | 87 | 231 | 143 | 238 | 267 | 274 |
| Haddington . | 37377 | 38665 | 624 | 77 | 23 | 35 | 29 | 17 | 3 | 4 | 20 | 8 | 16 | 12 | 16 |
| Berwick . . | 32290 | 30824 | 409 | 40 | 5 | 17 | 10 | 5 | 1 | 4 | 7 | 7 | 7 | 8 | 16 |
| Peebles . . | 14722 | 15034 | 191 | 20 | 5 | 3 | 4 | - | 1 | 2 | 7 | 1 | 5 | 1 | 4 |
| Selkirk . . | 27740 | 23388 | 367 | 32 | 9 | 16 | 15 | 3 | 1 | 4 | 8 | 5 | 15 | 17 | 15 |
| Roxburgh . | 53500 | 48804 | 780 | 71 | 19 | 10 | 16 | 10 | 3 | 7 | 14 | 7 | 26 | 31 | 22 |
| Dumfries . | 74249 | 72572 | 1220 | 100 | 34 | 33 | 40 | 19 | 9 | 12 | 28 | 23 | 25 | 46 | 44 |
| Kirkcudbright | 40163 | 39510 | 645 | 51 | 17 | 18 | 20 | 11 | 7 | 8 | 15 | 11 | 19 | 18 | 23 |
| Wigtown . . | 35880 | 32557 | 512 | 49 | 8 | 13 | 9 | 3 | 2 | 4 | 11 | 6 | 17 | 14 | 21 |
| **Principal Towns.** | | | | | | | | | | | | | | | |
| Glasgow . . | 659193 | 761709 | 15071 | 1732 | 651 | 1211 | 1273 | 518 | 295 | 209 | 469 | 258 | 363 | 478 | 533 |
| Edinburgh . | 276652 | 317459 | 5522 | 511 | 171 | 298 | 298 | 117 | 79 | 61 | 152 | 99 | 152 | 191 | 187 |
| Dundee . . | 154118 | 161173 | 2947 | 366 | 132 | 177 | 148 | 58 | 32 | 20 | 82 | 64 | 91 | 86 | 99 |
| Aberdeen . | 124943 | 153503 | 2741 | 321 | 138 | 216 | 181 | 73 | 31 | 20 | 69 | 33 | 70 | 86 | 87 |
| Govan . . | 63625 | 82174 | 1464 | 212 | 98 | 186 | 179 | 61 | 32 | 13 | 55 | 24 | 24 | 45 | 43 |
| Paisley . . | 66425 | 79363 | 1428 | 163 | 62 | 95 | 104 | 46 | 30 | 23 | 43 | 27 | 30 | 34 | 46 |
| Leith . . | 68707 | 77439 | 1286 | 170 | 54 | 105 | 100 | 32 | 21 | 10 | 37 | 19 | 37 | 40 | 36 |
| Greenock . | 63423 | 68142 | 1311 | 145 | 60 | 90 | 98 | 31 | 20 | 13 | 51 | 18 | 39 | 45 | 44 |
| Partick . . | 36538 | 54298 | 777 | 119 | 39 | 70 | 70 | 37 | 11 | 7 | 12 | 13 | 18 | 32 | 21 |
| Coatbridge . | 30034 | 36991 | 663 | 90 | 44 | 57 | 63 | 19 | 11 | 6 | 32 | 19 | 16 | 23 | 15 |
| Kilmarnock . | 28447 | 34165 | 629 | 75 | 22 | 38 | 39 | 20 | 10 | 6 | 20 | 17 | 13 | 13 | 26 |
| Kirkcaldy . | 27155 | 34079 | 473 | 55 | 16 | 29 | 21 | 7 | 4 | 9 | 11 | 4 | 13 | 17 | 23 |
| Perth . . | 29919 | 32873 | 560 | 42 | 15 | 24 | 22 | 11 | 9 | 6 | 16 | 8 | 14 | 29 | 11 |
| Hamilton . | 24859 | 32775 | 564 | 77 | 25 | 53 | 53 | 15 | 12 | 6 | 17 | 13 | 14 | 18 | 13 |
| Motherwell . | 18726 | 30418 | 417 | 53 | 33 | 42 | 41 | 18 | 7 | 4 | 11 | 9 | 9 | 9 | 11 |

DEATHS at Different Ages Registered during the YEAR 1903.—BOTH SEXES.

| BOTH SEXES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 2542 | 2644 | 2706 | 3026 | 3512 | 3878 | 4843 | 4668 | 4770 | 4016 | 3113 | 1543 | 474 | 120 | 19 | 14 | **SCOTLAND.** |
| | | | | | | | | | | | | | | | | **Groups.** |
| 1301 | 1363 | 1442 | 1550 | 1803 | 1904 | 2210 | 1945 | 1761 | 1246 | 784 | 327 | 96 | 20 | 3 | – | PRINCIPAL TOWNS |
| 335 | 348 | 324 | 396 | 468 | 498 | 648 | 637 | 582 | 471 | 375 | 155 | 33 | 6 | 2 | – | LARGE TOWNS |
| 441 | 445 | 460 | 527 | 604 | 755 | 947 | 941 | 1054 | 876 | 664 | 353 | 98 | 25 | 3 | 1 | SMALL TOWNS |
| 406 | 441 | 430 | 502 | 580 | 654 | 933 | 1012 | 1214 | 1228 | 1077 | 582 | 203 | 54 | 6 | 5 | MAINLAND-RURAL |
| 59 | 47 | 50 | 51 | 57 | 67 | 105 | 133 | 159 | 195 | 213 | 126 | 44 | 15 | 5 | 8 | INSULAR-RURAL |
| | | | | | | | | | | | | | | | | **Counties.** |
| 13 | 11 | 9 | 7 | 15 | 17 | 25 | 37 | 33 | 42 | 54 | 36 | 16 | 3 | – | 1 | Shetland |
| 12 | 11 | 12 | 12 | 10 | 16 | 15 | 35 | 51 | 48 | 52 | 40 | 7 | 1 | 1 | 7 | Orkney |
| 10 | 15 | 16 | 15 | 20 | 30 | 36 | 28 | 62 | 54 | 55 | 35 | 17 | 4 | – | – | Caithness |
| 7 | 18 | 6 | 10 | 10 | 16 | 27 | 26 | 36 | 32 | 52 | 27 | 17 | 4 | – | – | Sutherland |
| 44 | 37 | 45 | 40 | 42 | 43 | 71 | 110 | 136 | 116 | 147 | 68 | 25 | 9 | 3 | 2 | Ross and Cromarty |
| 48 | 41 | 44 | 52 | 55 | 63 | 99 | 116 | 117 | 128 | 122 | 67 | 32 | 4 | 3 | – | Inverness |
| 7 | 5 | 7 | 5 | 6 | 9 | 11 | 7 | 13 | 5 | 12 | 8 | 2 | – | – | – | Nairn |
| 20 | 25 | 20 | 27 | 31 | 23 | 47 | 42 | 77 | 68 | 48 | 22 | 10 | 1 | – | – | Elgin |
| 22 | 25 | 24 | 23 | 32 | 30 | 55 | 50 | 82 | 80 | 83 | 46 | 11 | 4 | – | – | Banff |
| 122 | 127 | 140 | 147 | 182 | 223 | 282 | 317 | 349 | 355 | 290 | 156 | 54 | 12 | 2 | – | Aberdeen |
| 10 | 16 | 14 | 16 | 5 | 19 | 28 | 18 | 42 | 51 | 31 | 22 | 8 | 1 | – | – | Kincardine |
| 144 | 174 | 187 | 200 | 255 | 265 | 326 | 347 | 352 | 259 | 195 | 89 | 25 | 4 | 2 | – | Forfar |
| 62 | 46 | 56 | 73 | 91 | 115 | 136 | 149 | 168 | 197 | 137 | 77 | 25 | 10 | – | – | Perth |
| 122 | 96 | 77 | 124 | 118 | 148 | 209 | 232 | 263 | 235 | 177 | 99 | 22 | 4 | 1 | – | Fife |
| 2 | 3 | 1 | 9 | 1 | 5 | 7 | 13 | 14 | 11 | 10 | 7 | 2 | – | – | – | Kinross |
| 15 | 7 | 19 | 20 | 14 | 32 | 38 | 41 | 32 | 25 | 15 | 12 | 3 | 1 | – | – | Clackmannan |
| 89 | 77 | 88 | 104 | 120 | 123 | 141 | 127 | 151 | 109 | 78 | 35 | 12 | 6 | 1 | – | Stirling |
| 63 | 60 | 72 | 74 | 88 | 98 | 134 | 105 | 107 | 84 | 67 | 35 | 9 | 1 | 1 | – | Dumbarton |
| 34 | 43 | 47 | 55 | 50 | 59 | 85 | 109 | 106 | 118 | 111 | 55 | 25 | 12 | 3 | – | Argyll |
| 10 | 9 | 16 | 14 | 11 | 10 | 27 | 23 | 33 | 24 | 22 | 10 | 4 | – | – | – | Bute |
| 199 | 210 | 210 | 242 | 276 | 289 | 347 | 346 | 296 | 202 | 131 | 39 | 13 | 4 | – | – | Renfrew |
| 116 | 133 | 143 | 143 | 178 | 217 | 309 | 265 | 288 | 207 | 174 | 73 | 17 | 9 | 1 | 1 | Ayr |
| 876 | 916 | 936 | 1022 | 1189 | 1249 | 1407 | 1183 | 961 | 722 | 420 | 176 | 42 | 10 | – | – | Lanark |
| 36 | 34 | 33 | 24 | 38 | 51 | 57 | 45 | 50 | 38 | 31 | 16 | 5 | – | – | – | Linlithgow |
| 321 | 357 | 357 | 384 | 448 | 467 | 558 | 518 | 560 | 419 | 279 | 131 | 30 | 6 | 1 | – | Edinburgh |
| 17 | 12 | 15 | 16 | 26 | 27 | 51 | 48 | 54 | 49 | 26 | 19 | 4 | – | – | – | Haddington |
| 15 | 9 | 11 | 13 | 13 | 25 | 25 | 27 | 40 | 48 | 32 | 20 | 2 | 2 | – | – | Berwick |
| 11 | 11 | 3 | 14 | 13 | 10 | 17 | 7 | 12 | 16 | 11 | 11 | 1 | 1 | – | – | Peebles |
| 11 | 11 | 7 | 15 | 16 | 23 | 24 | 37 | 32 | 20 | 24 | 5 | 2 | – | – | – | Selkirk |
| 26 | 32 | 20 | 27 | 46 | 49 | 73 | 68 | 63 | 62 | 51 | 22 | 4 | 1 | – | – | Roxburgh |
| 34 | 34 | 38 | 47 | 58 | 69 | 87 | 102 | 109 | 91 | 86 | 40 | 12 | – | – | – | Dumfries |
| 13 | 22 | 20 | 26 | 25 | 28 | 50 | 54 | 40 | 58 | 50 | 25 | 10 | 4 | – | 2 | Kirkcudbright |
| 11 | 17 | 13 | 26 | 30 | 30 | 39 | 36 | 41 | 43 | 40 | 20 | 6 | 2 | – | 1 | Wigtown |
| | | | | | | | | | | | | | | | | **Principal Towns.** |
| 608 | 592 | 657 | 710 | 791 | 765 | 904 | 722 | 594 | 408 | 225 | 75 | 25 | 5 | – | – | Glasgow |
| 212 | 252 | 245 | 269 | 296 | 321 | 368 | 321 | 355 | 274 | 175 | 95 | 20 | 2 | 1 | – | Edinburgh |
| 95 | 100 | 121 | 130 | 172 | 177 | 209 | 202 | 177 | 108 | 69 | 22 | 7 | 2 | 1 | – | Dundee |
| 78 | 88 | 86 | 89 | 116 | 137 | 172 | 169 | 165 | 142 | 106 | 47 | 18 | 2 | 1 | – | Aberdeen |
| 30 | 55 | 46 | 44 | 50 | 70 | 69 | 56 | 26 | 29 | 7 | 7 | 3 | – | – | – | Govan |
| 44 | 48 | 49 | 68 | 79 | 64 | 102 | 90 | 83 | 51 | 28 | 12 | 5 | 2 | – | – | Paisley |
| 46 | 41 | 56 | 47 | 55 | 67 | 75 | 77 | 78 | 41 | 26 | 9 | 5 | 2 | – | – | Leith |
| 47 | 48 | 53 | 64 | 59 | 83 | 76 | 91 | 66 | 36 | 28 | 4 | 1 | 1 | – | – | Greenock |
| 25 | 27 | 22 | 22 | 37 | 52 | 43 | 29 | 38 | 13 | 15 | 4 | 1 | – | – | – | Partick |
| 17 | 20 | 21 | 18 | 33 | 25 | 30 | 37 | 28 | 23 | 13 | 2 | 1 | – | – | – | Coatbridge |
| 21 | 23 | 27 | 21 | 21 | 36 | 46 | 37 | 39 | 26 | 18 | 10 | 2 | 3 | – | – | Kilmarnock |
| 18 | 16 | 12 | 15 | 17 | 18 | 27 | 40 | 41 | 26 | 21 | 11 | 2 | – | – | – | Kirkcaldy |
| 26 | 24 | 11 | 25 | 32 | 35 | 36 | 39 | 39 | 37 | 31 | 15 | 2 | 1 | – | – | Perth |
| 24 | 15 | 16 | 18 | 29 | 30 | 29 | 21 | 21 | 21 | 13 | 8 | 3 | – | – | – | Hamilton |
| 10 | 14 | 20 | 10 | 16 | 24 | 24 | 14 | 11 | 11 | 9 | 6 | 1 | – | – | – | Motherwell |

DEATHS at Different Ages Registered during the YEAR 1903.—MALES.

| | MALE POPULATION. | | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | | |
| | 1891. | 1901. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| **SCOTLAND** | 1942717 | 2173755 | 38136 | 4738 | 1606 | 2544 | 2401 | 907 | 513 | 367 | 1010 | 664 | 993 | 1201 | 1210 |
| **Groups.** | | | | | | | | | | | | | | | | |
| PRINCIPAL TOWNS | 800032 | 942139 | 18128 | 2356 | 870 | 1502 | 1418 | 521 | 306 | 192 | 536 | 307 | 445 | 574 | 583 |
| LARGE TOWNS . | 245476 | 283095 | 4984 | 648 | 219 | 322 | 344 | 131 | 64 | 58 | 121 | 93 | 108 | 155 | 151 |
| SMALL TOWNS . | 380744 | 437571 | 7178 | 918 | 307 | 418 | 398 | 152 | 86 | 73 | 183 | 130 | 210 | 215 | 234 |
| MAINLAND-RURAL | 458815 | 455898 | 6971 | 746 | 198 | 285 | 217 | 97 | 50 | 41 | 154 | 120 | 210 | 207 | 208 |
| INSULAR-RURAL | 57650 | 55052 | 875 | 70 | 12 | 17 | 24 | 6 | 7 | 3 | 16 | 14 | 20 | 50 | 34 |
| **Counties.** | | | | | | | | | | | | | | | | |
| Shetland . . | 12190 | 12413 | 175 | 13 | 3 | 2 | 3 | 1 | 2 | 1 | 1 | 6 | 7 | 15 | 10 |
| Orkney . . | 14298 | 14027 | 189 | 12 | 2 | 3 | 4 | 2 | – | – | 5 | 1 | 2 | 7 | 3 |
| Caithness . | 17472 | 16072 | 263 | 30 | 10 | 14 | 9 | 1 | 1 | 3 | 7 | 4 | 4 | 8 | 8 |
| Sutherland . | 10395 | 10445 | 170 | 16 | 1 | 2 | 5 | 2 | 1 | – | 7 | 2 | 6 | 6 | 5 |
| Ross & Cromarty | 37279 | 36253 | 642 | 48 | 11 | 16 | 24 | 7 | 4 | 3 | 14 | 8 | 20 | 31 | 29 |
| Inverness . | 41749 | 41881 | 680 | 63 | 9 | 24 | 21 | 5 | 2 | 4 | 14 | 5 | 15 | 31 | 29 |
| Nairn . . | 3964 | 4127 | 57 | 6 | 2 | 1 | 1 | – | 1 | 1 | 2 | – | – | 2 | 1 |
| Elgin . . | 20218 | 20953 | 340 | 39 | 12 | 22 | 8 | 5 | 4 | 3 | 9 | 4 | 7 | 14 | 13 |
| Banff . . | 29697 | 29507 | 413 | 49 | 15 | 12 | 15 | 4 | 3 | 6 | 12 | 9 | 18 | 10 | 8 |
| Aberdeen . | 135185 | 144836 | 2418 | 311 | 106 | 180 | 141 | 67 | 21 | 14 | 49 | 37 | 54 | 75 | 60 |
| Kincardine . | 17524 | 20079 | 295 | 36 | 15 | 26 | 21 | 7 | 2 | 3 | 10 | 4 | 10 | 7 | 12 |
| Forfar . . | 125414 | 127695 | 2187 | 296 | 102 | 110 | 93 | 41 | 26 | 16 | 57 | 42 | 70 | 50 | 78 |
| Perth . . | 57826 | 58060 | 905 | 89 | 24 | 24 | 20 | 13 | 9 | 10 | 20 | 14 | 15 | 27 | 22 |
| Fife . . . | 90527 | 105124 | 1601 | 200 | 60 | 108 | 81 | 31 | 20 | 18 | 34 | 31 | 49 | 53 | 52 |
| Kinross . . | 3160 | 3342 | 64 | 4 | 6 | 1 | 4 | – | – | 1 | – | – | 1 | 2 | 3 |
| Clackmannan . | 15834 | 15195 | 210 | 23 | 9 | 9 | 8 | 2 | 3 | 2 | 6 | 3 | 6 | 6 | 10 |
| Stirling . . | 59478 | 72773 | 1189 | 155 | 50 | 60 | 74 | 25 | 10 | 10 | 25 | 35 | 42 | 30 | 37 |
| Dumbarton . | 48683 | 56598 | 985 | 136 | 41 | 62 | 56 | 28 | 10 | 14 | 35 | 18 | 27 | 41 | 25 |
| Argyll . . | 38448 | 38346 | 615 | 33 | 10 | 21 | 19 | 7 | 4 | – | 9 | 9 | 19 | 23 | 17 |
| Bute . . | 8211 | 8409 | 146 | 9 | 1 | 2 | 7 | – | 2 | – | 7 | 3 | 5 | 6 | 4 |
| Renfrew . . | 116761 | 141233 | 2659 | 324 | 116 | 175 | 184 | 65 | 45 | 32 | 85 | 45 | 80 | 82 | 85 |
| Ayr . . | 111037 | 125269 | 2128 | 285 | 103 | 119 | 108 | 50 | 27 | 22 | 45 | 44 | 55 | 61 | 70 |
| Lanark . . | 544606 | 663337 | 12739 | 1697 | 649 | 1172 | 1149 | 415 | 236 | 141 | 385 | 218 | 297 | 396 | 401 |
| Linlithgow . | 28302 | 35590 | 456 | 70 | 18 | 40 | 23 | 15 | 6 | 4 | 19 | 7 | 8 | 10 | 10 |
| Edinburgh . | 205409 | 230088 | 4278 | 513 | 166 | 259 | 239 | 80 | 60 | 37 | 108 | 77 | 124 | 136 | 136 |
| Haddington . | 18169 | 18839 | 316 | 50 | 12 | 22 | 20 | 9 | 1 | 3 | 8 | 3 | 7 | 6 | 9 |
| Berwick . . | 15383 | 14725 | 191 | 29 | 4 | 11 | 6 | 1 | – | 2 | 4 | 5 | 4 | 2 | 8 |
| Peebles . . | 6900 | 7112 | 93 | 16 | 1 | 1 | 2 | – | – | 1 | 1 | – | 3 | – | 1 |
| Selkirk . . | 12921 | 10690 | 183 | 17 | 3 | 10 | 8 | 1 | 1 | 1 | 2 | 4 | 4 | 9 | 7 |
| Roxburgh . | 24901 | 22349 | 379 | 44 | 11 | 5 | 7 | 6 | 2 | 3 | 4 | 5 | 11 | 13 | 10 |
| Dumfries . . | 34900 | 34362 | 603 | 61 | 20 | 15 | 23 | 10 | 5 | 7 | 12 | 13 | 8 | 29 | 25 |
| Kirkcudbright. | 18993 | 18814 | 320 | 35 | 8 | 14 | 12 | 6 | 4 | 4 | 9 | 3 | 6 | 8 | 10 |
| Wigtown . . | 16883 | 15212 | 247 | 29 | 6 | 2 | 6 | 1 | 1 | 1 | 5 | 5 | 9 | 5 | 12 |
| **Principal Towns.** | | | | | | | | | | | | | | | | |
| Glasgow . | 320564 | 373540 | 7798 | 980 | 346 | 670 | 695 | 251 | 162 | 99 | 248 | 130 | 179 | 253 | 273 |
| Edinburgh . | 126652 | 144834 | 2764 | 307 | 98 | 168 | 145 | 52 | 37 | 28 | 68 | 55 | 81 | 103 | 94 |
| Dundee . . | 68424 | 71048 | 1359 | 212 | 76 | 93 | 71 | 28 | 15 | 10 | 38 | 27 | 46 | 34 | 46 |
| Aberdeen . | 57570 | 70878 | 1371 | 186 | 81 | 124 | 101 | 45 | 11 | 7 | 30 | 14 | 28 | 48 | 44 |
| Govan . . | 32153 | 42174 | 745 | 117 | 51 | 105 | 89 | 27 | 15 | 7 | 29 | 11 | 13 | 22 | 19 |
| Paisley . . | 30679 | 37271 | 688 | 101 | 42 | 48 | 58 | 19 | 13 | 9 | 14 | 13 | 12 | 15 | 16 |
| Leith . . | 34336 | 38660 | 655 | 107 | 30 | 62 | 44 | 16 | 14 | 2 | 19 | 8 | 16 | 15 | 16 |
| Greenock . . | 31761 | 34333 | 679 | 81 | 26 | 43 | 62 | 17 | 9 | 6 | 29 | 6 | 22 | 25 | 24 |
| Partick . . | 17868 | 26754 | 371 | 63 | 24 | 46 | 32 | 25 | 4 | 3 | 5 | 6 | 10 | 15 | 9 |
| Coatbridge . | 16328 | 20165 | 358 | 46 | 27 | 29 | 28 | 8 | 6 | 4 | 18 | 9 | 8 | 11 | 3 |
| Kilmarnock . | 13886 | 16907 | 313 | 37 | 14 | 24 | 16 | 11 | 5 | 3 | 9 | 10 | 5 | 5 | 8 |
| Kirkcaldy . | 12743 | 16174 | 235 | 32 | 13 | 21 | 12 | 2 | 3 | 3 | 6 | 2 | 9 | 7 | 12 |
| Perth . . | 13720 | 15203 | 268 | 20 | 5 | 11 | 14 | 4 | 4 | 5 | 8 | 7 | 7 | 10 | 7 |
| Hamilton. . | 13078 | 17592 | 300 | 37 | 17 | 32 | 29 | 6 | 6 | 4 | 8 | 6 | 7 | 9 | 4 |
| Motherwell . | 12502 | 16606 | 224 | 30 | 20 | 26 | 22 | 10 | 2 | 2 | 7 | 3 | 2 | 2 | 8 |

DEATHS at Different Ages Registered during the YEAR 1903.—MALES.

| MALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1219 | 1265 | 1471 | 1570 | 1876 | 2018 | 2428 | 2256 | 2134 | 1734 | 1237 | 590 | 130 | 32 | 8 | 14 | **SCOTLAND** |
| | | | | | | | | | | | | | | | | **Groups.** |
| 632 | 647 | 786 | 814 | 945 | 992 | 1127 | 923 | 763 | 482 | 281 | 100 | 19 | 7 | – | – | PRINCIPAL TOWNS |
| 160 | 176 | 175 | 198 | 267 | 275 | 323 | 324 | 247 | 202 | 154 | 60 | 8 | – | 1 | – | LARGE TOWNS |
| 198 | 216 | 247 | 266 | 318 | 369 | 467 | 460 | 499 | 386 | 255 | 136 | 29 | 6 | 1 | 1 | SMALL TOWNS |
| 197 | 203 | 230 | 270 | 323 | 358 | 454 | 488 | 556 | 574 | 457 | 246 | 56 | 17 | 4 | 5 | MAINLAND-RURAL |
| 32 | 23 | 33 | 22 | 23 | 24 | 57 | 61 | 69 | 90 | 90 | 48 | 18 | 2 | 2 | 8 | INSULAR-RURAL |
| | | | | | | | | | | | | | | | | **Counties.** |
| 7 | 5 | 6 | 3 | 5 | 7 | 13 | 14 | 12 | 13 | 13 | 8 | 4 | – | – | 1 | Shetland |
| 5 | 6 | 9 | 5 | 2 | 7 | 6 | 14 | 25 | 25 | 17 | 18 | 2 | – | – | 7 | Orkney |
| 5 | 7 | 9 | 8 | 13 | 12 | 20 | 14 | 20 | 22 | 20 | 10 | 3 | 1 | – | – | Caithness |
| 4 | 8 | 4 | 4 | 6 | 11 | 10 | 11 | 18 | 11 | 16 | 7 | 5 | 2 | – | – | Sutherland |
| 16 | 22 | 21 | 19 | 19 | 19 | 36 | 58 | 61 | 49 | 62 | 31 | 8 | 2 | 2 | 2 | Ross and Cromarty |
| 23 | 22 | 33 | 26 | 28 | 28 | 49 | 55 | 46 | 57 | 51 | 28 | 9 | 1 | 2 | – | Inverness |
| 3 | 2 | 2 | 2 | 3 | 7 | 4 | 5 | 4 | 2 | 3 | 2 | 1 | – | – | – | Nairn |
| 12 | 9 | 12 | 14 | 13 | 12 | 19 | 22 | 32 | 25 | 19 | 5 | 6 | – | – | – | Elgin |
| 7 | 7 | 13 | 8 | 11 | 15 | 22 | 26 | 35 | 40 | 36 | 24 | 6 | 2 | – | – | Banff |
| 56 | 71 | 71 | 77 | 85 | 115 | 142 | 158 | 143 | 162 | 130 | 71 | 21 | 1 | – | – | Aberdeen |
| 4 | 8 | 7 | 8 | 4 | 11 | 12 | 9 | 27 | 30 | 11 | 8 | 3 | – | – | – | Kincardine |
| 68 | 77 | 83 | 90 | 113 | 135 | 133 | 155 | 136 | 99 | 76 | 37 | 2 | 2 | – | – | Forfar |
| 33 | 19 | 25 | 42 | 54 | 55 | 60 | 71 | 79 | 95 | 58 | 25 | 1 | 1 | – | – | Perth |
| 50 | 44 | 39 | 61 | 63 | 79 | 92 | 112 | 119 | 92 | 68 | 35 | 7 | 2 | 1 | – | Fife |
| – | 1 | 1 | 7 | 1 | 1 | 3 | 6 | 6 | 6 | 4 | 5 | 1 | – | – | – | Kinross |
| 8 | 2 | 9 | 11 | 7 | 13 | 17 | 21 | 9 | 15 | 6 | 4 | 1 | – | – | – | Clackmannan |
| 46 | 31 | 46 | 57 | 75 | 67 | 73 | 71 | 79 | 47 | 25 | 12 | 3 | 3 | 1 | – | Stirling |
| 26 | 36 | 40 | 43 | 53 | 47 | 65 | 51 | 50 | 33 | 30 | 14 | 3 | – | 1 | – | Dumbarton |
| 14 | 16 | 24 | 23 | 21 | 30 | 49 | 63 | 58 | 53 | 51 | 25 | 12 | 4 | 1 | – | Argyll |
| 5 | 5 | 8 | 8 | 5 | 3 | 18 | 11 | 13 | 9 | 13 | 2 | – | – | – | – | Bute |
| 89 | 98 | 106 | 120 | 149 | 153 | 174 | 182 | 129 | 77 | 47 | 13 | 3 | 1 | – | – | Renfrew |
| 47 | 67 | 79 | 79 | 97 | 122 | 163 | 135 | 140 | 99 | 80 | 25 | 3 | 2 | – | 1 | Ayr |
| 457 | 434 | 533 | 553 | 668 | 682 | 735 | 555 | 434 | 303 | 151 | 65 | 11 | 2 | – | – | Lanark |
| 23 | 15 | 21 | 13 | 19 | 29 | 34 | 24 | 20 | 17 | 9 | 1 | 1 | – | – | – | Linlithgow |
| 159 | 187 | 199 | 206 | 252 | 231 | 303 | 240 | 254 | 167 | 97 | 40 | 5 | 3 | – | – | Edinburgh |
| 7 | 6 | 6 | 8 | 8 | 14 | 25 | 20 | 24 | 26 | 12 | 9 | 1 | – | – | – | Haddington |
| 4 | – | 7 | 5 | 6 | 9 | 12 | 12 | 19 | 19 | 12 | 9 | 1 | – | – | – | Berwick |
| 5 | 7 | 1 | 10 | 4 | 8 | 10 | 4 | 4 | 6 | 2 | 6 | – | – | – | – | Peebles |
| 6 | 5 | 3 | 6 | 10 | 12 | 14 | 15 | 17 | 12 | 14 | 1 | 1 | – | – | – | Selkirk |
| 5 | 14 | 11 | 12 | 24 | 21 | 29 | 33 | 30 | 35 | 32 | 9 | 3 | – | – | – | Roxburgh |
| 10 | 16 | 20 | 21 | 31 | 40 | 39 | 50 | 52 | 42 | 33 | 19 | 2 | – | – | – | Dumfries |
| 9 | 10 | 15 | 11 | 11 | 10 | 27 | 22 | 20 | 27 | 22 | 12 | – | 3 | – | 2 | Kirkcudbright |
| 6 | 8 | 8 | 10 | 16 | 13 | 20 | 17 | 19 | 19 | 17 | 10 | 1 | – | – | 1 | Wigtown |
| | | | | | | | | | | | | | | | | **Principal Towns.** |
| 322 | 263 | 365 | 387 | 423 | 406 | 480 | 332 | 252 | 167 | 81 | 25 | 8 | 1 | – | – | Glasgow |
| 106 | 134 | 137 | 140 | 161 | 160 | 191 | 153 | 150 | 106 | 63 | 23 | 3 | 1 | – | – | Edinburgh |
| 45 | 40 | 57 | 56 | 72 | 86 | 86 | 87 | 68 | 34 | 26 | 4 | – | 2 | – | – | Dundee |
| 36 | 46 | 45 | 47 | 52 | 69 | 64 | 87 | 64 | 55 | 43 | 17 | 7 | – | – | – | Aberdeen |
| 12 | 29 | 20 | 18 | 34 | 39 | 39 | 29 | 9 | 9 | 2 | – | – | – | – | – | Govan |
| 19 | 23 | 21 | 27 | 46 | 29 | 52 | 42 | 37 | 19 | 10 | 3 | – | – | – | – | Paisley |
| 16 | 22 | 36 | 31 | 29 | 33 | 44 | 33 | 39 | 12 | 5 | 4 | – | 2 | – | – | Leith |
| 18 | 24 | 29 | 37 | 29 | 50 | 37 | 51 | 29 | 15 | 7 | 2 | – | 1 | – | – | Greenock |
| 7 | 12 | 8 | 9 | 16 | 24 | 13 | 10 | 18 | 5 | 6 | – | 1 | – | – | – | Partick |
| 10 | 12 | 16 | 10 | 22 | 18 | 13 | 28 | 18 | 8 | 5 | 1 | – | – | – | – | Coatbridge |
| 8 | 13 | 16 | 13 | 10 | 24 | 22 | 19 | 21 | 12 | 6 | 2 | – | – | – | – | Kilmarnock |
| 6 | 4 | 4 | 6 | 4 | 8 | 13 | 21 | 18 | 13 | 11 | 5 | – | – | – | – | Kirkcaldy |
| 12 | 11 | 4 | 15 | 16 | 20 | 18 | 20 | 19 | 14 | 13 | 4 | – | – | – | – | Perth |
| 12 | 9 | 13 | 11 | 23 | 14 | 20 | 7 | 14 | 6 | 1 | 5 | – | – | – | – | Hamilton |
| 3 | 5 | 15 | 7 | 8 | 12 | 15 | 4 | 7 | 7 | 2 | 5 | – | – | – | – | Motherwell |

DEATHS at Different Ages Registered during the YEAR 1903.—FEMALES.

| | FEMALE POPULATION. | | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | 1891. | 1901. | | 3 | 6 | 12 | | | | | | | | | |
| **SCOTLAND** | 2082930 | 2298348 | 37866 | 3483 | 1268 | 2054 | 2133 | 890 | 522 | 406 | 1048 | 668 | 1009 | 1184 | 1295 |
| **Groups.** | | | | | | | | | | | | | | | |
| PRINCIPAL TOWNS | 872732 | 1014422 | 17725 | 1775 | 690 | 1189 | 1272 | 542 | 298 | 221 | 541 | 318 | 458 | 572 | 612 |
| LARGE TOWNS . | 261317 | 295799 | 4873 | 488 | 165 | 290 | 278 | 116 | 75 | 61 | 132 | 87 | 149 | 163 | 161 |
| SMALL TOWNS . | 408578 | 459309 | 7290 | 704 | 241 | 354 | 361 | 148 | 89 | 62 | 198 | 123 | 201 | 205 | 264 |
| MAINLAND-RURAL | 474560 | 467201 | 7007 | 467 | 155 | 206 | 194 | 77 | 54 | 58 | 160 | 128 | 174 | 212 | 233 |
| INSULAR-RURAL . | 65743 | 61617 | 971 | 49 | 17 | 15 | 28 | 7 | 6 | 4 | 17 | 12 | 27 | 32 | 25 |
| **Counties.** | | | | | | | | | | | | | | | |
| Shetland . . | 16521 | 15753 | 254 | 6 | 4 | 4 | 1 | – | 1 | 1 | 3 | 3 | 6 | 9 | 8 |
| Orkney . . | 16155 | 14672 | 227 | 13 | 2 | 3 | 6 | – | – | – | 4 | 1 | 5 | 7 | 4 |
| Caithness . | 19705 | 17798 | 313 | 19 | 8 | 9 | 9 | 3 | 1 | 3 | 3 | 4 | 9 | 5 | 7 |
| Sutherland . | 11501 | 10995 | 210 | 9 | 4 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 5 | 8 | 1 |
| Ross & Cromarty | 41448 | 40197 | 690 | 24 | 15 | 11 | 19 | 7 | 12 | 6 | 17 | 7 | 21 | 23 | 17 |
| Inverness . | 44715 | 44397 | 741 | 44 | 14 | 16 | 24 | 7 | 3 | 2 | 13 | 11 | 19 | 28 | 27 |
| Nairn . . | 4552 | 4594 | 76 | 2 | 5 | 4 | 2 | – | 1 | – | 1 | – | – | 2 | 2 |
| Elgin . . | 22957 | 23546 | 379 | 24 | 8 | 16 | 15 | 2 | 3 | 2 | 3 | 6 | 13 | 12 | 14 |
| Banff . . | 32283 | 32282 | 476 | 35 | 12 | 18 | 15 | 9 | 3 | 2 | 10 | 11 | 10 | 21 | 15 |
| Aberdeen . | 148851 | 159603 | 2403 | 204 | 100 | 126 | 124 | 32 | 31 | 22 | 75 | 34 | 63 | 63 | 74 |
| Kincardine . | 17968 | 20844 | 267 | 37 | 11 | 12 | 14 | 10 | 4 | 4 | 6 | 5 | 7 | 9 | 9 |
| Forfar . . | 152321 | 156387 | 2547 | 220 | 76 | 102 | 97 | 42 | 20 | 18 | 63 | 53 | 72 | 79 | 87 |
| Perth . . | 64359 | 65223 | 1024 | 61 | 25 | 31 | 21 | 16 | 11 | 2 | 26 | 13 | 28 | 41 | 25 |
| Fife. . . | 99838 | 113716 | 1683 | 142 | 47 | 69 | 54 | 31 | 14 | 18 | 47 | 28 | 35 | 57 | 78 |
| Kinross . . | 3513 | 3639 | 59 | 4 | – | 3 | – | – | 2 | 1 | – | – | 2 | 2 | 2 |
| Clackmannan . | 17306 | 16834 | 247 | 18 | 6 | 10 | 11 | 4 | 3 | – | 6 | 5 | 11 | 14 | 8 |
| Stirling . . | 58543 | 9518 | 1102 | 130 | 28 | 53 | 58 | 18 | 17 | 10 | 29 | 24 | 41 | 31 | 38 |
| Dumbarton . | 49331 | 57267 | 904 | 91 | 21 | 45 | 47 | 30 | 7 | 16 | 28 | 15 | 24 | 31 | 43 |
| Argyll . . | 39933 | 39692 | 629 | 32 | 7 | 19 | 16 | 6 | 5 | 5 | 10 | 13 | 12 | 19 | 17 |
| Bute . . | 10193 | 10378 | 155 | 15 | 4 | 4 | 5 | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 2 |
| Renfrew . . | 128306 | 152264 | 2658 | 225 | 91 | 148 | 155 | 77 | 44 | 35 | 102 | 58 | 76 | 79 | 105 |
| Ayr. . . | 115349 | 129199 | 1995 | 198 | 65 | 102 | 101 | 41 | 29 | 23 | 59 | 38 | 58 | 59 | 87 |
| Lanark . . | 547038 | 651473 | 11765 | 1382 | 520 | 937 | 997 | 410 | 227 | 159 | 333 | 222 | 287 | 371 | 394 |
| Linlithgow . | 25230 | 30853 | 459 | 54 | 22 | 34 | 34 | 10 | 9 | 2 | 16 | 16 | 10 | 6 | 14 |
| Edinburgh . | 228143 | 257973 | 4187 | 335 | 118 | 212 | 248 | 99 | 60 | 50 | 123 | 66 | 114 | 131 | 138 |
| Haddington . | 19208 | 19826 | 308 | 27 | 11 | 13 | 9 | 8 | 2 | 1 | 12 | 5 | 9 | 6 | 7 |
| Berwick . . | 16907 | 16099 | 218 | 11 | 1 | 6 | 4 | 4 | 1 | 2 | 3 | 2 | 3 | 6 | 8 |
| Peebles . . | 7822 | 7922 | 98 | 4 | 4 | 2 | 2 | – | 1 | 1 | 6 | 1 | 2 | 1 | 3 |
| Selkirk . . | 14819 | 12698 | 184 | 15 | 6 | 6 | 7 | 2 | – | 3 | 6 | 1 | 11 | 8 | 8 |
| Roxburgh . | 28599 | 26455 | 401 | 27 | 8 | 5 | 9 | 4 | 1 | 4 | 10 | 2 | 15 | 18 | 12 |
| Dumfries. . | 39349 | 38210 | 617 | 39 | 14 | 18 | 17 | 9 | 4 | 5 | 16 | 10 | 17 | 17 | 19 |
| Kirkcudbright | 21170 | 20696 | 325 | 16 | 9 | 4 | 8 | 5 | 3 | 4 | 6 | 8 | 13 | 10 | 13 |
| Wigtown . | 18997 | 17345 | 265 | 20 | 2 | 11 | 3 | 2 | 1 | 3 | 6 | 1 | 8 | 9 | 9 |
| **Principal Towns.** | | | | | | | | | | | | | | | |
| Glasgow . | 338629 | 388169 | 7273 | 752 | 305 | 541 | 578 | 267 | 133 | 110 | 221 | 128 | 184 | 225 | 260 |
| Edinburgh . | 150000 | 172625 | 2758 | 204 | 73 | 130 | 153 | 65 | 42 | 33 | 84 | 44 | 71 | 88 | 93 |
| Dundee . . | 85694 | 90125 | 1588 | 154 | 56 | 84 | 77 | 30 | 17 | 10 | 44 | 37 | 45 | 52 | 53 |
| Aberdeen . | 67373 | 82625 | 1370 | 135 | 57 | 92 | 80 | 28 | 20 | 13 | 39 | 19 | 42 | 38 | 43 |
| Govan . . | 31472 | 40000 | 719 | 95 | 47 | 81 | 90 | 34 | 17 | 6 | 26 | 13 | 11 | 23 | 24 |
| Paisley . . | 35746 | 42092 | 740 | 62 | 20 | 47 | 46 | 27 | 17 | 14 | 29 | 14 | 18 | 19 | 30 |
| Leith . . | 34371 | 38779 | 631 | 63 | 24 | 43 | 56 | 16 | 7 | 8 | 18 | 11 | 21 | 25 | 20 |
| Greenock . | 31662 | 33809 | 632 | 64 | 34 | 47 | 36 | 14 | 11 | 7 | 22 | 12 | 17 | 20 | 20 |
| Partick . . | 18670 | 27544 | 406 | 56 | 15 | 24 | 38 | 12 | 7 | 4 | 7 | 7 | 8 | 17 | 12 |
| Coatbridge . | 13706 | 16826 | 305 | 44 | 17 | 28 | 35 | 11 | 5 | 2 | 14 | 10 | 8 | 12 | 12 |
| Kilmarnock . | 14561 | 17258 | 316 | 38 | 8 | 14 | 23 | 9 | 5 | 3 | 11 | 7 | 8 | 8 | 18 |
| Kirkcaldy . | 14412 | 17905 | 238 | 23 | 3 | 8 | 9 | 5 | 1 | 6 | 5 | 2 | 4 | 10 | 11 |
| Perth . . | 16199 | 17670 | 292 | 22 | 10 | 13 | 8 | 7 | 5 | 1 | 8 | 1 | 7 | 19 | 4 |
| Hamilton . | 81781 | 15183 | 264 | 40 | 8 | 21 | 24 | 9 | 6 | 2 | 9 | 7 | 7 | 9 | 9 |
| Motherwell . | 1456 | 13812 | 193 | 23 | 13 | 16 | 19 | 8 | 5 | 2 | 4 | 6 | 7 | 7 | 3 |

DEATHS at Different Ages Registered during the YEAR 1903.—FEMALES.

| FEMALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1323 | 1379 | 1235 | 1456 | 1636 | 1860 | 2415 | 2412 | 2636 | 2282 | 1876 | 953 | 344 | 88 | 11 | – | **SCOTLAND.** |
| | | | | | | | | | | | | | | | | **Groups.** |
| 669 | 716 | 656 | 736 | 858 | 912 | 1083 | 1022 | 998 | 764 | 503 | 227 | 77 | 13 | 3 | – | PRINCIPAL TOWNS |
| 175 | 172 | 149 | 198 | 201 | 223 | 325 | 313 | 335 | 269 | 221 | 95 | 25 | 6 | 1 | – | LARGE TOWNS |
| 243 | 229 | 213 | 261 | 286 | 386 | 480 | 481 | 555 | 490 | 409 | 217 | 69 | 19 | 2 | – | SMALL TOWNS |
| 209 | 238 | 200 | 232 | 257 | 296 | 479 | 524 | 658 | 654 | 620 | 336 | 147 | 37 | 2 | – | MAINLAND-RURAL |
| 27 | 24 | 17 | 29 | 34 | 43 | 48 | 72 | 90 | 105 | 123 | 78 | 26 | 13 | 3 | – | INSULAR-RURAL |
| | | | | | | | | | | | | | | | | **Counties.** |
| 6 | 6 | 3 | 4 | 10 | 10 | 12 | 23 | 21 | 29 | 41 | 28 | 12 | 3 | – | – | Shetland |
| 7 | 5 | 3 | 7 | 8 | 9 | 9 | 21 | 26 | 23 | 35 | 22 | 5 | 1 | 1 | – | Orkney |
| 5 | 8 | 7 | 7 | 7 | 18 | 16 | 14 | 42 | 32 | 35 | 25 | 14 | 3 | – | – | Caithness |
| 3 | 10 | 2 | 6 | 4 | 5 | 17 | 15 | 18 | 21 | 36 | 20 | 12 | 2 | – | – | Sutherland |
| 28 | 15 | 24 | 21 | 23 | 24 | 35 | 52 | 75 | 67 | 85 | 37 | 17 | 7 | 1 | – | Ross and Cromarty |
| 25 | 19 | 11 | 26 | 27 | 35 | 50 | 61 | 71 | 71 | 71 | 39 | 23 | 3 | 1 | – | Inverness |
| 4 | 3 | 5 | 3 | 3 | 2 | 7 | 2 | 9 | 3 | 9 | 6 | 1 | – | – | – | Nairn |
| 8 | 16 | 8 | 13 | 18 | 11 | 28 | 20 | 45 | 43 | 29 | 17 | 4 | 1 | – | – | Elgin |
| 15 | 18 | 11 | 15 | 21 | 15 | 33 | 24 | 47 | 40 | 47 | 22 | 5 | 2 | – | – | Banff |
| 66 | 56 | 69 | 70 | 97 | 108 | 140 | 159 | 206 | 193 | 160 | 85 | 33 | 11 | 2 | – | Aberdeen |
| 6 | 8 | 7 | 8 | 1 | 8 | 16 | 9 | 15 | 21 | 20 | 14 | 5 | 1 | – | – | Kincardine |
| 76 | 97 | 104 | 110 | 142 | 130 | 193 | 192 | 216 | 160 | 119 | 52 | 23 | 2 | 2 | – | Forfar |
| 29 | 27 | 31 | 31 | 37 | 60 | 76 | 78 | 89 | 102 | 79 | 52 | 24 | 9 | – | – | Perth |
| 72 | 52 | 38 | 63 | 55 | 69 | 117 | 120 | 144 | 143 | 109 | 64 | 15 | 2 | – | – | Fife |
| 2 | 2 | – | 2 | – | 4 | 4 | 7 | 8 | 5 | 6 | 2 | 1 | – | – | – | Kinross |
| 7 | 5 | 10 | 9 | 7 | 19 | 21 | 20 | 23 | 10 | 9 | 8 | 2 | 1 | – | – | Clackmannan |
| 43 | 46 | 42 | 47 | 45 | 56 | 68 | 56 | 72 | 62 | 53 | 23 | 9 | 3 | – | – | Stirling |
| 37 | 24 | 32 | 31 | 35 | 51 | 69 | 54 | 57 | 51 | 37 | 21 | 6 | 1 | – | – | Dumbarton |
| 20 | 27 | 23 | 32 | 29 | 29 | 36 | 46 | 48 | 65 | 60 | 30 | 13 | 8 | 2 | – | Argyll |
| 5 | 4 | 8 | 6 | 6 | 7 | 9 | 12 | 20 | 15 | 9 | 8 | 4 | – | – | – | Bute |
| 110 | 112 | 104 | 122 | 127 | 136 | 173 | 164 | 167 | 125 | 84 | 26 | 10 | 3 | – | – | Renfrew |
| 69 | 66 | 64 | 64 | 81 | 95 | 146 | 130 | 148 | 108 | 94 | 48 | 14 | 7 | 1 | – | Ayr |
| 419 | 482 | 403 | 469 | 521 | 567 | 672 | 628 | 527 | 419 | 269 | 111 | 31 | 8 | – | – | Lanark |
| 13 | 19 | 12 | 11 | 19 | 22 | 23 | 21 | 30 | 21 | 22 | 15 | 4 | – | – | – | Linlithgow |
| 162 | 170 | 158 | 178 | 196 | 236 | 255 | 278 | 306 | 252 | 182 | 91 | 25 | 3 | 1 | – | Edinburgh |
| 10 | 6 | 9 | 8 | 18 | 13 | 26 | 28 | 30 | 23 | 14 | 10 | 3 | – | – | – | Haddington |
| 11 | 9 | 4 | 8 | 7 | 16 | 13 | 15 | 21 | 29 | 20 | 11 | 1 | 2 | – | – | Berwick |
| 6 | 4 | 2 | 4 | 9 | 2 | 7 | 3 | 8 | 10 | 9 | 5 | 1 | 1 | – | – | Peebles |
| 5 | 6 | 4 | 9 | 6 | 11 | 10 | 22 | 15 | 8 | 10 | 4 | 1 | – | – | – | Selkirk |
| 21 | 18 | 9 | 15 | 22 | 28 | 44 | 35 | 33 | 27 | 19 | 13 | 1 | 1 | – | – | Roxburgh |
| 24 | 18 | 18 | 26 | 27 | 29 | 48 | 52 | 57 | 49 | 53 | 21 | 10 | – | – | – | Dumfries |
| 4 | 12 | 5 | 15 | 14 | 18 | 23 | 32 | 20 | 31 | 28 | 13 | 10 | 1 | – | – | Kirkcudbright |
| 5 | 9 | 5 | 16 | 14 | 17 | 19 | 19 | 22 | 24 | 23 | 10 | 5 | 2 | – | – | Wigtown |
| | | | | | | | | | | | | | | | | **Principal Towns.** |
| 286 | 329 | 292 | 323 | 368 | 359 | 424 | 390 | 342 | 241 | 144 | 50 | 17 | 4 | – | – | Glasgow |
| 106 | 118 | 108 | 129 | 135 | 161 | 177 | 168 | 205 | 168 | 112 | 72 | 17 | 1 | 1 | – | Edinburgh |
| 50 | 60 | 64 | 74 | 100 | 91 | 123 | 115 | 109 | 74 | 43 | 18 | 7 | – | 1 | – | Dundee |
| 42 | 42 | 41 | 42 | 64 | 68 | 88 | 82 | 101 | 87 | 63 | 30 | 11 | 2 | 1 | – | Aberdeen |
| 18 | 26 | 26 | 26 | 16 | 31 | 30 | 27 | 17 | 20 | 5 | 7 | 3 | – | – | – | Govan |
| 25 | 25 | 28 | 41 | 33 | 35 | 50 | 48 | 46 | 32 | 18 | 9 | 5 | 2 | – | – | Paisley |
| 30 | 19 | 20 | 16 | 26 | 34 | 31 | 44 | 39 | 29 | 21 | 5 | 5 | – | – | – | Leith |
| 29 | 24 | 24 | 27 | 30 | 33 | 39 | 40 | 37 | 21 | 21 | 2 | 1 | – | – | – | Greenock |
| 18 | 15 | 14 | 13 | 21 | 28 | 30 | 19 | 20 | 8 | 9 | 4 | – | – | – | – | Partick |
| 7 | 8 | 5 | 8 | 11 | 7 | 17 | 9 | 10 | 15 | 8 | 1 | 1 | – | – | – | Coatbridge |
| 13 | 10 | 11 | 8 | 11 | 12 | 24 | 18 | 18 | 14 | 12 | 8 | 2 | 3 | – | – | Kilmarnock |
| 12 | 12 | 8 | 9 | 13 | 10 | 14 | 19 | 23 | 13 | 10 | 6 | 2 | – | – | – | Kirkcaldy |
| 14 | 13 | 7 | 10 | 16 | 15 | 18 | 19 | 20 | 23 | 18 | 11 | 2 | 1 | – | – | Perth |
| 12 | 6 | 3 | 7 | 6 | 16 | 9 | 14 | 7 | 15 | 12 | 3 | 3 | – | – | – | Hamilton |
| 7 | 9 | 5 | 3 | 8 | 12 | 9 | 10 | 4 | 4 | 7 | 1 | 1 | – | – | – | Motherwell |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1903.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| **Large Town Districts.** | | | | | | | | | | | | | |
| Inverness | 512 | 38 | 13 | 14 | 14 | 8 | 2 | 3 | 8 | 4 | 12 | 24 | 23 |
| Peterhead | 274 | 35 | 21 | 29 | 34 | 10 | 1 | 4 | 8 | 3 | 4 | 1 | 3 |
| Arbroath | 357 | 36 | 15 | 7 | 12 | 4 | 4 | 4 | 12 | 5 | 10 | 7 | 12 |
| Forfar | 211 | 21 | 2 | – | 7 | 2 | 2 | 3 | 5 | 3 | 8 | 7 | 9 |
| Monifieth (including part of St. Andrew—Dundee) | 196 | 21 | 2 | 8 | 8 | 2 | 1 | 1 | 5 | 3 | 3 | 3 | 6 |
| Montrose | 277 | 13 | 7 | 7 | 3 | 4 | 3 | 2 | 2 | 4 | 2 | 6 | 13 |
| Dunfermline | 474 | 45 | 18 | 18 | 26 | 5 | 3 | 7 | 14 | 2 | 8 | 23 | 18 |
| Alloa | 247 | 21 | 8 | 12 | 12 | 3 | 4 | 1 | 4 | 5 | 6 | 12 | 11 |
| Falkirk | 562 | 83 | 17 | 42 | 37 | 15 | 9 | 5 | 13 | 13 | 13 | 16 | 18 |
| Stirling | 418 | 29 | 13 | 15 | 10 | 9 | 6 | 5 | 12 | 8 | 16 | 12 | 10 |
| Dumbarton | 404 | 44 | 17 | 24 | 28 | 13 | 3 | 10 | 16 | 12 | 8 | 14 | 11 |
| Kirkintilloch | 328 | 32 | 5 | 13 | 22 | 4 | 5 | 5 | 6 | 5 | 7 | 13 | 13 |
| Old or West Kilpatrick | 364 | 61 | 20 | 33 | 23 | 18 | 6 | 4 | 14 | 4 | 7 | 12 | 11 |
| Eastwood | 236 | 27 | 10 | 13 | 19 | 13 | 7 | 7 | 8 | 6 | 8 | 8 | 6 |
| Johnstone and Elderslie | 201 | 19 | 5 | 14 | 14 | 10 | 8 | 2 | 8 | 6 | 7 | 5 | 9 |
| Port-Glasgow | 295 | 29 | 16 | 30 | 35 | 9 | 5 | 6 | 11 | 7 | 14 | 9 | 10 |
| Ayr | 597 | 61 | 22 | 29 | 25 | 11 | 6 | 2 | 6 | 9 | 20 | 18 | 13 |
| Shettleston | 375 | 52 | 18 | 41 | 33 | 8 | 6 | 2 | 10 | 11 | 15 | 11 | 16 |
| Cambuslang | 285 | 47 | 19 | 33 | 28 | 11 | 4 | 1 | 6 | 7 | 7 | 6 | 6 |
| Cambusnethan (including part of Dalziel) | 535 | 75 | 30 | 54 | 40 | 17 | 9 | 5 | 16 | 11 | 13 | 19 | 16 |
| Larkhall | 188 | 29 | 16 | 9 | 16 | 7 | 4 | 2 | 8 | 8 | 3 | 9 | 6 |
| Kinning Park | 278 | 44 | 8 | 46 | 47 | 18 | 7 | 5 | 6 | 10 | 4 | 4 | 3 |
| New Monkland | 577 | 92 | 30 | 36 | 44 | 14 | 11 | 7 | 18 | 8 | 14 | 21 | 16 |
| Rutherglen | 327 | 40 | 18 | 36 | 24 | 7 | 8 | 7 | 2 | 6 | 4 | 8 | 14 |
| Inveresk | 277 | 42 | 10 | 23 | 19 | 6 | 6 | 6 | 9 | 5 | 12 | 6 | 7 |
| Galashiels | 247 | 19 | 7 | 8 | 14 | 3 | 1 | 4 | 6 | 2 | 10 | 14 | 9 |
| Hawick | 307 | 32 | 5 | 5 | 11 | 8 | 1 | 3 | 9 | 2 | 11 | 14 | 6 |
| Dumfries (including Troqueer) | 508 | 49 | 12 | 13 | 17 | 8 | 7 | 6 | 11 | 11 | 11 | 16 | 17 |
| **Small Town Districts, County of:—** | | | | | | | | | | | | | |
| Shetland | 101 | 6 | – | 2 | 1 | – | – | – | 2 | – | 4 | 3 | 3 |
| Orkney | 112 | 3 | 1 | 2 | 4 | 1 | – | – | 3 | 1 | 2 | 4 | 1 |
| Caithness | 314 | 31 | 14 | 16 | 12 | 4 | 1 | 2 | 8 | 5 | 9 | 5 | 8 |
| Ross and Cromarty | 277 | 15 | 5 | 10 | 12 | 6 | 3 | 3 | 11 | 5 | 13 | 14 | 11 |
| Nairn | 95 | 7 | 6 | 4 | 2 | – | – | 1 | 2 | – | – | 1 | 2 |
| Elgin | 353 | 33 | 10 | 13 | 14 | 2 | 5 | 2 | 7 | 5 | 10 | 17 | 17 |
| Banff | 391 | 33 | 10 | 14 | 15 | 4 | 3 | 4 | 9 | 5 | 11 | 13 | 14 |
| Aberdeen | 415 | 47 | 16 | 20 | 21 | 7 | 11 | 4 | 17 | 6 | 11 | 6 | 13 |
| Kincardine | 105 | 7 | 3 | 5 | 4 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | 3 |
| Forfar | 314 | 19 | 10 | 9 | 5 | 5 | 2 | 3 | 9 | 7 | 13 | 10 | 15 |
| Perth | 387 | 40 | 9 | 9 | 9 | 5 | 2 | – | 4 | 7 | 6 | 14 | 9 |
| Fife | 1368 | 166 | 57 | 102 | 66 | 38 | 20 | 14 | 40 | 23 | 34 | 38 | 47 |
| Kinross | 52 | 1 | 4 | 2 | 1 | – | 1 | 1 | – | – | 1 | 2 | 3 |
| Clackmannan | 148 | 13 | 6 | 3 | 5 | 1 | 2 | 1 | 4 | 3 | 9 | 6 | 3 |
| Stirling | 907 | 124 | 33 | 41 | 59 | 16 | 8 | 8 | 20 | 25 | 43 | 26 | 35 |
| Dumbarton | 635 | 69 | 19 | 31 | 24 | 19 | 2 | 9 | 26 | 8 | 25 | 30 | 29 |
| Argyll | 487 | 36 | 8 | 23 | 21 | 5 | 6 | 2 | 5 | 10 | 12 | 12 | 13 |
| Bute | 145 | 10 | 3 | 2 | 7 | – | 2 | 1 | 6 | 3 | 4 | 4 | 3 |
| Renfrew | 1078 | 122 | 39 | 59 | 55 | 20 | 16 | 13 | 34 | 25 | 32 | 27 | 39 |
| Ayr | 2160 | 234 | 90 | 109 | 115 | 48 | 34 | 30 | 52 | 42 | 55 | 67 | 94 |
| Lanark | 1780 | 288 | 105 | 165 | 166 | 58 | 28 | 14 | 36 | 33 | 43 | 56 | 47 |
| Linlithgow | 718 | 92 | 34 | 57 | 45 | 24 | 13 | 6 | 29 | 14 | 15 | 13 | 17 |
| Edinburgh | 579 | 67 | 22 | 12 | 36 | 12 | 7 | 2 | 14 | 6 | 16 | 9 | 17 |
| Haddington | 417 | 52 | 16 | 26 | 25 | 14 | 2 | 3 | 17 | 6 | 8 | 10 | 13 |
| Berwick | 91 | 13 | 3 | 6 | 3 | 2 | – | 3 | 1 | – | 5 | 2 | 3 |
| Peebles | 111 | 15 | 2 | 1 | 3 | – | – | 1 | 4 | – | 2 | – | 2 |
| Selkirk | 97 | 11 | 2 | 7 | 1 | – | – | – | 2 | 3 | 5 | 3 | 5 |
| Roxburgh | 226 | 19 | 6 | 4 | 3 | 2 | – | 3 | 2 | 4 | 7 | 4 | 6 |
| Dumfries | 217 | 17 | 6 | 7 | 15 | 3 | 1 | 3 | 4 | 1 | 5 | 8 | 11 |
| Kirkcudbright | 207 | 15 | 6 | 7 | 9 | 3 | 3 | 1 | 6 | 2 | 3 | 8 | 7 |
| Wigtown | 181 | 17 | 3 | 4 | 1 | – | 1 | – | 5 | 2 | 7 | 6 | 8 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1903.—BOTH SEXES.

| BOTH SEXES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | **Large Town Districts.** |
| 19 | 15 | 17 | 23 | 22 | 29 | 42 | 47 | 49 | 43 | 29 | 7 | 7 | – | – | – | Inverness |
| 6 | 4 | 5 | 8 | 7 | 11 | 16 | 14 | 10 | 19 | 13 | 7 | 1 | – | – | – | Peterhead |
| 12 | 14 | 12 | 9 | 15 | 22 | 25 | 25 | 31 | 30 | 25 | 7 | 1 | 1 | – | – | Arbroath |
| 6 | 9 | 7 | 7 | 13 | 10 | 14 | 11 | 22 | 15 | 16 | 12 | – | – | – | – | Forfar |
| 7 | 10 | 5 | 9 | 8 | 6 | 19 | 12 | 19 | 15 | 16 | 4 | 3 | – | – | – | Monifieth |
| 7 | 11 | 12 | 20 | 13 | 16 | 15 | 28 | 25 | 28 | 21 | 13 | 1 | – | 1 | – | Montrose |
| 26 | 18 | 14 | 17 | 21 | 20 | 33 | 41 | 40 | 21 | 23 | 12 | 1 | – | – | – | Dunfermline |
| 8 | 4 | 16 | 9 | 9 | 14 | 24 | 22 | 18 | 12 | 6 | 4 | 1 | 1 | – | – | Alloa |
| 23 | 24 | 21 | 31 | 37 | 31 | 24 | 28 | 20 | 21 | 15 | 3 | 1 | 1 | 1 | – | Falkirk |
| 19 | 16 | 17 | 28 | 24 | 20 | 36 | 27 | 32 | 23 | 19 | 6 | 3 | 1 | – | – | Stirling |
| 12 | 15 | 11 | 17 | 16 | 19 | 31 | 23 | 23 | 17 | 13 | 7 | – | – | – | – | Dumbarton |
| 16 | 14 | 23 | 15 | 20 | 19 | 28 | 23 | 12 | 11 | 12 | 4 | 1 | – | – | – | Kirkintilloch |
| 15 | 13 | 11 | 12 | 16 | 14 | 22 | 11 | 13 | 9 | 11 | 3 | 1 | – | – | – | Old or West Kilpatrick |
| 6 | 7 | 4 | 9 | 10 | 12 | 11 | 15 | 12 | 8 | 6 | 3 | 1 | – | – | – | Eastwood |
| 5 | 10 | 7 | 1 | 14 | 8 | 11 | 17 | 6 | 9 | 6 | – | – | – | – | – | Johnstone & Elderslie |
| 11 | 6 | 12 | 13 | 8 | 10 | 23 | 15 | 10 | 5 | 1 | – | – | – | – | – | Port-Glasgow |
| 16 | 27 | 27 | 27 | 37 | 32 | 51 | 42 | 43 | 31 | 26 | 12 | 2 | 2 | – | – | Ayr |
| 18 | 14 | 9 | 20 | 13 | 21 | 15 | 12 | 12 | 10 | 6 | 2 | – | – | – | – | Shettleston |
| 5 | 4 | 7 | 14 | 14 | 16 | 15 | 11 | 9 | 6 | 7 | 2 | – | – | – | – | Cambuslang |
| 19 | 17 | 13 | 23 | 28 | 25 | 20 | 27 | 19 | 17 | 17 | 4 | 1 | – | – | – | Cambusnethan |
| 7 | 1 | 1 | 3 | 6 | 12 | 10 | 12 | 8 | 7 | 3 | 1 | – | – | – | – | Larkhall |
| 8 | 8 | 3 | 5 | 12 | 8 | 13 | 9 | 5 | 3 | 2 | – | – | – | – | – | Kinning Park |
| 10 | 23 | 23 | 17 | 18 | 34 | 45 | 33 | 27 | 12 | 13 | 10 | 1 | – | – | – | New Monkland |
| 15 | 12 | 9 | 10 | 20 | 14 | 18 | 21 | 10 | 12 | 6 | 5 | 1 | – | – | – | Rutherglen |
| 8 | 5 | 4 | 6 | 10 | 8 | 17 | 19 | 19 | 16 | 9 | 4 | 1 | – | – | – | Inveresk |
| 7 | 8 | 4 | 10 | 11 | 18 | 17 | 20 | 23 | 15 | 13 | 4 | – | – | – | – | Galashiels |
| 12 | 14 | 9 | 10 | 18 | 21 | 26 | 23 | 27 | 19 | 15 | 6 | – | – | – | – | Hawick |
| 12 | 25 | 21 | 23 | 28 | 28 | 27 | 47 | 38 | 37 | 26 | 13 | 5 | – | – | – | Dumfries |
| | | | | | | | | | | | | | | | | **Small Town Districts, County of :—** |
| 4 | 6 | 1 | 2 | 4 | 8 | 3 | 10 | 14 | 9 | 10 | 5 | 4 | – | – | – | Shetland |
| 3 | 2 | 2 | 5 | 4 | 7 | 8 | 12 | 15 | 9 | 9 | 13 | 1 | – | – | – | Orkney |
| 4 | 8 | 11 | 7 | 12 | 18 | 21 | 15 | 29 | 27 | 21 | 19 | 7 | – | – | – | Caithness |
| 14 | 10 | 11 | 8 | 6 | 7 | 13 | 27 | 29 | 13 | 17 | 10 | 2 | 1 | 1 | – | Ross and Cromarty |
| 5 | 2 | 4 | 5 | 6 | 7 | 8 | 5 | 12 | 3 | 7 | 6 | – | – | – | – | Nairn |
| 12 | 16 | 13 | 13 | 19 | 15 | 23 | 18 | 32 | 29 | 18 | 6 | 3 | 1 | – | – | Elgin |
| 12 | 14 | 11 | 9 | 13 | 16 | 29 | 19 | 41 | 32 | 34 | 21 | 4 | 1 | – | – | Banff |
| 12 | 7 | 9 | 11 | 10 | 16 | 27 | 25 | 33 | 34 | 30 | 14 | 8 | – | – | – | Aberdeen |
| 6 | 3 | 3 | 3 | 1 | 3 | 7 | 6 | 8 | 16 | 9 | 6 | 1 | – | – | – | Kincardine |
| 6 | 11 | 9 | 12 | 14 | 14 | 17 | 28 | 32 | 29 | 16 | 13 | 6 | – | – | – | Forfar |
| 13 | 8 | 15 | 17 | 18 | 30 | 28 | 32 | 39 | 33 | 22 | 11 | 4 | 3 | – | – | Perth |
| 42 | 37 | 31 | 67 | 48 | 60 | 84 | 92 | 86 | 84 | 54 | 24 | 11 | 2 | 1 | – | Fife |
| 1 | – | 1 | 2 | – | 1 | 5 | 8 | 6 | 4 | 4 | 3 | 1 | – | – | – | Kinross |
| 3 | 3 | 2 | 8 | 4 | 14 | 10 | 15 | 11 | 9 | 5 | 8 | – | – | – | – | Clackmannan |
| 35 | 24 | 32 | 34 | 44 | 44 | 59 | 45 | 62 | 39 | 29 | 18 | 3 | 1 | – | – | Stirling |
| 18 | 14 | 25 | 24 | 28 | 39 | 39 | 37 | 42 | 34 | 23 | 15 | 5 | 1 | – | – | Dumbarton |
| 15 | 18 | 22 | 19 | 17 | 24 | 31 | 46 | 51 | 41 | 30 | 11 | 6 | 3 | – | – | Argyll |
| 3 | 2 | 11 | 6 | 7 | 7 | 14 | 13 | 15 | 4 | 11 | 6 | 1 | – | – | – | Bute |
| 36 | 46 | 37 | 43 | 51 | 64 | 71 | 66 | 68 | 58 | 39 | 14 | 3 | 1 | – | – | Renfrew |
| 57 | 67 | 66 | 70 | 93 | 117 | 155 | 151 | 147 | 122 | 90 | 40 | 10 | 3 | 1 | 1 | Ayr |
| 49 | 52 | 46 | 52 | 70 | 86 | 86 | 85 | 75 | 68 | 44 | 21 | 5 | 2 | – | – | Lanark |
| 30 | 28 | 30 | 17 | 31 | 39 | 44 | 35 | 38 | 28 | 24 | 12 | 3 | – | – | – | Linlithgow |
| 16 | 24 | 25 | 30 | 40 | 33 | 42 | 32 | 46 | 34 | 27 | 8 | 2 | – | – | – | Edinburgh |
| 12 | 11 | 11 | 12 | 14 | 16 | 32 | 32 | 31 | 28 | 14 | 10 | 2 | – | – | – | Haddington |
| 2 | 3 | – | 4 | 2 | 6 | 6 | 7 | 9 | 2 | 4 | 3 | – | 2 | – | – | Berwick |
| 5 | 7 | 3 | 9 | 7 | 6 | 10 | 7 | 7 | 8 | 5 | 6 | – | 1 | – | – | Peebles |
| 3 | 2 | 3 | 4 | 3 | 4 | 5 | 15 | 6 | 4 | 6 | 1 | 2 | – | – | – | Selkirk |
| 7 | 4 | 7 | 10 | 10 | 16 | 21 | 22 | 20 | 21 | 21 | 6 | 1 | – | – | – | Roxburgh |
| 7 | 4 | 9 | 7 | 6 | 13 | 15 | 12 | 20 | 17 | 18 | 7 | 1 | – | – | – | Dumfries |
| 4 | 6 | 5 | 8 | 11 | 13 | 18 | 14 | 13 | 20 | 12 | 9 | 2 | 2 | – | – | Kirkcudbright |
| 5 | 6 | 5 | 9 | 11 | 12 | 16 | 10 | 17 | 17 | 11 | 7 | – | 1 | – | – | Wigtown |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1903.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| **Large Town Districts.** | | | | | | | | | | | | | |
| Inverness | 255 | 21 | 5 | 7 | 11 | 3 | – | 1 | 5 | 1 | 6 | 11 | 16 |
| Peterhead | 129 | 18 | 6 | 16 | 21 | 8 | – | 2 | 1 | 1 | 1 | 1 | 1 |
| Arbroath | 179 | 24 | 8 | 5 | 6 | 4 | 3 | 1 | 6 | 1 | 4 | 4 | 7 |
| Forfar | 98 | 11 | 1 | – | 3 | 1 | 2 | 1 | 3 | 1 | 4 | 3 | 2 |
| Monifieth (including part of St. Andrew—Dundee) | 93 | 11 | 1 | 5 | 4 | – | 1 | 1 | 3 | 2 | 1 | 1 | 3 |
| Montrose | 126 | 8 | 4 | 3 | 2 | 2 | 2 | – | 1 | 3 | 1 | 2 | 7 |
| Dunfermline | 235 | 31 | 9 | 9 | 19 | 5 | 2 | 5 | 5 | 1 | 3 | 11 | 7 |
| Alloa | 114 | 16 | 6 | 5 | 4 | 1 | 1 | 1 | 3 | 3 | 2 | 3 | 6 |
| Falkirk | 311 | 46 | 12 | 21 | 20 | 9 | 3 | 3 | 4 | 9 | 8 | 8 | 12 |
| Stirling | 200 | 13 | 5 | 7 | 7 | 6 | 2 | 3 | 5 | 5 | 5 | 3 | 3 |
| Dumbarton | 210 | 24 | 9 | 14 | 15 | 7 | – | 4 | 11 | 5 | 5 | 8 | 5 |
| Kirkintilloch | 178 | 20 | 4 | 7 | 15 | 1 | 3 | 1 | 3 | 4 | 2 | 8 | 6 |
| Old or West Kilpatrick | 200 | 33 | 15 | 20 | 11 | 8 | 5 | 3 | 9 | 3 | 4 | 8 | 5 |
| Eastwood | 110 | 16 | 7 | 7 | 9 | 4 | 3 | 3 | 5 | 2 | 3 | 5 | 4 |
| Johnstone and Elderslie | 100 | 15 | 3 | 10 | 4 | 3 | 5 | – | 2 | 5 | 4 | 3 | 4 |
| Port-Glasgow | 137 | 12 | 9 | 19 | 20 | 3 | 1 | 5 | 4 | 2 | 4 | 3 | 4 |
| Ayr | 318 | 37 | 11 | 13 | 17 | 6 | 3 | 2 | 1 | 5 | 8 | 10 | 5 |
| Shettleston | 191 | 24 | 11 | 22 | 15 | 6 | 1 | 1 | 4 | 5 | 8 | 5 | 6 |
| Cambuslang | 152 | 20 | 13 | 13 | 19 | 6 | 2 | – | 3 | 5 | 4 | 4 | 5 |
| Cambusnethan (including part of Dalziel) | 285 | 44 | 15 | 31 | 25 | 10 | 3 | – | 10 | 4 | 8 | 11 | 5 |
| Larkhall | 103 | 18 | 11 | 5 | 7 | 3 | 4 | 1 | 2 | 5 | 0 | 4 | 4 |
| Kinning Park | 151 | 23 | 5 | 25 | 23 | 11 | 4 | 3 | 3 | 7 | 4 | 2 | 2 |
| New Monkland | 309 | 53 | 22 | 19 | 26 | 9 | 6 | 5 | 10 | 1 | 7 | 10 | 8 |
| Rutherglen | 146 | 20 | 7 | 18 | 13 | 3 | 4 | 2 | 2 | 3 | – | 3 | 3 |
| Inveresk | 134 | 25 | 4 | 7 | 10 | 2 | 1 | 3 | 7 | 2 | 4 | 3 | 6 |
| Galashiels | 117 | 10 | 2 | 6 | 7 | 1 | 1 | 1 | 1 | 1 | 3 | 7 | 4 |
| Hawick | 142 | 19 | 4 | 2 | 5 | 4 | – | 2 | 3 | – | 2 | 4 | 2 |
| Dumfries (including Troqueer) | 261 | 36 | 10 | 6 | 6 | 5 | 2 | 4 | 5 | 7 | 3 | 10 | 9 |
| **Small Town Districts, County of:—** | | | | | | | | | | | | | |
| Shetland | 41 | 6 | – | 1 | – | – | – | – | – | – | 3 | 1 | 2 |
| Orkney | 47 | 2 | – | 1 | 2 | 1 | – | – | – | 1 | – | 2 | – |
| Caithness | 135 | 15 | 8 | 9 | 6 | 1 | – | – | 5 | 3 | 2 | 3 | 3 |
| Ross and Cromarty | 137 | 6 | 4 | 6 | 7 | 3 | – | – | 8 | 2 | 5 | 6 | 6 |
| Nairn | 38 | 5 | 1 | 1 | 1 | – | – | 1 | 1 | – | – | 1 | – |
| Elgin | 169 | 20 | 6 | 9 | 5 | – | 3 | 2 | 4 | 2 | 3 | 10 | 10 |
| Banff | 168 | 21 | 5 | 5 | 7 | – | 2 | 3 | 5 | 1 | 6 | 5 | 4 |
| Aberdeen | 205 | 27 | 8 | 10 | 11 | 5 | 5 | 2 | 6 | 5 | 6 | 2 | 7 |
| Kincardine | 49 | 4 | 2 | 3 | 1 | – | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Forfar | 128 | 9 | 7 | 3 | 3 | 3 | 1 | 2 | 5 | 1 | 4 | 4 | 9 |
| Perth | 189 | 25 | 4 | 3 | 3 | 3 | 1 | – | – | 4 | 1 | 8 | 4 |
| Fife | 671 | 87 | 26 | 57 | 38 | 19 | 12 | 9 | 16 | 15 | 19 | 14 | 15 |
| Kinross | 26 | – | 4 | 1 | 1 | – | – | – | – | – | – | 1 | 1 |
| Clackmannan | 65 | 3 | 3 | 1 | 2 | – | 2 | 1 | 2 | – | 2 | 2 | 1 |
| Stirling | 478 | 70 | 19 | 25 | 38 | 8 | 3 | 4 | 12 | 15 | 25 | 16 | 17 |
| Dumbarton | 304 | 43 | 13 | 18 | 12 | 10 | 1 | 5 | 11 | 4 | 13 | 16 | 9 |
| Argyll | 248 | 19 | 4 | 12 | 11 | 3 | 3 | – | 5 | 4 | 9 | 6 | 7 |
| Bute | 64 | 3 | – | 1 | 4 | – | 1 | – | 5 | 1 | 2 | 4 | 3 |
| Renfrew | 554 | 72 | 22 | 36 | 26 | 11 | 11 | 7 | 20 | 10 | 20 | 13 | 16 |
| Ayr | 1096 | 141 | 55 | 54 | 58 | 24 | 14 | 16 | 23 | 23 | 31 | 32 | 48 |
| Lanark | 940 | 157 | 61 | 91 | 87 | 32 | 12 | 8 | 16 | 16 | 22 | 32 | 30 |
| Linlithgow | 365 | 49 | 16 | 33 | 18 | 14 | 6 | 4 | 17 | 5 | 5 | 8 | 8 |
| Edinburgh | 301 | 41 | 17 | 8 | 19 | 3 | 5 | 1 | 5 | 5 | 10 | 6 | 7 |
| Haddington | 212 | 30 | 8 | 14 | 18 | 7 | – | 2 | 5 | 2 | 3 | 6 | 7 |
| Berwick | 43 | 5 | 2 | 3 | 1 | – | – | 2 | – | – | 3 | 1 | 2 |
| Peebles | 53 | 12 | 1 | – | 1 | – | – | 1 | – | – | 1 | – | – |
| Selkirk | 51 | 6 | 1 | 3 | 1 | – | – | – | 1 | 3 | 1 | 2 | 2 |
| Roxburgh | 108 | 14 | 3 | 3 | – | 2 | – | 1 | – | 4 | 4 | 2 | 2 |
| Dumfries | 108 | 9 | 2 | 2 | 11 | 2 | 1 | 1 | 2 | – | 3 | 5 | 7 |
| Kirkcudbright | 104 | 9 | 2 | 5 | 6 | 1 | 2 | – | 5 | 1 | 1 | 5 | 1 |
| Wigtown | 81 | 8 | 3 | – | – | – | – | – | 3 | 2 | 5 | 1 | 5 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1903.—MALES.

| MALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | **Large Town Districts.** |
| 6 | 6 | 11 | 11 | 14 | 16 | 24 | 26 | 20 | 20 | 9 | 3 | 2 | – | – | – | Inverness |
| 2 | 2 | 4 | 3 | 2 | 8 | 9 | 6 | 1 | 7 | 6 | 3 | – | – | – | – | Peterhead. |
| 7 | 7 | 6 | 5 | 6 | 12 | 8 | 14 | 12 | 13 | 12 | 4 | – | – | – | – | Arbroath |
| 1 | 7 | 2 | 3 | 7 | 5 | 7 | 5 | 8 | 9 | 7 | 5 | – | – | – | – | Forfar |
| 7 | 6 | 2 | 5 | 3 | 4 | 7 | 7 | 6 | 4 | 7 | 2 | – | – | – | – | Monifieth |
| 3 | 4 | 6 | 11 | 6 | 6 | 8 | 14 | 12 | 12 | 3 | 6 | – | – | – | – | Montrose |
| 11 | 11 | 8 | 7 | 12 | 10 | 13 | 19 | 16 | 9 | 8 | 3 | 1 | – | – | – | Dunfermline |
| 5 | 1 | 9 | 5 | 3 | 6 | 8 | 11 | 7 | 6 | 1 | 1 | – | – | – | – | Alloa |
| 15 | 14 | 12 | 14 | 29 | 19 | 13 | 13 | 11 | 6 | 8 | – | 1 | – | 1 | – | Falkirk |
| 8 | 2 | 9 | 15 | 13 | 12 | 16 | 19 | 17 | 13 | 9 | 2 | 1 | – | – | – | Stirling |
| 5 | 11 | 6 | 6 | 9 | 10 | 14 | 14 | 10 | 8 | 4 | 6 | – | – | – | – | Dumbarton |
| 8 | 10 | 14 | 10 | 11 | 10 | 14 | 14 | 4 | 2 | 5 | 1 | 1 | – | – | – | Kirkintilloch |
| 6 | 8 | 3 | 6 | 14 | 6 | 10 | 5 | 9 | 4 | 4 | – | 1 | – | – | – | Old or West Kilpatrick |
| 4 | 2 | – | 5 | 7 | 6 | 3 | 7 | 4 | 1 | 1 | 1 | 1 | – | – | – | Eastwood |
| 2 | 5 | 2 | 1 | 5 | 4 | 5 | 8 | 2 | 6 | 2 | – | – | – | – | – | Johnstone & Elderslie |
| 6 | 2 | 7 | 2 | 2 | 5 | 14 | 9 | 2 | 2 | – | – | – | – | – | – | Port-Glasgow |
| 6 | 12 | 17 | 15 | 25 | 25 | 29 | 19 | 19 | 12 | 18 | 3 | – | – | – | – | Ayr |
| 10 | 7 | 5 | 8 | 8 | 14 | 7 | 8 | 8 | 6 | 1 | 1 | – | – | – | – | Shettleston |
| 3 | – | 4 | 9 | 10 | 9 | 9 | 3 | 5 | 1 | 4 | 1 | – | – | – | – | Cambuslang |
| 12 | 12 | 8 | 15 | 12 | 15 | 12 | 11 | 8 | 6 | 8 | – | – | – | – | – | Cambusnethan |
| 3 | 1 | 1 | 3 | 2 | 6 | 4 | 9 | 3 | 5 | 1 | 1 | – | – | – | – | Larkhall |
| 3 | 2 | 1 | 4 | 9 | 5 | 6 | 3 | 3 | 2 | 1 | – | – | – | – | – | Kinning Park |
| 6 | 10 | 10 | 10 | 13 | 20 | 19 | 19 | 15 | 4 | 5 | 2 | – | – | – | – | New Monkland |
| 8 | 6 | 6 | 5 | 9 | 5 | 10 | 8 | 4 | 5 | 1 | 1 | – | – | – | – | Rutherglen |
| 4 | 3 | 2 | 2 | 9 | 3 | 11 | 7 | 8 | 7 | 2 | 2 | – | – | – | – | Inveresk |
| 3 | 3 | 3 | 4 | 6 | 9 | 10 | 9 | 10 | 8 | 7 | 1 | – | – | – | – | Galashiels |
| 1 | 8 | 5 | 3 | 8 | 10 | 15 | 12 | 10 | 10 | 10 | 3 | – | – | – | – | Hawick |
| 5 | 14 | 12 | 11 | 13 | 15 | 18 | 25 | 13 | 14 | 10 | 8 | – | – | – | – | Dumfries |
| | | | | | | | | | | | | | | | | **Small Town Districts, County of:—** |
| 2 | 3 | 1 | 1 | 2 | 3 | 1 | 5 | 6 | 1 | 2 | 1 | – | – | – | – | Shetland |
| – | 2 | 2 | 2 | 1 | 3 | 1 | 7 | 8 | 4 | 1 | 7 | – | – | – | – | Orkney |
| 2 | 4 | 6 | 4 | 6 | 8 | 12 | 6 | 9 | 13 | 4 | 5 | 1 | – | – | – | Caithness |
| 7 | 6 | 7 | 3 | 3 | 4 | 9 | 12 | 14 | 8 | 7 | 3 | – | 1 | – | – | Ross and Cromarty |
| 2 | – | 1 | 2 | 3 | 5 | 3 | 3 | 4 | 1 | 2 | 1 | – | – | – | – | Nairn |
| 7 | 6 | 7 | 5 | 8 | 8 | 7 | 11 | 14 | 10 | 8 | 1 | 3 | – | – | – | Elgin |
| 4 | 3 | 6 | 3 | 3 | 7 | 10 | 10 | 19 | 13 | 12 | 13 | 1 | – | – | – | Banff |
| 4 | 5 | 3 | 3 | 4 | 11 | 16 | 11 | 14 | 18 | 14 | 6 | 2 | – | – | – | Aberdeen |
| 2 | 1 | 2 | 1 | 1 | 1 | 4 | 5 | 4 | 9 | 2 | – | – | – | – | – | Kincardine |
| 1 | 5 | 1 | 2 | 6 | 9 | 7 | 9 | 9 | 13 | 7 | 7 | 1 | – | – | – | Forfar |
| 9 | 3 | 7 | 12 | 11 | 12 | 14 | 12 | 21 | 18 | 11 | 3 | – | – | – | – | Perth |
| 15 | 20 | 14 | 35 | 29 | 32 | 39 | 52 | 39 | 33 | 20 | 8 | 6 | 1 | 1 | – | Fife |
| – | – | 1 | 2 | – | – | 3 | 3 | 1 | 2 | 3 | 3 | – | – | – | – | Kinross |
| 2 | 1 | – | 4 | 3 | 6 | 7 | 8 | 2 | 7 | 3 | 3 | – | – | – | – | Clackmannan |
| 17 | 10 | 18 | 20 | 25 | 16 | 32 | 25 | 33 | 18 | 4 | 7 | – | 1 | – | – | Stirling |
| 6 | 5 | 15 | 15 | 13 | 17 | 19 | 13 | 17 | 14 | 11 | 3 | 1 | – | – | – | Dumbarton |
| 7 | 7 | 10 | 8 | 8 | 15 | 18 | 26 | 30 | 17 | 9 | 7 | 2 | 1 | – | – | Argyll |
| 1 | 2 | 5 | 3 | 3 | 1 | 8 | 5 | 6 | 1 | 5 | – | – | – | – | – | Bute |
| 20 | 18 | 21 | 24 | 31 | 29 | 37 | 34 | 32 | 22 | 15 | 6 | 1 | – | – | – | Renfrew |
| 24 | 36 | 32 | 40 | 48 | 55 | 75 | 76 | 73 | 60 | 37 | 16 | 3 | 1 | – | 1 | Ayr |
| 20 | 30 | 31 | 23 | 43 | 51 | 46 | 34 | 35 | 30 | 18 | 12 | 3 | – | – | – | Lanark |
| 19 | 15 | 20 | 8 | 16 | 24 | 26 | 21 | 13 | 12 | 7 | – | 1 | – | – | – | Linlithgow |
| 8 | 12 | 14 | 17 | 19 | 15 | 19 | 16 | 29 | 10 | 10 | 3 | 2 | – | – | – | Edinburgh |
| 5 | 6 | 6 | 6 | 5 | 10 | 16 | 16 | 15 | 13 | 6 | 6 | – | – | – | – | Haddington |
| 2 | – | – | 1 | 1 | 2 | 3 | 3 | 7 | 2 | 2 | 1 | – | – | – | – | Berwick |
| 2 | 5 | 1 | 6 | 2 | 4 | 5 | 4 | 1 | 2 | 1 | 4 | – | – | – | – | Peebles |
| 2 | 2 | – | 1 | 2 | 3 | 3 | 6 | 6 | 3 | 2 | – | 1 | – | – | – | Selkirk |
| 2 | 3 | 5 | 6 | 7 | 5 | 4 | 8 | 9 | 10 | 13 | 1 | – | – | – | – | Roxburgh |
| 1 | 1 | 5 | 2 | 4 | 5 | 6 | 6 | 12 | 10 | 8 | 2 | 1 | – | – | – | Dumfries |
| 3 | 2 | 3 | 3 | 6 | 4 | 10 | 7 | 9 | 7 | 7 | 4 | – | 1 | – | – | Kirkcudbright |
| 2 | 3 | 3 | 4 | 5 | 4 | 7 | 6 | 8 | 5 | 4 | 3 | – | – | – | – | Wigtown |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1903.—FEMALES.

| | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| **Large Town Districts.** | | | | | | | | | | | | | |
| Inverness | 257 | 17 | 8 | 7 | 3 | 5 | 2 | 2 | 3 | 3 | 6 | 13 | 7 |
| Peterhead | 145 | 17 | 15 | 3 | 13 | 2 | 1 | 2 | 7 | 2 | 3 | – | 2 |
| Arbroath | 178 | 12 | 7 | 12 | 6 | – | 1 | 3 | 6 | 4 | 6 | 3 | 5 |
| Forfar | 113 | 10 | 1 | – | 4 | 1 | – | 2 | 2 | 2 | 4 | 4 | 7 |
| Monifieth (including part of St. Andrew—Dundee) | 103 | 10 | 1 | 3 | 4 | 2 | – | – | 2 | 1 | 2 | 2 | 3 |
| Montrose | 151 | 5 | 3 | 4 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 4 | 6 |
| Dunfermline | 239 | 14 | 9 | 9 | 7 | – | 1 | 2 | 9 | 1 | 5 | 12 | 11 |
| Alloa | 133 | 5 | 2 | 7 | 8 | 2 | 3 | – | 1 | 2 | 4 | 9 | 5 |
| Falkirk | 251 | 37 | 5 | 21 | 17 | 6 | 6 | 2 | 9 | 4 | 5 | 8 | 6 |
| Stirling | 218 | 16 | 8 | 8 | 3 | 3 | 4 | 2 | 7 | 3 | 11 | 9 | 7 |
| Dumbarton | 194 | 20 | 8 | 10 | 13 | 6 | 3 | 6 | 5 | 7 | 3 | 6 | 6 |
| Kirkintilloch | 150 | 12 | 1 | 6 | 7 | 3 | 2 | 4 | 3 | 1 | 5 | 5 | 7 |
| Old or West Kilpatrick | 164 | 28 | 5 | 13 | 12 | 10 | 1 | 1 | 5 | 1 | 3 | 4 | 6 |
| Eastwood | 126 | 11 | 3 | 6 | 10 | 9 | 4 | 4 | 3 | 4 | 5 | 3 | 2 |
| Johnstone and Elderslie | 101 | 4 | 2 | 4 | 10 | 7 | 3 | 2 | 6 | 1 | 3 | 2 | 5 |
| Port-Glasgow | 158 | 17 | 7 | 11 | 15 | 6 | 4 | 1 | 7 | 5 | 10 | 6 | 6 |
| Ayr | 279 | 24 | 11 | 16 | 8 | 5 | 3 | – | 5 | 4 | 12 | 8 | 8 |
| Shettleston | 184 | 28 | 7 | 19 | 18 | 2 | 5 | 1 | 6 | 6 | 7 | 6 | 10 |
| Cambuslang | 133 | 27 | 6 | 20 | 9 | 5 | 2 | 1 | 3 | 2 | 3 | 2 | 1 |
| Cambusnethan (including part of Dalziel) | 250 | 31 | 15 | 23 | 15 | 7 | 6 | 5 | 6 | 7 | 5 | 8 | 11 |
| Larkhall | 85 | 11 | 5 | 4 | 9 | 4 | – | 1 | 6 | 3 | 3 | 5 | 2 |
| Kinning Park | 127 | 21 | 3 | 21 | 24 | 7 | 3 | 2 | 3 | 3 | – | 2 | 1 |
| New Monkland | 268 | 39 | 8 | 17 | 18 | 5 | 5 | 2 | 8 | 7 | 7 | 11 | 8 |
| Rutherglen | 181 | 20 | 11 | 18 | 11 | 4 | 4 | 5 | – | 3 | 4 | 5 | 11 |
| Inveresk | 143 | 17 | 6 | 16 | 9 | 4 | 5 | 3 | 2 | 3 | 8 | 3 | 1 |
| Galashiels | 130 | 9 | 5 | 2 | 7 | 2 | – | 3 | 5 | 1 | 7 | 7 | 5 |
| Hawick | 165 | 13 | 1 | 3 | 6 | 4 | 1 | 1 | 6 | 2 | 9 | 10 | 4 |
| Dumfries (including Troqueer) | 247 | 13 | 2 | 7 | 11 | 3 | 5 | 2 | 6 | 4 | 8 | 6 | 8 |
| **Small Town Districts, County of:—** | | | | | | | | | | | | | |
| Shetland | 60 | – | – | 1 | 1 | – | – | – | 2 | – | 1 | 2 | 1 |
| Orkney | 65 | 1 | 1 | 1 | 2 | – | – | – | 3 | – | 2 | 2 | 1 |
| Caithness | 179 | 16 | 6 | 7 | 6 | 3 | 1 | 2 | 3 | 2 | 7 | 2 | 5 |
| Ross and Cromarty | 140 | 9 | 1 | 4 | 5 | 3 | 3 | 3 | 3 | 3 | 8 | 8 | 5 |
| Nairn | 57 | 2 | 5 | 3 | 1 | – | – | – | 1 | – | – | – | 2 |
| Elgin | 184 | 13 | 4 | 4 | 9 | 2 | 2 | - | 3 | 3 | 7 | 7 | 7 |
| Banff | 223 | 12 | 5 | 9 | 8 | 4 | 1 | 1 | 4 | 4 | 5 | 8 | 10 |
| Aberdeen | 210 | 20 | 8 | 10 | 10 | 2 | 6 | 2 | 11 | 1 | 5 | 4 | 6 |
| Kincardine | 56 | 3 | 1 | 2 | 3 | 1 | 1 | – | 1 | 1 | – | 1 | 2 |
| Forfar | 186 | 10 | 3 | 6 | 2 | 2 | 1 | 1 | 4 | 6 | 9 | 6 | 6 |
| Perth | 198 | 15 | 5 | 6 | 6 | 2 | 1 | – | 4 | 3 | 5 | 6 | 5 |
| Fife | 697 | 79 | 31 | 45 | 28 | 19 | 8 | 5 | 24 | 8 | 15 | 24 | 32 |
| Kinross | 26 | 1 | – | 1 | – | – | 1 | 1 | – | – | 1 | 1 | 2 |
| Clackmannan | 83 | 10 | 3 | 2 | 3 | 1 | – | – | 2 | 3 | 7 | 4 | 2 |
| Stirling | 429 | 54 | 14 | 16 | 21 | 8 | 5 | 4 | 8 | 10 | 18 | 10 | 18 |
| Dumbarton | 331 | 26 | 6 | 13 | 12 | 9 | 1 | 4 | 15 | 4 | 12 | 14 | 20 |
| Argyll | 239 | 17 | 4 | 11 | 10 | 2 | 3 | 2 | – | 6 | 3 | 6 | 6 |
| Bute | 81 | 7 | 3 | 1 | 3 | – | 1 | 1 | 1 | 2 | 2 | – | – |
| Renfrew | 524 | 50 | 17 | 23 | 29 | 9 | 5 | 6 | 14 | 15 | 12 | 14 | 23 |
| Ayr | 1064 | 93 | 35 | 55 | 57 | 24 | 20 | 14 | 29 | 19 | 24 | 35 | 46 |
| Lanark | 840 | 131 | 44 | 74 | 79 | 26 | 16 | 6 | 20 | 17 | 21 | 24 | 17 |
| Linlithgow | 353 | 43 | 18 | 24 | 27 | 10 | 7 | 2 | 12 | 9 | 10 | 5 | 9 |
| Edinburgh | 278 | 26 | 5 | 4 | 17 | 9 | 2 | 1 | 9 | 1 | 6 | 3 | 10 |
| Haddington | 205 | 22 | 8 | 12 | 7 | 7 | 2 | 1 | 12 | 4 | 5 | 4 | 6 |
| Berwick | 48 | 8 | 1 | 3 | 2 | 2 | – | 1 | 1 | – | 2 | 1 | 1 |
| Peebles | 58 | 3 | 1 | 1 | 2 | – | – | – | 4 | - | 1 | – | 2 |
| Selkirk | 46 | 5 | 1 | 4 | – | – | – | – | 1 | – | 4 | 1 | 3 |
| Roxburgh | 118 | 5 | 3 | 1 | 3 | – | – | 2 | 2 | – | 3 | 2 | 4 |
| Dumfries | 109 | 8 | 4 | 5 | 4 | 1 | – | 2 | 2 | 1 | 2 | 3 | 4 |
| Kirkcudbright | 103 | 6 | 4 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 2 | 3 | 6 |
| Wigtown | 100 | 9 | – | 4 | 1 | – | 1 | – | 2 | – | 2 | 5 | 3 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1903.—FEMALES.

| FEMALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | | | | | **Large Town Districts.** |
| 13 | 9 | 6 | 12 | 8 | 13 | 18 | 21 | 29 | 23 | 20 | 4 | 5 | – | – | – | Inverness |
| 4 | 2 | 1 | 5 | 5 | 3 | 7 | 8 | 9 | 12 | 7 | 4 | 1 | – | – | – | Peterhead |
| 5 | 7 | 6 | 4 | 9 | 10 | 17 | 11 | 19 | 17 | 13 | 3 | 1 | 1 | – | – | Arbroath |
| 5 | 2 | 5 | 4 | 6 | 5 | 7 | 6 | 14 | 6 | 9 | 7 | – | – | – | – | Forfar |
| – | 4 | 3 | 4 | 5 | 2 | 12 | 5 | 13 | 11 | 9 | 2 | 3 | – | – | – | Monifieth |
| 4 | 7 | 6 | 9 | 7 | 10 | 7 | 14 | 13 | 16 | 18 | 7 | 1 | – | 1 | – | Montrose |
| 15 | 7 | 6 | 10 | 9 | 10 | 20 | 22 | 24 | 12 | 15 | 9 | – | – | – | – | Dunfermline |
| 3 | 3 | 7 | 4 | 6 | 8 | 16 | 11 | 11 | 6 | 5 | 3 | 1 | 1 | – | – | Alloa |
| 8 | 10 | 9 | 17 | 8 | 12 | 11 | 15 | 9 | 15 | 7 | 3 | – | 1 | – | – | Falkirk |
| 11 | 14 | 8 | 13 | 11 | 8 | 20 | 10 | 15 | 10 | 10 | 4 | 2 | 1 | – | – | Stirling |
| 7 | 4 | 5 | 11 | 7 | 9 | 17 | 9 | 13 | 9 | 9 | 1 | – | – | – | – | Dumbarton |
| 8 | 4 | 9 | 5 | 9 | 9 | 14 | 9 | 8 | 9 | 7 | 3 | – | – | – | – | Kirkintilloch |
| 9 | 5 | 8 | 6 | 2 | 8 | 12 | 6 | 4 | 5 | 7 | 3 | – | – | – | – | Old or West Kilpatrick |
| 2 | 5 | 4 | 4 | 3 | 6 | 8 | 8 | 8 | 7 | 5 | 2 | – | – | – | – | Eastwood |
| 3 | 5 | 5 | – | 9 | 4 | 6 | 9 | 4 | 3 | 4 | – | – | – | – | – | Johnstone & Elderslie |
| 5 | 4 | 5 | 11 | 6 | 5 | 9 | 6 | 8 | 3 | 1 | – | – | – | – | – | Port-Glasgow |
| 10 | 15 | 10 | 12 | 12 | 7 | 22 | 23 | 24 | 19 | 8 | 9 | 2 | 2 | – | – | Ayr |
| 8 | 7 | 4 | 12 | 5 | 7 | 8 | 4 | 4 | 4 | 5 | 1 | – | – | – | – | Shettleston |
| 2 | 4 | 3 | 5 | 4 | 7 | 6 | 8 | 4 | 5 | 3 | 1 | – | – | – | – | Cambuslang |
| 7 | 5 | 5 | 8 | 16 | 10 | 8 | 16 | 11 | 11 | 9 | 4 | 1 | – | – | – | Cambusnethan |
| 4 | – | – | – | 4 | 6 | 6 | 3 | 5 | 2 | 2 | – | – | – | – | – | Larkhall |
| 5 | 6 | 2 | 1 | 3 | 3 | 7 | 6 | 2 | 1 | 1 | – | – | – | – | – | Kinning Park |
| 4 | 13 | 13 | 7 | 5 | 14 | 26 | 14 | 12 | 8 | 8 | 8 | 1 | – | – | – | New Monkland |
| 7 | 6 | 3 | 5 | 11 | 9 | 8 | 13 | 6 | 7 | 5 | 4 | 1 | – | – | – | Rutherglen |
| 4 | 2 | 2 | 4 | 1 | 5 | 6 | 12 | 11 | 9 | 7 | 2 | 1 | – | – | – | Inveresk |
| 4 | 5 | 1 | 6 | 5 | 9 | 7 | 11 | 13 | 7 | 6 | 3 | – | – | – | – | Galashiels |
| 11 | 6 | 4 | 7 | 10 | 11 | 11 | 11 | 17 | 9 | 5 | 3 | – | – | – | – | Hawick |
| 7 | 11 | 9 | 12 | 15 | 13 | 9 | 22 | 25 | 23 | 16 | 5 | 5 | – | – | – | Dumfries |
| | | | | | | | | | | | | | | | | **Small Town Districts, County of:—** |
| 2 | 3 | – | 1 | 2 | 5 | 2 | 5 | 8 | 8 | 8 | 4 | 4 | – | – | – | Shetland |
| 3 | – | – | 3 | 3 | 4 | 7 | 5 | 7 | 5 | 8 | 6 | 1 | – | – | – | Orkney |
| 2 | 4 | 5 | 3 | 6 | 10 | 9 | 9 | 20 | 14 | 17 | 14 | 6 | – | – | – | Caithness |
| 7 | 4 | 4 | 5 | 3 | 3 | 4 | 15 | 15 | 5 | 10 | 7 | 2 | – | 1 | – | Ross and Cromarty |
| 3 | 2 | 3 | 3 | 3 | 2 | 5 | 2 | 8 | 2 | 5 | 5 | – | – | – | – | Nairn |
| 5 | 10 | 6 | 8 | 11 | 7 | 16 | 7 | 18 | 19 | 10 | 5 | – | 1 | – | – | Elgin |
| 8 | 11 | 5 | 6 | 10 | 9 | 19 | 9 | 22 | 19 | 22 | 8 | 3 | 1 | – | – | Banff |
| 8 | 2 | 6 | 8 | 6 | 5 | 11 | 14 | 19 | 16 | 16 | 8 | 6 | – | – | – | Aberdeen |
| 4 | 2 | 1 | 2 | – | 2 | 3 | 1 | 4 | 7 | 7 | 6 | 1 | – | – | – | Kincardine |
| 5 | 6 | 8 | 10 | 8 | 5 | 10 | 19 | 23 | 16 | 9 | 6 | 5 | – | – | – | Forfar |
| 4 | 5 | 8 | 5 | 7 | 18 | 14 | 20 | 18 | 15 | 11 | 8 | 4 | 3 | – | – | Perth |
| 27 | 17 | 17 | 32 | 19 | 28 | 45 | 40 | 47 | 51 | 34 | 16 | 5 | 1 | – | – | Fife |
| 1 | – | – | – | – | 1 | 2 | 5 | 5 | 2 | 1 | – | 1 | – | – | – | Kinross |
| 1 | 2 | 2 | 4 | 1 | 8 | 3 | 7 | 9 | 2 | 2 | 5 | – | – | – | – | Clackmannan |
| 18 | 14 | 14 | 14 | 19 | 28 | 27 | 20 | 29 | 21 | 25 | 11 | 3 | – | – | – | Stirling |
| 12 | 9 | 10 | 9 | 15 | 22 | 20 | 24 | 25 | 20 | 12 | 12 | 4 | 1 | – | – | Dumbarton |
| 8 | 11 | 12 | 11 | 9 | 9 | 13 | 20 | 21 | 24 | 21 | 4 | 4 | 2 | – | – | Argyll |
| 2 | – | 6 | 3 | 4 | 6 | 6 | 8 | 9 | 3 | 6 | 6 | 1 | – | – | – | Bute |
| 16 | 28 | 16 | 19 | 20 | 35 | 34 | 32 | 36 | 36 | 24 | 8 | 2 | 1 | – | – | Renfrew |
| 33 | 31 | 34 | 30 | 45 | 62 | 80 | 75 | 74 | 62 | 53 | 24 | 7 | 2 | 1 | – | Ayr |
| 29 | 22 | 15 | 29 | 27 | 35 | 40 | 51 | 40 | 38 | 26 | 9 | 2 | 2 | – | – | Lanark |
| 11 | 13 | 10 | 9 | 15 | 15 | 18 | 14 | 25 | 16 | 17 | 12 | 2 | – | – | – | Linlithgow |
| 8 | 12 | 11 | 13 | 21 | 18 | 23 | 16 | 17 | 24 | 17 | 5 | – | – | – | – | Edinburgh |
| 7 | 5 | 5 | 6 | 9 | 6 | 16 | 16 | 16 | 15 | 8 | 4 | 2 | – | – | – | Haddington |
| – | 3 | – | 3 | 1 | 4 | 3 | 4 | 2 | – | 2 | 2 | – | 2 | – | – | Berwick |
| 3 | 2 | 2 | 3 | 5 | 2 | 5 | 3 | 6 | 6 | 4 | 2 | – | 1 | – | – | Peebles |
| 1 | – | 3 | 3 | 1 | 1 | 2 | 9 | – | 1 | 4 | 1 | 1 | – | – | – | Selkirk |
| 5 | 1 | 2 | 4 | 3 | 11 | 17 | 14 | 11 | 11 | 8 | 5 | 1 | – | – | – | Roxburgh |
| 6 | 3 | 4 | 5 | 2 | 8 | 9 | 6 | 8 | 7 | 10 | 5 | – | – | – | – | Dumfries |
| 1 | 4 | 2 | 5 | 5 | 9 | 8 | 7 | 4 | 13 | 5 | 5 | 2 | 1 | – | – | Kirkcudbright |
| 3 | 3 | 2 | 5 | 6 | 8 | 9 | 4 | 9 | 12 | 7 | 4 | – | 1 | – | – | Wigtown |

DEATHS at Different Ages in the RURAL DISTRICTS of SCOTLAND, 1903.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| **Mainland-Rural Districts, County of:—** | | | | | | | | | | | | | |
| Caithness | 262 | 18 | 4 | 7 | 6 | – | 1 | 4 | 2 | 3 | 4 | 8 | 7 |
| Sutherland | 380 | 25 | 5 | 3 | 6 | 3 | 2 | 1 | 11 | 5 | 11 | 14 | 6 |
| Ross and Cromarty | 772 | 36 | 13 | 12 | 16 | 4 | 6 | 4 | 13 | 7 | 12 | 24 | 24 |
| Inverness | 396 | 26 | 5 | 15 | 11 | 1 | 2 | 1 | 9 | 4 | 11 | 15 | 17 |
| Nairn | 38 | 1 | 1 | 1 | 1 | – | 2 | – | 1 | – | – | 3 | 1 |
| Elgin | 366 | 30 | 10 | 25 | 9 | 5 | 2 | 3 | 5 | 5 | 10 | 9 | 10 |
| Banff | 498 | 51 | 17 | 16 | 15 | 9 | 3 | 4 | 13 | 15 | 17 | 18 | 9 |
| Aberdeen | 1547 | 142 | 45 | 61 | 50 | 16 | 11 | 10 | 35 | 29 | 39 | 48 | 38 |
| Kincardine | 301 | 36 | 9 | 13 | 10 | 9 | 2 | 4 | 9 | 7 | 9 | 11 | 11 |
| Forfar | 432 | 40 | 10 | 4 | 7 | 8 | 2 | 1 | 5 | 9 | 15 | 10 | 11 |
| Perth | 982 | 68 | 25 | 22 | 10 | 13 | 9 | 6 | 26 | 12 | 23 | 25 | 27 |
| Fife | 969 | 76 | 16 | 28 | 22 | 12 | 7 | 6 | 16 | 30 | 29 | 32 | 42 |
| Kinross | 71 | 7 | 2 | 2 | 3 | – | 1 | 1 | – | – | 2 | 2 | 2 |
| Clackmannan | 62 | 7 | 1 | 4 | 2 | 2 | – | – | 4 | – | 2 | 2 | 4 |
| Stirling | 404 | 49 | 15 | 15 | 26 | 3 | 4 | 2 | 9 | 13 | 11 | 7 | 12 |
| Dumbarton | 158 | 21 | 1 | 6 | 6 | 4 | 1 | 2 | 1 | 4 | 4 | 3 | 4 |
| Argyll | 495 | 23 | 5 | 13 | 11 | 5 | 2 | 2 | 9 | 9 | 17 | 19 | 13 |
| Renfrew | 286 | 21 | 4 | 11 | 4 | 6 | 1 | 1 | 8 | 4 | 13 | 12 | 7 |
| Ayr | 737 | 113 | 34 | 45 | 30 | 12 | 6 | 7 | 26 | 14 | 25 | 22 | 24 |
| Lanark | 1685 | 152 | 46 | 81 | 79 | 24 | 20 | 14 | 44 | 20 | 50 | 49 | 64 |
| Linlithgow | 197 | 32 | 6 | 17 | 12 | 1 | 2 | – | 6 | 9 | 3 | 3 | 7 |
| Edinburgh | 801 | 58 | 27 | 33 | 34 | 12 | 7 | 8 | 19 | 14 | 21 | 21 | 27 |
| Haddington | 207 | 25 | 7 | 9 | 4 | 3 | 1 | 1 | 3 | 2 | 8 | 2 | 3 |
| Berwick | 318 | 27 | 2 | 11 | 7 | 3 | 1 | 1 | 6 | 7 | 2 | 6 | 13 |
| Peebles | 80 | 5 | 3 | 2 | 1 | – | 1 | 1 | 3 | 1 | 3 | 1 | 2 |
| Selkirk | 23 | 2 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Roxburgh | 247 | 20 | 8 | 1 | 2 | – | 2 | 1 | 3 | 1 | 8 | 13 | 10 |
| Dumfries | 614 | 46 | 19 | 16 | 13 | 11 | 4 | 6 | 15 | 12 | 12 | 25 | 18 |
| Kirkcudbright | 319 | 24 | 8 | 8 | 6 | 5 | 1 | 4 | 7 | 8 | 13 | 7 | 14 |
| Wigtown | 331 | 32 | 5 | 9 | 8 | 3 | 1 | 4 | 6 | 4 | 10 | 8 | 13 |
| **Insular-Rural Districts, County of:—** | | | | | | | | | | | | | |
| Shetland | 328 | 13 | 7 | 4 | 3 | 1 | 3 | 2 | 2 | 9 | 9 | 21 | 15 |
| Orkney | 304 | 22 | 3 | 4 | 6 | 1 | – | – | 6 | 1 | 5 | 10 | 6 |
| Ross and Cromarty | 283 | 21 | 8 | 5 | 15 | 4 | 7 | 2 | 7 | 3 | 16 | 16 | 11 |
| Inverness | 513 | 43 | 5 | 11 | 20 | 3 | 1 | 2 | 10 | 8 | 11 | 20 | 16 |
| Argyll | 262 | 6 | 4 | 4 | 3 | 3 | 1 | 1 | 5 | 3 | 2 | 11 | 8 |
| Bute | 156 | 14 | 2 | 4 | 5 | 1 | 1 | – | 3 | 2 | 4 | 4 | 3 |

DEATHS at Different Ages in the RURAL DISTRICTS of SCOTLAND, 1903.—BOTH SEXES.

| BOTH SEXES. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AGE UNDER | | | | | | | | | | | | | | | | |
| 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| | | | | | | | | | | | | | | | | **Mainland-Rural Districts, County of:—** |
| 6 | 7 | 5 | 8 | 8 | 12 | 15 | 13 | 33 | 27 | 34 | 16 | 10 | 4 | – | – | Caithness |
| 7 | 18 | 6 | 10 | 10 | 16 | 27 | 26 | 36 | 32 | 52 | 27 | 17 | 4 | – | – | Sutherland |
| 24 | 23 | 24 | 23 | 27 | 26 | 47 | 70 | 79 | 72 | 109 | 49 | 18 | 6 | 2 | 2 | Ross and Cromarty |
| 8 | 12 | 15 | 13 | 15 | 12 | 23 | 30 | 35 | 40 | 29 | 27 | 17 | 1 | 2 | – | Inverness |
| 2 | 3 | 3 | – | – | 2 | 3 | 2 | 1 | 2 | 5 | 2 | 2 | – | – | – | Nairn |
| 8 | 9 | 7 | 14 | 12 | 8 | 24 | 24 | 45 | 39 | 30 | 16 | 7 | – | – | – | Elgin |
| 10 | 11 | 13 | 14 | 19 | 14 | 26 | 31 | 41 | 48 | 49 | 25 | 7 | 3 | – | – | Banff |
| 28 | 32 | 43 | 42 | 49 | 64 | 75 | 113 | 144 | 162 | 145 | 88 | 27 | 10 | 1 | – | Aberdeen |
| 2 | 9 | 8 | 10 | 4 | 11 | 13 | 8 | 31 | 33 | 18 | 16 | 7 | 1 | – | – | Kincardine |
| 11 | 19 | 21 | 13 | 20 | 20 | 27 | 41 | 46 | 34 | 32 | 18 | 7 | 1 | – | – | Forfar |
| 23 | 14 | 30 | 31 | 41 | 50 | 72 | 78 | 90 | 127 | 84 | 51 | 19 | 6 | – | – | Perth |
| 36 | 25 | 20 | 25 | 32 | 50 | 65 | 59 | 96 | 104 | 79 | 52 | 8 | 2 | – | – | Fife |
| 1 | 3 | – | 7 | 1 | 4 | 2 | 5 | 8 | 7 | 6 | 4 | 1 | – | – | – | Kinross |
| 4 | – | 1 | 3 | 1 | 4 | 4 | 4 | 3 | 4 | 4 | – | 2 | – | – | – | Clackmannan |
| 12 | 13 | 18 | 11 | 15 | 28 | 22 | 25 | 37 | 26 | 15 | 8 | 5 | 3 | – | – | Stirling |
| 2 | 4 | 2 | 6 | 8 | 7 | 14 | 11 | 17 | 13 | 8 | 6 | 2 | – | 1 | – | Dumbarton |
| 12 | 17 | 20 | 30 | 24 | 21 | 36 | 42 | 30 | 50 | 51 | 22 | 9 | 3 | – | – | Argyll |
| 22 | 18 | 16 | 10 | 16 | 17 | 17 | 21 | 21 | 18 | 12 | 5 | 1 | – | – | – | Renfrew |
| 22 | 16 | 23 | 25 | 27 | 32 | 57 | 35 | 59 | 28 | 40 | 11 | 3 | 1 | – | – | Ayr |
| 59 | 89 | 75 | 90 | 91 | 98 | 122 | 125 | 108 | 99 | 51 | 30 | 2 | 3 | – | – | Lanark |
| 6 | 6 | 3 | 7 | 7 | 12 | 13 | 10 | 12 | 10 | 7 | 4 | 2 | – | – | – | Linlithgow |
| 39 | 35 | 27 | 32 | 47 | 38 | 56 | 69 | 62 | 54 | 42 | 15 | 2 | 2 | – | – | Edinburgh |
| 5 | 1 | 4 | 4 | 12 | 11 | 19 | 16 | 23 | 21 | 12 | 9 | 2 | – | – | – | Haddington |
| 13 | 6 | 11 | 9 | 11 | 19 | 19 | 20 | 31 | 46 | 28 | 17 | 2 | – | – | – | Berwick |
| 6 | 4 | – | 5 | 6 | 4 | 7 | – | 5 | 8 | 6 | 5 | 1 | – | – | – | Peebles |
| 1 | 1 | – | 1 | 2 | 1 | 2 | 2 | 3 | 1 | 5 | – | – | – | – | – | Selkirk |
| 7 | 14 | 4 | 7 | 18 | 12 | 26 | 23 | 16 | 22 | 15 | 10 | 3 | 1 | – | – | Roxburgh |
| 17 | 13 | 12 | 24 | 29 | 35 | 51 | 50 | 58 | 46 | 50 | 24 | 8 | – | – | – | Dumfries |
| 7 | 8 | 11 | 11 | 9 | 8 | 26 | 33 | 20 | 29 | 30 | 12 | 6 | 2 | – | 2 | Kirkcudbright |
| 6 | 11 | 8 | 17 | 19 | 18 | 23 | 26 | 24 | 26 | 29 | 13 | 6 | 1 | – | 1 | Wigtown |
| | | | | | | | | | | | | | | | | **Insular-Rural Districts, County of:—** |
| 9 | 5 | 8 | 5 | 11 | 9 | 22 | 27 | 19 | 33 | 44 | 31 | 12 | 3 | – | 1 | Shetland |
| 9 | 9 | 10 | 7 | 6 | 9 | 7 | 23 | 36 | 39 | 43 | 27 | 6 | 1 | 1 | 7 | Orkney |
| 6 | 4 | 10 | 9 | 9 | 10 | 11 | 13 | 28 | 31 | 21 | 9 | 5 | 2 | – | – | Ross and Cromarty |
| 21 | 14 | 12 | 16 | 18 | 22 | 34 | 39 | 33 | 45 | 64 | 33 | 8 | 3 | 1 | – | Inverness |
| 7 | 8 | 5 | 6 | 9 | 14 | 18 | 21 | 25 | 27 | 30 | 22 | 10 | 6 | 3 | – | Argyll |
| 7 | 7 | 5 | 8 | 4 | 3 | 13 | 10 | 18 | 20 | 11 | 4 | 3 | – | – | – | Bute |

DEATHS at Different Ages in the RURAL DISTRICTS of SCOTLAND, 1903.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| **Mainland-Rural Districts, County of:—** | | | | | | | | | | | | | |
| Caithness | 128 | 15 | 2 | 5 | 3 | – | 1 | 3 | 2 | 1 | 2 | 5 | 5 |
| Sutherland | 170 | 16 | 1 | 2 | 5 | 2 | 1 | – | 7 | 2 | 6 | 6 | 5 |
| Ross and Cromarty | 365 | 23 | 6 | 7 | 10 | 2 | 2 | 3 | 3 | 4 | 8 | 15 | 14 |
| Inverness | 181 | 17 | 2 | 10 | 2 | 1 | 1 | 1 | 5 | 1 | 6 | 8 | 7 |
| Nairn | 19 | 1 | 1 | – | – | – | 1 | – | 1 | – | – | 1 | 1 |
| Elgin | 171 | 19 | 6 | 13 | 3 | 5 | 1 | 1 | 5 | 2 | 4 | 4 | 3 |
| Banff | 245 | 28 | 10 | 7 | 8 | 4 | 1 | 3 | 7 | 8 | 12 | 5 | 4 |
| Aberdeen | 795 | 91 | 20 | 45 | 21 | 12 | 6 | 5 | 15 | 17 | 23 | 26 | 12 |
| Kincardine | 164 | 21 | 4 | 8 | 7 | 4 | – | – | 6 | 3 | 5 | 4 | 7 |
| Forfar | 204 | 21 | 5 | 1 | 4 | 3 | 2 | 1 | 1 | 7 | 10 | 2 | 4 |
| Perth | 448 | 44 | 15 | 10 | 3 | 6 | 4 | 5 | 12 | 3 | 7 | 9 | 11 |
| Fife | 460 | 50 | 12 | 21 | 12 | 5 | 3 | 1 | 7 | 13 | 18 | 21 | 18 |
| Kinross | 38 | 4 | 2 | – | 3 | – | – | 1 | – | – | 1 | 1 | 2 |
| Clackmannan | 31 | 4 | – | 3 | 2 | 1 | – | – | 1 | – | 2 | 1 | 3 |
| Stirling | 200 | 26 | 14 | 7 | 9 | 2 | 2 | – | 4 | 6 | 4 | 3 | 5 |
| Dumbarton | 93 | 16 | – | 3 | 3 | 2 | 1 | 1 | 1 | 2 | 3 | 1 | – |
| Argyll | 234 | 11 | 3 | 6 | 7 | 3 | – | – | 3 | 4 | 9 | 10 | 3 |
| Renfrew | 152 | 14 | 3 | 7 | 2 | 5 | 1 | 1 | 2 | 2 | 8 | 7 | 3 |
| Ayr | 401 | 70 | 23 | 28 | 17 | 9 | 5 | 1 | 12 | 6 | 11 | 14 | 9 |
| Lanark | 905 | 78 | 23 | 45 | 42 | 11 | 7 | 3 | 29 | 12 | 32 | 24 | 36 |
| Linlithgow | 91 | 21 | 2 | 7 | 5 | 1 | – | – | 2 | 2 | 3 | 2 | 2 |
| Edinburgh | 424 | 33 | 17 | 14 | 21 | 7 | 3 | 3 | 9 | 7 | 13 | 9 | 13 |
| Haddington | 104 | 20 | 4 | 8 | 2 | 2 | 1 | 1 | 3 | 1 | 4 | – | 2 |
| Berwick | 148 | 24 | 2 | 8 | 5 | 1 | – | – | 4 | 5 | 1 | 1 | 6 |
| Peebles | 40 | 4 | – | 1 | 1 | – | – | – | 1 | – | 2 | – | 1 |
| Selkirk | 15 | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Roxburgh | 129 | 11 | 4 | – | 2 | – | 2 | – | 1 | 1 | 5 | 7 | 6 |
| Dumfries | 293 | 26 | 10 | 9 | 9 | 5 | 3 | 4 | 6 | 6 | 2 | 14 | 11 |
| Kirkcudbright | 157 | 16 | 4 | 7 | 3 | 3 | 1 | 2 | 3 | 2 | 5 | 3 | 7 |
| Wigtown | 166 | 21 | 3 | 2 | 6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **Insular-Rural Districts, County of:—** | | | | | | | | | | | | | |
| Shetland | 134 | 7 | 3 | 1 | 3 | 1 | 2 | 1 | 1 | 6 | 4 | 14 | 8 |
| Orkney | 142 | 10 | 2 | 2 | 2 | 1 | – | – | 5 | – | 2 | 5 | 3 |
| Ross and Cromarty | 140 | 19 | 1 | 3 | 7 | 2 | 2 | – | 3 | 2 | 7 | 10 | 9 |
| Inverness | 244 | 25 | 2 | 7 | 8 | 1 | 1 | 2 | 4 | 3 | 3 | 12 | 6 |
| Argyll | 133 | 3 | 3 | 3 | 1 | 1 | 1 | – | 1 | 1 | 1 | 7 | 7 |
| Bute | 82 | 6 | 1 | 1 | 3 | – | 1 | – | 2 | 2 | 3 | 2 | 1 |

DEATHS at Different Ages in the RURAL DISTRICTS of SCOTLAND, 1903.—MALES.

| MALES. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AGE UNDER | | | | | | | | | | | | | | | | |
| 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| | | | | | | | | | | | | | | | | **Mainland-Rural Districts, County of:—** |
| 3 | 3 | 3 | 4 | 7 | 4 | 8 | 8 | 11 | 9 | 16 | 5 | 2 | 1 | – | – | Caithness |
| 4 | 8 | 4 | 4 | 6 | 11 | 10 | 11 | 18 | 11 | 16 | 7 | 5 | 2 | – | – | Sutherland |
| 6 | 14 | 10 | 14 | 11 | 15 | 21 | 39 | 33 | 25 | 46 | 25 | 5 | – | 2 | 2 | Ross and Cromarty |
| 5 | 8 | 12 | 8 | 6 | 3 | 9 | 11 | 10 | 18 | 14 | 11 | 3 | 1 | 1 | – | Inverness |
| 1 | 2 | 1 | – | – | 2 | 1 | 2 | – | 1 | 1 | 1 | 1 | – | – | – | Nairn |
| 5 | 3 | 5 | 9 | 5 | 4 | 12 | 11 | 18 | 15 | 11 | 4 | 3 | – | – | – | Elgin |
| 3 | 4 | 7 | 5 | 8 | 8 | 12 | 16 | 16 | 27 | 24 | 11 | 5 | 2 | – | – | Banff |
| 14 | 19 | 20 | 26 | 27 | 30 | 34 | 55 | 66 | 84 | 69 | 45 | 12 | 1 | – | – | Aberdeen |
| 2 | 6 | 4 | 5 | 3 | 7 | 7 | 3 | 21 | 19 | 7 | 8 | 3 | – | – | – | Kincardine |
| 4 | 8 | 9 | 8 | 13 | 13 | 10 | 19 | 21 | 14 | 14 | 9 | 1 | – | – | – | Forfar |
| 12 | 5 | 14 | 15 | 27 | 23 | 28 | 39 | 39 | 63 | 34 | 18 | 1 | 1 | – | – | Perth |
| 18 | 9 | 13 | 13 | 18 | 29 | 27 | 20 | 46 | 37 | 29 | 19 | – | 1 | – | – | Fife |
| – | 1 | – | 5 | 1 | 1 | – | 3 | 5 | 4 | 1 | 2 | 1 | – | – | – | Kinross |
| 1 | – | – | 2 | 1 | 1 | 2 | 2 | – | 2 | 2 | – | 1 | – | – | – | Clackmannan |
| 6 | 5 | 7 | 8 | 8 | 20 | 12 | 14 | 18 | 10 | 4 | 3 | 1 | 2 | – | – | Stirling |
| 1 | 2 | 2 | 6 | 6 | 4 | 8 | 5 | 10 | 5 | 6 | 4 | – | – | 1 | – | Dumbarton |
| 4 | 5 | 10 | 12 | 9 | 10 | 23 | 23 | 19 | 22 | 24 | 7 | 5 | 2 | – | – | Argyll |
| 12 | 13 | 9 | 7 | 7 | 11 | 6 | 12 | 10 | 4 | 5 | 1 | – | – | – | – | Renfrew |
| 9 | 6 | 14 | 11 | 14 | 18 | 37 | 21 | 27 | 15 | 19 | 4 | – | 1 | – | – | Ayr |
| 34 | 47 | 47 | 51 | 58 | 63 | 62 | 69 | 48 | 50 | 22 | 11 | – | 1 | – | – | Lanark |
| 4 | – | 1 | 5 | 3 | 5 | 8 | 3 | 7 | 5 | 2 | 1 | – | – | – | – | Linlithgow |
| 25 | 16 | 10 | 16 | 34 | 20 | 38 | 31 | 28 | 32 | 17 | 8 | – | – | – | | Edinburgh |
| 2 | – | – | 2 | 3 | 4 | 9 | 4 | 9 | 13 | 6 | 3 | 1 | – | – | – | Haddington |
| 2 | – | 7 | 4 | 5 | 7 | 9 | 9 | 12 | 17 | 10 | 8 | 1 | – | – | – | Berwick |
| 3 | 2 | – | 4 | 2 | 4 | 5 | – | 3 | 4 | 1 | 2 | – | – | – | – | Peebles |
| 1 | – | – | 1 | 2 | – | 1 | – | 1 | 1 | 5 | – | – | – | – | – | Selkirk |
| 2 | 3 | 1 | 3 | 9 | 6 | 10 | 13 | 11 | 15 | 9 | 5 | 3 | – | – | – | Roxburgh |
| 5 | 6 | 7 | 10 | 15 | 22 | 19 | 20 | 30 | 22 | 19 | 12 | 1 | – | – | – | Dumfries |
| 5 | 3 | 8 | 6 | 4 | 4 | 13 | 14 | 8 | 16 | 11 | 5 | – | 2 | – | 2 | Kirkcudbright |
| 4 | 5 | 5 | 6 | 11 | 9 | 13 | 11 | 11 | 14 | 13 | 7 | 1 | – | – | 1 | Wigtown |
| | | | | | | | | | | | | | | | | **Insular-Rural Districts, County of:—** |
| 5 | 2 | 5 | 2 | 3 | 4 | 12 | 9 | 6 | 12 | 11 | 7 | 4 | – | – | 1 | Shetland |
| 5 | 4 | 7 | 3 | 1 | 4 | 5 | 7 | 17 | 21 | 16 | 11 | 2 | – | – | 7 | Orkney |
| 3 | 2 | 4 | 2 | 5 | – | 6 | 7 | 14 | 16 | 9 | 3 | 3 | 1 | – | – | Ross and Cromarty |
| 12 | 8 | 10 | 7 | 8 | 9 | 16 | 18 | 16 | 19 | 23 | 14 | 4 | – | 1 | – | Inverness |
| 3 | 4 | 4 | 3 | 4 | 5 | 8 | 14 | 9 | 14 | 18 | 11 | 5 | 1 | 1 | – | Argyll |
| 4 | 3 | 3 | 5 | 2 | 2 | 10 | 6 | 7 | 8 | 8 | 2 | – | – | – | – | Bute |

DEATHS at Different Ages in the RURAL DISTRICTS of SCOTLAND, 1903.—FEMALES.

| | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| **Mainland-Rural Districts, County of:—** | | | | | | | | | | | | | |
| Caithness | 134 | 3 | 2 | 2 | 3 | – | – | 1 | – | 2 | 2 | 3 | 2 |
| Sutherland | 210 | 9 | 4 | 1 | 1 | 1 | 1 | 1 | 4 | 3 | 5 | 8 | 1 |
| Ross and Cromarty | 407 | 13 | 7 | 5 | 6 | 2 | 4 | 1 | 10 | 3 | 4 | 9 | 10 |
| Inverness | 215 | 9 | 3 | 5 | 9 | – | 1 | – | 4 | 3 | 5 | 7 | 10 |
| Nairn | 19 | – | – | 1 | 1 | – | 1 | – | – | – | – | 2 | – |
| Elgin | 195 | 11 | 4 | 12 | 6 | – | 1 | 2 | – | 3 | 6 | 5 | 7 |
| Banff | 253 | 23 | 7 | 9 | 7 | 5 | 2 | 1 | 6 | 7 | 5 | 13 | 5 |
| Aberdeen | 752 | 51 | 25 | 16 | 29 | 4 | 5 | 5 | 20 | 12 | 16 | 22 | 26 |
| Kincardine | 137 | 15 | 5 | 5 | 3 | 5 | 2 | 4 | 3 | 4 | 4 | 7 | 4 |
| Forfar | 228 | 19 | 5 | 3 | 3 | 5 | – | – | 4 | 2 | 5 | 8 | 7 |
| Perth | 534 | 24 | 10 | 12 | 7 | 7 | 5 | 1 | 14 | 9 | 16 | 16 | 16 |
| Fife | 509 | 26 | 4 | 7 | 10 | 7 | 4 | 5 | 9 | 17 | 11 | 11 | 24 |
| Kinross | 33 | 3 | – | 2 | – | – | 1 | – | – | – | 1 | 1 | – |
| Clackmannan | 31 | 3 | 1 | 1 | – | 1 | – | – | 3 | – | – | 1 | 1 |
| Stirling | 204 | 23 | 1 | 8 | 17 | 1 | 2 | 2 | 5 | 7 | 7 | 4 | 7 |
| Dumbarton | 65 | 5 | 1 | 3 | 3 | 2 | – | 1 | – | 2 | 1 | 2 | 4 |
| Argyll | 261 | 12 | 2 | 7 | 4 | 2 | 2 | 2 | 6 | 5 | 8 | 9 | 10 |
| Renfrew | 134 | 7 | 1 | 4 | 2 | 1 | – | – | 6 | 2 | 5 | 5 | 4 |
| Ayr | 336 | 43 | 11 | 17 | 13 | 3 | 1 | 6 | 14 | 8 | 14 | 8 | 15 |
| Lanark | 780 | 74 | 23 | 36 | 37 | 13 | 13 | 11 | 15 | 8 | 18 | 25 | 28 |
| Linlithgow | 106 | 11 | 4 | 10 | 7 | – | 2 | – | 4 | 7 | – | 1 | 5 |
| Edinburgh | 377 | 25 | 10 | 19 | 13 | 5 | 4 | 5 | 10 | 7 | 8 | 12 | 14 |
| Haddington | 103 | 5 | 3 | 1 | 2 | 1 | – | – | – | 1 | 4 | 2 | 1 |
| Berwick | 170 | 3 | – | 3 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 5 | 7 |
| Peebles | 40 | 1 | 3 | 1 | – | – | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| Selkirk | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Roxburgh | 118 | 9 | 4 | 1 | – | – | – | 1 | 2 | – | 3 | 6 | 4 |
| Dumfries | 321 | 20 | 9 | 7 | 4 | 6 | 1 | 2 | 9 | 6 | 10 | 11 | 7 |
| Kirkcudbright | 162 | 8 | 4 | 1 | 3 | 2 | – | 2 | 4 | 6 | 8 | 4 | 7 |
| Wigtown | 165 | 11 | 2 | 7 | 2 | 2 | – | 3 | 4 | 1 | 6 | 4 | 6 |
| **Insular-Rural Districts, County of:—** | | | | | | | | | | | | | |
| Shetland | 194 | 6 | 4 | 3 | – | – | 1 | 1 | 1 | 3 | 5 | 7 | 7 |
| Orkney | 162 | 12 | 1 | 2 | 4 | – | – | – | 1 | 1 | 3 | 5 | 3 |
| Ross and Cromarty | 143 | 2 | 7 | 2 | 8 | 2 | 5 | 2 | 4 | 1 | 9 | 6 | 2 |
| Inverness | 269 | 18 | 3 | 4 | 12 | 2 | – | – | 6 | 5 | 8 | 8 | 10 |
| Argyll | 129 | 3 | 1 | 1 | 2 | 2 | – | 1 | 4 | 2 | 1 | 4 | 1 |
| Bute | 74 | 8 | 1 | 3 | 2 | 1 | – | – | 1 | – | 1 | 2 | 2 |

DEATHS at Different Ages in the RURAL DISTRICTS of SCOTLAND, 1903.—FEMALES.

| FEMALES. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| AGE UNDER | | | | | | | | | | | | | | | | |
| 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? | |
| | | | | | | | | | | | | | | | | **Mainland-Rural Districts, County of:—** |
| 3 | 4 | 2 | 4 | 1 | 8 | 7 | 5 | 22 | 18 | 18 | 11 | 8 | 3 | – | – | Caithness |
| 3 | 10 | 2 | 6 | 4 | 5 | 17 | 15 | 18 | 21 | 36 | 20 | 12 | 2 | – | – | Sutherland |
| 18 | 9 | 14 | 9 | 16 | 11 | 26 | 31 | 46 | 47 | 63 | 24 | 13 | 6 | – | – | Ross and Cromarty |
| 3 | 4 | 3 | 5 | 9 | 9 | 14 | 19 | 25 | 22 | 15 | 16 | 14 | – | 1 | – | Inverness |
| 1 | 1 | 2 | – | – | – | 2 | – | 1 | 1 | 4 | 1 | 1 | – | – | – | Nairn |
| 3 | 6 | 2 | 5 | 7 | 4 | 12 | 13 | 27 | 24 | 19 | 12 | 4 | – | – | – | Elgin |
| 7 | 7 | 6 | 9 | 11 | 6 | 14 | 15 | 25 | 21 | 25 | 14 | 2 | 1 | – | – | Banff. |
| 14 | 13 | 23 | 16 | 22 | 34 | 41 | 58 | 78 | 78 | 76 | 43 | 15 | 9 | 1 | – | Aberdeen |
| – | 3 | 4 | 5 | 1 | 4 | 6 | 5 | 10 | 14 | 11 | 8 | 4 | 1 | – | – | Kincardine |
| 7 | 11 | 12 | 5 | 7 | 7 | 17 | 22 | 25 | 20 | 18 | 9 | 6 | 1 | – | – | Forfar |
| 11 | 9 | 16 | 16 | 14 | 27 | 44 | 39 | 51 | 64 | 50 | 33 | 18 | 5 | – | – | Perth |
| 18 | 16 | 7 | 12 | 14 | 21 | 38 | 39 | 50 | 67 | 50 | 33 | 8 | 1 | – | – | Fife |
| 1 | 2 | – | 2 | – | 3 | 2 | 2 | 3 | 3 | 5 | 2 | – | – | – | – | Kinross |
| 3 | – | 1 | 1 | – | 3 | 2 | 2 | 3 | 2 | 2 | – | 1 | – | – | – | Clackmannan |
| 6 | 8 | 11 | 3 | 7 | 8 | 10 | 11 | 19 | 16 | 11 | 5 | 4 | 1 | – | – | Stirling |
| 1 | 2 | – | – | 2 | 3 | 6 | 6 | 7 | 8 | 2 | 2 | 2 | – | – | – | Dumbarton |
| 8 | 12 | 10 | 18 | 15 | 11 | 13 | 19 | 11 | 28 | 27 | 15 | 4 | 1 | – | – | Argyll |
| 10 | 5 | 7 | 3 | 9 | 6 | 11 | 9 | 11 | 14 | 7 | 4 | 1 | – | – | – | Renfrew |
| 13 | 10 | 9 | 14 | 13 | 14 | 20 | 14 | 32 | 13 | 21 | 7 | 3 | – | – | – | Ayr |
| 25 | 42 | 28 | 39 | 33 | 35 | 60 | 56 | 60 | 49 | 29 | 19 | 2 | 2 | – | – | Lanark |
| 2 | 6 | 2 | 2 | 4 | 7 | 5 | 7 | 5 | 5 | 5 | 3 | 2 | – | – | – | Linlithgow |
| 14 | 19 | 17 | 16 | 13 | 18 | 18 | 38 | 34 | 22 | 25 | 7 | 2 | 2 | – | – | Edinburgh |
| 3 | 1 | 4 | 2 | 9 | 7 | 10 | 12 | 14 | 8 | 6 | 6 | 1 | – | – | – | Haddington |
| 11 | 6 | 4 | 5 | 6 | 12 | 10 | 11 | 19 | 29 | 18 | 9 | 1 | – | – | – | Berwick |
| 3 | 2 | – | 1 | 4 | – | 2 | – | 2 | 4 | 5 | 3 | 1 | – | – | – | Peebles |
| – | 1 | – | – | – | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – | Selkirk |
| 5 | 11 | 3 | 4 | 9 | 6 | 16 | 10 | 5 | 7 | 6 | 5 | – | 1 | – | – | Roxburgh |
| 12 | 7 | 5 | 14 | 14 | 13 | 32 | 30 | 28 | 24 | 31 | 12 | 7 | – | – | – | Dumfries |
| 2 | 5 | 3 | 5 | 5 | 4 | 13 | 19 | 12 | 13 | 19 | 7 | 6 | – | – | – | Kirkcudbright |
| 2 | 6 | 3 | 11 | 8 | 9 | 10 | 15 | 13 | 12 | 16 | 6 | 5 | 1 | – | – | Wigtown |
| | | | | | | | | | | | | | | | | **Insular-Rural Districts, County of:—** |
| 4 | 3 | 3 | 3 | 8 | 5 | 10 | 18 | 13 | 21 | 33 | 24 | 8 | 3 | – | – | Shetland |
| 4 | 5 | 3 | 4 | 5 | 5 | 2 | 16 | 19 | 18 | 27 | 16 | 4 | 1 | 1 | – | Orkney |
| 3 | 2 | 6 | 7 | 4 | 10 | 5 | 6 | 14 | 15 | 12 | 6 | 2 | 1 | – | – | Ross and Cromarty |
| 9 | 6 | 2 | 9 | 10 | 13 | 18 | 21 | 17 | 26 | 36 | 19 | 4 | 3 | – | – | Inverness |
| 4 | 4 | 1 | 3 | 5 | 9 | 10 | 7 | 16 | 13 | 12 | 11 | 5 | 5 | 2 | – | Argyll |
| 3 | 4 | 2 | 3 | 2 | 1 | 3 | 4 | 11 | 12 | 3 | 2 | 3 | – | – | – | Bute |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES.

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 38136 | 175 | 189 | 263 | 170 | 642 | 680 | 57 | 340 | 413 | 2418 | 295 | 2187 | 905 | 1601 | 64 |
| A.—GENERAL DISEASES | 16742 | 64 | 63 | 98 | 69 | 258 | 235 | 18 | 143 | 154 | 1031 | 112 | 944 | 351 | 666 | 26 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2763 | 4 | 8 | 25 | 6 | 44 | 51 | 4 | 25 | 30 | 167 | 17 | 164 | 67 | 114 | 5 |
| II. ,, ORGANS OF SPECIAL SENSE | 97 | 1 | – | – | – | – | – | – | 1 | 3 | 7 | 1 | 8 | 2 | 5 | – |
| III. ,, HEART | 3576 | 20 | 20 | 19 | 24 | 58 | 78 | 6 | 44 | 49 | 241 | 25 | 240 | 119 | 166 | 10 |
| IV. ,, BLOOD VESSELS | 2113 | 8 | 11 | 21 | 14 | 37 | 38 | 5 | 14 | 26 | 125 | 22 | 148 | 78 | 107 | 9 |
| V. ,, RESPIRATORY SYSTEM | 3185 | 11 | 10 | 26 | 7 | 58 | 32 | 4 | 24 | 35 | 218 | 21 | 188 | 70 | 106 | 4 |
| VI. ,, DIGESTIVE SYSTEM | 2620 | 10 | 12 | 15 | 8 | 38 | 40 | 3 | 29 | 31 | 191 | 22 | 127 | 60 | 107 | 3 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 46 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | 5 | 1 | 1 | – |
| VIII. ,, URINARY SYSTEM | 1329 | 5 | 9 | 7 | 5 | 22 | 31 | 2 | 13 | 22 | 102 | 16 | 73 | 34 | 44 | 2 |
| IX. ,, GENERATIVE SYSTEM | 9 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 116 | – | 3 | – | – | – | 1 | – | – | 1 | 13 | – | 5 | 2 | 2 | – |
| XII. ,, THE SKIN | 52 | – | – | – | 1 | – | 3 | – | – | – | 5 | – | 2 | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 3252 | 34 | 36 | 39 | 26 | 93 | 136 | 10 | 30 | 49 | 204 | 36 | 182 | 71 | 144 | 3 |
| E.—VIOLENT DEATHS. | 2236 | 18 | 17 | 13 | 10 | 34 | 35 | 4 | 16 | 13 | 111 | 23 | 101 | 49 | 139 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 11 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Measles | 595 | 2 | – | 1 | – | 17 | 1 | – | – | 2 | 94 | 13 | 4 | 1 | 23 | 1 |
| German Measles | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 194 | 1 | – | 1 | 1 | – | – | 1 | 1 | 1 | 10 | – | 6 | 6 | 6 | – |
| Typhus | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 412 | 7 | 8 | 6 | 10 | 18 | 8 | – | 7 | 7 | 40 | 3 | 22 | 13 | 12 | 1 |
| Hooping-cough | 885 | 1 | – | 6 | 5 | 3 | 4 | – | 6 | 6 | 21 | 12 | 28 | 5 | 4 | – |
| Mumps | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diphtheria | 298 | 1 | 1 | – | – | 4 | 5 | – | 2 | 8 | 11 | 3 | 13 | 8 | 9 | 1 |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 8 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Enteric Fever | 306 | 6 | – | – | 1 | 9 | 1 | – | 2 | 1 | 8 | – | 17 | 1 | 20 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES.

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 37866 | 254 | 227 | 313 | 210 | 690 | 741 | 76 | 379 | 476 | 2403 | 267 | 2547 | 1024 | 1683 | 59 |
| A.—GENERAL DISEASES | 16578 | 63 | 83 | 87 | 65 | 262 | 242 | 32 | 150 | 187 | 1023 | 111 | 1069 | 413 | 713 | 26 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2294 | 13 | 3 | 13 | 10 | 32 | 51 | 6 | 22 | 20 | 127 | 20 | 150 | 50 | 104 | 2 |
| II. " ORGANS OF SPECIAL SENSE | 72 | – | – | 1 | – | – | 1 | – | 1 | – | 7 | – | 6 | 1 | 2 | – |
| III. " HEART | 3848 | 21 | 31 | 39 | 19 | 69 | 80 | 4 | 45 | 47 | 250 | 28 | 314 | 131 | 208 | 8 |
| IV. " BLOOD VESSELS | 2492 | 9 | 19 | 29 | 11 | 38 | 44 | 6 | 38 | 34 | 167 | 17 | 200 | 96 | 127 | 3 |
| V. " RESPIRATORY SYSTEM | 3177 | 25 | 17 | 37 | 14 | 68 | 57 | 6 | 31 | 54 | 237 | 18 | 231 | 73 | 119 | 2 |
| VI. " DIGESTIVE SYSTEM | 2665 | 10 | 13 | 14 | 8 | 35 | 36 | 2 | 33 | 41 | 188 | 14 | 146 | 71 | 111 | 7 |
| VII. " LYMPHATIC AND DUCTLESS GLANDS | 100 | – | 2 | 2 | – | 2 | – | – | 1 | 3 | 10 | – | 5 | 1 | 8 | – |
| VIII. " URINARY SYSTEM | 848 | 2 | 6 | 4 | 5 | 18 | 14 | 2 | 7 | 6 | 52 | 2 | 58 | 14 | 36 | 2 |
| IX. " GENERATIVE SYSTEM | 195 | 1 | 1 | 1 | – | 3 | 5 | 1 | 2 | 6 | 4 | 3 | 13 | 4 | 7 | – |
| X. " PREGNANCY AND CHILDBIRTH | 406 | 3 | 2 | 3 | – | 6 | 4 | – | 1 | 5 | 24 | 4 | 14 | 5 | 21 | 1 |
| XI. " LOCOMOTOR SYSTEM | 93 | – | – | 3 | – | 3 | 1 | 2 | 1 | 2 | 6 | – | 3 | 1 | 5 | – |
| XII. " THE SKIN | 59 | – | – | – | – | 1 | 1 | – | – | 1 | 4 | 2 | 2 | 2 | 4 | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 4161 | 102 | 49 | 77 | 72 | 138 | 195 | 13 | 36 | 56 | 252 | 38 | 260 | 137 | 179 | 7 |
| E.—VIOLENT DEATHS | 878 | 5 | 1 | 3 | 6 | 15 | 10 | 2 | 11 | 14 | 52 | 10 | 76 | 25 | 39 | 1 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | 5 | – | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – |
| Small-pox, Not Vaccinated | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Small-pox, Doubtful | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 9 | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – |
| Measles | 538 | 1 | – | – | – | 14 | – | – | – | 6 | 77 | 14 | 1 | 2 | 17 | – |
| German Measles | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 213 | – | – | – | – | 1 | 4 | 1 | 1 | 3 | 11 | – | 4 | 9 | 3 | 1 |
| Typhus | 7 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 555 | 11 | 7 | 8 | 3 | 24 | 22 | 1 | 13 | 16 | 50 | 6 | 14 | 23 | 28 | 1 |
| Hooping-cough | 1061 | – | – | 5 | 4 | 2 | 15 | 5 | 8 | 6 | 38 | 8 | 37 | 9 | 12 | 1 |
| Mumps | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 342 | 1 | – | 1 | – | 5 | 2 | – | 2 | 3 | 23 | 1 | 14 | 16 | 20 | 1 |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Enteric Fever | 246 | 1 | 1 | 1 | – | 9 | 2 | – | 2 | 2 | 10 | 1 | 23 | 5 | 10 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 210 | 1189 | 985 | 615 | 146 | 2659 | 2128 | 12739 | 456 | 4278 | 316 | 191 | 93 | 183 | 379 | 603 | 320 |
| A.—GENERAL DISEASES | 74 | 477 | 419 | 223 | 53 | 1187 | 864 | 6032 | 183 | 2068 | 140 | 69 | 38 | 84 | 126 | 259 | 125 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 14 | 110 | 86 | 34 | 9 | 217 | 132 | 950 | 33 | 276 | 24 | 19 | 3 | 13 | 35 | 42 | 22 |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | 2 | 1 | – | 11 | 3 | 34 | 1 | 13 | 2 | – | – | – | 1 | – | 1 |
| III. ,, HEART | 24 | 116 | 95 | 67 | 18 | 246 | 218 | 922 | 33 | 425 | 37 | 26 | 12 | 22 | 62 | 74 | 38 |
| IV. ,, BLOOD VESSELS | 19 | 63 | 42 | 47 | 13 | 134 | 112 | 562 | 22 | 256 | 22 | 15 | 9 | 14 | 35 | 42 | 21 |
| V. ,, RESPIRATORY SYSTEM | 12 | 116 | 105 | 42 | 7 | 229 | 189 | 1186 | 51 | 273 | 26 | 7 | 8 | 11 | 22 | 40 | 23 |
| VI. ,, DIGESTIVE SYSTEM | 18 | 84 | 63 | 42 | 8 | 172 | 164 | 899 | 51 | 281 | 13 | 11 | 7 | 9 | 19 | 35 | 28 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | 4 | 1 | – | – | 4 | 4 | 14 | – | 7 | 1 | – | 1 | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 5 | 33 | 31 | 30 | 13 | 106 | 81 | 372 | 9 | 170 | 10 | 4 | 2 | 8 | 18 | 26 | 17 |
| IX. ,, GENERATIVE SYSTEM | – | – | 1 | – | – | 1 | – | 4 | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | 3 | 1 | 5 | 1 | 8 | 12 | 45 | 1 | 11 | – | – | – | – | – | 1 | 1 |
| XII. ,, THE SKIN | 1 | 1 | 3 | – | – | 2 | 3 | 13 | – | 7 | 2 | – | – | 2 | 1 | 3 | 2 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 27 | 109 | 72 | 93 | 9 | 183 | 208 | 956 | 39 | 242 | 24 | 27 | 8 | 14 | 39 | 48 | 26 |
| E.—VIOLENT DEATHS. | 16 | 73 | 64 | 31 | 15 | 159 | 138 | 750 | 33 | 249 | 15 | 13 | 5 | 6 | 21 | 33 | 16 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | 2 | – | 11 | – | 1 | – | – | – | 1 | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | 1 | 4 | – | 1 | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | 4 | – | – | – | – | 1 | 1 | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | 2 | – | 6 | – | 1 | – | – | – | – | – | – | – |
| Measles | 1 | 7 | 2 | 1 | 1 | 20 | 10 | 289 | – | 84 | 14 | 1 | – | 2 | 2 | 2 | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 3 | 4 | – | – | 38 | 14 | 62 | 5 | 31 | – | – | – | – | 2 | – | 1 |
| Typhus | – | – | – | – | – | 2 | – | 4 | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | 14 | 13 | 22 | 2 | 19 | 34 | 66 | 2 | 35 | 8 | 2 | 5 | 1 | 5 | 6 | 6 |
| Hooping-cough | – | 10 | 27 | 9 | – | 73 | 42 | 488 | 2 | 91 | 7 | 1 | 2 | 6 | 4 | 15 | 7 |
| Mumps | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 12 | 9 | 4 | 1 | 21 | 15 | 94 | 11 | 42 | 3 | 3 | – | 2 | 5 | 3 | 4 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | 5 | – | – | – | – | – | 1 | – | – | – |
| Enteric Fever | 3 | 7 | 8 | 3 | – | 25 | 25 | 140 | 7 | 18 | 1 | – | – | – | – | – | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 247 | 1102 | 904 | 629 | 155 | 2658 | 1995 | 11765 | 459 | 4187 | 308 | 218 | 98 | 184 | 401 | 617 | 325 | 265 |
| A.—GENERAL DISEASES | 100 | 451 | 432 | 237 | 60 | 1178 | 818 | 5629 | 195 | 1971 | 136 | 84 | 37 | 91 | 170 | 242 | 137 | 84 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 14 | 88 | 64 | 32 | 12 | 168 | 136 | 749 | 23 | 242 | 14 | 7 | 10 | 7 | 22 | 55 | 11 | 17 |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | 4 | – | 1 | 1 | 4 | 5 | 22 | 1 | 13 | – | – | – | – | – | – | 1 | – |
| III. ,, HEART | 26 | 120 | 90 | 70 | 16 | 254 | 199 | 941 | 36 | 477 | 43 | 27 | 9 | 20 | 56 | 83 | 51 | 36 |
| IV. ,, BLOOD VESSELS | 20 | 62 | 52 | 52 | 16 | 166 | 135 | 616 | 37 | 266 | 28 | 27 | 9 | 23 | 32 | 58 | 32 | 23 |
| V. ,, RESPIRATORY SYSTEM | 20 | 78 | 76 | 44 | 9 | 224 | 163 | 1051 | 37 | 313 | 20 | 16 | 7 | 8 | 26 | 44 | 29 | 23 |
| VI. ,, DIGESTIVE SYSTEM | 19 | 88 | 60 | 38 | 10 | 195 | 170 | 895 | 42 | 279 | 11 | 10 | 8 | 9 | 24 | 33 | 19 | 26 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | 3 | 4 | 2 | – | 7 | 7 | 21 | 1 | 11 | – | 1 | – | 1 | 2 | 1 | 1 | 3 |
| VIII. ,, URINARY SYSTEM | 9 | 23 | 18 | 16 | 8 | 62 | 58 | 250 | 8 | 101 | 9 | 6 | 4 | 4 | 12 | 19 | 7 | 6 |
| IX. ,, GENERATIVE SYSTEM | 1 | 5 | 2 | 3 | – | 15 | 10 | 61 | 1 | 37 | 1 | 1 | – | – | 1 | 5 | 1 | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 4 | 13 | 7 | 7 | – | 44 | 21 | 131 | 6 | 52 | 2 | 5 | – | 2 | 5 | 8 | 5 | 1 |
| XI. ,, LOCOMOTOR SYSTEM | 1 | 4 | 3 | 2 | 1 | 6 | 4 | 27 | 1 | 10 | 1 | – | – | 1 | 1 | 1 | 1 | 2 |
| XII. ,, THE SKIN | – | 1 | – | 1 | 1 | 5 | 3 | 20 | 1 | 7 | 2 | – | – | – | – | 1 | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 23 | 137 | 78 | 110 | 18 | 252 | 222 | 1096 | 57 | 299 | 37 | 24 | 13 | 15 | 43 | 64 | 24 | 38 |
| E.—VIOLENT DEATHS | 8 | 25 | 18 | 14 | 3 | 78 | 44 | 256 | 13 | 109 | 4 | 10 | 1 | 3 | 7 | 3 | 6 | 6 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | 1 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | 1 | – | 4 | – | – | – | – | – | – | – | 1 | – | – |
| Measles | – | 5 | 1 | 1 | 2 | 23 | 10 | 269 | – | 80 | 5 | 1 | 2 | 3 | – | 2 | 2 | – |
| German Measles | – | – | – | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | 4 | 4 | 1 | – | 38 | 17 | 63 | 6 | 27 | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 1 |
| Typhus | – | – | – | – | – | – | 1 | 4 | | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 13 | 17 | 18 | 1 | 28 | 36 | 99 | 4 | 45 | 11 | 5 | 3 | 3 | 9 | 16 | 7 | 9 |
| Hooping-cough | 1 | 17 | 29 | 12 | 2 | 88 | 45 | 542 | 8 | 117 | 11 | 1 | 3 | 4 | 11 | 15 | 5 | – |
| Mumps | – | – | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | | 8 | 9 | 3 | 1 | 23 | 17 | 103 | 9 | 53 | 7 | 2 | 2 | 2 | 5 | 3 | 5 | 1 |
| Cerebro-spinal Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | 2 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 6 | – | – | 32 | 11 | 93 | 5 | 19 | 2 | 3 | – | – | 2 | 3 | 2 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 101 | – | – | – | – | – | – | – | – | 2 | 9 | – | 17 | 2 | 6 | – |
| Diarrhœa (not otherwise defined) | 593 | – | 1 | 1 | 1 | 3 | 5 | – | 6 | 2 | 45 | 4 | 61 | 7 | 17 | – |
| Dysentery | 19 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 2 | 2 | – |
| Malaria | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 25 | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | 1 | 1 | – |
| Syphilis | 101 | – | 1 | – | – | 1 | 1 | 1 | 1 | – | 9 | 1 | 11 | – | 3 | – |
| Gonorrhœa | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 112 | – | – | 2 | – | – | 1 | – | 2 | 2 | 9 | 2 | 4 | 5 | 7 | – |
| Septicæmia (not Puerperal) | 58 | – | 2 | – | – | 5 | – | – | – | – | 4 | 1 | 7 | – | 3 | – |
| Pyæmia (not Puerperal) | 15 | – | – | – | – | – | 1 | – | – | 1 | 2 | – | 1 | 1 | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 59 | – | – | – | – | 1 | 1 | – | 1 | – | 3 | 1 | 6 | 1 | 5 | – |
| Phagedæna | 31 | 1 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 3 | – |
| Infective Endocarditis | 8 | 1 | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Pneumonia — Lobar | 392 | 2 | 2 | 2 | – | 3 | 3 | 2 | 2 | 5 | 37 | 2 | 35 | 3 | 6 | 1 |
| Pneumonia — Broncho | 1144 | 1 | 1 | 3 | – | 14 | 7 | 1 | 3 | 5 | 62 | 9 | 60 | 23 | 50 | 3 |
| Pneumonia — Epidemic | 14 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pneumonia — Not defined | 2153 | 7 | 4 | 18 | 5 | 36 | 45 | 5 | 17 | 16 | 102 | 12 | 101 | 38 | 101 | 1 |
| Other Infective Conditions | 43 | – | – | 1 | – | 2 | – | – | – | – | 3 | – | 1 | 1 | – | 1 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 509 | 1 | 2 | 6 | 5 | 3 | 14 | – | 7 | 3 | 39 | 2 | 41 | 11 | 15 | 4 |
| Phthisis (not otherwise defined) | 2709 | 14 | 11 | 13 | 22 | 67 | 54 | 2 | 31 | 24 | 134 | 12 | 136 | 64 | 104 | – |
| Tuberculous Meningitis | 586 | 1 | 4 | 3 | 1 | 4 | 5 | – | 5 | 6 | 36 | 4 | 35 | 8 | 34 | 1 |
| Tuberculous Peritonitis | 300 | – | 1 | 3 | 2 | 2 | 4 | – | 3 | 7 | 24 | 3 | 21 | 3 | 12 | – |
| Tabes Mesenterica | 203 | – | 1 | – | – | 3 | 1 | – | 1 | 1 | 7 | – | 8 | 4 | 8 | – |
| Lupus | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Tubercle of other Organs | 160 | 2 | 1 | 1 | 1 | 2 | 3 | 1 | 2 | 2 | 13 | – | 9 | 1 | 6 | 1 |
| General Tuberculosis | 382 | 1 | 1 | 1 | – | 3 | 5 | 1 | 3 | 4 | 18 | 3 | 25 | 8 | 20 | – |
| Scrofula | 8 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| Parasitic Diseases | 7 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Starvation | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Scurvy | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Alcoholism, Delirium Tremens | 183 | – | – | – | – | – | 2 | – | 2 | 4 | 10 | 2 | 9 | 6 | 7 | – |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ptomaine Poisoning | 8 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 74 | 1 | – | – | – | – | – | – | – | – | 2 | – | 6 | – | 4 | – |
| Diarrhœa (not otherwise defined) | 521 | 2 | – | 2 | – | 2 | 4 | – | 5 | 5 | 30 | 1 | 43 | 7 | 21 | – |
| Dysentery | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 9 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – |
| Syphilis | 112 | – | 2 | 2 | – | – | – | – | – | – | 5 | 1 | 11 | 1 | 2 | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 110 | 2 | – | 1 | – | 1 | 1 | – | – | 3 | 2 | – | 7 | 2 | 12 | – |
| Puerperal Pyæmia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Phlegmasia Alba Dolens | 12 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Puerperal Fever (not otherwise defined) | 175 | – | 1 | 1 | 1 | 3 | 3 | 1 | – | 5 | 6 | 1 | 7 | 3 | 3 | – |
| Erysipelas | 124 | 1 | – | 3 | – | 2 | 3 | – | – | – | 10 | 1 | 7 | 5 | 7 | – |
| Septicæmia (not Puerperal) | 58 | – | 1 | 1 | – | – | 2 | 1 | 1 | 1 | 2 | – | 5 | – | 2 | – |
| Pyæmia (not Puerperal) | 14 | – | – | – | – | – | 1 | – | – | – | 4 | – | 1 | 1 | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 48 | – | – | 1 | – | – | 3 | – | – | – | 3 | 1 | 5 | – | 3 | – |
| Phagedæna | 29 | – | – | – | – | 2 | – | – | – | – | 3 | – | 1 | – | 2 | – |
| Infective Endocarditis | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia — Lobar | 247 | 1 | – | 1 | – | 2 | 2 | – | – | 2 | 15 | 2 | 18 | 6 | 12 | – |
| Pneumonia — Broncho | 960 | – | 2 | 1 | – | 11 | 10 | 2 | 4 | 9 | 58 | 5 | 77 | 10 | 34 | 1 |
| Pneumonia — Epidemic | 13 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | 1 | – | – |
| Pneumonia — Not defined | 1552 | 4 | 4 | 11 | 9 | 45 | 28 | 6 | 16 | 9 | 72 | 11 | 82 | 47 | 72 | 5 |
| Other Infective Conditions | 27 | – | – | 1 | – | – | 1 | – | 1 | 1 | 1 | – | 3 | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 576 | 3 | 3 | 5 | 7 | 6 | 9 | 1 | 5 | 10 | 48 | 6 | 54 | 20 | 15 | 2 |
| Phthisis (not otherwise defined) | 2836 | 24 | 15 | 5 | 12 | 53 | 48 | 6 | 36 | 31 | 170 | 12 | 218 | 83 | 124 | 2 |
| Tuberculous Meningitis | 544 | 1 | 3 | 3 | – | 5 | 3 | – | 4 | 4 | 33 | 1 | 42 | 7 | 29 | – |
| Tuberculous Peritonitis | 295 | – | 2 | 2 | – | 3 | – | 1 | 1 | 2 | 19 | – | 31 | 7 | 13 | – |
| Tabes Mesenterica | 148 | – | – | – | 1 | 2 | – | – | 2 | – | 6 | – | 7 | 2 | – | – |
| Lupus | 6 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| Tubercle of other Organs | 127 | – | – | 1 | – | – | 1 | – | 3 | 3 | 6 | 1 | 14 | 6 | 9 | – |
| General Tuberculosis | 320 | – | 4 | 2 | – | – | 3 | – | 3 | 1 | 20 | 2 | 19 | 7 | 17 | – |
| Scrofula | 14 | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – | 1 | – | – |
| Parasitic Diseases | 5 | – | – | – | – | – | 1 | – | – | – | 2 | – | 1 | – | – | – |
| Starvation | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 106 | – | – | – | – | – | – | – | 1 | – | 6 | – | 8 | 1 | 5 | – |
| Opium, Morphia Habit | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ptomaine Poisoning | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | 2 | 1 | – | – | 6 | 8 | 33 | – | 12 | 1 | – | – | – | – | 1 | 1 | – |
| Diarrhœa (not otherwise defined) | 2 | 12 | 7 | 6 | – | 57 | 35 | 218 | 15 | 45 | 5 | 4 | – | 7 | 2 | 16 | 2 | 7 |
| Dysentery | 1 | – | – | 1 | – | 2 | – | 4 | – | 2 | – | 1 | – | – | – | – | 1 | – |
| Malaria | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | 1 | – | 3 | 2 | 7 | – | 3 | – | – | – | – | – | – | 2 | 1 |
| Syphilis | – | 2 | – | – | – | 8 | 3 | 43 | – | 16 | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 3 | 4 | 1 | – | 8 | 4 | 33 | 4 | 15 | 1 | 1 | – | 2 | – | 1 | – | – |
| Septicæmia (not Puerperal) | – | 2 | 1 | 1 | – | 4 | – | 18 | – | 7 | – | – | – | – | 1 | – | – | 2 |
| Pyæmia (not Puerperal) | – | 1 | – | 1 | – | – | 3 | 3 | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 3 | – | 3 | – | 4 | 3 | 20 | – | 5 | 1 | – | – | – | – | – | 1 | – |
| Phagedæna | – | 1 | 4 | 1 | 1 | 1 | 1 | 11 | – | 3 | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | 1 | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | 16 | 4 | 1 | – | 21 | 17 | 133 | 6 | 79 | 1 | 4 | – | – | – | 1 | 2 | 2 |
| Pneumonia — Broncho | 2 | 33 | 38 | 4 | 1 | 66 | 53 | 541 | 13 | 113 | 8 | 7 | 1 | 1 | 3 | 13 | 4 | 1 |
| Pneumonia — Epidemic | – | 1 | 1 | – | – | 1 | 1 | 5 | – | 4 | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 6 | 76 | 61 | 20 | 13 | 150 | 115 | 865 | 32 | 212 | 14 | 4 | 5 | 8 | 6 | 35 | 17 | 6 |
| Other Infective Conditions | – | 1 | – | – | – | 5 | – | 18 | – | 8 | – | 1 | – | – | 1 | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 3 | 11 | 11 | 12 | 4 | 28 | 31 | 126 | 5 | 86 | 4 | 3 | 1 | 6 | 8 | 13 | 1 | 3 |
| Phthisis (not otherwise defined) | 14 | 84 | 67 | 45 | 6 | 182 | 129 | 944 | 18 | 334 | 19 | 12 | 5 | 16 | 31 | 66 | 29 | 20 |
| Tuberculous Meningitis | 6 | 17 | 18 | 6 | 2 | 47 | 29 | 205 | 1 | 86 | 5 | 1 | 1 | 2 | 5 | 4 | 3 | 1 |
| Tuberculous Peritonitis | 4 | 3 | 6 | 2 | – | 15 | 14 | 116 | 3 | 38 | 2 | 1 | – | 1 | 2 | 3 | 4 | 1 |
| Tabes Mesenterica | – | 6 | 7 | 2 | 1 | 22 | 10 | 100 | 3 | 15 | – | – | 1 | – | 1 | 1 | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | 6 | 1 | 3 | 8 | 8 | 51 | 2 | 28 | 1 | 1 | – | 1 | 2 | 2 | – | 1 |
| General Tuberculosis | 1 | 18 | 16 | 2 | – | 34 | 22 | 132 | 3 | 41 | 1 | 1 | – | – | 4 | 7 | 5 | 2 |
| Scrofula | – | – | – | – | – | – | – | 3 | 1 | – | – | – | – | 1 | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 | – |
| Starvation | – | – | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 3 | 5 | 2 | 1 | 1 | 12 | 8 | 52 | 4 | 40 | – | – | 2 | 1 | 1 | 6 | – | 3 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | 2 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | 4 | – | – | 6 | 2 | 39 | – | 10 | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 5 | 8 | 9 | 6 | 1 | 51 | 33 | 201 | 11 | 41 | 3 | 3 | 3 | 4 | 3 | 5 | 5 | 7 |
| Dysentery | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | – | – | – | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Syphilis | – | 2 | 6 | 2 | 1 | 12 | 5 | 42 | – | 16 | – | – | – | – | – | 1 | – | 1 |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | 9 | 3 | 3 | – | 8 | 9 | 36 | – | 6 | 1 | – | – | – | 2 | 1 | – | 1 |
| Puerperal Pyæmia | – | – | – | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | 2 | – | – | 1 | – | 3 | – | 2 | – | 1 | – | – | – | 1 | – | – |
| Puerperal Fever (not otherwise defined) | 1 | 8 | 2 | 1 | 1 | 14 | 12 | 70 | 1 | 21 | – | 1 | 1 | – | 3 | 3 | 1 | – |
| Erysipelas | – | 4 | 7 | 4 | – | 8 | 10 | 35 | 2 | 7 | 2 | 3 | – | – | 1 | 1 | 1 | – |
| Septicæmia (not Puerperal) | – | 5 | – | 1 | – | 1 | 3 | 18 | 2 | 9 | 1 | 1 | – | – | – | 1 | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | 4 | – | 2 | – | – | 1 | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | 3 | – | – | 1 | 2 | 19 | – | 5 | – | – | – | – | – | 1 | – | – |
| Phagedæna | – | – | 1 | 1 | 1 | 3 | – | 10 | – | 4 | – | – | – | – | – | – | 1 | – |
| Infective Endocarditis | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | 5 | 9 | 2 | 2 | 12 | 12 | 88 | 1 | 41 | 1 | – | 2 | 3 | 1 | 4 | 2 | 1 |
| Pneumonia — Broncho | 4 | 19 | 24 | 5 | 1 | 53 | 51 | 433 | 18 | 95 | 6 | 4 | – | 5 | 3 | 5 | 8 | 2 |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | 6 | – | 3 | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 9 | 40 | 41 | 30 | 7 | 102 | 73 | 577 | 14 | 158 | 9 | 10 | 2 | 6 | 12 | 19 | 14 | 8 |
| Other Infective Conditions | – | 1 | – | – | – | 5 | 3 | 6 | – | 4 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 5 | 15 | 10 | 16 | 4 | 19 | 24 | 149 | 4 | 95 | 7 | 3 | 2 | 7 | 6 | 10 | 4 | 2 |
| Phthisis (not otherwise defined) | 21 | 105 | 69 | 42 | 7 | 227 | 117 | 892 | 30 | 297 | 23 | 9 | 9 | 13 | 29 | 63 | 24 | 20 |
| Tuberculous Meningitis | 6 | 14 | 22 | 5 | 2 | 40 | 31 | 174 | 7 | 82 | 2 | 2 | – | 5 | 2 | 8 | 7 | – |
| Tuberculous Peritonitis | 1 | 9 | 8 | 1 | 1 | 23 | 17 | 94 | – | 46 | 1 | 1 | – | 2 | 3 | 2 | 5 | – |
| Tabes Mesenterica | 2 | 5 | 7 | – | 1 | 10 | 9 | 76 | – | 10 | 2 | 1 | – | 1 | 3 | 1 | – | – |
| Lupus | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | 1 | 2 | 1 | – | 9 | 7 | 35 | – | 19 | 2 | 1 | – | 2 | 1 | 1 | 2 | – |
| General Tuberculosis | 4 | 16 | 12 | 3 | 1 | 23 | 17 | 106 | 3 | 35 | 1 | 3 | – | 2 | 4 | 6 | 3 | 3 |
| Scrofula | – | – | – | – | – | 2 | 1 | 4 | – | 1 | – | – | – | – | – | – | – | 1 |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Starvation | – | – | 2 | – | – | – | 1 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 2 | 2 | 1 | – | 9 | 4 | 38 | 2 | 20 | 1 | – | 1 | 1 | 1 | – | 1 | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | 2 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 112 | 2 | – | 1 | 1 | 4 | 3 | – | 5 | 1 | 3 | – | 4 | 1 | 2 | 1 |
| Rheumatism of Heart | 16 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – |
| Chronic Rheumatism | 36 | – | 1 | – | – | – | 7 | – | 1 | – | 1 | – | 1 | 3 | 1 | – |
| Rheumatic Arthritis, Rheumatic Gout | 25 | – | 1 | 1 | – | 4 | – | – | – | – | 5 | – | 1 | 1 | 2 | – |
| Gout | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Carcinoma | 632 | 4 | 1 | 7 | 1 | 7 | 13 | 1 | 4 | 5 | 39 | 4 | 36 | 22 | 32 | 1 |
| Sarcoma | 120 | 1 | 1 | 1 | – | 2 | 3 | – | 1 | – | 11 | 1 | 11 | 2 | 3 | – |
| Cancer, Malignant Disease (not otherwise defined) | 781 | 3 | 8 | 11 | 5 | 23 | 17 | 1 | 5 | 12 | 44 | 2 | 52 | 23 | 41 | 1 |
| Rickets | 45 | – | – | – | – | – | 2 | – | 1 | – | 1 | – | 2 | 1 | 5 | 1 |
| Purpura | 15 | – | – | – | – | 1 | – | – | – | – | 4 | – | 1 | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Anæmia, Leucocythæmia | 170 | 1 | 1 | – | – | 2 | 1 | – | 1 | 1 | 10 | – | 9 | 6 | 4 | – |
| Diabetes Mellitus | 164 | – | 1 | 1 | 1 | 2 | 4 | – | 1 | 3 | 10 | 2 | 16 | 7 | 5 | 2 |
| Premature Birth | 1225 | 2 | 5 | 5 | 3 | 3 | 4 | 2 | 17 | 13 | 94 | 5 | 88 | 36 | 46 | 1 |
| Congenital Defects | 301 | – | 2 | 1 | 3 | 3 | 2 | – | – | 1 | 12 | 2 | 16 | 15 | 17 | 2 |
| Injury at Birth | 86 | – | – | – | 1 | 1 | 2 | – | – | – | 5 | 1 | 5 | 2 | 7 | – |
| Atelectasis | 100 | – | – | – | – | 2 | – | – | – | 4 | 9 | 1 | 9 | 1 | 5 | – |
| Want of Breast Milk | 66 | 1 | – | – | – | 1 | – | – | 1 | 3 | 8 | 1 | 5 | 2 | 2 | 1 |
| Teething | 138 | – | 1 | 2 | – | – | 1 | – | 1 | 2 | 10 | 3 | 2 | 2 | 6 | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 843 | 1 | 2 | 4 | 1 | 8 | 12 | – | 2 | 2 | 31 | 7 | 44 | 13 | 34 | 1 |
| Softening of Brain | 177 | – | – | – | – | 4 | 2 | – | 2 | 4 | 11 | 1 | 7 | 9 | 5 | – |
| General Paralysis of Insane | 165 | – | – | – | – | – | 3 | – | 1 | 1 | 7 | – | 19 | – | 11 | – |
| Insanity (not Puerperal) | 44 | – | – | 1 | – | – | 1 | – | 1 | – | 3 | – | 4 | 2 | 5 | – |
| Chorea | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 154 | – | 1 | 4 | – | 2 | 6 | – | 2 | 2 | 12 | – | 11 | 6 | 8 | – |
| Convulsions | 657 | 1 | – | 7 | 2 | 15 | 9 | 3 | 6 | 12 | 57 | 4 | 37 | 7 | 28 | 1 |
| Laryngismus Stridulus | 44 | – | – | 1 | – | – | – | – | 1 | 1 | 3 | – | 2 | 2 | 1 | – |
| Locomotor Ataxy | 55 | – | – | – | 1 | – | 1 | – | 1 | – | 7 | – | 5 | 3 | 2 | – |
| Paraplegia, Diseases of Cord | 166 | – | 1 | 2 | – | 3 | 4 | – | 2 | 2 | 6 | 3 | 12 | 4 | 2 | – |
| Neuritis; Peripheral, Poly-neuritis | 21 | – | – | – | – | – | 1 | – | – | – | 2 | – | 1 | – | 3 | – |
| Brain Tumour (not Specific) | 54 | – | 1 | – | – | – | – | 1 | – | – | 6 | – | 5 | – | 2 | – |
| Other Diseases of Nervous System | 377 | 2 | 3 | 6 | 2 | 12 | 12 | – | 7 | 6 | 22 | 2 | 16 | 21 | 13 | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 87 | – | – | – | – | – | – | – | 1 | 3 | 5 | 1 | 7 | 2 | 5 | – |
| Epistaxis, Diseases of Nose | 9 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 911 | 3 | 5 | 2 | 10 | 13 | 17 | 1 | 11 | 12 | 71 | 4 | 63 | 31 | 38 | – |
| Pericarditis | 33 | 1 | 2 | – | – | – | – | – | 2 | – | 2 | – | – | 1 | 2 | – |
| Hypertrophy of Heart | 34 | – | – | – | – | – | 1 | – | – | – | 2 | – | 2 | 1 | 1 | – |
| Angina Pectoris | 105 | – | – | – | 1 | – | 3 | – | – | 4 | 15 | 1 | 5 | 3 | 2 | – |
| Dilatation of Heart | 107 | 1 | – | – | – | – | – | – | – | 1 | 6 | 2 | 10 | 2 | 7 | – |
| Fatty Degeneration of Heart | 122 | – | – | – | – | 3 | 2 | – | – | 1 | 4 | – | 3 | 4 | 7 | – |
| Syncope, Heart Disease (not specified) | 2264 | 15 | 13 | 17 | 13 | 42 | 55 | 5 | 31 | 31 | 141 | 18 | 157 | 77 | 109 | 10 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 132 | 1 | 4 | 4 | – | 7 | 2 | – | – | 3 | 11 | 1 | 6 | 4 | 9 | – |
| Rheumatism of Heart | 14 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – |
| Chronic Rheumatism | 83 | – | – | – | – | 1 | 3 | – | – | 1 | 5 | – | 2 | 4 | 5 | – |
| Rheumatic Arthritis, Rheumatic Gout | 58 | – | – | – | 3 | 1 | 1 | – | – | – | 7 | 1 | 1 | 6 | 3 | – |
| Gout | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Carcinoma | 1046 | 3 | 8 | 9 | 6 | 9 | 26 | 3 | 12 | 10 | 66 | 9 | 83 | 38 | 52 | 3 |
| Sarcoma | 103 | – | 1 | 2 | – | 2 | – | – | – | 4 | 9 | – | 5 | 4 | 6 | – |
| Cancer, Malignant Disease (not otherwise defined) | 1116 | 3 | 11 | 8 | 13 | 25 | 23 | 4 | 14 | 20 | 61 | 8 | 74 | 33 | 60 | 6 |
| Rickets | 36 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 | – | 6 | – |
| Purpura | 26 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | 2 | – |
| Hæmophilia, Hæmorrhagic Diathesis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 249 | – | 2 | 2 | 1 | 5 | 6 | – | 2 | 3 | 10 | 1 | 16 | 11 | 17 | 2 |
| Diabetes Mellitus | 169 | 1 | 3 | – | 1 | 6 | 3 | – | 1 | – | 13 | 1 | 10 | 5 | 5 | – |
| Premature Birth | 938 | 1 | 5 | 3 | 2 | 1 | 1 | – | 8 | 11 | 63 | 9 | 68 | 17 | 47 | 1 |
| Congenital Defects | 239 | 1 | 2 | – | – | 3 | 2 | – | 3 | 6 | 12 | 3 | 19 | 6 | 8 | – |
| Injury at Birth | 43 | – | – | – | – | – | 1 | – | – | – | 3 | – | 2 | – | 2 | – |
| Atelectasis | 74 | – | – | – | 1 | 2 | – | – | – | 2 | 4 | 1 | 7 | 1 | 6 | – |
| Want of Breast Milk | 56 | – | – | – | 1 | 2 | – | – | 1 | 2 | 4 | – | 3 | 2 | 1 | – |
| Teething | 95 | – | 1 | 1 | – | 2 | 3 | – | – | 2 | 6 | 2 | 2 | – | 3 | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 691 | 1 | – | 3 | 2 | 13 | 7 | 1 | 4 | 5 | 26 | 9 | 29 | 15 | 23 | 1 |
| Softening of Brain | 193 | 2 | 1 | – | – | 2 | 4 | – | 1 | 2 | 10 | 1 | 11 | 6 | 9 | – |
| General Paralysis of Insane | 41 | – | – | – | – | – | – | – | – | 1 | 2 | – | 3 | – | – | – |
| Insanity (not Puerperal) | 105 | 1 | 1 | – | – | 1 | 3 | – | 3 | – | 9 | – | 18 | 2 | 11 | – |
| Chorea | 12 | – | – | – | – | 2 | – | – | – | – | – | 1 | 2 | – | – | – |
| Epilepsy | 119 | 2 | – | 1 | – | 3 | 2 | – | 1 | 1 | 8 | – | 10 | 5 | 5 | 1 |
| Convulsions | 465 | – | – | 8 | 2 | 4 | 12 | – | 4 | 6 | 36 | 2 | 22 | 6 | 27 | – |
| Laryngismus Stridulus | 20 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Locomotor Ataxy | 16 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | 2 | – |
| Paraplegia, Diseases of Cord | 141 | 1 | – | 1 | – | 1 | 4 | – | 2 | 1 | 9 | 2 | 18 | 2 | 8 | – |
| Neuritis; Peripheral, Poly-neuritis | 34 | – | – | – | 1 | – | 1 | – | 1 | – | 4 | 1 | 1 | – | – | – |
| Brain Tumour (not Specific) | 54 | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 | 7 | 1 | 2 | – |
| Other Diseases of Nervous System | 403 | 6 | 1 | – | 4 | 6 | 18 | 4 | 5 | 3 | 20 | 2 | 28 | 11 | 17 | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 64 | – | – | 1 | – | – | 1 | – | 1 | – | 7 | – | 6 | 1 | 2 | – |
| Epistaxis, Diseases of Nose | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1071 | 4 | 11 | 5 | 8 | 15 | 22 | – | 10 | 7 | 64 | 8 | 72 | 45 | 55 | – |
| Pericarditis | 35 | – | – | – | – | 1 | – | – | 2 | – | 1 | 1 | 3 | 1 | 1 | – |
| Hypertrophy of Heart | 10 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – |
| Angina Pectoris | 69 | – | 1 | – | 1 | – | – | – | – | – | 4 | – | 4 | – | 4 | – |
| Dilatation of Heart | 94 | – | – | – | – | – | 1 | – | – | 3 | 4 | – | 10 | 2 | 2 | – |
| Fatty Degeneration of Heart | 154 | 1 | 2 | – | – | – | 1 | – | 2 | 2 | 9 | 1 | 10 | 5 | 8 | |
| Syncope, Heart Disease (not specified) | 2415 | 16 | 17 | 34 | 10 | 53 | 56 | 4 | 31 | 35 | 168 | 18 | 213 | 77 | 138 | 8 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | 5 | 5 | 3 | 1 | 10 | 9 | 22 | 1 | 17 | 2 | – | – | – | 2 | 3 | – | 2 |
| Rheumatism of Heart | – | 1 | – | – | – | – | 2 | 5 | – | 4 | – | – | – | – | – | – | 1 | – |
| Chronic Rheumatism | – | 1 | 2 | 1 | 1 | 1 | 1 | 9 | – | 5 | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | 1 | – | 1 | – | 1 | 1 | 3 | – | 3 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | 1 | – | – |
| Carcinoma | 4 | 27 | 8 | 11 | – | 48 | 36 | 163 | 9 | 112 | 6 | 3 | 4 | 2 | 6 | 8 | 3 | 5 |
| Sarcoma | 1 | 2 | 3 | 2 | – | 4 | 3 | 38 | – | 23 | 1 | 1 | – | 2 | – | 2 | 1 | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | 24 | 14 | 28 | 6 | 66 | 35 | 181 | 6 | 99 | 5 | 4 | 2 | 12 | 11 | 21 | 11 | 6 |
| Rickets | – | 6 | 1 | 1 | – | – | 1 | 7 | 1 | 13 | – | – | – | 1 | – | – | – | 1 |
| Purpura | – | – | 1 | – | – | 3 | – | 3 | – | 2 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | – | 3 | 3 | 5 | 15 | 49 | 4 | 34 | 4 | 2 | – | 1 | 2 | 4 | 2 | 4 |
| Diabetes Mellitus | – | 5 | 10 | 3 | 1 | 9 | 9 | 36 | – | 18 | 3 | 1 | – | 2 | 2 | 5 | 5 | – |
| Premature Birth | 2 | 28 | 37 | 9 | 3 | 92 | 78 | 420 | 12 | 146 | 16 | 8 | 8 | 1 | 13 | 11 | 7 | 10 |
| Congenital Defects | 2 | 10 | 8 | 1 | 2 | 24 | 12 | 96 | 6 | 47 | 4 | 1 | – | 1 | 3 | 4 | 1 | 3 |
| Injury at Birth | – | 3 | 3 | 1 | – | 3 | 6 | 30 | 3 | 8 | – | – | – | 1 | 1 | 2 | 1 | – |
| Atelectasis | 2 | 8 | 1 | 2 | – | 6 | 5 | 27 | 2 | 12 | 1 | – | – | 1 | 1 | 1 | – | – |
| Want of Breast Milk | 4 | 1 | 4 | – | – | 4 | 4 | 11 | 1 | 8 | 1 | 1 | – | – | – | 2 | – | – |
| Teething | – | 2 | 2 | 6 | – | 20 | 4 | 62 | – | 12 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 6 | 34 | 25 | 6 | 2 | 72 | 51 | 381 | 10 | 62 | 5 | 2 | 1 | – | 6 | 11 | 3 | 4 |
| Softening of Brain | 2 | 7 | 7 | 2 | – | 8 | 11 | 55 | 1 | 26 | 1 | 1 | – | – | 8 | 1 | 1 | 1 |
| General Paralysis of Insane | – | 18 | 15 | 3 | – | 17 | 7 | 23 | – | 32 | – | – | – | – | 4 | 4 | – | – |
| Insanity (not Puerperal) | – | 3 | 5 | 1 | – | 5 | 1 | 4 | 1 | 3 | – | – | – | – | – | 2 | 1 | 1 |
| Chorea | – | – | – | – | – | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 8 | 7 | – | 3 | 9 | 6 | 31 | 3 | 12 | – | 3 | 1 | 2 | 4 | 4 | 5 | 2 |
| Convulsions | 2 | 24 | 13 | 6 | 2 | 40 | 25 | 242 | 9 | 61 | 11 | 6 | 1 | 6 | 5 | 7 | 6 | 2 |
| Laryngismus Stridulus | – | – | – | – | – | 7 | 1 | 19 | – | 5 | – | – | – | – | – | – | 1 | – |
| Locomotor Ataxy | – | 1 | – | 1 | – | 6 | 1 | 15 | 1 | 5 | – | 1 | – | – | – | 3 | – | 1 |
| Paraplegia, Diseases of Cord | 2 | 3 | 7 | 1 | – | 11 | 9 | 50 | 1 | 25 | 3 | – | – | 1 | 4 | 6 | 1 | 1 |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | 1 | – | 1 | 1 | 7 | 1 | 2 | – | – | – | 1 | – | – | – | – |
| Brain Tumour (not Specific) | – | 2 | – | – | – | 3 | 2 | 20 | – | 10 | – | 1 | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | 2 | 10 | 7 | 13 | 2 | 38 | 16 | 100 | 5 | 33 | 4 | 5 | – | 2 | 4 | 4 | 4 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | 2 | 1 | – | 11 | 3 | 32 | 1 | 10 | 1 | – | – | – | 1 | – | 1 | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | 2 | – | 3 | 1 | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 9 | 21 | 14 | 13 | 8 | 58 | 59 | 214 | 7 | 148 | 8 | 6 | 3 | 8 | 9 | 20 | 16 | 9 |
| Pericarditis | – | – | 2 | – | – | 3 | 1 | 10 | 1 | 4 | 1 | – | – | – | 1 | – | – | – |
| Hypertrophy of Heart | – | – | – | 2 | – | 2 | 3 | 12 | 1 | 6 | – | – | – | – | 1 | – | – | – |
| Angina Pectoris | 1 | 2 | – | 4 | 1 | 12 | 12 | 23 | 1 | 7 | – | 1 | – | 3 | 3 | 1 | – | – |
| Dilatation of Heart | 6 | 4 | 2 | 4 | – | 4 | 8 | 14 | 3 | 21 | 1 | – | – | 1 | 4 | 3 | 1 | 2 |
| Fatty Degeneration of Heart | – | 1 | 2 | 4 | 2 | 5 | 4 | 41 | 3 | 27 | 1 | 2 | – | – | 2 | 2 | 1 | 1 |
| Syncope, Heart Disease (not specified) | 8 | 88 | 75 | 40 | 7 | 162 | 131 | 608 | 17 | 212 | 26 | 17 | 9 | 10 | 42 | 48 | 20 | 10 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 3 | 5 | 4 | – | 11 | 8 | 27 | 3 | 13 | – | 1 | – | – | 4 | – | – | 1 |
| Rheumatism of Heart | – | 1 | 1 | – | – | – | – | 6 | – | 2 | – | – | – | – | – | – | 1 | – |
| Chronic Rheumatism | – | 1 | 1 | 4 | 2 | 5 | 5 | 24 | – | 12 | 2 | 1 | – | 1 | 1 | 2 | 1 | – |
| Rheumatic Arthritis, Rheumatic Gout | – | 2 | 1 | – | 1 | 3 | 1 | 7 | 1 | 13 | – | 1 | 1 | 2 | – | 2 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 10 | 38 | 19 | 15 | 3 | 69 | 65 | 256 | 19 | 155 | 8 | 3 | 1 | 1 | 20 | 12 | 7 | 8 |
| Sarcoma | 1 | 3 | 4 | 1 | – | 6 | 3 | 26 | – | 15 | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 9 | 21 | 31 | 41 | 7 | 79 | 49 | 262 | 14 | 143 | 14 | 15 | 1 | 10 | 19 | 21 | 11 | 6 |
| Rickets | – | – | 1 | 1 | – | 2 | – | 14 | 1 | 5 | – | – | – | – | 1 | – | – | – |
| Purpura | – | 2 | 1 | 1 | – | 3 | 1 | 8 | – | 3 | – | – | – | 1 | – | 1 | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 5 | 14 | 8 | 2 | 2 | 19 | 11 | 57 | 3 | 33 | 2 | 2 | 1 | 2 | 5 | 2 | 1 | 2 |
| Diabetes Mellitus | 2 | 8 | 4 | 3 | 1 | 10 | 8 | 48 | – | 21 | 2 | 1 | – | – | 4 | 3 | 5 | – |
| Premature Birth | 3 | 26 | 27 | 3 | 5 | 62 | 58 | 365 | 17 | 93 | 5 | 3 | – | 5 | 6 | 14 | 6 | 3 |
| Congenital Defects | – | 7 | 3 | 2 | 3 | 12 | 14 | 69 | 6 | 48 | – | – | – | 1 | 2 | 2 | 2 | 3 |
| Injury at Birth | – | 3 | 1 | – | – | 1 | 1 | 17 | 2 | 5 | – | – | – | – | 1 | 3 | 1 | – |
| Atelectasis | 1 | 1 | 2 | – | – | 3 | 3 | 23 | – | 16 | – | – | – | 1 | – | – | – | – |
| Want of Breast Milk | 1 | – | 3 | 1 | – | 5 | 1 | 13 | 2 | 8 | 3 | – | – | – | – | 2 | – | 1 |
| Teething | 1 | 2 | 6 | – | – | 11 | 3 | 41 | – | 7 | – | – | – | 1 | – | 1 | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | 26 | 13 | 6 | 5 | 58 | 44 | 299 | 11 | 50 | 2 | 2 | 6 | 2 | 4 | 16 | 3 | 3 |
| Softening of Brain | 3 | 10 | 12 | 4 | 2 | 12 | 12 | 34 | 1 | 36 | 2 | – | – | – | 5 | 7 | – | 4 |
| General Paralysis of Insane | – | 5 | 1 | – | – | 4 | – | 12 | – | 12 | – | – | – | – | – | 1 | – | – |
| Insanity (not Puerperal) | 1 | 4 | 6 | 2 | – | 9 | 4 | 5 | 1 | 9 | 2 | – | – | 1 | 2 | 7 | 1 | 2 |
| Chorea | – | – | – | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | 1 | 1 | – |
| Epilepsy | 2 | 6 | 4 | 2 | 1 | 10 | 13 | 22 | 2 | 10 | 1 | 1 | – | 1 | 1 | 4 | – | – |
| Convulsions | – | 13 | 10 | 1 | – | 23 | 24 | 182 | 7 | 59 | 3 | – | 1 | – | 2 | 6 | 2 | 3 |
| Laryngismus Stridulus | – | – | – | – | – | 1 | 1 | 14 | – | 2 | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | 1 | 2 | – | 1 | 4 | – | – | 1 | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 4 | 2 | 7 | 2 | 1 | 12 | 9 | 29 | 1 | 15 | 1 | 1 | 3 | – | 1 | 3 | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | – | 1 | 1 | – | – | 5 | 1 | 10 | – | 6 | 1 | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | 4 | 1 | 2 | – | 2 | 4 | 16 | – | 6 | – | 1 | – | 1 | 1 | – | – | – |
| Other Diseases of Nervous System | 1 | 17 | 9 | 12 | 1 | 32 | 22 | 120 | – | 35 | 1 | 2 | – | 2 | 6 | 10 | 4 | 4 |
| **DISEASES OF ORGANS OF SPECIAL SENSE** | | | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | 4 | – | 1 | 1 | 4 | 3 | 19 | – | 11 | – | – | – | – | – | – | 1 | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 8 | 28 | 16 | 25 | 4 | 74 | 49 | 274 | 8 | 160 | 10 | 12 | 1 | 4 | 8 | 28 | 19 | 17 |
| Pericarditis | – | – | – | 1 | – | 2 | 1 | 6 | 2 | 10 | 1 | – | – | – | 2 | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | 2 | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | 1 | 4 | – | – | 7 | 8 | 11 | – | 14 | – | – | 1 | – | 4 | 1 | 1 | 1 |
| Dilatation of Heart | 6 | 2 | – | – | – | 10 | 6 | 21 | 1 | 15 | 3 | – | – | 1 | 1 | 5 | – | 1 |
| Fatty Degeneration of Heart | 1 | 7 | 4 | 1 | – | 10 | 5 | 37 | 1 | 35 | 2 | 2 | – | 1 | 1 | 3 | 1 | 2 |
| Syncope, Heart Disease (not specified) | 9 | 82 | 66 | 43 | 12 | 149 | 129 | 589 | 24 | 242 | 27 | 13 | 7 | 14 | 40 | 46 | 30 | 15 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 834 | 3 | 4 | 4 | 7 | 10 | 17 | – | 3 | 4 | 37 | 5 | 70 | 33 | 49 | 5 |
| Apoplexy, Hemiplegia | 1006 | 5 | 6 | 11 | 6 | 23 | 14 | 3 | 7 | 20 | 64 | 15 | 57 | 35 | 42 | 3 |
| Aneurism | 92 | – | – | 3 | – | 1 | 1 | – | 1 | – | 7 | 1 | 4 | 2 | 4 | 1 |
| Senile Gangrene | 83 | – | – | 2 | – | 1 | 4 | 2 | 2 | 2 | 8 | – | 3 | 2 | 4 | – |
| Embolism, Thrombosis (not Cerebral) | 22 | – | – | – | – | – | 2 | – | – | – | 1 | 1 | 6 | – | 1 | – |
| Phlebitis | 4 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Varicose Veins | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 67 | – | 1 | – | 1 | 1 | – | – | – | – | 8 | – | 8 | 6 | 7 | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 74 | – | – | – | – | 2 | – | – | – | 1 | 8 | – | 3 | 2 | 5 | – |
| Membranous Laryngitis (not Diphtheritic) | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Croup (not Spasmodic nor Membranous) | 33 | – | 1 | – | – | 5 | 2 | – | – | – | – | 1 | 3 | – | – | – |
| Other Dis. of Larynx and Trachea | 9 | – | – | – | – | 1 | – | – | – | – | 1 | – | 2 | – | – | – |
| Bronchitis | 2656 | 8 | 7 | 25 | 6 | 42 | 25 | 3 | 20 | 31 | 177 | 19 | 158 | 58 | 86 | 4 |
| Emphysema, Asthma | 98 | 1 | 1 | – | – | 8 | 1 | – | 1 | 2 | 6 | – | 4 | 6 | 3 | – |
| Pleurisy | 198 | 2 | 1 | 1 | 1 | – | 4 | – | 1 | 1 | 17 | 1 | 11 | 2 | 9 | – |
| Fibroid Disease of Lung | 71 | – | – | – | – | – | – | 1 | 2 | – | 8 | – | 5 | 2 | 3 | – |
| Other Dis. of Respiratory System | 40 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 21 | – | – | 1 | – | – | 1 | – | – | – | 1 | – | 2 | 1 | 2 | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 42 | 1 | – | 1 | – | 1 | – | – | – | 2 | 6 | – | 1 | 1 | – | – |
| Gastric Ulcer | 113 | – | 3 | – | 1 | 3 | 3 | – | 4 | 2 | 11 | – | 9 | 3 | 4 | – |
| Gastric Catarrh | 291 | 2 | 1 | 2 | 2 | 1 | 4 | – | 1 | 1 | 21 | 4 | 10 | 4 | 11 | – |
| Other Diseases of Stomach (not Malignant) | 135 | – | – | – | 1 | 4 | 2 | – | 3 | 1 | 5 | – | 3 | 3 | 5 | – |
| Enteritis (not Infective) | 304 | 1 | – | 3 | – | 1 | 4 | 1 | 3 | 7 | 17 | 3 | 13 | 5 | 16 | – |
| Gastro-enteritis | 572 | 1 | 2 | 2 | – | 1 | 1 | – | 2 | 4 | 38 | 7 | 24 | 7 | 21 | – |
| Appendicitis, Perityphlitis | 155 | 1 | – | – | 2 | – | 1 | – | 1 | 2 | 20 | 1 | 9 | 5 | 5 | – |
| Hernia | 70 | – | – | – | – | 1 | – | – | 2 | 2 | 7 | – | 6 | 4 | 2 | – |
| Intestinal Obstruction | 247 | – | 3 | 2 | – | 4 | 6 | 2 | 2 | 3 | 20 | 3 | 13 | 3 | 9 | – |
| Other Diseases of Intestines | 56 | – | – | 1 | – | 1 | 1 | – | 1 | 2 | 3 | 2 | 8 | 1 | 3 | – |
| Peritonitis (not Puerperal) | 258 | 2 | – | – | – | 13 | 9 | – | 5 | 2 | 28 | 1 | 15 | 9 | 8 | – |
| Cirrhosis of Liver | 156 | 1 | 1 | 1 | 1 | – | 3 | – | 4 | – | 7 | 1 | 9 | 7 | 9 | 1 |
| Other Diseases of Liver and Gall Bladder | 196 | 1 | 2 | 2 | 1 | 8 | 5 | – | 1 | 3 | 7 | – | 5 | 7 | 12 | 2 |
| Other Diseases of Digestive System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – |
| Other Dis. of Lymphatic System | 24 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – |
| Diseases of Thyroid Body | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 11 | – | – | – | – | – | – | 1 | – | – | 1 | – | 2 | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 298 | 1 | 1 | 1 | – | 1 | 7 | – | 4 | 3 | 14 | 2 | 19 | 8 | 13 | – |
| Chronic Bright's Disease, Albuminuria | 540 | 1 | 2 | – | 2 | 9 | 8 | 1 | 3 | 12 | 43 | 2 | 31 | 8 | 16 | 2 |
| Calculus (not Biliary) | 19 | 2 | 1 | – | – | – | – | – | – | – | 6 | – | – | 1 | – | – |
| Diseases of Bladder and of Prostate | 366 | 1 | 4 | 6 | 3 | 8 | 14 | 1 | 6 | 7 | 29 | 11 | 21 | 14 | 13 | – |
| Other Diseases of Urinary System | 106 | – | 1 | – | – | 4 | 2 | – | – | – | 10 | 1 | 2 | 3 | 2 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| **DISEASES OF BLOOD VESSELS.** | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 961 | 3 | 10 | 7 | 7 | 12 | 13 | 3 | 15 | 4 | 54 | 8 | 79 | 32 | 61 | 3 |
| Apoplexy, Hemiplegia | 1276 | 5 | 6 | 18 | 3 | 19 | 20 | 2 | 22 | 22 | 86 | 8 | 94 | 52 | 54 | – |
| Aneurism | 35 | – | – | 1 | – | – | 1 | – | – | 1 | 3 | – | 3 | 1 | 3 | – |
| Senile Gangrene | 111 | 1 | 2 | 3 | 1 | 5 | 4 | 1 | – | 5 | 9 | – | 11 | 4 | – | – |
| Embolism, Thrombosis (not Cerebral) | 32 | – | – | – | – | 1 | 4 | – | – | – | 4 | – | 2 | 1 | 3 | – |
| Phlebitis | 21 | – | 1 | – | – | – | 2 | – | – | 1 | 2 | 1 | 2 | 2 | 2 | – |
| Varicose Veins | 8 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – |
| Other Diseases of Blood Vessels | 48 | – | – | – | – | 1 | – | – | – | 1 | 8 | – | 9 | 3 | 3 | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | | |
| Laryngitis | 69 | 2 | – | – | – | 1 | – | – | – | 2 | 4 | 6 | 4 | – | 6 | – |
| Membranous Laryngitis (not Diphtheritic) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 42 | – | – | – | – | 5 | 4 | – | – | – | – | – | 2 | – | 3 | – |
| Other Dis. of Larynx and Trachea | 8 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Bronchitis | 2765 | 20 | 17 | 34 | 10 | 48 | 45 | 5 | 29 | 46 | 215 | 12 | 205 | 64 | 100 | 2 |
| Emphysema, Asthma | 76 | 1 | – | – | 2 | 8 | 5 | – | 1 | 1 | 6 | – | 4 | 2 | 3 | – |
| Pleurisy | 158 | 2 | – | 1 | 2 | 6 | 3 | 1 | 1 | 4 | 9 | – | 11 | 4 | 5 | – |
| Fibroid Disease of Lung | 27 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 2 | 1 | – |
| Other Dis. of Respiratory System | 29 | – | – | 1 | – | – | – | – | – | – | 2 | – | 4 | – | 1 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 23 | – | – | – | – | 2 | 1 | – | – | 1 | 3 | – | – | – | 2 | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 38 | – | – | – | – | – | – | – | – | – | 4 | – | 5 | 1 | 1 | – |
| Gastric Ulcer | 166 | – | – | 2 | 1 | 7 | 4 | – | 4 | 5 | 8 | – | 9 | 6 | 16 | 1 |
| Gastric Catarrh | 372 | 2 | – | 2 | 1 | 1 | 4 | – | 5 | 3 | 28 | 3 | 22 | 14 | 16 | 1 |
| Other Diseases of Stomach (not Malignant) | 142 | 1 | 1 | 1 | – | 3 | 1 | – | 3 | 4 | 6 | – | 4 | 5 | 2 | – |
| Enteritis (not Infective) | 279 | 1 | 1 | 4 | – | 1 | 2 | 1 | 4 | 1 | 10 | 5 | 13 | 3 | 11 | 2 |
| Gastro-enteritis | 529 | – | – | – | – | 1 | 2 | – | 2 | 3 | 31 | 2 | 31 | 6 | 17 | – |
| Appendicitis, Perityphlitis | 105 | – | 1 | 1 | 2 | – | 2 | – | 1 | 3 | 6 | 2 | 6 | 3 | 4 | 1 |
| Hernia | 69 | – | – | – | – | 1 | 1 | – | 1 | – | 8 | – | 4 | – | 2 | – |
| Intestinal Obstruction | 236 | 3 | 3 | 2 | – | 5 | 4 | – | 6 | 5 | 22 | 1 | 12 | 6 | 11 | – |
| Other Diseases of Intestines | 53 | – | – | – | 2 | 1 | – | – | – | 1 | 3 | – | 2 | 1 | 2 | – |
| Peritonitis (not Puerperal) | 290 | – | 1 | 2 | 2 | 9 | 10 | – | 4 | 5 | 26 | 1 | 17 | 6 | 9 | – |
| Cirrhosis of Liver | 87 | 1 | 1 | – | – | – | 2 | – | 1 | – | 11 | – | 4 | 7 | 8 | – |
| Other Diseases of Liver and Gall Bladder | 262 | 2 | 4 | – | – | 4 | 2 | 1 | 2 | 8 | 22 | – | 17 | 11 | 10 | 2 |
| Other Diseases of Digestive System | 14 | – | 1 | – | – | – | 1 | – | – | 2 | – | – | – | 2 | – | – |
| **DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 38 | – | – | 2 | – | 2 | – | – | 1 | 2 | 5 | – | 2 | 1 | 3 | – |
| Diseases of Thyroid Body | 50 | – | 1 | – | – | – | – | – | – | 1 | 5 | – | 3 | – | 4 | – |
| Diseases of Supra-renal Capsules | 9 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 279 | – | – | – | 2 | 4 | 5 | – | 4 | 1 | 11 | 1 | 25 | 2 | 13 | 1 |
| Chronic Bright's Disease, Albuminuria | 460 | 2 | 5 | 3 | 1 | 11 | 6 | 2 | 3 | 4 | 31 | 1 | 28 | 11 | 20 | 1 |
| Calculus (not Biliary) | 8 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 44 | – | – | 1 | 1 | – | 2 | – | – | – | 5 | – | 3 | – | 2 | – |
| Other Diseases of Urinary System | 57 | – | 1 | – | 1 | 3 | 1 | – | – | 1 | 3 | – | 2 | 1 | 1 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 12 | 21 | 11 | 26 | 5 | 45 | 38 | 218 | 13 | 120 | 7 | 7 | 3 | 11 | 15 | 20 | 6 | 5 |
| Apoplexy, Hemiplegia | 5 | 36 | 27 | 14 | 6 | 77 | 62 | 280 | 8 | 97 | 11 | 6 | 3 | 2 | 17 | 18 | 12 | 14 |
| Aneurism | – | 2 | 1 | 4 | 1 | 3 | 3 | 27 | – | 20 | – | – | 1 | – | 2 | 1 | 1 | 1 |
| Senile Gangrene | 2 | 4 | 1 | 1 | – | 3 | 4 | 19 | 1 | 9 | 1 | 2 | 1 | – | 1 | 2 | 1 | 1 |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | 3 | 1 | 3 | – | 4 | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Varicose Veins | – | – | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | 2 | 2 | – | 2 | 3 | 14 | – | 5 | 3 | – | 1 | – | – | 1 | 1 | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | 1 | 4 | – | 1 | 6 | 5 | 26 | – | 5 | 2 | – | – | – | 1 | 1 | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | 1 | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | 1 |
| Croup (not Spasmodic nor Membranous) | 1 | 2 | 1 | 2 | – | 1 | 1 | 11 | – | 2 | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | 1 | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 6 | 95 | 85 | 33 | 5 | 191 | 151 | 1026 | 46 | 222 | 21 | 4 | 5 | 7 | 16 | 32 | 21 | 21 |
| Emphysema, Asthma | 1 | 5 | 4 | 3 | – | 10 | 9 | 21 | 1 | 8 | – | – | – | 1 | – | 1 | – | 1 |
| Pleurisy | 2 | 7 | 6 | 4 | 1 | 12 | 9 | 66 | 3 | 18 | 2 | 3 | 3 | 2 | 2 | 4 | 2 | 1 |
| Fibroid Disease of Lung | 1 | 4 | 3 | – | – | 6 | 9 | 18 | – | 7 | – | – | – | – | 1 | 1 | – | – |
| Other Dis. of Respiratory System | – | 1 | 1 | – | – | 3 | 5 | 13 | 1 | 9 | 1 | – | – | 1 | 2 | 1 | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | 2 | – | – | – | – | 1 | 6 | – | 4 | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | 2 | 1 | 2 | – | 2 | 1 | 10 | – | 6 | 1 | – | – | 1 | – | – | 2 | 1 |
| Gastric Ulcer | 2 | 1 | 1 | 4 | 2 | 7 | 1 | 29 | 3 | 13 | – | – | – | – | 2 | 5 | – | – |
| Gastric Catarrh | 1 | 16 | 10 | 4 | – | 18 | 15 | 119 | 2 | 25 | 3 | – | – | 1 | – | 2 | 6 | 5 |
| Other Diseases of Stomach (not Malignant) | 3 | 3 | 4 | 2 | – | 10 | 19 | 46 | 1 | 15 | – | 1 | – | – | 2 | – | 1 | 1 |
| Enteritis (not Infective) | 1 | 3 | 8 | 7 | – | 18 | 28 | 112 | 4 | 32 | 2 | 1 | 2 | 1 | 4 | 4 | 3 | – |
| Gastro-enteritis | 4 | 20 | 18 | 2 | 1 | 33 | 41 | 257 | 27 | 42 | 3 | 1 | – | – | 2 | 4 | 4 | 3 |
| Appendicitis, Perityphlitis | 1 | 7 | 2 | 1 | 1 | 15 | 5 | 33 | 1 | 25 | – | 2 | – | 3 | 3 | 6 | 2 | 1 |
| Hernia | 2 | 1 | 1 | 2 | – | 5 | 4 | 21 | – | 9 | – | – | – | – | – | 1 | – | – |
| Intestinal Obstruction | 1 | 8 | 3 | 8 | – | 23 | 8 | 74 | 3 | 30 | – | 3 | – | 2 | 3 | 1 | 4 | 6 |
| Other Diseases of Intestines | – | 2 | 1 | – | – | 4 | 2 | 16 | 1 | 4 | – | – | – | – | 1 | 2 | – | – |
| Peritonitis (not Puerperal) | 1 | 13 | 4 | 3 | 2 | 14 | 16 | 74 | 2 | 23 | 1 | 1 | 1 | – | 1 | 5 | 2 | 3 |
| Cirrhosis of Liver | 1 | 3 | 2 | 3 | 2 | 7 | 7 | 40 | 5 | 28 | 2 | 1 | 4 | 1 | 1 | 2 | 2 | – |
| Other Diseases of Liver and Gall Bladder | 1 | 2 | 8 | 4 | – | 16 | 16 | 60 | 1 | 25 | 1 | 1 | – | – | – | 3 | 2 | – |
| Other Diseases of Digestive System | – | 1 | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | 2 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | 2 | 1 | – | – | 3 | 3 | 8 | – | 3 | – | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | 1 | 3 | – | 2 | 1 | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | 3 | 3 | 5 | – | 31 | 17 | 104 | 2 | 46 | 1 | – | – | – | 5 | 3 | 3 | 1 |
| Chronic Bright's Disease, Albuminuria | 4 | 18 | 10 | 17 | 6 | 40 | 30 | 166 | 2 | 66 | 4 | 2 | 1 | 6 | 7 | 12 | 7 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | 3 | 2 | – | 4 | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | 10 | 18 | 7 | 7 | 24 | 28 | 58 | 4 | 37 | 4 | 2 | 1 | 2 | 6 | 9 | 6 | 4 |
| Other Diseases of Urinary System | – | 2 | – | 1 | – | 11 | 3 | 42 | 1 | 17 | 1 | – | – | – | – | 2 | 1 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | Clackmannan | Stirling | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 6 | 21 | 15 | 23 | 8 | 58 | 45 | 240 | 20 | 121 | 13 | 8 | 3 | 16 | 10 | 22 | 15 | 6 |
| Apoplexy, Hemiplegia | 10 | 34 | 30 | 25 | 6 | 97 | 79 | 339 | 13 | 108 | 13 | 17 | 4 | 6 | 19 | 32 | 17 | 16 |
| Aneurism | 1 | 1 | 1 | – | – | 2 | 1 | 7 | – | 9 | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | 3 | 3 | 2 | 2 | 5 | 4 | 19 | 4 | 12 | 1 | 2 | 1 | – | 2 | 2 | – | 1 |
| Embolism, Thrombosis (not Cerebral) | – | 1 | 1 | 1 | – | 3 | 1 | 3 | – | 3 | 1 | – | – | – | 1 | 2 | – | – |
| Phlebitis | – | – | 1 | – | – | – | 2 | 2 | – | 3 | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Blood Vessels | – | 2 | 1 | – | – | 1 | 2 | 6 | – | 10 | – | – | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | | | |
| Laryngitis | – | 1 | 2 | – | – | 7 | 5 | 16 | 2 | 7 | – | – | – | 1 | 1 | 1 | 1 | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | 2 | – | 1 | 1 | 1 | 5 | 11 | – | 5 | – | – | – | – | – | 2 | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | 1 | 1 | – | 3 | – | – | – | – | – | – | 1 | – |
| Bronchitis | 19 | 67 | 67 | 36 | 7 | 202 | 130 | 955 | 34 | 253 | 18 | 13 | 6 | 7 | 18 | 39 | 23 | 19 |
| Emphysema, Asthma | – | 2 | – | 3 | – | 6 | 4 | 11 | – | 11 | – | 1 | – | – | 2 | – | 1 | 2 |
| Pleurisy | – | 5 | 4 | 4 | 1 | 7 | 10 | 43 | – | 24 | 1 | 1 | 1 | – | 4 | 2 | 1 | 1 |
| Fibroid Disease of Lung | – | 1 | 3 | – | – | 1 | 6 | 4 | – | 2 | 1 | 1 | – | – | 1 | – | 1 | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | 2 | 7 | 1 | 8 | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | 1 | – | – | – | 2 | 1 | 7 | – | 1 | – | – | – | 1 | – | – | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | 2 | 1 | – | – | 1 | 1 | 14 | 1 | 5 | – | – | – | – | – | – | 1 | 1 |
| Gastric Ulcer | 1 | 4 | 4 | 6 | – | 10 | 8 | 37 | – | 21 | – | – | – | 2 | 4 | 2 | 1 | 3 |
| Gastric Catarrh | 3 | 16 | 9 | 3 | 1 | 30 | 18 | 146 | 6 | 24 | 1 | – | – | 1 | 4 | 4 | 1 | 3 |
| Other Diseases of Stomach (not Malignant) | 1 | 2 | 1 | 3 | – | 15 | 10 | 42 | – | 24 | – | – | – | 1 | 3 | 2 | 4 | 3 |
| Enteritis (not Infective) | – | 9 | 8 | 6 | 2 | 19 | 24 | 109 | 6 | 25 | 2 | 1 | – | 1 | 6 | 2 | – | – |
| Gastro-enteritis | 3 | 16 | 16 | 3 | 1 | 30 | 48 | 250 | 15 | 38 | 3 | 1 | 1 | – | 1 | 4 | 3 | 1 |
| Appendicitis, Perityphlitis | 1 | 3 | – | – | 2 | 13 | 4 | 23 | 1 | 22 | – | – | 1 | – | – | 1 | 1 | 1 |
| Hernia | – | 1 | 2 | 1 | – | 4 | 5 | 27 | 1 | 11 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | 6 | 5 | 5 | 1 | 14 | 7 | 71 | 4 | 23 | – | 1 | 4 | 1 | 1 | 5 | 3 | 5 |
| Other Diseases of Intestines | – | 1 | 2 | – | 1 | 4 | 3 | 18 | 1 | 9 | – | – | 1 | 1 | – | – | – | – |
| Peritonitis (not Puerperal) | 4 | 13 | 5 | 3 | 1 | 18 | 14 | 77 | 3 | 38 | – | 3 | – | – | 4 | 5 | 4 | 6 |
| Cirrhosis of Liver | 1 | 2 | 1 | 1 | – | 3 | 9 | 17 | 2 | 8 | 3 | 2 | – | – | – | 2 | 1 | – |
| Other Diseases of Liver and Gall Bladder | 4 | 9 | 6 | 6 | 1 | 31 | 18 | 56 | 2 | 29 | 2 | 2 | 1 | 1 | 1 | 6 | – | 2 |
| Other Diseases of Digestive System | 1 | 3 | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Dis. of Lymphatic System | – | 1 | 2 | 2 | – | 1 | 2 | 7 | – | 3 | – | 1 | – | – | – | – | – | 1 |
| Diseases of Thyroid Body | 1 | 2 | 2 | – | – | 3 | 4 | 13 | – | 5 | – | – | – | 1 | 2 | 1 | – | 2 |
| Diseases of Supra-renal Capsules | – | – | – | – | – | 1 | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 5 | 4 | 5 | 3 | 1 | 30 | 21 | 96 | 3 | 30 | 1 | 1 | 1 | 2 | 2 | 4 | – | 1 |
| Chronic Bright's Disease, Albuminuria | 4 | 15 | 7 | 10 | 7 | 23 | 29 | 128 | 5 | 57 | 7 | 4 | 3 | 2 | 8 | 14 | 4 | 4 |
| Calculus (not Biliary) | – | – | – | 1 | – | 1 | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – |
| Diseases of Bladder and of Prostate | – | 1 | – | – | – | 3 | 5 | 11 | – | 4 | 1 | 1 | – | – | – | – | 3 | 1 |
| Other Diseases of Urinary System | – | 3 | 6 | 2 | – | 5 | 3 | 14 | – | 8 | – | – | – | – | 2 | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 9 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 79 | – | 1 | – | – | – | 1 | – | – | 1 | 10 | – | 2 | 1 | – | – |
| Arthritis, Periostitis | 26 | – | 1 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – |
| Other Dis. of Locomotor System | 11 | – | 1 | – | – | – | – | – | – | – | 1 | – | 3 | 1 | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 14 | – | – | – | – | – | 2 | – | – | – | 3 | – | – | – | – | – |
| Eczema | 19 | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Pemphigus | 10 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Other Diseases of the Skin | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 1233 | 5 | 4 | 16 | 4 | 4 | 23 | 2 | 6 | 8 | 64 | 13 | 55 | 16 | 60 | – |
| Old Age | 1534 | 21 | 29 | 19 | 19 | 72 | 60 | 8 | 20 | 30 | 111 | 21 | 116 | 50 | 71 | 3 |
| Dropsy, Ascites, Anasarca | 28 | 1 | – | – | – | 1 | 2 | – | 1 | – | 1 | – | 3 | – | 2 | – |
| Tumour | 42 | – | – | – | – | – | – | – | 2 | 1 | 9 | – | 2 | – | – | – |
| Abscess | 51 | – | – | 1 | – | – | 2 | – | – | 1 | 5 | – | 2 | 1 | 2 | – |
| Hæmorrhage | 19 | – | – | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | 1 | – | – |
| Sudden Death (cause unascertained) | 31 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | 6 | – | – | – | – | 1 | – | – | – | – | 4 | – | – | – | – | – |
| Causes not specified | 308 | 7 | 3 | 3 | 3 | 14 | 48 | – | 1 | 9 | 9 | 1 | 3 | 3 | 9 | – |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | | | |
| In Mines and Quarries | 169 | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – | 25 | 1 |
| Vehicles and Horses | 316 | – | 1 | – | – | 1 | 4 | – | – | 3 | 16 | 6 | 8 | 7 | 16 | – |
| Ships, Boats, Docks (not Drowning) | 72 | 2 | 1 | 1 | – | – | 1 | – | – | 1 | 4 | – | 1 | – | – | – |
| Building Operations | 15 | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | 1 | – |
| Machinery | 44 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | 1 | 4 | – |
| Weapons and Implements | 13 | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – |
| Burns and Scalds | 128 | 1 | – | – | 2 | 1 | 4 | – | – | – | 7 | 1 | 4 | 1 | 5 | 1 |
| Poisons, Poisonous Vapours | 61 | – | – | – | – | – | – | – | – | – | 2 | – | 3 | – | 4 | – |
| Drowning | 480 | 11 | 12 | 6 | 4 | 15 | 14 | 3 | 9 | 4 | 23 | 4 | 12 | 14 | 32 | – |
| Suffocation { From Overlaying | 80 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 13 | – | 4 | – |
| Suffocation { Otherwise | 92 | – | – | – | 1 | – | – | – | 1 | – | 4 | – | 8 | 2 | 3 | – |
| Falls | 150 | 1 | 1 | 2 | 2 | 4 | – | – | 1 | – | 8 | – | 3 | 2 | 6 | – |
| Weather Agencies | 36 | 1 | – | – | 1 | 2 | 2 | – | 1 | 2 | 3 | – | 1 | 2 | – | – |
| Otherwise, or not stated | 368 | 1 | 2 | 1 | – | 8 | 6 | 1 | 3 | 2 | 18 | 9 | 37 | 6 | 13 | – |
| Homicide | 11 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Suicide | 201 | 1 | – | 1 | – | 2 | – | – | – | 1 | 19 | 1 | 11 | 13 | 25 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 49 | – | 1 | 1 | – | – | 1 | – | 1 | 3 | 1 | 2 | 5 | 2 | 4 | – |
| Other Diseases of Ovary | 13 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – |
| Uterine Tumour (not Malignant) | 60 | 1 | – | – | – | – | 1 | – | – | – | 3 | – | 3 | 1 | 2 | – |
| Other Dis. of Uterus and Vagina | 36 | – | – | – | – | 3 | 1 | – | 1 | 1 | – | – | 1 | – | – | – |
| Disorders of Menstruation | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Generative and Mammary Organs | 33 | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | 3 | 1 | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 25 | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | 2 | – |
| Puerperal Mania | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 100 | 1 | – | 2 | – | – | 1 | – | – | 1 | 10 | 1 | 3 | 3 | 8 | 1 |
| Placenta Prævia, Flooding | 94 | – | – | 1 | – | 2 | – | – | – | – | 6 | 1 | 6 | 1 | 6 | – |
| Other Accidents of Pregnancy and Childbirth | 178 | 1 | 2 | – | – | 4 | 3 | – | 1 | 2 | 8 | 2 | 4 | 1 | 5 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 62 | – | – | 3 | – | 2 | 1 | 1 | 1 | 1 | 6 | – | 1 | 1 | 3 | – |
| Arthritis, Periostitis | 23 | – | – | – | – | 1 | – | – | – | 1 | – | – | 2 | – | 2 | – |
| Other Dis. of Locomotor System | 8 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 24 | – | – | – | – | – | 1 | – | – | 1 | 1 | – | 1 | 1 | 3 | – |
| Eczema | 15 | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Pemphigus | 11 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Other Diseases of the Skin | 9 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 975 | 4 | 4 | 14 | 4 | 6 | 17 | 1 | 6 | 11 | 45 | 15 | 50 | 13 | 34 | 2 |
| Old Age | 2658 | 33 | 37 | 62 | 65 | 114 | 123 | 12 | 28 | 34 | 180 | 21 | 195 | 111 | 132 | 4 |
| Dropsy, Ascites, Anasarca | 49 | 1 | 1 | – | – | 5 | 2 | – | – | – | 2 | – | 3 | – | 2 | – |
| Tumour | 95 | 2 | – | 1 | – | 1 | – | – | 1 | 6 | 5 | 2 | 4 | 4 | 1 | – |
| Abscess | 40 | – | – | – | – | 1 | 1 | – | – | 1 | 5 | – | 1 | 1 | 1 | – |
| Hæmorrhage | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Sudden Death (cause unascertained) | 25 | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Other ill-defined causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 309 | 12 | 7 | – | 3 | 11 | 52 | – | 1 | 4 | 14 | – | 6 | 8 | 7 | 1 |
| **E.—VIOLENT DEATHS** | | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 52 | – | – | – | – | 2 | – | – | 1 | – | 5 | 1 | 2 | 1 | 2 | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 201 | 2 | – | – | 4 | 7 | 2 | – | 2 | 5 | 11 | – | 9 | 6 | 7 | – |
| Poisons, Poisonous Vapours | 35 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Drowning | 74 | – | – | – | – | – | 5 | 1 | – | 4 | 5 | 3 | 6 | 1 | 5 | 1 |
| Suffocation { From Overlaying | 62 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 15 | 3 | 4 | – |
| Suffocation { Otherwise | 74 | – | – | – | – | – | – | – | – | 1 | 7 | – | 6 | 4 | 3 | – |
| Falls | 58 | – | – | 2 | – | – | – | – | – | – | 3 | – | 5 | 1 | 2 | – |
| Weather Agencies | 13 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Otherwise, or not stated | 224 | 1 | 1 | 1 | 1 | 6 | 3 | – | 6 | 4 | 13 | 4 | 22 | 3 | 6 | – |
| Homicide | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suicide | 73 | 2 | – | – | – | – | – | – | 1 | – | 4 | 1 | 8 | 5 | 10 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | 1 | – | – | 1 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 1 | 1 | 3 | – | 6 | 9 | 33 | 1 | 9 | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | 2 | – | 2 | 1 | 2 | 2 | 10 | – | 2 | – | – | – | – | – | 1 | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | 1 | – | – | 2 | – |
| Eczema | 1 | – | 2 | – | – | – | 1 | 6 | – | 3 | – | – | – | – | – | 2 | – | – |
| Pemphigus | – | 1 | – | – | – | 1 | 1 | 1 | – | 3 | 1 | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | 1 | – | – | – | – | 4 | – | – | – | – | – | 1 | 1 | 1 | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 12 | 51 | 26 | 8 | 2 | 83 | 90 | 501 | 20 | 98 | 9 | 8 | 3 | 4 | 13 | 12 | 8 | |
| Old Age | 11 | 49 | 37 | 73 | | 83 | 82 | 272 | 17 | 119 | 11 | 19 | 5 | 10 | 22 | 30 | 14 | 2 |
| Dropsy, Ascites, Anasarca | 1 | 1 | 1 | 2 | – | – | – | 9 | – | 1 | – | – | – | – | 1 | 1 | – | |
| Tumour | – | 1 | – | – | – | – | 1 | 12 | – | 9 | – | – | – | – | – | 3 | 1 | |
| Abscess | – | 1 | – | – | – | 5 | 2 | 21 | – | 7 | – | – | – | – | – | – | – | |
| Hæmorrhage | 1 | – | – | – | – | – | 3 | 7 | – | 1 | – | – | – | – | – | – | 1 | |
| Sudden Death (cause unascertained) | – | 1 | – | – | – | 4 | 1 | 21 | 2 | 2 | – | – | – | – | – | – | – | |
| Other ill-defined causes | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Causes not specified | 2 | 5 | 8 | 10 | – | 8 | 29 | 112 | – | 5 | 4 | – | – | – | 3 | 2 | 2 | |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | | | | |
| In Mines and Quarries | 2 | 13 | – | – | – | 2 | 15 | 87 | 5 | 13 | 3 | – | – | – | – | – | – | |
| Vehicles and Horses | 1 | 13 | 5 | – | 2 | 17 | 23 | 123 | 5 | 44 | 1 | 4 | 1 | 1 | 6 | 5 | 2 | |
| Ships, Boats, Docks (not Drowning) | – | 1 | 4 | – | – | 10 | 2 | 34 | 1 | 9 | – | – | – | – | – | – | – | |
| Building Operations | – | – | – | – | – | 3 | 1 | 6 | – | 1 | – | – | – | – | – | – | – | |
| Machinery | – | 2 | 1 | – | – | 2 | 5 | 17 | 1 | 7 | – | – | – | – | – | 1 | – | |
| Weapons and Implements | – | 1 | – | – | – | – | 2 | 3 | – | 1 | – | – | – | – | 1 | – | – | |
| Burns and Scalds | 2 | 3 | 5 | – | – | 11 | 9 | 56 | 1 | 9 | – | – | – | – | 1 | 3 | 1 | |
| Poisons, Poisonous Vapours | – | 3 | 1 | – | – | 3 | 4 | 17 | – | 19 | – | – | – | – | 1 | 3 | – | |
| Drowning | 4 | 29 | 33 | 16 | 6 | 43 | 25 | 101 | 6 | 24 | 4 | 2 | – | 3 | 2 | 5 | 9 | |
| Suffocation { From Overlaying | – | – | – | 1 | – | 4 | 9 | 20 | – | 17 | 1 | 4 | – | – | 1 | 1 | 1 | |
| Suffocation { Otherwise | – | 1 | 2 | – | 2 | 5 | 6 | 36 | 2 | 14 | 1 | – | 1 | – | – | 2 | – | |
| Falls | 1 | 1 | 4 | 3 | 2 | 11 | 9 | 49 | 5 | 31 | 1 | – | 1 | – | 1 | 1 | – | |
| Weather Agencies | – | 1 | – | 1 | 1 | 1 | 3 | 4 | 1 | 3 | 1 | 1 | 1 | – | – | 1 | 2 | |
| Otherwise, or not stated | 5 | 1 | 5 | 6 | 1 | 35 | 13 | 145 | 3 | 28 | 1 | – | 1 | – | 6 | 6 | 1 | |
| Homicide | – | 1 | – | – | – | – | 1 | 3 | – | 4 | – | – | – | – | – | – | – | |
| Suicide | 1 | 3 | 4 | 4 | 1 | 12 | 11 | 49 | 3 | 25 | 2 | 2 | – | 2 | 2 | 5 | – | |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | 1 | 1 | 1 | – | 4 | 2 | 13 | 1 | 4 | – | – | – | – | – | 1 | – | – |
| Other Diseases of Ovary | – | 1 | – | – | – | 1 | – | 4 | – | 3 | – | – | – | – | 1 | – | – | – |
| Uterine Tumour (not Malignant) | – | 2 | – | – | – | 5 | 1 | 23 | – | 14 | – | 1 | – | – | – | 2 | 1 | – |
| Other Dis. of Uterus and Vagina | 1 | 1 | 1 | 1 | – | 2 | 2 | 13 | – | 6 | 1 | – | – | – | – | 1 | – | – |
| Disorders of Menstruation | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | 3 | 4 | 7 | – | 10 | – | – | – | – | – | 1 | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | 1 | 1 | – | – | 2 | 2 | 11 | 1 | – | 1 | – | – | – | – | 1 | – | – |
| Puerperal Mania | – | 1 | – | – | – | 1 | – | 2 | – | 4 | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | 6 | 2 | 3 | – | 7 | 7 | 26 | 2 | 11 | 1 | – | – | – | 1 | – | 1 | – |
| Placenta Prævia, Flooding | 1 | 1 | – | 1 | – | 15 | 3 | 28 | 1 | 9 | – | 4 | – | 1 | 2 | 2 | 2 | 1 |
| Other Accidents of Pregnancy and Childbirth | 1 | 4 | 4 | 3 | – | 19 | 9 | 64 | 2 | 28 | – | 1 | – | 1 | 2 | 5 | 2 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 2 | 1 | 2 | 1 | 4 | 4 | 17 | 1 | 4 | 1 | – | – | 1 | 1 | 1 | – | 1 |
| Arthritis, Periostitis | – | 1 | 1 | – | – | 1 | – | 8 | – | 4 | – | – | – | – | – | – | 1 | 1 |
| Other Dis. of Locomotor System | – | 1 | 1 | – | – | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | 1 | – | – | 1 | 1 | 1 | 7 | – | 4 | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | 2 | 1 | 8 | – | – | – | – | – | – | 2 | 1 | 1 | 2 |
| Pemphigus | – | – | – | – | – | 1 | – | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | 1 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 3 | 57 | 16 | 20 | 4 | 78 | 57 | 393 | 17 | 64 | 7 | 1 | 1 | 3 | 10 | 10 | 1 | 7 |
| Old Age | 14 | 69 | 53 | 74 | 14 | 140 | 140 | 509 | 36 | 215 | 20 | 23 | 12 | 12 | 28 | 52 | 22 | 24 |
| Dropsy, Ascites, Anasarca | 2 | 3 | – | 3 | – | 6 | 3 | 14 | – | 2 | – | – | – | – | – | – | – | – |
| Tumour | – | – | 1 | 3 | – | 8 | 2 | 35 | 1 | 11 | 1 | – | – | – | 2 | 1 | 1 | 2 |
| Abscess | – | 1 | 3 | 2 | – | 5 | 2 | 12 | – | 4 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | 1 | – | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | 2 | – | – | – | 2 | – | 17 | 1 | – | 1 | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Causes not specified | 4 | 5 | 4 | 7 | – | 11 | 18 | 114 | 1 | 2 | 8 | – | – | – | 3 | 1 | – | 5 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | 3 | – | 1 | 2 | 3 | 4 | 14 | 2 | 7 | 1 | – | – | – | – | 1 | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 5 | 2 | 4 | – | 23 | 13 | 75 | 1 | 18 | 1 | 1 | – | – | 1 | – | 2 | – |
| Poisons, Poisonous Vapours | – | 1 | 1 | – | – | 4 | 1 | 10 | 1 | 13 | – | – | – | 1 | – | – | – | – |
| Drowning | – | 4 | 5 | 3 | – | 4 | 5 | 11 | 4 | 5 | – | – | – | – | – | 1 | – | 1 |
| Suffocation { From Overlaying | 1 | 3 | 1 | – | – | 8 | 2 | 12 | 2 | 7 | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | 3 | – | 1 | – | 5 | 2 | 23 | – | 14 | – | 1 | 1 | – | – | – | – | 2 |
| Falls | 1 | – | 1 | 1 | 1 | 4 | 3 | 14 | 1 | 17 | – | – | – | – | 1 | – | 1 | – |
| Weather Agencies | 1 | 1 | – | – | – | 3 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 3 | 4 | 7 | 3 | – | 18 | 11 | 75 | 1 | 17 | 2 | 2 | – | 1 | 4 | 1 | 1 | 3 |
| Homicide | – | – | – | – | – | – | – | 2 | – | 1 | – | 5 | – | – | – | – | – | – |
| Suicide | 1 | 1 | 1 | 1 | – | 6 | 2 | 15 | – | 10 | – | 1 | – | 1 | 1 | – | 2 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—MALES.

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 18128 | 7798 | 2764 | 1359 | 1371 | 745 | 688 | 655 | 679 | 371 | 358 | 313 | 235 | 268 | 300 | 224 |
| A.—GENERAL DISEASES | 8614 | 3737 | 1350 | 632 | 614 | 404 | 312 | 327 | 315 | 170 | 154 | 140 | 97 | 117 | 138 | 107 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1298 | 537 | 195 | 86 | 100 | 64 | 65 | 40 | 50 | 30 | 32 | 20 | 23 | 21 | 23 | 12 |
| II. " ORGANS OF SPECIAL SENSE | 60 | 25 | 7 | 7 | 5 | 2 | 4 | 4 | 2 | 1 | 2 | – | – | – | – | 1 |
| III. " HEART | 1458 | 535 | 257 | 139 | 135 | 50 | 47 | 62 | 72 | 29 | 24 | 23 | 24 | 29 | 20 | 12 |
| IV. " BLOOD VESSELS | 902 | 343 | 168 | 88 | 60 | 30 | 45 | 24 | 33 | 17 | 18 | 25 | 17 | 16 | 10 | 8 |
| V. " RESPIRATORY SYSTEM | 1577 | 721 | 169 | 107 | 132 | 60 | 80 | 46 | 53 | 42 | 46 | 21 | 18 | 29 | 29 | 24 |
| VI. " DIGESTIVE SYSTEM | 1271 | 557 | 189 | 86 | 120 | 31 | 39 | 35 | 40 | 33 | 22 | 31 | 17 | 19 | 32 | 20 |
| VII. " LYMPHATIC AND DUCTLESS GLANDS | 21 | 8 | 6 | 1 | – | – | 1 | – | 2 | 1 | 1 | – | – | – | 1 | – |
| VIII. " URINARY SYSTEM | 619 | 258 | 121 | 50 | 49 | 13 | 18 | 29 | 21 | 14 | 8 | 8 | 6 | 12 | 3 | 9 |
| IX. " GENERATIVE SYSTEM | 5 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| X. " PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. " LOCOMOTOR SYSTEM | 66 | 32 | 11 | 4 | 9 | – | 2 | – | 2 | 1 | 1 | 1 | – | 1 | – | 2 |
| XII. " THE SKIN | 23 | 8 | 5 | 2 | 2 | – | 1 | 1 | 1 | 2 | – | 1 | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1211 | 577 | 136 | 91 | 83 | 55 | 49 | 42 | 34 | 17 | 27 | 28 | 16 | 11 | 28 | 17 |
| E.—VIOLENT DEATHS | 1003 | 458 | 150 | 66 | 61 | 36 | 24 | 45 | 54 | 14 | 23 | 15 | 17 | 13 | 16 | 11 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 11 | 9 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 9 | 5 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Measles | 375 | 183 | 49 | 3 | 57 | 34 | 12 | 13 | 1 | 4 | 6 | 5 | – | – | 6 | 2 |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 118 | 45 | 27 | 4 | 7 | – | 18 | 1 | 5 | 1 | 1 | 5 | 2 | 1 | 1 | – |
| Typhus | 6 | 3 | – | – | – | – | – | – | 2 | – | – | – | – | – | 1 | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 112 | 36 | 21 | 7 | 10 | 1 | 10 | 4 | 2 | 1 | 1 | 8 | 1 | 3 | 6 | 1 |
| Hooping-cough | 557 | 284 | 64 | 21 | 17 | 57 | 9 | 14 | 34 | 17 | 8 | 7 | – | 2 | 13 | 10 |
| Mumps | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diphtheria | 110 | 47 | 26 | 7 | 2 | 3 | 3 | – | 2 | 1 | 2 | 5 | 1 | 6 | 2 | 3 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 5 | 3 | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Enteric Fever | 149 | 89 | 15 | 12 | 3 | 1 | 5 | – | 9 | 1 | 1 | 3 | 3 | – | 5 | 2 |

CAUSES of DEATHS in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—FEMALES.

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 17725 | 7273 | 2758 | 1588 | 1370 | 719 | 740 | 631 | 632 | 406 | 305 | 316 | 238 | 292 | 264 | 193 |
| A.—GENERAL DISEASES | 8300 | 3462 | 1307 | 713 | 603 | 361 | 318 | 307 | 302 | 205 | 132 | 124 | 109 | 126 | 132 | 99 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1062 | 428 | 156 | 79 | 79 | 76 | 51 | 37 | 37 | 28 | 24 | 13 | 13 | 19 | 16 | 6 |
| II. ,, ORGANS OF SPECIAL SENSE | 41 | 12 | 10 | 5 | 5 | – | 1 | 1 | – | – | 2 | 2 | – | 1 | 1 | 1 |
| III. ,, HEART | 1589 | 556 | 296 | 183 | 140 | 44 | 76 | 67 | 59 | 44 | 22 | 22 | 27 | 29 | 15 | 9 |
| IV. ,, BLOOD VESSELS | 1017 | 398 | 174 | 113 | 81 | 27 | 36 | 37 | 39 | 13 | 16 | 25 | 15 | 25 | 12 | 6 |
| V. ,, RESPIRATORY SYSTEM | 1587 | 681 | 206 | 142 | 140 | 76 | 73 | 52 | 47 | 32 | 26 | 28 | 13 | 29 | 26 | 16 |
| VI. ,, DIGESTIVE SYSTEM | 1324 | 558 | 186 | 95 | 116 | 45 | 53 | 50 | 43 | 37 | 26 | 43 | 20 | 17 | 16 | 19 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 39 | 14 | 7 | 3 | 7 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | 2 | – |
| VIII. ,, URINARY SYSTEM | 405 | 165 | 78 | 44 | 29 | 11 | 11 | 12 | 14 | 4 | 8 | 8 | 5 | 3 | 4 | 9 |
| IX. ,, GENERATIVE SYSTEM | 120 | 53 | 28 | 9 | 5 | 1 | 2 | 4 | 4 | 2 | 3 | 2 | 3 | 2 | 1 | 1 |
| X. ,, PREGNANCY AND CHILDBIRTH | 206 | 84 | 36 | 12 | 15 | 9 | 15 | 7 | 9 | 4 | 2 | 4 | 4 | – | – | 5 |
| XI. ,, LOCOMOTOR SYSTEM | 47 | 24 | 8 | 3 | 4 | – | 2 | 1 | 3 | – | 1 | 1 | – | – | – | – |
| XII. ,, THE SKIN | 25 | 13 | 4 | 1 | 1 | 1 | – | – | – | 1 | – | – | 1 | 1 | 1 | 1 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1498 | 625 | 181 | 135 | 119 | 59 | 82 | 41 | 51 | 28 | 38 | 35 | 22 | 29 | 35 | 18 |
| E.—VIOLENT DEATHS. | 465 | 200 | 81 | 51 | 26 | 8 | 19 | 14 | 23 | 7 | 5 | 8 | 6 | 11 | 3 | 3 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 4 | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Small-pox: Doubtful | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 7 | 4 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 341 | 165 | 49 | 1 | 62 | 22 | 16 | 10 | – | 4 | 5 | 3 | – | – | – | 4 |
| German Measles | 3 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scarlet Fever | 101 | 34 | 25 | 2 | 6 | 3 | 18 | – | 2 | – | 2 | 3 | – | 1 | 4 | 1 |
| Typhus | 4 | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 154 | 58 | 36 | 4 | 14 | 8 | 9 | 2 | 3 | 3 | 3 | 7 | 4 | 2 | – | 1 |
| Hooping-cough | 653 | 318 | 88 | 30 | 24 | 60 | 15 | 21 | 37 | 22 | 9 | 5 | – | 3 | 14 | 7 |
| Mumps | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 150 | 56 | 32 | 8 | 10 | 9 | 4 | 1 | 5 | 3 | 4 | 3 | 2 | 4 | 5 | 4 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 4 | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Enteric Fever | 123 | 55 | 10 | 21 | 2 | 2 | 6 | 3 | 13 | – | 3 | 3 | 1 | 3 | 1 | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 76 | 17 | 4 | 16 | 9 | 7 | 5 | 4 | 1 | – | – | 5 | 1 | 2 | – | 5 |
| Diarrhœa (not otherwise defined) | 350 | 131 | 24 | 54 | 22 | 21 | 24 | 12 | 15 | 16 | 4 | 4 | 5 | 1 | 8 | 9 |
| Dysentery | 9 | 3 | 1 | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Malaria | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 6 | 2 | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Syphilis | 72 | 26 | 12 | 11 | 8 | 1 | 3 | 2 | 2 | 3 | 1 | 1 | 1 | – | 1 | – |
| Gonorrhœa | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 48 | 15 | 10 | 2 | 4 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 3 | 2 | 1 |
| Septicæmia (not Puerperal) | 25 | 12 | 5 | 2 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | 1 |
| Pyæmia (not Puerperal) | 6 | 3 | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 33 | 12 | 4 | 5 | 2 | 1 | 3 | 1 | – | – | 2 | 1 | 2 | – | – | – |
| Phagedæna | 16 | 6 | 3 | 1 | 1 | – | – | – | 1 | – | 1 | – | 1 | 1 | 1 | – |
| Infective Endocarditis | 5 | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 249 | 88 | 61 | 29 | 27 | 6 | 2 | 12 | 8 | 2 | 2 | 3 | 1 | 2 | 2 | 4 |
| Pneumonia — Broncho | 685 | 340 | 80 | 48 | 38 | 42 | 25 | 19 | 11 | 13 | 33 | 4 | 8 | 9 | 8 | 7 |
| Pneumonia — Epidemic | 8 | 3 | 2 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Pneumonia — Not defined | 1081 | 539 | 113 | 72 | 59 | 71 | 36 | 45 | 50 | 15 | 16 | 18 | 14 | 10 | 11 | 12 |
| Other Infective Conditions | 31 | 17 | 5 | 1 | 2 | – | – | 1 | 3 | 1 | – | – | – | 1 | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 244 | 73 | 54 | 32 | 28 | 8 | 4 | 12 | 6 | 7 | 3 | 6 | 1 | 6 | 3 | 1 |
| Phthisis (not otherwise defined) | 1311 | 628 | 212 | 73 | 79 | 54 | 39 | 49 | 49 | 25 | 20 | 9 | 18 | 25 | 19 | 12 |
| Tuberculous Meningitis | 325 | 131 | 51 | 26 | 24 | 5 | 12 | 25 | 10 | 9 | 5 | 5 | 5 | 5 | 6 | 6 |
| Tuberculous Peritonitis | 177 | 71 | 28 | 16 | 18 | 8 | 2 | 8 | 5 | 3 | 4 | 5 | 3 | 3 | 2 | 1 |
| Tabes Mesenterica | 100 | 48 | 8 | 5 | 2 | 8 | 5 | 4 | 4 | 1 | 3 | 1 | – | 2 | 8 | 1 |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Tubercle of other Organs | 86 | 36 | 23 | 6 | 7 | – | 2 | 4 | 2 | 1 | 1 | 2 | – | – | 1 | 1 |
| General Tuberculosis | 186 | 76 | 26 | 20 | 10 | 7 | 10 | 5 | 10 | 3 | 2 | 2 | 6 | 4 | 2 | 3 |
| Scrofula | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Parasitic Diseases | 2 | 1 | – | – | 1 | – | – | | – | – | – | – | – | – | – | – |
| Starvation | 4 | 1 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – |
| Scurvy | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 97 | 33 | 29 | 7 | 7 | 2 | 6 | 4 | – | – | 2 | 2 | 1 | 1 | 2 | 1 |
| Opium, Morphia Habit | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | 1 | 1 | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | | | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 50 | 24 | 2 | 6 | 2 | 6 | 2 | 4 | 4 | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 272 | 119 | 23 | 32 | 16 | 11 | 15 | 5 | 10 | 7 | 6 | 6 | 7 | 2 | 6 | 7 |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 76 | 30 | 13 | 11 | 4 | 1 | 3 | 2 | 7 | 1 | 1 | 1 | 1 | 1 | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 41 | 18 | 1 | 4 | 1 | 3 | 2 | 3 | 3 | – | – | 2 | 1 | 1 | – | 2 |
| Puerperal Pyæmia | 4 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phlegmasia Alba Dolens | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 89 | 47 | 9 | 4 | 6 | 4 | 2 | 5 | 3 | 4 | – | 2 | 1 | 1 | – | 1 |
| Erysipelas | 44 | 19 | 3 | 5 | 4 | 1 | 1 | – | 1 | – | – | 2 | 2 | 2 | 3 | 1 |
| Septicæmia (not Puerperal) | 25 | 9 | 5 | 3 | 1 | 2 | – | 1 | 1 | – | – | 1 | – | – | 2 | – |
| Pyæmia (not Puerperal) | 10 | 3 | 1 | 1 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 25 | 9 | 5 | 4 | 2 | – | – | – | – | 1 | 1 | – | 2 | – | 1 | – |
| Phagedæna | 17 | 8 | 4 | 1 | 1 | – | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Infective Endocarditis | 3 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Pneumonia — Lobar | 144 | 57 | 28 | 16 | 11 | 4 | 2 | 8 | 1 | 5 | – | 2 | 4 | 2 | – | 4 |
| Pneumonia — Broncho | 547 | 260 | 55 | 65 | 35 | 32 | 14 | 25 | 12 | 11 | 12 | 3 | 3 | 6 | 10 | 4 |
| Pneumonia — Epidemic | 11 | 3 | 2 | – | 1 | – | – | 1 | – | 2 | – | – | – | 1 | 1 | – |
| Pneumonia — Not defined | 782 | 388 | 101 | 58 | 36 | 49 | 24 | 28 | 31 | 24 | 8 | 8 | 12 | 6 | 3 | 6 |
| Other Infective Conditions | 17 | 7 | 4 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 289 | 78 | 61 | 42 | 37 | 8 | 2 | 17 | 6 | 9 | 9 | 6 | 1 | 8 | 5 | – |
| Phthisis (not otherwise defined) | 1348 | 563 | 180 | 129 | 98 | 47 | 66 | 58 | 56 | 36 | 18 | 14 | 17 | 29 | 24 | 13 |
| Tuberculous Meningitis | 297 | 104 | 53 | 33 | 23 | 11 | 10 | 15 | 10 | 5 | 6 | 4 | 4 | 4 | 9 | 6 |
| Tuberculous Peritonitis | 175 | 56 | 36 | 25 | 9 | 2 | 8 | 5 | 7 | 4 | 8 | 6 | 2 | 4 | 1 | 2 |
| Tabes Mesenterica | 74 | 35 | 5 | 4 | 2 | 2 | 4 | 2 | 1 | 4 | 6 | – | – | 2 | 7 | – |
| Lupus | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 63 | 27 | 16 | 7 | 3 | 1 | – | – | 4 | – | 2 | 2 | 1 | – | – | – |
| General Tuberculosis | 161 | 71 | 23 | 12 | 9 | 5 | 7 | 7 | 3 | 1 | 1 | 5 | 4 | 4 | 4 | 5 |
| Scrofula | 7 | 2 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | 1 | – | – |
| Parasitic Diseases | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 6 | 1 | 1 | – | – | – | – | – | – | 2 | – | 1 | – | – | 1 | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 69 | 26 | 17 | 5 | 5 | 2 | 1 | 2 | 4 | 1 | – | 1 | 2 | 1 | 2 | – |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 38 | 12 | 12 | 2 | 1 | – | 3 | 1 | 1 | 3 | – | 3 | – | – | – | – |
| Rheumatism of Heart | 6 | 2 | – | – | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Chronic Rheumatism | 18 | 5 | 4 | 1 | 1 | 1 | – | – | – | 1 | 1 | 1 | – | 2 | 1 | – |
| Rheumatic Arthritis, Rheumatic Gout | 10 | 2 | 3 | – | 3 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Gout | 3 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Carcinoma | 292 | 108 | 95 | 16 | 25 | 3 | 5 | 8 | 12 | 2 | 3 | 6 | 1 | 4 | 1 | 3 |
| Sarcoma | 62 | 22 | 18 | 6 | 5 | 1 | – | 1 | 1 | 1 | 2 | – | – | – | 3 | 2 |
| Cancer, Malignant Disease (not otherwise defined) | 329 | 127 | 67 | 27 | 24 | 6 | 13 | 11 | 20 | 7 | 2 | 6 | 5 | 4 | 8 | 2 |
| Rickets | 20 | 4 | 5 | 1 | 1 | 2 | – | 7 | – | – | – | – | – | – | – | – |
| Purpura | 7 | 2 | 2 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 5 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 78 | 23 | 23 | 3 | 5 | 7 | 1 | 6 | 1 | 4 | 2 | 1 | – | 1 | – | 1 |
| Diabetes Mellitus | 60 | 23 | 14 | 6 | 2 | 4 | 2 | 1 | 1 | 2 | – | 2 | 1 | 1 | 1 | – |
| Premature Birth | 631 | 250 | 87 | 60 | 57 | 23 | 21 | 33 | 25 | 12 | 16 | 12 | 9 | 7 | 8 | 11 |
| Congenital Defects | 140 | 46 | 29 | 9 | 9 | 7 | 11 | 6 | 3 | 5 | – | 2 | 1 | 6 | 2 | 4 |
| Injury at Birth | 35 | 15 | 5 | 2 | 3 | 1 | 1 | 3 | – | 1 | 1 | – | 2 | – | 1 | – |
| Atelectasis | 45 | 11 | 8 | 7 | 5 | 3 | – | 1 | 3 | 1 | 3 | – | 2 | – | 1 | – |
| Want of Breast Milk | 31 | 4 | 4 | 5 | 6 | 3 | 2 | 1 | 2 | 2 | – | – | – | 1 | 1 | – |
| Teething | 97 | 49 | 9 | 2 | 10 | 3 | 12 | 2 | 4 | – | 2 | 2 | – | 1 | – | 1 |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 466 | 228 | 38 | 34 | 17 | 29 | 23 | 8 | 21 | 15 | 17 | 11 | 10 | 7 | 6 | 2 |
| Softening of Brain | 72 | 28 | 18 | 5 | 6 | 2 | 1 | 3 | – | 1 | 2 | 1 | – | 3 | 1 | 1 |
| General Paralysis of Insane | 42 | 2 | 28 | – | 7 | – | 5 | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 10 | 4 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 52 | 21 | 8 | 3 | 8 | 1 | 3 | 2 | 1 | – | – | – | – | 4 | 1 | – |
| Convulsions | 326 | 130 | 47 | 19 | 41 | 18 | 10 | 11 | 12 | 7 | 3 | 4 | 8 | – | 10 | 6 |
| Laryngismus Stridulus | 32 | 14 | 3 | 2 | 3 | 1 | 3 | 1 | 1 | 2 | – | – | – | – | – | 2 |
| Locomotor Ataxy | 28 | 6 | 4 | 5 | 3 | 3 | 1 | – | 1 | – | 1 | – | 1 | 1 | 2 | – |
| Paraplegia, Diseases of Cord | 78 | 33 | 20 | 7 | 1 | 5 | – | 2 | 6 | 2 | – | 1 | 1 | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 10 | 4 | – | 1 | – | – | – | 2 | – | – | 1 | 1 | 1 | – | – | – |
| Brain Tumour (not Specific) | 32 | 14 | 7 | 3 | 3 | – | 1 | 1 | – | – | 1 | 1 | – | – | 1 | – |
| Other Diseases of Nervous System | 147 | 50 | 20 | 6 | 9 | 5 | 17 | 10 | 8 | 3 | 7 | 1 | 2 | 6 | 2 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 56 | 24 | 7 | 7 | 4 | 2 | 4 | 2 | 2 | 1 | 2 | – | – | – | – | 1 |
| Epistaxis, Diseases of Nose | 4 | 1 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 404 | 133 | 104 | 35 | 45 | 8 | 5 | 20 | 20 | 11 | 2 | 8 | 1 | 4 | 4 | 4 |
| Pericarditis | 18 | 8 | 2 | – | 1 | 1 | – | 1 | 3 | – | – | – | 1 | 1 | – | – |
| Hypertrophy of Heart | 15 | 5 | 5 | 1 | 1 | – | – | – | – | – | 2 | – | – | 1 | – | – |
| Angina Pectoris | 43 | 17 | 4 | 2 | 8 | 1 | 5 | 2 | 3 | 1 | – | – | – | – | – | – |
| Dilatation of Heart | 34 | 3 | 14 | 9 | 4 | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – |
| Fatty Degeneration of Heart | 73 | 24 | 19 | 3 | 1 | 4 | – | 4 | 1 | 1 | – | 3 | – | 2 | 1 | – |
| Syncope, Heart Disease (not specified) | 871 | 335 | 109 | 89 | 75 | 36 | 36 | 35 | 44 | 16 | 20 | 11 | 21 | 21 | 15 | 8 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 55 | 20 | 9 | 3 | 7 | – | 3 | 2 | 3 | 1 | 1 | 1 | 4 | 1 | – | – |
| Rheumatism of Heart | 4 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 42 | 17 | 9 | 2 | 2 | 2 | 1 | 3 | 1 | – | – | 1 | 1 | 2 | 1 | – |
| Rheumatic Arthritis, Rheumatic Gout | 26 | 5 | 11 | – | 5 | – | 1 | – | – | – | – | – | 1 | 3 | – | – |
| Gout | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 468 | 158 | 114 | 47 | 41 | 7 | 15 | 24 | 11 | 12 | 4 | 7 | 9 | 10 | 3 | 6 |
| Sarcoma | 48 | 22 | 11 | 3 | 3 | – | 2 | 2 | – | 1 | – | 1 | 1 | – | – | 2 |
| Cancer, Malignant Disease (not otherwise defined) | 475 | 187 | 100 | 38 | 32 | 12 | 26 | 12 | 22 | 12 | 2 | 7 | 8 | 7 | 7 | 3 |
| Rickets | 23 | 9 | 4 | 2 | 2 | – | – | 1 | 1 | – | 3 | – | – | – | – | 1 |
| Purpura | 14 | 4 | 2 | – | 2 | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 4 | 1 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Anæmia, Leucocythæmia | 105 | 37 | 24 | 10 | 5 | 2 | 3 | 1 | 6 | 3 | 1 | 3 | 2 | 4 | 2 | 2 |
| Diabetes Mellitus | 70 | 25 | 15 | 5 | 6 | 2 | 1 | – | 6 | 2 | 3 | 1 | 1 | 1 | 1 | 1 |
| Premature Birth | 488 | 202 | 55 | 44 | 41 | 26 | 18 | 19 | 18 | 14 | 8 | 9 | 6 | 8 | 10 | 10 |
| Congenital Defects | 117 | 36 | 29 | 11 | 7 | 3 | 1 | 11 | 1 | 6 | 1 | 1 | 2 | 2 | 3 | 3 |
| Injury at Birth | 20 | 11 | 4 | – | 2 | – | – | – | 1 | 1 | – | 1 | – | – | – | – |
| Atelectasis | 43 | 10 | 12 | 7 | 3 | 3 | 2 | 3 | 1 | – | – | – | – | – | – | 2 |
| Want of Breast Milk | 24 | 2 | 5 | 3 | 3 | 5 | 2 | 1 | 1 | – | 1 | – | – | – | 1 | – |
| Teething | 63 | 39 | 4 | 1 | 6 | – | 8 | 1 | 1 | 1 | 1 | – | 1 | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 367 | 175 | 31 | 23 | 17 | 38 | 21 | 7 | 10 | 12 | 9 | 6 | 4 | 7 | 6 | 1 |
| Softening of Brain | 62 | 14 | 25 | 5 | 4 | 2 | 1 | 3 | 2 | 1 | – | 1 | 1 | 2 | – | 1 |
| General Paralysis of Insane | 15 | 2 | 11 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 31 | 4 | 6 | 5 | 8 | – | 7 | – | – | – | – | – | – | 1 | – | – |
| Chorea | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 39 | 15 | 7 | 4 | 3 | 1 | – | 1 | 1 | 1 | – | 1 | 1 | 2 | 1 | 1 |
| Convulsions | 252 | 99 | 37 | 13 | 28 | 20 | 5 | 13 | 9 | 6 | 6 | 4 | 3 | 1 | 7 | 1 |
| Laryngismus Stridulus | 10 | 7 | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Locomotor Ataxy | 5 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 56 | 16 | 11 | 9 | 6 | 1 | 1 | 2 | 4 | 1 | 2 | – | 1 | – | 1 | 1 |
| Neuritis; Peripheral, Poly-neuritis | 20 | 7 | 5 | 1 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 24 | 9 | 4 | 6 | 1 | – | – | 1 | 1 | – | 2 | – | – | – | – | – |
| Other Diseases of Nervous System | 178 | 75 | 19 | 11 | 7 | 11 | 14 | 9 | 10 | 5 | 5 | 1 | 3 | 6 | 1 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 39 | 11 | 9 | 5 | 5 | – | 1 | 1 | – | – | 2 | 2 | – | 1 | 1 | 1 |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 479 | 182 | 107 | 46 | 39 | 4 | 26 | 18 | 11 | 14 | 4 | 9 | 3 | 7 | 5 | 4 |
| Pericarditis | 21 | 4 | 8 | 1 | 1 | – | 1 | 1 | – | 2 | 1 | 1 | – | 1 | – | – |
| Hypertrophy of Heart | 6 | 1 | 1 | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Angina Pectoris | 29 | 8 | 7 | 3 | 3 | – | 3 | 2 | 3 | – | – | – | – | – | – | – |
| Dilatation of Heart | 33 | 5 | 7 | 8 | 2 | – | 1 | 2 | 1 | 4 | – | 2 | – | 1 | – | – |
| Fatty Degeneration of Heart | 80 | 26 | 26 | 7 | 7 | 2 | – | 3 | 1 | 1 | 3 | 2 | 1 | – | 1 | – |
| Syncope, Heart Disease (not specified) | 941 | 330 | 140 | 116 | 88 | 38 | 44 | 41 | 43 | 23 | 13 | 8 | 23 | 20 | 9 | 5 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 372 | 132 | 80 | 41 | 29 | 10 | 14 | 10 | 13 | 9 | 5 | 12 | 6 | 7 | 4 | – |
| Apoplexy, Hemiplegia | 399 | 172 | 58 | 31 | 14 | 14 | 25 | 10 | 17 | 6 | 11 | 11 | 10 | 7 | 6 | 7 |
| Aneurism | 56 | 16 | 16 | 4 | 7 | 3 | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | 1 |
| Senile Gangrene | 31 | 11 | 6 | 2 | 6 | 1 | – | 2 | 1 | – | 1 | – | – | 1 | – | – |
| Embolism, Thrombosis (not Cerebral) | 13 | 3 | 3 | 2 | 1 | – | 3 | – | – | – | – | 1 | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 29 | 8 | 5 | 8 | 3 | 2 | – | – | 1 | – | – | – | 1 | 1 | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 30 | 15 | 2 | – | 5 | 1 | – | 2 | 2 | 1 | 1 | – | 1 | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 12 | 7 | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 |
| Other Dis. of Larynx and Trachea | 5 | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1362 | 624 | 137 | 93 | 111 | 54 | 71 | 42 | 44 | 37 | 43 | 18 | 16 | 24 | 27 | 21 |
| Emphysema, Asthma | 37 | 16 | 8 | 1 | 2 | – | 4 | – | – | – | – | 2 | – | 4 | – | – |
| Pleurisy | 83 | 39 | 10 | 7 | 9 | 4 | 1 | – | 6 | 2 | – | – | 1 | 1 | 1 | 2 |
| Fibroid Disease of Lung | 25 | 8 | 4 | 3 | 4 | 1 | 2 | – | – | – | 1 | 1 | – | – | 1 | – |
| Other Dis. of Respiratory System | 20 | 8 | 5 | 1 | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 8 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 18 | 8 | 4 | 1 | 2 | – | – | 1 | 1 | – | – | – | – | – | 1 | – |
| Gastric Ulcer | 52 | 20 | 9 | 5 | 6 | – | 1 | 1 | 2 | 1 | 1 | – | 2 | – | 3 | 1 |
| Gastric Catarrh | 138 | 60 | 13 | 6 | 13 | 8 | 6 | 4 | 5 | 6 | 4 | 3 | 1 | – | 5 | 4 |
| Other Diseases of Stomach (not Malignant) | 72 | 34 | 12 | 2 | 5 | 3 | 4 | 2 | 2 | 2 | – | 3 | – | 2 | – | 1 |
| Enteritis (not Infective) | 139 | 61 | 21 | 10 | 11 | 6 | 4 | 5 | 4 | 5 | 1 | 5 | 4 | 1 | 1 | – |
| Gastro-enteritis | 282 | 129 | 22 | 22 | 33 | 4 | 6 | 6 | 11 | 11 | 10 | 7 | 2 | 4 | 9 | 6 |
| Appendicitis, Perityphlitis | 88 | 37 | 22 | 6 | 10 | – | 1 | 3 | 1 | 1 | 2 | 1 | 1 | 2 | – | 1 |
| Hernia | 42 | 21 | 7 | 4 | 2 | – | 1 | 2 | 1 | – | – | 1 | – | 2 | 1 | – |
| Intestinal Obstruction | 135 | 64 | 24 | 7 | 13 | 2 | 6 | 1 | 5 | 1 | – | 3 | 3 | 1 | 3 | 2 |
| Other Diseases of Intestines | 30 | 11 | 3 | 6 | 4 | – | – | 1 | – | 2 | – | 2 | – | – | 1 | – |
| Peritonitis (not Puerperal) | 109 | 42 | 14 | 10 | 14 | 5 | 5 | 3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 1 |
| Cirrhosis of Liver | 70 | 24 | 22 | 3 | 4 | 1 | – | 3 | 2 | 1 | – | 1 | 2 | 1 | 4 | 2 |
| Other Diseases of Liver and Gall Bladder | 87 | 42 | 14 | 2 | 2 | 2 | 5 | 3 | 4 | 2 | 3 | 3 | – | 3 | – | 2 |
| Other Diseases of Digestive System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 4 | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Other Dis. of Lymphatic System | 10 | 5 | 2 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 5 | 2 | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 174 | 72 | 32 | 17 | 8 | 3 | 9 | 11 | 4 | 6 | 4 | 2 | 2 | 1 | – | 3 |
| Chronic Bright's Disease, Albuminuria | 258 | 116 | 46 | 21 | 19 | 5 | 5 | 10 | 11 | 7 | 2 | 3 | 1 | 5 | 2 | 5 |
| Calculus (not Biliary) | 8 | 1 | 4 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 117 | 38 | 23 | 11 | 15 | 1 | 3 | 8 | 4 | – | 2 | 2 | 3 | 5 | 1 | 1 |
| Other Diseases of Urinary System | 62 | 31 | 16 | 1 | 5 | 3 | 1 | – | 2 | 1 | – | 1 | – | 1 | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 412 | 158 | 82 | 47 | 29 | 13 | 11 | 15 | 20 | 5 | 2 | 11 | 4 | 11 | 4 | - |
| Apoplexy, Hemiplegia | 497 | 214 | 64 | 46 | 39 | 13 | 24 | 18 | 18 | 6 | 12 | 12 | 8 | 9 | 8 | 6 |
| Aneurism | 18 | 7 | 9 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Senile Gangrene | 41 | 11 | 8 | 8 | 5 | - | 1 | 2 | 1 | 1 | 2 | - | - | 2 | - | - |
| Embolism, Thrombosis (not Cerebral) | 11 | 4 | 2 | 2 | 1 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Phlebitis | 8 | 1 | 2 | 1 | 2 | - | - | - | - | - | - | - | 1 | 1 | - | - |
| Varicose Veins | 3 | - | - | - | 1 | - | - | - | - | - | - | 1 | 1 | - | - | - |
| Other Diseases of Blood Vessels | 27 | 3 | 7 | 8 | 3 | 1 | - | 2 | - | 1 | - | 1 | - | 1 | - | - |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 21 | 5 | 3 | 1 | 4 | - | 1 | 3 | - | - | - | 1 | 1 | - | - | 2 |
| Membranous Laryngitis (not Diphtheritic) | 3 | 3 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Croup (not Spasmodic nor Membranous) | 12 | 4 | 1 | 2 | - | - | - | - | 1 | 1 | - | 2 | 1 | - | - | - |
| Other Dis. of Larynx and Trachea | 5 | 1 | 3 | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| Bronchitis | 1428 | 628 | 165 | 126 | 125 | 73 | 70 | 48 | 43 | 28 | 25 | 22 | 10 | 26 | 26 | 13 |
| Emphysema, Asthma | 24 | 5 | 7 | 3 | 6 | 1 | - | - | 2 | - | - | - | - | - | - | - |
| Pleurisy | 71 | 27 | 20 | 6 | 4 | 2 | 1 | 1 | 1 | 3 | 1 | 1 | - | 3 | - | 1 |
| Fibroid Disease of Lung | 8 | 2 | 2 | 1 | - | - | 1 | - | - | - | - | 1 | 1 | - | - | - |
| Other Dis. of Respiratory System | 15 | 6 | 5 | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 7 | 5 | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 29 | 10 | 2 | 5 | 4 | 1 | 1 | 2 | - | - | 2 | 1 | - | 1 | - | - |
| Gastric Ulcer | 76 | 28 | 17 | 6 | 6 | 2 | 2 | 3 | 5 | 2 | - | - | 3 | 1 | 1 | - |
| Gastric Catarrh | 191 | 90 | 11 | 14 | 16 | 10 | 15 | 5 | 8 | 8 | 2 | 3 | 2 | 1 | 4 | 2 |
| Other Diseases of Stomach (not Malignant) | 71 | 25 | 16 | 4 | 3 | 5 | 5 | 3 | 2 | 2 | - | 1 | - | 3 | 1 | 1 |
| Enteritis (not Infective) | 140 | 57 | 19 | 9 | 9 | 9 | 7 | 2 | 3 | 5 | 1 | 11 | 4 | 1 | - | 3 |
| Gastro-enteritis | 268 | 126 | 20 | 18 | 22 | 8 | 4 | 8 | 10 | 13 | 9 | 12 | 1 | 1 | 9 | 7 |
| Appendicitis, Perityphlitis | 56 | 23 | 17 | 4 | 5 | - | 2 | 3 | - | - | - | - | - | 1 | - | 1 |
| Hernia | 44 | 18 | 10 | 3 | 2 | - | - | 1 | 2 | - | 4 | 3 | - | - | - | 1 |
| Intestinal Obstruction | 114 | 57 | 18 | 7 | 8 | 2 | 4 | 5 | 4 | 1 | 3 | 1 | 1 | 2 | - | 1 |
| Other Diseases of Intestines | 28 | 14 | 8 | 1 | 2 | - | - | - | - | 1 | - | 2 | - | - | - | - |
| Peritonitis (not Puerperal) | 137 | 53 | 22 | 11 | 18 | 5 | 2 | 10 | 5 | 1 | 2 | 3 | 2 | - | - | 3 |
| Cirrhosis of Liver | 37 | 9 | 5 | 3 | 9 | - | 2 | 1 | - | 1 | - | 2 | 2 | 2 | 1 | - |
| Other Diseases of Liver and Gall Bladder | 123 | 43 | 19 | 10 | 12 | 3 | 8 | 7 | 4 | 2 | 2 | 4 | 5 | 4 | - | - |
| Other Diseases of Digestive System | 3 | - | 1 | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Other Dis. of Lymphatic System | 16 | 7 | 2 | 2 | 4 | - | - | - | - | 1 | - | - | - | - | - | - |
| Diseases of Thyroid Body | 19 | 6 | 4 | 1 | 3 | 1 | 1 | - | - | - | - | 1 | - | - | 2 | - |
| Diseases of Supra-renal Capsules | 3 | 1 | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 148 | 65 | 23 | 19 | 3 | 5 | 8 | 4 | 6 | - | 5 | 4 | 2 | - | 1 | 3 |
| Chronic Bright's Disease, Albuminuria | 204 | 83 | 41 | 22 | 17 | 6 | - | 8 | 7 | 2 | 3 | 3 | 2 | 3 | 2 | 5 |
| Calculus (not Biliary) | 5 | 1 | 2 | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Bladder and of Prostate | 19 | 5 | 4 | 2 | 4 | - | 2 | - | - | - | - | - | 1 | - | - | 1 |
| Other Diseases of Urinary System | 29 | 11 | 8 | 1 | 3 | - | 1 | - | 1 | 2 | - | 1 | - | - | 1 | - |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 5 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 48 | 26 | 9 | 1 | 6 | – | 2 | – | 1 | 1 | – | – | – | – | – | 2 |
| Arthritis, Periostitis | 10 | 4 | 2 | – | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Dis. of Locomotor System | 8 | 2 | – | 3 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 6 | 2 | 1 | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Eczema | 7 | 3 | 2 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | 6 | – | 2 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 4 | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 591 | 301 | 47 | 42 | 34 | 41 | 25 | 22 | 20 | 8 | 12 | 7 | 8 | 2 | 15 | 7 |
| Old Age | 410 | 143 | 80 | 44 | 39 | 5 | 23 | 13 | 9 | 5 | 8 | 9 | 8 | 8 | 9 | 7 |
| Dropsy, Ascites, Anasarca | 13 | 4 | 1 | 2 | 1 | 1 | – | – | – | 1 | 2 | – | – | – | 1 | – |
| Tumour | 21 | 7 | 5 | 1 | 2 | 1 | – | 3 | – | – | – | 1 | – | – | – | 1 |
| Abscess | 25 | 16 | 2 | – | – | 1 | – | 2 | 2 | – | 1 | 1 | – | – | – | – |
| Hæmorrhage | 10 | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Sudden Death (cause unascertained) | 16 | 14 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Other ill-defined causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 124 | 86 | – | 1 | 6 | 5 | 1 | 2 | 2 | 3 | 4 | 9 | – | 1 | 3 | 1 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | | |
| In Mines and Quarries | 31 | 20 | 3 | – | – | – | – | – | – | – | – | 3 | 2 | – | 2 | 1 |
| Vehicles and Horses | 137 | 65 | 30 | 2 | 6 | 3 | 1 | 5 | 2 | 3 | 9 | 1 | 1 | 2 | 4 | 3 |
| Ships, Boats, Docks (not Drowning) | 56 | 23 | 3 | 1 | 4 | 9 | – | 6 | 8 | 2 | – | – | – | – | – | – |
| Building Operations | 9 | 7 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Machinery | 22 | 16 | 2 | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Weapons and Implements | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 77 | 38 | 8 | 4 | 5 | 2 | 4 | – | 2 | – | 5 | 2 | 1 | – | 2 | 4 |
| Poisons, Poisonous Vapours | 30 | 8 | 12 | 3 | 2 | – | – | 3 | 1 | – | 1 | – | – | – | – | – |
| Drowning | 129 | 56 | 11 | 5 | 7 | 11 | 2 | 4 | 19 | 4 | 3 | 1 | 2 | 3 | – | 1 |
| Suffocation { From Overlaying | 51 | 7 | 10 | 13 | 1 | 4 | – | 5 | 2 | – | – | 2 | 1 | – | 5 | 1 |
| Suffocation { Otherwise | 57 | 27 | 4 | 6 | 4 | 1 | 1 | 8 | 2 | 1 | – | 1 | – | 1 | 1 | – |
| Falls | 91 | 41 | 22 | 2 | 5 | 1 | 5 | 7 | 3 | – | 2 | – | 2 | 1 | – | – |
| Weather Agencies | 5 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Otherwise, or not stated | 216 | 119 | 19 | 25 | 14 | 3 | 5 | 5 | 13 | 3 | 2 | 2 | 3 | 2 | 1 | – |
| Homicide | 6 | 1 | 3 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Suicide | 83 | 27 | 22 | 5 | 9 | 2 | 5 | 1 | 1 | – | 1 | 2 | 5 | 2 | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total, Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen | Govan. | Paisley. | Leith. | Greenock. | Partick. | Coatbridge. | Kilmarnock. | Kirkcaldy. | Perth. | Hamilton. | Motherwell. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 29 | 13 | 3 | 5 | 2 | – | 1 | – | 2 | – | – | – | 2 | 1 | – | – |
| Other Diseases of Ovary | 9 | 4 | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 39 | 18 | 12 | 1 | 3 | – | 1 | – | – | 2 | 1 | – | – | 1 | – | – |
| Other Dis. of Uterus and Vagina | 18 | 9 | 3 | – | – | 1 | – | 2 | 1 | – | 1 | – | – | – | 1 | – |
| Disorders of Menstruation | 2 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Generative and Mammary Organs | 23 | 8 | 7 | 2 | – | – | – | 2 | 1 | – | – | 2 | – | – | – | 1 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 11 | 8 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 6 | 2 | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Puerperal Convulsions | 48 | 17 | 8 | 3 | 5 | 2 | 5 | – | – | – | 1 | 3 | 2 | – | – | 2 |
| Placenta Prævia, Flooding | 48 | 19 | 6 | 5 | 3 | 3 | 2 | 3 | 5 | 1 | – | – | – | – | – | 1 |
| Other Accidents of Pregnancy and Childbirth | 93 | 38 | 20 | 3 | 7 | 3 | 7 | 3 | 3 | 3 | 1 | 1 | 2 | – | – | 2 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 29 | 15 | 4 | 1 | 4 | – | 1 | – | 2 | – | 1 | 1 | – | – | – | – |
| Arthritis, Periostitis | 14 | 7 | 3 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 4 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 10 | 5 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Eczema | 6 | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Pemphigus | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of the Skin | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 454 | 208 | 39 | 34 | 30 | 29 | 25 | 11 | 20 | 6 | 14 | 10 | 4 | 6 | 12 | 6 |
| Old Age | 824 | 277 | 133 | 94 | 77 | 18 | 49 | 27 | 22 | 19 | 19 | 19 | 18 | 20 | 21 | 11 |
| Dropsy, Ascites, Anasarca | 20 | 10 | 1 | 1 | 2 | 1 | 1 | – | 3 | – | – | 1 | – | – | – | – |
| Tumour | 45 | 24 | 6 | 1 | 2 | 2 | 4 | 3 | 2 | – | 1 | – | – | – | – | – |
| Abscess | 20 | 10 | 2 | – | 2 | – | 1 | – | 1 | – | 1 | 2 | – | 1 | – | – |
| Hæmorrhage | 4 | 2 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 12 | 10 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 119 | 84 | – | 4 | 6 | 9 | 2 | – | 1 | 3 | 3 | 3 | – | 2 | 2 | – |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 23 | 11 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | 1 | 1 | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 123 | 65 | 14 | 6 | 7 | 5 | 3 | 3 | 6 | 2 | 2 | 3 | 3 | 2 | – | 2 |
| Poisons, Poisonous Vapours | 24 | 7 | 11 | 1 | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – |
| Drowning | 18 | 10 | 2 | 2 | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Suffocation { From Overlaying | 43 | 9 | 3 | 15 | 1 | 1 | 2 | 2 | 5 | – | 2 | 1 | – | 2 | – | – |
| Suffocation { Otherwise | 46 | 18 | 10 | 4 | 6 | – | 1 | 2 | – | 1 | 1 | – | – | 2 | 1 | – |
| Falls | 37 | 9 | 15 | 3 | 1 | 1 | 1 | 2 | 1 | 2 | – | 1 | – | – | 1 | – |
| Weather Agencies | 3 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 113 | 59 | 14 | 14 | 5 | – | 6 | 2 | 7 | 1 | – | 3 | – | 1 | – | 1 |
| Homicide | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 31 | 8 | 8 | 4 | 2 | – | 2 | 1 | – | 1 | – | – | 2 | 3 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES.

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth (with part of St. Andrew). | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 4984 | 255 | 129 | 179 | 98 | 93 | 126 | 235 | 114 | 311 | 200 | 210 | 178 | 200 |
| A.—GENERAL DISEASES | 2134 | 97 | 62 | 72 | 38 | 38 | 38 | 104 | 35 | 144 | 70 | 88 | 73 | 96 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 426 | 33 | 9 | 19 | 4 | 8 | 19 | 12 | 9 | 23 | 17 | 10 | 35 | 12 |
| II. ,, ORGANS OF SPECIAL SENSE | 8 | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| III. ,, HEART | 488 | 36 | 7 | 16 | 10 | 14 | 16 | 22 | 14 | 35 | 20 | 23 | 10 | 22 |
| IV. ,, BLOOD VESSELS | 283 | 18 | 10 | 12 | 9 | 5 | 11 | 15 | 10 | 10 | 18 | 11 | 5 | – |
| V. ,, RESPIRATORY SYSTEM | 447 | 13 | 9 | 26 | 6 | 4 | 18 | 15 | 6 | 26 | 24 | 27 | 18 | 22 |
| VI. ,, DIGESTIVE SYSTEM | 353 | 19 | 10 | 10 | 6 | 9 | 2 | 17 | 13 | 17 | 17 | 15 | 10 | 16 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 8 | – | – | – | – | 2 | 1 | – | – | 1 | 1 | 1 | – | – |
| VIII. ,, URINARY SYSTEM | 149 | 14 | 5 | 4 | 2 | 4 | 3 | 4 | 2 | 3 | 6 | 9 | 6 | 3 |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 13 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| XII. ,, THE SKIN | 7 | 2 | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 408 | 17 | 9 | 11 | 16 | 7 | 15 | 25 | 18 | 27 | 19 | 15 | 13 | 17 |
| E.—VIOLENT DEATHS | 259 | 6 | 6 | 8 | 7 | 2 | 3 | 21 | 6 | 25 | 6 | 9 | 7 | 11 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 60 | – | 17 | – | – | – | – | 7 | – | 1 | – | – | 1 | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 17 | – | 1 | – | – | – | – | 2 | – | 1 | – | 4 | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 42 | 1 | 2 | 2 | 2 | 3 | 1 | – | – | – | 4 | 1 | 4 | 2 |
| Hooping-cough | 116 | – | – | – | – | 5 | – | – | – | 2 | – | 5 | 4 | 6 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diphtheria | 48 | 1 | 1 | 2 | 2 | – | – | – | 1 | 2 | 3 | 3 | – | 5 |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 51 | – | – | – | – | 1 | 1 | 3 | 3 | 2 | 2 | 5 | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES.

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth (with part of St. Andrews). | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 4873 | 257 | 145 | 178 | 113 | 103 | 151 | 239 | 133 | 251 | 218 | 194 | 150 | 164 |
| A.—GENERAL DISEASES . . | 2194 | 98 | 64 | 61 | 51 | 42 | 37 | 93 | 47 | 121 | 88 | 91 | 69 | 87 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 352 | 33 | 8 | 14 | 4 | 4 | 16 | 17 | 8 | 17 | 17 | 11 | 21 | 10 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 8 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| III. ,, HEART . . . | 504 | 34 | 10 | 27 | 12 | 14 | 26 | 36 | 14 | 24 | 17 | 17 | 12 | 9 |
| IV. ,, BLOOD VESSELS . | 308 | 19 | 8 | 17 | 7 | 9 | 14 | 14 | 11 | 6 | 17 | 6 | 6 | 10 |
| V. ,, RESPIRATORY SYSTEM | 413 | 18 | 24 | 22 | 8 | 10 | 14 | 15 | 10 | 15 | 30 | 23 | 11 | 13 |
| VI. ,, DIGESTIVE SYSTEM . | 318 | 14 | 5 | 18 | 4 | 4 | 4 | 17 | 10 | 22 | 18 | 16 | 7 | 13 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 10 | – | 1 | – | – | 1 | – | – | 1 | – | 1 | 1 | – | 1 |
| VIII. ,, URINARY SYSTEM . | 77 | 3 | 1 | 2 | 3 | 3 | – | 2 | 4 | 1 | 3 | 5 | 4 | 3 |
| IX. ,, GENERATIVE SYSTEM | 15 | 1 | – | 3 | 1 | – | – | 1 | 1 | 2 | – | 1 | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 45 | 1 | 1 | 1 | – | – | – | 3 | 3 | 4 | 3 | 2 | – | 1 |
| XI. ,, LOCOMOTOR SYSTEM | 10 | – | – | – | – | – | – | 1 | 1 | – | | 2 | - | 1 |
| XII. ,, THE SKIN . . . | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 532 | 33 | 21 | 10 | 22 | 12 | 36 | 33 | 17 | 33 | 20 | 17 | 18 | 14 |
| E.—VIOLENT DEATHS. . . | 83 | 3 | 2 | 2 | 1 | 4 | 4 | 6 | 6 | 5 | 4 | 2 | 2 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 51 | – | 13 | – | – | – | – | 2 | – | – | – | – | – | 1 |
| German Measles . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 33 | 3 | – | – | 1 | – | 1 | – | 2 | – | 2 | 3 | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 63 | 7 | 3 | 1 | – | – | – | 2 | 2 | 2 | 4 | 2 | 1 | 2 |
| Hooping-cough . . . . . | 146 | 3 | – | – | – | 2 | 2 | 1 | – | 3 | – | 9 | 4 | 3 |
| Mumps . . . . . | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 44 | – | 1 | 3 | 2 | – | – | 2 | – | 3 | – | 3 | 1 | 2 |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . . | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 37 | – | 1 | – | – | – | 1 | 1 | – | – | – | 4 | – | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan with part of Dalziel). | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries (with Troqueer). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 110 | 100 | 137 | 318 | 191 | 152 | 285 | 103 | 151 | 309 | 146 | 134 | 117 | 142 | 261 |
| A.—GENERAL DISEASES . . | 56 | 36 | 62 | 128 | 105 | 67 | 123 | 41 | 83 | 127 | 68 | 67 | 55 | 42 | 119 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 5 | 8 | 11 | 28 | 10 | 10 | 26 | 14 | 15 | 29 | 14 | 5 | 9 | 13 | 19 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | 1 | – | – | – | 1 | – | – | 2 | – | – | – | – | 1 |
| III. ,, HEART . . . | 5 | 7 | 13 | 38 | 15 | 12 | 21 | 8 | 12 | 20 | 14 | 10 | 14 | 23 | 31 |
| IV. ,, BLOOD VESSELS . | 1 | 4 | 3 | 16 | 8 | 7 | 17 | 4 | 5 | 12 | 10 | 18 | 10 | 16 | 18 |
| V. ,, RESPIRATORY SYSTEM | 12 | 18 | 17 | 23 | 17 | 16 | 21 | 10 | 13 | 44 | 9 | 5 | 7 | 10 | 11 |
| VI. ,, DIGESTIVE SYSTEM . | 11 | 9 | 6 | 21 | 14 | 13 | 27 | 9 | 13 | 23 | 11 | 6 | 7 | 7 | 15 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 3 | 5 | 7 | 14 | 4 | 3 | 7 | 4 | 1 | 8 | 2 | 1 | 3 | 9 | 13 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | 1 | 3 | 1 | – | 3 | – | – | 1 | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 11 | 5 | 9 | 27 | 10 | 12 | 17 | 5 | 4 | 29 | 9 | 15 | 9 | 15 | 22 |
| E.—VIOLENT DEATHS. . . | 5 | 8 | 7 | 19 | 6 | 12 | 22 | 8 | 5 | 14 | 9 | 7 | 2 | 6 | 12 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 2 | – | 2 | – | 5 | – | 1 | 1 | 11 | 3 | – | 5 | 2 | 1 | 1 |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 3 | – | – | – | 2 | – | 3 | – | – | – | – | – | – | 1 | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 1 | – | – | 3 | 2 | 3 | 3 | 1 | – | 2 | 1 | 1 | 1 | – | 2 |
| Hooping-cough . . . . . | 5 | 1 | 4 | 9 | 4 | 14 | 7 | – | 17 | 3 | 7 | 4 | 5 | 3 | 11 |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 2 | 1 | 1 | 2 | 5 | – | 5 | – | – | 3 | 1 | 2 | 1 | 3 | 2 |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 1 | – | 1 | 6 | 10 | – | 13 | 1 | – | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan (with part of Dalziel). | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries (with Troqueer). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 126 | 101 | 158 | 279 | 184 | 133 | 250 | 85 | 127 | 268 | 181 | 143 | 130 | 165 | 247 |
| A.—GENERAL DISEASES | 68 | 45 | 71 | 120 | 109 | 79 | 114 | 38 | 77 | 112 | 86 | 73 | 69 | 75 | 109 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 8 | 7 | 8 | 19 | 10 | 9 | 11 | 9 | 6 | 25 | 14 | 7 | 6 | 7 | 26 |
| II. " ORGANS OF SPECIAL SENSE | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| III. " HEART | 9 | 5 | 12 | 38 | 13 | 10 | 28 | 8 | 3 | 34 | 17 | 15 | 15 | 20 | 25 |
| IV. " BLOOD VESSELS | 1 | 12 | 8 | 15 | 6 | 7 | 16 | 7 | 5 | 13 | 12 | 9 | 16 | 12 | 25 |
| V. " RESPIRATORY SYSTEM | 14 | 14 | 15 | 19 | 13 | 6 | 25 | 7 | 11 | 18 | 13 | 10 | 4 | 9 | 22 |
| VI. " DIGESTIVE SYSTEM | 5 | 5 | 12 | 21 | 14 | 7 | 22 | 7 | 11 | 18 | 9 | 8 | 5 | 10 | 12 |
| VII. " LYMPHATIC AND DUCTLESS GLANDS | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – |
| VIII. " URINARY SYSTEM | 1 | 2 | 5 | 7 | 4 | – | 4 | 3 | 1 | 5 | 2 | 1 | 2 | 4 | 2 |
| IX. " GENERATIVE SYSTEM | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | 2 |
| X. " PREGNANCY AND CHILDBIRTH | 1 | – | 4 | 4 | – | 2 | 4 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | 1 |
| XI. " LOCOMOTOR SYSTEM | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| XII. " THE SKIN | – | 1 | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 16 | 6 | 18 | 24 | 11 | 11 | 22 | 4 | 9 | 38 | 25 | 11 | 9 | 22 | 20 |
| E.—VIOLENT DEATHS. | 2 | 4 | 4 | 6 | 3 | 1 | 3 | – | – | 3 | 2 | 6 | 2 | 2 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Measles | – | – | 2 | – | 5 | – | – | – | 10 | 5 | 1 | 8 | 3 | – | 1 |
| German Measles | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | 1 | – | – | 3 | – | 2 | 2 | – | 1 | – | – | 1 | 4 | 1 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 7 | – | 8 | 1 | – | 6 | 2 | – | 2 | – | 2 | 2 | 3 | 4 |
| Hooping-cough | 7 | 2 | 6 | 6 | 9 | 26 | 14 | – | 16 | 3 | 8 | 3 | 3 | 8 | 8 |
| Mumps | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | 1 | – | 2 | 2 | 2 | 4 | 2 | 1 | – | – | 6 | 2 | 2 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | 1 | – | 1 | 7 | – | 12 | – | – | – | – | 3 | – | 2 | 1 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 14 | – | – | 1 | – | – | – | 1 | – | 2 | – | – | – | – |
| Diarrhœa (not otherwise defined) | 60 | 2 | 5 | 2 | – | – | 1 | 2 | 1 | 5 | – | 1 | 3 | 1 |
| Dysentery | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Malaria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 6 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Gonorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 19 | 1 | 1 | – | 1 | – | – | – | – | 2 | 1 | – | – | 2 |
| Septicæmia (not Puerperal) | 5 | – | – | – | – | – | – | 2 | – | 1 | 1 | – | – | – |
| Pyæmia (not Puerperal) | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 4 | 1 | – | – | – | – | – | | – | – | – | – | – | – |
| Phagedæna | 5 | – | – | – | 1 | – | – | – | – | – | – | – | 2 | 1 |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 36 | 2 | 1 | 2 | 2 | – | 1 | 1 | – | 4 | 1 | 1 | 1 | 1 |
| Pneumonia — Broncho | 132 | 2 | 7 | 1 | 2 | – | 3 | 5 | 2 | 11 | 2 | 10 | 4 | 12 |
| Pneumonia — Epidemic | 5 | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – |
| Pneumonia — Not defined | 295 | 18 | 1 | 8 | 4 | 1 | 1 | 17 | 4 | 29 | 7 | 9 | 20 | 17 |
| Other Infective Conditions | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 69 | 6 | 1 | 5 | – | – | 1 | 3 | 2 | 2 | 1 | 2 | 2 | 2 |
| Phthisis (not otherwise defined) | 364 | 24 | 4 | 20 | 7 | 9 | 11 | 17 | 6 | 23 | 19 | 9 | 10 | 15 |
| Tuberculous Meningitis | 86 | 2 | 5 | 2 | 1 | 1 | 1 | 11 | 1 | 9 | 1 | 3 | – | 5 |
| Tuberculous Peritonitis | 37 | 3 | 3 | 2 | 1 | – | – | 2 | 2 | 2 | – | 2 | 2 | – |
| Tabes Mesenterica | 43 | 1 | 1 | 1 | – | 1 | 1 | – | – | 4 | – | 3 | – | 4 |
| Lupus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 13 | 1 | – | 1 | – | 1 | – | – | 1 | – | – | 3 | – | – |
| General Tuberculosis | 65 | 3 | – | 1 | – | – | 1 | 1 | 1 | 5 | 3 | 6 | 6 | 3 |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 16 | 2 | – | 1 | – | – | – | 1 | 2 | 1 | 1 | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 17 | – | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Diarrhœa (not otherwise defined) | 72 | 2 | 3 | 1 | 1 | 4 | 1 | 1 | 3 | 6 | – | 3 | 2 | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 14 | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 | 2 |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 12 | – | – | – | – | 1 | – | 2 | – | 3 | 1 | – | – | 1 |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Puerperal Fever (not otherwise defined) | 18 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – |
| Erysipelas | 20 | 1 | 1 | – | – | – | 1 | 1 | – | 1 | 1 | 2 | 2 | – |
| Septicæmia (not Puerperal) | 8 | 2 | – | – | 1 | – | 1 | – | – | 1 | 2 | – | – | – |
| Pyæmia (not Puerperal) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 10 | 2 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Phagedæna | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 37 | 1 | 2 | 1 | – | – | 1 | 2 | – | 1 | – | 2 | 1 | 2 |
| Pneumonia — Broncho | 124 | 6 | 7 | 3 | 2 | 1 | – | 4 | 1 | 7 | 3 | 4 | 3 | 9 |
| Pneumonia — Epidemic | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 198 | 7 | 3 | 2 | 3 | 2 | 3 | 15 | 2 | 13 | 8 | 8 | 8 | 7 |
| Other Infective Conditions | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 70 | 5 | 3 | 4 | – | 2 | – | 6 | 1 | 3 | 2 | – | 3 | 5 |
| Phthisis (not otherwise defined) | 406 | 21 | 3 | 16 | 16 | 6 | 13 | 11 | 12 | 23 | 30 | 12 | 11 | 12 |
| Tuberculous Meningitis | 81 | 2 | 4 | – | 4 | 1 | – | 8 | 3 | 6 | 1 | 4 | 2 | 4 |
| Tuberculous Peritonitis | 42 | – | 5 | 3 | – | 1 | – | – | – | 1 | 5 | 1 | 2 | 1 |
| Tabes Mesenterica | 30 | – | 1 | 1 | – | – | – | – | 2 | 2 | 1 | 1 | 3 | 2 |
| Lupus | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 15 | 1 | – | 2 | 1 | – | – | 1 | – | – | – | 1 | – | – |
| General Tuberculosis | 45 | 2 | – | 2 | – | 1 | – | 1 | 2 | 3 | – | 2 | 2 | 5 |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 7 | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | 1 | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903 —MALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | 3 | – | – | – | 1 | 4 | – | – | 2 |
| Diarrhœa (not otherwise defined) | 2 | 1 | 5 | 8 | 1 | – | 2 | 2 | 1 | 2 | 3 | 1 | – | – | 9 |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | 1 |
| Syphilis | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 | – | – | – |
| Gonorrhœa | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | 1 | 1 | – | 3 | 1 | – | 2 | – | 1 | 1 | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | 4 | 3 | 1 | 7 | 1 | 1 | 2 | – | – | – | – | – |
| Pneumonia — Broncho | 2 | – | 8 | 8 | 14 | 4 | 3 | 1 | 8 | 15 | 4 | – | – | 1 | 3 |
| Pneumonia — Epidemic | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Pneumonia — Not defined | 8 | 5 | 10 | 16 | 11 | 11 | 13 | 5 | 14 | 25 | 10 | 10 | 6 | 2 | 13 |
| Other Infective Conditions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | – | 1 | 4 | 4 | 7 | 3 | – | 5 | 3 | – | 3 | 6 | 2 | 2 |
| Phthisis (not otherwise defined) | 11 | 10 | 5 | 20 | 13 | 7 | 15 | 1 | 9 | 16 | 9 | 12 | 13 | 11 | 38 |
| Tuberculous Meningitis | 3 | 2 | 2 | 6 | 3 | 2 | 6 | 1 | 3 | 5 | 5 | 1 | 2 | – | 3 |
| Tuberculous Peritonitis | – | 1 | – | 1 | 1 | 2 | 3 | 1 | 1 | 3 | 4 | – | – | 1 | – |
| Tabes Mesenterica | 1 | 4 | 1 | 1 | 3 | 1 | 2 | 6 | 1 | 3 | 2 | – | – | 1 | 1 |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | 2 | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – |
| General Tuberculosis | – | – | 6 | 2 | 5 | 3 | 1 | 1 | 1 | – | – | 5 | – | 2 | 9 |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Parasitic Diseases | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | 1 | 1 | – | 1 | – | – | 1 | – | 1 | – | – | 2 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | 1 | – | 6 | 1 | – | – | 1 | 4 | – | – | – |
| Diarrhœa (not otherwise defined) | 3 | 3 | 5 | 5 | 3 | – | 3 | 3 | 3 | 4 | 3 | 4 | 1 | 1 | 4 |
| Dysentery | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Syphilis | – | – | – | 2 | – | 1 | 1 | – | 1 | – | – | | – | – | 1 |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Puerperal Pyæmia | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | 2 | 1 | – | 4 | – | 2 | 1 | – | – | 1 | – | – | 1 | 2 |
| Erysipelas | – | – | – | 2 | 1 | 3 | 1 | 1 | – | – | 1 | 1 | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | 1 |
| Phagedæna | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | 4 | – | 1 | 5 | 1 | – | 3 | 2 | – | 3 | 1 | 2 |
| Pneumonia — Broncho | 3 | 1 | 8 | 1 | 13 | 5 | 5 | 1 | 10 | 6 | 10 | 2 | 5 | – | 4 |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 10 | 5 | 6 | 19 | 6 | 6 | 4 | 5 | 11 | 12 | 7 | 4 | 4 | 5 | 13 |
| Other Infective Conditions | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | 3 | 2 | 4 | 2 | 2 | – | 1 | 4 | 4 | 3 | 7 | 1 | 3 |
| Phthisis (not otherwise defined) | 16 | 11 | 15 | 19 | 19 | 8 | 12 | 5 | 12 | 22 | 18 | 6 | 9 | 20 | 28 |
| Tuberculous Meningitis | 4 | – | 2 | 4 | 3 | 1 | 3 | 1 | 2 | 4 | 4 | 3 | 5 | – | 6 |
| Tuberculous Peritonitis | 1 | 1 | – | 2 | 1 | 2 | 4 | 1 | – | 4 | 1 | 1 | 2 | 1 | 2 |
| Tabes Mesenterica | 1 | 1 | 2 | 1 | – | 1 | – | 1 | 3 | 1 | 2 | 1 | 1 | 2 | – |
| Lupus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | 2 | 1 | 1 | – | 1 | – | – | 1 | 1 | – | 1 | 1 | – |
| General Tuberculosis | 1 | 2 | 2 | 3 | – | – | 2 | – | 1 | 3 | 4 | 1 | 1 | 3 | 2 |
| Scrofula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 20 | 2 | – | – | – | 1 | – | – | 1 | 2 | 1 | – | 2 | – |
| Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chronic Rheumatism | 4 | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 82 | 3 | 3 | 4 | 2 | 1 | 1 | 8 | 1 | 9 | 6 | – | 1 | 2 |
| Sarcoma | 16 | 2 | – | 2 | 1 | – | – | 2 | 1 | 1 | 1 | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 93 | 8 | – | 3 | 7 | 3 | 6 | 8 | – | 3 | 5 | 4 | 1 | 2 |
| Rickets | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 15 | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | 25 | 1 | 1 | 2 | – | 2 | 3 | – | – | – | 2 | 2 | 1 | 2 |
| Premature Birth | 148 | 3 | 7 | 5 | 3 | 4 | 5 | 3 | 1 | 10 | 3 | 8 | 6 | 6 |
| Congenital Defects | 44 | 1 | 1 | 3 | 1 | 1 | – | 3 | 1 | 3 | 2 | – | 2 | 2 |
| Injury at Birth | 17 | 1 | – | 1 | – | 1 | – | – | – | 2 | – | 1 | – | 1 |
| Atelectasis | 16 | – | – | – | – | – | – | – | 1 | 2 | 1 | – | – | 1 |
| Want of Breast Milk | 10 | – | – | – | – | – | – | 1 | 2 | 1 | – | 2 | – | 2 |
| Teething | 9 | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 133 | 9 | 3 | 3 | 2 | 3 | 1 | 1 | 3 | 11 | 5 | 4 | 3 | 7 |
| Softening of Brain | 26 | 2 | 1 | 1 | – | 1 | – | – | 2 | 2 | 3 | 1 | 1 | 1 |
| General Paralysis of Insane | 38 | 3 | – | – | – | – | 9 | – | – | – | – | – | 15 | – |
| Insanity (not Puerperal) | 11 | 1 | – | – | – | – | 3 | – | – | – | – | 1 | 4 | – |
| Chorea | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epilepsy | 31 | 3 | – | 4 | 1 | – | 2 | 1 | – | – | 2 | – | 6 | – |
| Convulsions | 107 | 5 | 4 | 6 | – | 2 | 2 | 9 | 1 | 7 | 5 | 3 | – | 3 |
| Laryngismus Stridulus | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Locomotor Ataxy | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 21 | 3 | – | 3 | – | 1 | – | – | 1 | 1 | – | – | 4 | 1 |
| Neuritis; Peripheral, Poly-neuritis | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 6 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Other Diseases of Nervous System | 40 | 5 | – | 2 | 1 | – | 1 | – | 2 | 2 | 1 | 1 | 2 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Epistaxis, Diseases of Nose | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 118 | 4 | 3 | 5 | 2 | 6 | 7 | 4 | 7 | 10 | 1 | 3 | – | 6 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 4 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Angina Pectoris | 19 | 3 | – | 1 | – | – | – | – | 1 | – | 2 | – | – | – |
| Dilatation of Heart | 15 | – | – | – | – | – | – | 1 | 2 | – | 1 | – | – | 1 |
| Fatty Degeneration of Heart | 6 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Syncope, Heart Disease (not specified) | 325 | 28 | 3 | 9 | 8 | 8 | 9 | 16 | 4 | 24 | 16 | 20 | 10 | 14 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 17 | – | 1 | 1 | – | 1 | – | – | – | 1 | – | 2 | – | – |
| Rheumatism of Heart | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 10 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Rheumatic Arthritis, Rheumatic Gout | 5 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 132 | 12 | – | 6 | 4 | 7 | 1 | 7 | 7 | 11 | 4 | 1 | 2 | 5 |
| Sarcoma | 10 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 135 | 13 | 2 | 5 | 5 | 5 | 6 | 13 | 3 | 6 | 9 | 8 | 5 | 5 |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 6 | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 33 | 1 | 1 | – | 3 | – | – | 3 | 1 | 6 | 2 | – | 3 | – |
| Diabetes Mellitus | 27 | – | 3 | 1 | 2 | – | – | 2 | 2 | 1 | 3 | 1 | – | – |
| Premature Birth | 127 | 1 | 5 | 3 | 3 | 3 | 3 | 4 | – | 7 | 4 | 9 | 2 | 7 |
| Congenital Defects | 25 | 1 | – | 3 | 1 | 1 | – | – | – | 4 | – | – | – | 2 |
| Injury at Birth | 8 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Atelectasis | 12 | – | 1 | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Want of Breast Milk | 7 | – | – | – | – | – | – | – | 1 | – | – | 3 | – | – |
| Teething | 11 | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 4 |
| B.—LOCAL DISEASES. | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 92 | 5 | 2 | – | – | – | 1 | 3 | 2 | 4 | 6 | 2 | 3 | 3 |
| Softening of Brain | 25 | 3 | – | 3 | – | 1 | – | – | – | 1 | 2 | 2 | 4 | 1 |
| General Paralysis of Insane | 5 | – | – | – | – | – | 3 | – | – | – | 1 | – | 1 | – |
| Insanity (not Puerperal) | 26 | 3 | – | – | – | – | 6 | – | – | – | – | 1 | 5 | – |
| Chorea | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epilepsy | 24 | 1 | – | – | – | – | 2 | – | 2 | 1 | – | – | 4 | – |
| Convulsions | 77 | 11 | 2 | 4 | 2 | 1 | – | 7 | – | 6 | 1 | – | 2 | 4 |
| Laryngismus Stridulus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 23 | 2 | 1 | 4 | 1 | – | 2 | 1 | 2 | – | – | 2 | 1 | 1 |
| Neuritis; Peripheral, Poly-neuritis | 6 | 1 | 2 | – | – | – | – | – | – | – | 1 | – | – | – |
| Brain Tumour (not Specific) | 15 | – | – | – | – | 1 | – | 1 | 1 | – | 2 | – | – | – |
| Other Diseases of Nervous System | 54 | 7 | 1 | 3 | 1 | 1 | 1 | 4 | 1 | 5 | 4 | 4 | 1 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 6 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| Epistaxis, Diseases of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 108 | 7 | 6 | 4 | 2 | 2 | 4 | 6 | 5 | 5 | 2 | 4 | 1 | 2 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 16 | – | – | – | – | – | 1 | 2 | 2 | 1 | – | 1 | – | – |
| Dilatation of Heart | 19 | 1 | 1 | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – |
| Fatty Degeneration of Heart | 12 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | 2 |
| Syncope, Heart Disease (not specified) | 347 | 26 | 3 | 23 | 8 | 12 | 21 | 27 | 5 | 18 | 13 | 12 | 11 | 5 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | 1 | 1 | 1 | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | 1 |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 2 | – | 3 | 8 | 1 | 2 | 5 | 2 | 1 | 10 | 2 | 1 | 2 | 1 | 1 |
| Sarcoma | 1 | – | – | 1 | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | 3 | 2 | 5 | 5 | 1 | 1 | 1 | 1 | 3 | 3 | – | 9 | 1 | 7 |
| Rickets | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | 1 | – | 1 | 2 | – | – | – | 3 | 1 | 1 | 1 | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | 1 | 2 | – | – | – | 1 | – | 2 | 2 |
| Premature Birth | 4 | 3 | 2 | 13 | 7 | 7 | 7 | 6 | 4 | 6 | 7 | 5 | – | 7 | 6 |
| Congenital Defects | 2 | 3 | – | – | 2 | 1 | 4 | 3 | – | 5 | – | 2 | 1 | – | 1 |
| Injury at Birth | – | – | – | 1 | 1 | – | 4 | – | 1 | – | 1 | – | 1 | – | 1 |
| Atelectasis | – | 1 | 1 | – | – | – | 1 | 1 | 1 | 3 | – | 1 | 1 | – | 1 |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Teething | – | 1 | 3 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 1 | 1 | 7 | 7 | 4 | 6 | 9 | 8 | 5 | 11 | 9 | 2 | – | 4 | 4 |
| Softening of Brain | 1 | 1 | 1 | 4 | – | – | 1 | – | – | – | – | – | – | 3 | – |
| General Paralysis of Insane | – | – | – | 7 | – | – | – | – | – | – | – | – | – | – | 4 |
| Insanity (not Puerperal) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | 2 | – | 1 | – | – | 2 | – | – | 1 | 2 | 3 |
| Convulsions | – | 4 | 3 | 4 | 2 | 4 | 12 | 1 | 8 | 7 | 2 | 1 | 5 | 2 | 5 |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Locomotor Ataxy | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | 1 | – | 1 | 1 | – | – | – | – | 2 | – | – | 1 | 1 | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | 2 | 1 | – | 3 | 2 | 1 | 4 | 3 | 2 | 2 | 1 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | 1 | – | – | – | 1 | – | – | 2 | – | – | – | – | 1 |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 1 | 5 | 8 | 6 | 4 | 5 | 3 | 1 | 2 | 3 | 1 | 6 | 3 | 12 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hypertrophy of Heart | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | 5 | 1 | – | – | – | – | – | 2 | – | 3 | 1 | – |
| Dilatation of Heart | – | – | 1 | – | 2 | – | 3 | – | – | – | 2 | – | – | 1 | 1 |
| Fatty Degeneration of Heart | – | – | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – |
| Syncope, Heart Disease (not specified) | 5 | 6 | 7 | 25 | 5 | 8 | 11 | 5 | 11 | 18 | 7 | 9 | 5 | 16 | 18 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels | Hawick | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | 1 | 4 | – | 3 | 1 | – | – | – | – | 1 | – | 1 | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Chronic Rheumatism | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | 1 | – | 3 |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | 1 | 6 | 8 | 6 | 1 | 3 | 1 | – | 12 | 4 | 2 | 1 | 10 | 9 |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – |
| Cancer, Malignant Disease (not otherwise defined) | 3 | 2 | 1 | 9 | 1 | 1 | 3 | 2 | 1 | 4 | 5 | 5 | 8 | 1 | 4 |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | 1 | 1 | 2 | 2 | – | – | – | 1 | – | 1 | 1 | 1 | 1 | 1 |
| Diabetes Mellitus | – | 1 | – | 1 | – | 2 | 1 | – | – | 2 | – | 2 | – | 2 | 1 |
| Premature Birth | 2 | 2 | 4 | 7 | 11 | 7 | 8 | 3 | 2 | 10 | 4 | 8 | 3 | 3 | 2 |
| Congenital Defects | – | – | 1 | 3 | 2 | 1 | 1 | 1 | – | 1 | 2 | – | – | – | 1 |
| Injury at Birth | – | – | – | – | – | 1 | – | – | 1 | 1 | – | 1 | – | 1 | 1 |
| Atelectasis | – | – | – | – | 3 | – | 1 | 1 | – | 2 | – | – | 1 | – | – |
| Want of Breast Milk | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 |
| Teething | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | 4 | 3 | 4 | 3 | 4 | 5 | 6 | 3 | 10 | 5 | 4 | 1 | 2 | 5 |
| Softening of Brain | – | 2 | – | – | 1 | – | – | – | 1 | 3 | – | – | – | – | 1 |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – | 7 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Epilepsy | – | – | 1 | 7 | – | 1 | – | – | – | 1 | – | 1 | 1 | – | 2 |
| Convulsions | 4 | – | – | 3 | 1 | 1 | 4 | – | 1 | 8 | 8 | – | – | 2 | 5 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | – | 2 | – | 2 | – | 1 | – | 2 | – | – | 1 | 1 | – |
| Other Diseases of Nervous System | 1 | – | 2 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | 1 | 2 | 2 | 5 |
| **DISEASES OF ORGANS OF SPECIAL SENSE** | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 3 | – | 5 | 3 | 1 | 4 | 12 | 2 | – | 3 | 8 | 3 | 2 | 1 | 11 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | 2 | 1 | – | – | – | – | 1 | – | 2 | – | 3 | – |
| Dilatation of Heart | – | 2 | – | – | 2 | 1 | 4 | – | – | – | 3 | – | 1 | – | – |
| Fatty Degeneration of Heart | 1 | – | 1 | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 5 | 3 | 6 | 32 | 9 | 4 | 10 | 6 | 2 | 29 | 6 | 10 | 12 | 15 | 14 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 120 | 8 | 3 | 10 | 5 | 3 | 4 | 9 | 6 | 6 | 4 | 2 | 1 | – |
| Apoplexy, Hemiplegia | 141 | 6 | 7 | 2 | 1 | 1 | 7 | 6 | 4 | 3 | 14 | 9 | 4 | – |
| Aneurism | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 9 | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 5 | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 14 | – | 1 | – | – | – | 3 | – | 1 | 1 | – | 2 | – | 1 |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | – | 1 | | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 6 | – | – | 2 | – | – | – | – | 1 | – | 1 | – | – | – |
| Other Dis. of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 367 | 13 | 7 | 20 | 4 | 3 | 14 | 15 | 2 | 22 | 20 | 23 | 15 | 17 |
| Emphysema, Asthma | 17 | – | – | 1 | – | 1 | 1 | – | 1 | 1 | – | 1 | – | 3 |
| Pleurisy | 24 | – | 1 | 3 | – | – | – | – | – | – | 3 | 1 | 2 | – |
| Fibroid Disease of Lung | 11 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | 1 | – |
| Other Dis. of Respiratory System | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 5 | – | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Gastric Ulcer | 14 | 2 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Gastric Catarrh | 34 | 2 | 3 | – | 1 | 3 | – | 1 | 1 | 3 | 1 | – | 3 | 3 |
| Other Diseases of Stomach (not Malignant) | 15 | 1 | – | – | – | – | – | 2 | 2 | – | 2 | 1 | – | 1 |
| Enteritis (not Infective) | 39 | 3 | – | 1 | – | 1 | – | 1 | 1 | – | – | 2 | – | 3 |
| Gastro-enteritis | 96 | – | 1 | 2 | – | – | – | 6 | 3 | 4 | 4 | 1 | 5 | 7 |
| Appendicitis, Perityphlitis | 13 | – | – | – | 1 | 1 | – | – | 1 | – | 2 | – | – | – |
| Hernia | 10 | – | – | – | 2 | – | – | 1 | 2 | – | 1 | – | – | – |
| Intestinal Obstruction | 34 | 1 | 1 | 2 | 1 | 2 | – | 2 | 1 | 5 | – | 2 | 1 | – |
| Other Diseases of Intestines | 9 | 1 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | 1 |
| Peritonitis (not Puerperal) | 40 | 5 | 2 | 2 | – | – | – | 1 | 1 | 3 | 2 | 4 | – | – |
| Cirrhosis of Liver | 18 | 1 | 1 | 2 | 1 | 1 | 1 | – | – | – | 2 | – | – | – |
| Other Diseases of Liver and Gall Bladder | 22 | 3 | – | 1 | – | – | – | 2 | 1 | – | 1 | 3 | 1 | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Other Dis. of Lymphatic System | 5 | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 33 | 4 | 1 | 1 | – | 1 | – | 2 | – | – | – | 1 | – | – |
| Chronic Bright's Disease, Albuminuria | 57 | 2 | 1 | – | 2 | 2 | 1 | 1 | 1 | 1 | 4 | 4 | 3 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 51 | 8 | 1 | 3 | – | 1 | 1 | 1 | 1 | – | 2 | 4 | 3 | 1 |
| Other Diseases of Urinary System | 8 | – | 2 | – | – | – | 1 | – | – | 2 | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Montifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 125 | 5 | 4 | 11 | 4 | 6 | 1 | 10 | 3 | 2 | 6 | 1 | 1 | 3 |
| Apoplexy, Hemiplegia | 154 | 8 | 3 | 5 | 3 | 3 | 12 | 2 | 6 | 3 | 10 | 4 | 4 | 6 |
| Aneurism | 3 | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Senile Gangrene | 13 | 2 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | 1 |
| Embolism, Thrombosis (not Cerebral) | 7 | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlebitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Blood Vessels | 4 | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 10 | – | – | – | – | 1 | – | 3 | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 6 | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 366 | 18 | 23 | 20 | 8 | 8 | 14 | 10 | 9 | 15 | 25 | 21 | 10 | 13 |
| Emphysema, Asthma | 7 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pleurisy | 17 | – | – | 1 | – | 1 | – | – | – | – | 2 | 2 | – | – |
| Fibroid Disease of Lung | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Other Dis. of Respiratory System | 5 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 5 | – | – | – | – | – | – | – | – | 2 | – | – | – | 1 |
| Gastric Ulcer | 20 | 2 | – | 1 | – | 1 | – | 6 | – | – | 1 | 1 | – | – |
| Gastric Catarrh | 32 | – | 1 | 3 | 1 | – | 1 | 1 | 1 | 3 | 4 | – | 1 | 4 |
| Other Diseases of Stomach (not Malignant) | 14 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteritis (not Infective) | 32 | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | 1 | 4 |
| Gastro-enteritis | 77 | – | – | 6 | – | 1 | 1 | 2 | 2 | 4 | 3 | 7 | 3 | 1 |
| Appendicitis, Perityphlitis | 14 | 2 | – | 1 | – | – | – | – | 1 | – | 3 | – | – | – |
| Hernia | 7 | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Intestinal Obstruction | 26 | 1 | 1 | – | – | – | – | 5 | – | 2 | 1 | 1 | 1 | 1 |
| Other Diseases of Intestines | 8 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 |
| Peritonitis (not Puerperal) | 37 | 6 | – | 4 | – | – | – | 2 | 2 | 5 | 1 | 1 | – | 1 |
| Cirrhosis of Liver | 10 | – | – | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – |
| Other Diseases of Liver and Gall Bladder | 34 | 2 | 2 | 2 | 1 | 1 | 1 | – | 3 | 3 | 4 | 3 | 1 | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Thyroid Body | 8 | – | 1 | – | – | 1 | – | – | 1 | – | – | 1 | – | 1 |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 28 | 3 | – | – | 1 | 1 | – | 2 | 2 | – | – | – | 1 | 1 |
| Chronic Bright's Disease, Albuminuria | 37 | – | 1 | 1 | 1 | 2 | – | – | 2 | 1 | 2 | – | 2 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 10 | – | – | 1 | – | – | – | – | – | – | 1 | 5 | 1 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inverosk. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| **DISEASES OF BLOOD VESSELS.** | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | – | – | 4 | 5 | 1 | 12 | 2 | 3 | 1 | 4 | 6 | 7 | 4 | 9 |
| Apoplexy, Hemiplegia | – | 4 | 3 | 10 | 3 | 4 | 4 | 2 | 2 | 10 | 6 | 10 | 2 | 9 | 8 |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Senile Gangrene | – | – | – | 2 | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | 1 |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | 1 | 1 | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | .. | – | 1 | – | – | – | – | – | – |
| Bronchitis | 10 | 15 | 15 | 18 | 16 | 14 | 18 | 9 | 10 | 34 | 7 | 5 | 5 | 7 | 9 |
| Emphysema, Asthma | – | 1 | – | 2 | – | – | 1 | – | – | 2 | 1 | – | – | – | 1 |
| Pleurisy | – | – | 1 | 1 | – | 2 | 1 | – | – | 5 | – | – | 2 | 1 | 1 |
| Fibroid Disease of Lung | 2 | – | – | 2 | – | – | 1 | – | – | 1 | – | – | – | 1 | .. |
| Other Dis. of Respiratory System | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastric Ulcer | 1 | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – | 1 | 3 |
| Gastric Catarrh | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 4 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | 1 | 2 | – | – | – | – | 1 | – | – | – | 1 | 1 |
| Enteritis (not Infective) | 2 | – | 1 | 2 | 5 | 2 | 3 | – | 1 | 4 | 1 | 1 | 1 | 4 | – |
| Gastro-enteritis | 3 | 1 | 3 | 4 | 1 | 6 | 13 | 6 | 6 | 9 | 8 | – | – | 1 | 2 |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | 3 | – | 3 |
| Hernia | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | 2 | – | 2 | 3 | – | 3 | 1 | – | 2 | 2 | – | 1 |
| Other Diseases of Intestines | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Peritonitis (not Puerperal) | 1 | 2 | 1 | 5 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | – | – | – | 1 |
| Cirrhosis of Liver | 1 | 2 | – | 2 | – | – | 1 | – | – | – | – | – | 1 | – | 2 |
| Other Diseases of Liver and Gall Bladder | – | – | – | 2 | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | 1 | 4 | 3 | 3 | 1 | – | – | 1 | 4 | – | – | – | 2 | 3 |
| Chronic Bright's Disease, Albuminuria | 1 | 2 | 1 | 5 | .. | 2 | 4 | 2 | – | 2 | 2 | 1 | 2 | 3 | 6 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | 2 | 2 | 6 | – | – | 3 | 2 | – | – | – | – | 1 | 4 | 4 |
| Other Diseases of Urinary System | – | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | 2 | 3 | 9 | 4 | 1 | 11 | 3 | 2 | 4 | 3 | 4 | 11 | 2 | 8 |
| Apoplexy, Hemiplegia | – | 9 | 3 | 6 | 1 | 5 | 4 | 4 | 3 | 8 | 9 | 5 | 5 | 9 | 14 |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | 1 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | 2 |
| Embolism, Thrombosis (not Cerebral) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 1 | – | 1 | – | – | 2 | – | 1 | – | – | – | 1 | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 13 | 14 | 14 | 17 | 11 | 3 | 24 | 4 | 11 | 14 | 13 | 7 | 4 | 4 | 19 |
| Emphysema, Asthma | 1 | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 | – | 1 | – |
| Pleurisy | – | – | – | 2 | 1 | 1 | 1 | – | – | 1 | – | – | – | 3 | 2 |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | 1 | – | – | – | | – | – | – | – | – | 1 | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Gastric Ulcer | – | – | – | 2 | – | – | – | 1 | – | – | – | – | 2 | 2 | 1 |
| Gastric Catarrh | – | – | 1 | – | 1 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | 1 | 2 |
| Other Diseases of Stomach (not Malignant) | – | – | 1 | 1 | – | – | 1 | 1 | 2 | – | 1 | – | 1 | 1 | 3 |
| Enteritis (not Infective) | – | – | 1 | 4 | 5 | 1 | 1 | 1 | 1 | 3 | – | 2 | 1 | 3 | – |
| Gastro-enteritis | 1 | 2 | 3 | 5 | 4 | 5 | 9 | – | 4 | 5 | 4 | 2 | – | 1 | 2 |
| Appendicitis, Perityphlitis | – | – | 2 | – | 1 | – | 1 | – | – | 2 | – | – | – | – | 1 |
| Hernia | – | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | – | 2 | – | 1 | 2 | 1 | 1 | 2 | 2 | – | – | – | 1 |
| Other Diseases of Intestines | – | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | 2 | – | – | – | 2 | 1 | 1 | 4 | – | 1 | – | 2 | 1 |
| Cirrhosis of Liver | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | 4 | – | – | 3 | – | 1 | – | – | – | – | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | 2 | 3 | 1 | – | – | 3 | 1 | 1 | 4 | 1 | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | 2 | 5 | 4 | – | 1 | 2 | – | 1 | 1 | – | 2 | 3 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Arthritis, Periostitis | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 4 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | |
| Atrophy, Debility | 152 | 5 | 4 | 2 | 3 | 1 | 1 | 11 | 10 | 15 | 4 | 5 | 4 | 6 |
| Old Age | 208 | 8 | 3 | 8 | 13 | 5 | 13 | 13 | 4 | 10 | 14 | 10 | 9 | 7 |
| Dropsy, Ascites, Anasarca | 3 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 8 | 1 | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – |
| Hæmorrhage | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Sudden Death (cause unascertained) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 27 | 2 | 1 | – | – | 1 | – | – | 2 | 1 | – | – | – | 4 |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | |
| In Mines and Quarries | 24 | – | – | – | – | – | – | 3 | 1 | 1 | – | – | – | – |
| Vehicles and Horses | 42 | – | – | 1 | 1 | 1 | 1 | 2 | – | 5 | 3 | – | – | 1 |
| Ships, Boats, Docks (not Drowning) | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Building Operations | 4 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Machinery | 6 | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Burns and Scalds | 20 | 1 | – | – | – | – | – | – | 1 | 3 | – | 1 | 1 | 1 |
| Poisons, Poisonous Vapours | 10 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Drowning | 63 | 3 | 3 | 4 | 1 | – | – | 1 | 2 | 12 | 1 | 6 | 4 | 5 |
| Suffocation { From Overlaying | 11 | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Suffocation { Otherwise | 6 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Falls | 8 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 39 | – | 1 | 3 | 2 | – | 2 | 7 | 2 | – | – | 1 | – | – |
| Homicide | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Suicide | 16 | – | – | – | 1 | 1 | – | 3 | – | 1 | – | – | 2 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued*).

| CAUSES OF DEATH. | Total Large Town Districts. | Inverness. | Peterhead. | Arbroath. | Forfar. | Monifieth. | Montrose. | Dunfermline. | Alloa. | Falkirk. | Stirling. | Dumbarton. | Kirkintilloch. | Old or West Kilpatrick. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Other Diseases of Ovary | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 5 | – | – | 2 | – | – | – | 1 | – | 1 | – | – | – | – |
| Other Dis. of Uterus and Vagina | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 7 | – | – | – | – | – | – | 1 | 1 | 2 | 2 | – | – | – |
| Placenta Prævia, Flooding | 12 | – | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 23 | 1 | – | 1 | – | – | – | – | 1 | 2 | 1 | 2 | – | 1 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 8 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 |
| Arthritis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 141 | 7 | 6 | – | 4 | 4 | 3 | 6 | 3 | 15 | 7 | 2 | 4 | 5 |
| Old Age | 334 | 25 | 12 | 6 | 17 | 7 | 31 | 26 | 8 | 17 | 10 | 11 | 14 | 7 |
| Dropsy, Ascites, Anasarca | 11 | – | – | 1 | 1 | – | – | 1 | 2 | 1 | 2 | – | – | – |
| Tumour | 10 | – | – | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – |
| Abscess | 6 | 1 | 1 | – | – | – | 1 | – | – | – | – | 3 | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 26 | – | 2 | 2 | – | – | – | – | 4 | – | 1 | – | – | 2 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 16 | – | – | – | – | – | 2 | 3 | – | – | 2 | – | – | 1 |
| Poisons, Poisonous Vapours | 7 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Drowning | 11 | 2 | 1 | – | – | 2 | – | – | – | 2 | – | – | 1 | 1 |
| Suffocation { From Overlaying | 5 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Suffocation { Otherwise | 4 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Falls | 5 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Weather Agencies | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Otherwise, or not stated | 16 | 1 | – | 1 | – | 1 | 1 | – | 2 | – | – | 1 | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 13 | – | 1 | – | 1 | 1 | 1 | 2 | 1 | – | 1 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | 1 | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 5 | 4 | 4 | 9 | 3 | 5 | 11 | 2 | 3 | 12 | 2 | 8 | 2 | 5 | 6 |
| Old Age | 5 | – | 3 | 13 | 5 | 5 | 5 | 1 | 1 | 12 | 7 | 5 | 7 | 10 | 12 |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Abscess | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | – | – | – | – | – | – | – | – | 4 | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | 2 | 5 | 2 | 2 | – | 2 | – | – | – | 1 | – | – | 2 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 1 | – | – | – | 1 | 5 | 5 | – | – | 4 | 1 | 2 | – | – | – |
| Vehicles and Horses | – | 2 | 1 | 4 | 1 | 2 | 4 | 2 | 1 | 5 | 1 | 1 | 1 | 2 | – |
| Ships, Boats, Docks (not Drowning) | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 1 | 2 | – | 1 | 4 | – | – | 1 | – | – | – | 1 | 2 |
| Poisons, Poisonous Vapours | – | – | – | 2 | – | 1 | 1 | – | – | – | 1 | – | – | – | 3 |
| Drowning | 3 | 1 | – | 1 | 1 | – | 1 | 2 | – | 1 | 5 | 2 | 1 | – | 3 |
| Suffocation { From Overlaying | 1 | 1 | – | 4 | – | – | 1 | – | – | 1 | – | – | – | – | 1 |
| Suffocation { Otherwise | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | 1 |
| Falls | – | – | – | 2 | – | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | 3 | 3 | – | 2 | 2 | 2 | – | 3 | 2 | 1 | – | – | 1 | 2 |
| Homicide | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | 2 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | Eastwood. | Johnstone and Elderslie. | Port-Glasgow. | Ayr. | Shettleston. | Cambuslang. | Cambusnethan. | Larkhall. | Kinning Park. | New Monkland. | Rutherglen. | Inveresk. | Galashiels. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | 1 | 1 | – | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | 2 | 2 | – | 1 | 3 | – | 2 | – | – | 2 | – | 1 | 1 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 3 | – | 11 | 4 | 6 | 6 | 10 | 3 | 3 | 13 | 8 | 2 | – | 5 | 1 |
| Old Age | 13 | 4 | 3 | 16 | 3 | 5 | 9 | – | 3 | 21 | 15 | 7 | 9 | 16 | 19 |
| Dropsy, Ascites, Anasarca | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 2 | – | 1 | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | 4 | 3 | 2 | – | 1 | – | 3 | 1 | 1 | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 1 | – | 2 | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 |
| Poisons, Poisonous Vapours | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 1 | 1 | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Suffocation { From Overlaying | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Suffocation { Otherwise | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Falls | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | 1 | – | 1 | 1 | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | 1 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES.

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 7178 | 41 | 47 | 135 | 137 | 38 | 169 | 168 | 205 | 49 | 128 | 189 | 671 | 26 | 65 | 478 |
| A.—GENERAL DISEASES | 3002 | 15 | 15 | 43 | 69 | 12 | 70 | 63 | 94 | 16 | 57 | 85 | 293 | 7 | 28 | 195 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 545 | 1 | 2 | 18 | 14 | 4 | 16 | 7 | 19 | 6 | 9 | 7 | 54 | 2 | 2 | 60 |
| II. " ORGANS OF SPECIAL SENSE | 17 | – | – | – | – | – | 1 | 2 | – | – | – | 1 | 2 | – | – | – |
| III. " HEART | 722 | 7 | 11 | 12 | 10 | 5 | 24 | 25 | 13 | 7 | 13 | 28 | 61 | 6 | 7 | 44 |
| IV. " BLOOD VESSELS | 418 | 1 | 5 | 11 | 4 | 4 | 5 | 11 | 13 | 3 | 6 | 18 | 36 | 4 | 6 | 26 |
| V. " RESPIRATORY SYSTEM | 564 | 2 | 2 | 16 | 14 | 3 | 10 | 14 | 19 | 2 | 11 | 10 | 44 | 2 | 5 | 36 |
| VI. " DIGESTIVE SYSTEM | 494 | 4 | 1 | 7 | 6 | – | 18 | 13 | 11 | 3 | 3 | 11 | 42 | 1 | 2 | 28 |
| VII. " LYMPHATIC AND DUCTLESS GLANDS | 12 | – | – | – | – | 1 | 1 | – | – | – | – | 1 | 1 | – | – | 2 |
| VIII. " URINARY SYSTEM | 256 | 1 | 3 | 2 | 4 | 2 | 5 | 10 | 8 | 2 | 6 | 7 | 20 | 2 | 3 | 13 |
| IX. " GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. " PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. " LOCOMOTOR SYSTEM | 17 | – | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – | 1 |
| XII. " THE SKIN | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 664 | 4 | 6 | 17 | 9 | 6 | 12 | 16 | 21 | 5 | 20 | 15 | 58 | 1 | 5 | 43 |
| E.—VIOLENT DEATHS. | 457 | 6 | 2 | 9 | 7 | 1 | 7 | 6 | 7 | 5 | 3 | 6 | 58 | 1 | 7 | 29 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 87 | – | – | – | 8 | – | – | 1 | 5 | – | – | – | 15 | – | 1 | 1 |
| German Measles | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 33 | – | – | – | – | 1 | 1 | 1 | 2 | – | 1 | – | 1 | – | – | 2 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 92 | 2 | 1 | 3 | 2 | – | 4 | 3 | 3 | 1 | 3 | 2 | 4 | – | 2 | 8 |
| Hooping-cough | 133 | – | – | 2 | 1 | – | 4 | 1 | 1 | – | 1 | 2 | 4 | – | – | 7 |
| Mumps | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 68 | – | – | – | 1 | – | – | 5 | 2 | – | 2 | – | 5 | – | 1 | 6 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 58 | 3 | – | – | 4 | – | – | – | 3 | – | 2 | – | 7 | – | – | 3 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES.

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 7290 | 60 | 65 | 179 | 140 | 57 | 184 | 223 | 210 | 56 | 186 | 198 | 697 | 26 | 83 | 429 |
| A.—GENERAL DISEASES | 3090 | 17 | 25 | 56 | 65 | 23 | 78 | 94 | 101 | 15 | 77 | 93 | 315 | 12 | 41 | 175 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 470 | 5 | – | 12 | 9 | 6 | 12 | 6 | 12 | 4 | 11 | 9 | 50 | 2 | 4 | 37 |
| II. ,, ORGANS OF SPECIAL SENSE | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| III. ,, HEART | 795 | 6 | 13 | 16 | 9 | 3 | 18 | 20 | 22 | 10 | 23 | 26 | 68 | 4 | 7 | 56 |
| IV. ,, BLOOD VESSELS | 530 | 3 | 6 | 13 | 10 | 5 | 18 | 15 | 14 | 7 | 22 | 14 | 56 | 2 | 8 | 22 |
| V. ,, RESPIRATORY SYSTEM | 561 | 8 | 7 | 26 | 18 | 3 | 11 | 32 | 11 | 5 | 12 | 15 | 55 | – | 8 | 17 |
| VI. ,, DIGESTIVE SYSTEM | 536 | 4 | 4 | 11 | 5 | 2 | 17 | 20 | 22 | 1 | 13 | 11 | 47 | 2 | 7 | 34 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 22 | – | – | 2 | – | – | 1 | 1 | 1 | – | 1 | – | 4 | – | – | 1 |
| VIII. ,, URINARY SYSTEM | 165 | – | – | 3 | 3 | 1 | 4 | 2 | 4 | 1 | 2 | 2 | 15 | 1 | 2 | 12 |
| IX. ,, GENERATIVE SYSTEM | 23 | 1 | – | 1 | 1 | 1 | – | 2 | – | – | – | – | 2 | – | – | 1 |
| X. ,, PREGNANCY AND CHILDBIRTH | 76 | 1 | – | – | 2 | – | – | 2 | 1 | 1 | – | 2 | 5 | – | 1 | 5 |
| XI. ,, LOCOMOTOR SYSTEM | 18 | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | 4 | – | – | 3 |
| XII. ,, THE SKIN | 14 | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | 1 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 814 | 14 | 10 | 38 | 14 | 10 | 20 | 21 | 16 | 8 | 18 | 21 | 55 | 2 | 2 | 58 |
| E.—VIOLENT DEATHS. | 166 | 1 | – | – | 4 | 2 | 4 | 7 | 6 | 3 | 6 | 5 | 18 | 1 | 2 | 6 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 89 | – | – | – | 5 | – | – | 2 | 2 | 3 | – | – | 12 | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 41 | – | – | – | – | – | 1 | 2 | 5 | – | – | – | – | – | – | 2 |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 147 | 5 | – | 7 | 6 | – | 7 | 7 | 6 | 1 | 8 | 12 | 11 | 1 | 2 | 3 |
| Hooping-cough | 161 | – | – | 3 | 1 | 4 | 1 | 3 | 1 | – | 2 | 4 | 9 | – | 1 | 13 |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 68 | 1 | – | 1 | – | – | 2 | 2 | 4 | – | 1 | 2 | 9 | 1 | – | 2 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Enteric Fever | 38 | 1 | – | – | 1 | – | – | 1 | 4 | – | 1 | – | 5 | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 304 | 248 | 64 | 554 | 1096 | 940 | 365 | 301 | 212 | 43 | 53 | 51 | 108 | 108 | 104 | 81 |
| A.—GENERAL DISEASES . . | 140 | 91 | 22 | 268 | 450 | 395 | 142 | 128 | 95 | 20 | 22 | 22 | 39 | 39 | 40 | 27 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 24 | 11 | 7 | 46 | 63 | 79 | 26 | 17 | 15 | 5 | 1 | 2 | 13 | 6 | 4 | 5 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 1 | 1 | – | 1 | 2 | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 29 | 28 | 6 | 53 | 113 | 65 | 23 | 34 | 22 | 9 | 5 | 8 | 21 | 12 | 14 | 7 |
| IV. ,, BLOOD VESSELS . | 22 | 19 | 9 | 29 | 58 | 35 | 17 | 15 | 17 | 3 | 5 | 3 | 9 | 4 | 8 | 12 |
| V. ,, RESPIRATORY SYSTEM | 24 | 22 | 2 | 27 | 98 | 71 | 43 | 27 | 22 | 1 | 4 | 3 | 4 | 11 | 10 | 5 |
| VI. ,, DIGESTIVE SYSTEM . | 17 | 14 | 2 | 30 | 77 | 92 | 45 | 21 | 8 | – | 6 | 2 | 6 | 7 | 9 | 8 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | 1 | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 8 | 17 | 7 | 25 | 41 | 26 | 8 | 9 | 6 | 1 | 2 | 5 | 3 | 4 | 5 | 1 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | 4 | 1 | – | 4 | 2 | 1 | – | – | – | – | – | – | – | 1 | – |
| XII. ,, THE SKIN. . . | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | 2 | 2 | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 16 | 25 | 3 | 54 | 107 | 94 | 33 | 28 | 14 | 1 | 6 | 3 | 7 | 14 | 10 | 11 |
| E.—VIOLENT DEATHS. . . | 22 | 16 | 5 | 20 | 80 | 77 | 26 | 20 | 9 | 3 | 2 | 2 | 6 | 9 | 1 | 5 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . . | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 1 | 1 | 1 | 2 | 3 | 29 | – | 3 | 14 | 1 | – | – | – | 1 | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | 10 | 7 | 1 | 5 | 1 | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 5 | 5 | – | 4 | 16 | 6 | 1 | 3 | 5 | 1 | 4 | – | 1 | 2 | – | 1 |
| Hooping-cough . . . . . | 10 | 4 | – | 17 | 22 | 33 | 2 | 7 | 6 | – | 1 | 1 | 1 | 3 | 3 | – |
| Mumps . . . . . | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 1 | 1 | – | 8 | 6 | 4 | 9 | 8 | 3 | 1 | – | 1 | 1 | – | 3 | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Enteric Fever . . . . . | 2 | 2 | – | 8 | 14 | 1 | 6 | 1 | 1 | – | – | – | – | – | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 331 | 239 | 81 | 524 | 1064 | 840 | 353 | 278 | 205 | 48 | 58 | 46 | 118 | 109 | 103 | 100 |
| A.—GENERAL DISEASES | 161 | 86 | 28 | 223 | 433 | 385 | 140 | 112 | 103 | 20 | 24 | 20 | 51 | 40 | 41 | 36 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 19 | 15 | 6 | 34 | 82 | 47 | 20 | 23 | 8 | 5 | 4 | 1 | 13 | 6 | 2 | 6 |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 | – |
| III. ,, HEART | 48 | 35 | 10 | 53 | 109 | 67 | 24 | 43 | 25 | 5 | 5 | 5 | 15 | 18 | 19 | 13 |
| IV. ,, BLOOD VESSELS | 25 | 23 | 9 | 35 | 71 | 40 | 30 | 19 | 18 | 1 | 7 | 2 | 13 | 6 | 8 | 8 |
| V. ,, RESPIRATORY SYSTEM | 21 | 14 | 6 | 35 | 88 | 62 | 29 | 20 | 15 | 5 | 6 | 4 | 7 | 7 | 5 | 9 |
| VI. ,, DIGESTIVE SYSTEM | 12 | 18 | 6 | 35 | 79 | 84 | 34 | 15 | 6 | 2 | 5 | 4 | 4 | 12 | 10 | 10 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | 2 | 1 | 4 | 1 | – | – | – | – | 1 | – | – | – | 1 |
| VIII. ,, URINARY SYSTEM | 5 | 9 | 3 | 14 | 37 | 16 | 5 | 4 | 5 | – | 3 | 2 | 1 | 5 | 4 | – |
| IX. ,, GENERATIVE SYSTEM | 1 | 1 | – | 1 | 6 | – | – | 3 | 1 | – | – | – | – | 1 | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 4 | 1 | – | 9 | 11 | 14 | 5 | 3 | 2 | – | – | 1 | – | 2 | 3 | 1 |
| XI. ,, LOCOMOTOR SYSTEM | – | 1 | 1 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | 1 |
| XII. ,, THE SKIN | – | – | 1 | 3 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 24 | 30 | 8 | 64 | 119 | 103 | 51 | 31 | 19 | 4 | 3 | 5 | 12 | 12 | 9 | 13 |
| E.—VIOLENT DEATHS | 10 | 6 | 2 | 15 | 22 | 16 | 12 | 4 | 1 | 6 | 1 | 1 | 2 | – | 1 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | 2 | 4 | 7 | 39 | – | 6 | 5 | – | 1 | – | – | 1 | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | 8 | 14 | 2 | 3 | 1 | 1 | – | 1 | – | – | 1 | – | – |
| Typhus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 11 | – | – | 6 | 18 | 8 | 3 | 3 | 5 | 1 | 2 | – | 6 | 1 | 3 | 4 |
| Hooping-cough | 11 | 8 | – | 14 | 25 | 29 | 8 | 4 | 10 | – | 2 | 1 | 1 | 5 | 1 | – |
| Mumps | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | – | 7 | 5 | 4 | 5 | 5 | 6 | – | 2 | – | 2 | – | 4 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | 5 | 3 | 6 | 5 | 1 | 2 | 1 | – | – | – | – | 1 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 9 | – | – | – | – | – | – | 2 | – | – | – | – | 4 | – | – | – |
| Diarrhœa (not otherwise defined) | 99 | – | – | 1 | 1 | – | 4 | 1 | 4 | – | 2 | 1 | 7 | – | 1 | 7 |
| Dysentery | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Malaria | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Syphilis | 9 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Gonorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 17 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | 3 | – | – | – |
| Septicæmia (not Puerperal) | 15 | – | 1 | – | 1 | – | – | – | 1 | 1 | 4 | – | 1 | – | – | – |
| Pyæmia (not Puerperal) | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 10 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 2 |
| Phagedæna | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Infective Endocarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 62 | – | – | 1 | 2 | 2 | 2 | – | 2 | – | 1 | 1 | 1 | 1 | – | 7 |
| Pneumonia — Broncho | 207 | 1 | 1 | 2 | 4 | 1 | 1 | 3 | 11 | 3 | 2 | 3 | 34 | 2 | – | 16 |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 416 | 3 | 2 | 6 | 13 | 3 | 8 | 7 | 6 | 2 | 6 | 14 | 53 | 1 | 2 | 27 |
| Other Infective Conditions | 4 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 87 | – | – | 4 | – | – | 5 | 3 | 1 | 1 | 2 | 3 | 5 | – | 1 | 6 |
| Phthisis (not otherwise defined) | 456 | 1 | 2 | 6 | 13 | 1 | 18 | 6 | 15 | 2 | 8 | 20 | 28 | – | 4 | 35 |
| Tuberculous Meningitis | 106 | – | 2 | 1 | 3 | – | 2 | 3 | 5 | – | 3 | 2 | 10 | – | 3 | 7 |
| Tuberculous Peritonitis | 49 | – | 1 | 3 | – | – | 3 | 2 | 3 | – | – | – | 7 | – | 1 | 1 |
| Tabes Mesenterica | 36 | – | – | – | 1 | – | 1 | – | – | – | – | 1 | 6 | – | – | 1 |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 28 | – | – | – | 1 | 1 | 1 | 1 | 2 | – | 1 | 1 | 4 | 1 | – | – |
| General Tuberculosis | 71 | – | – | – | 1 | – | 1 | 2 | 4 | 1 | 1 | – | 8 | – | – | 9 |
| Scrofula | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 44 | – | – | – | – | – | 2 | 2 | 1 | 1 | – | 4 | 3 | – | 1 | 2 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 6 | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – | – |
| Diarrhœa (not otherwise defined) | 94 | – | – | 1 | 1 | – | 2 | 2 | 1 | – | 1 | – | 6 | – | 2 | 1 |
| Dysentery | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Syphilis | 11 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 33 | 1 | – | 1 | – | – | – | 3 | – | – | 1 | 1 | 8 | – | – | 4 |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 34 | – | – | – | 1 | 1 | – | 4 | – | – | 1 | – | 1 | – | – | 3 |
| Erysipelas | 34 | – | – | 1 | 1 | – | – | – | 3 | – | 1 | – | 2 | – | – | 1 |
| Septicæmia (not Puerperal) | 14 | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | 1 | – | – | 2 |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 8 | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Phagedæna | 7 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 37 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | 4 | – | – | 3 |
| Pneumonia — Broncho | 194 | – | – | 1 | 4 | 2 | 3 | 4 | 10 | 1 | 3 | – | 23 | 1 | 2 | 5 |
| Pneumonia — Epidemic | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 274 | – | 1 | 8 | 9 | 4 | 9 | 4 | 12 | 2 | 6 | 14 | 34 | 1 | 5 | 12 |
| Other Infective Conditions | 5 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 99 | – | 1 | 3 | 1 | 1 | 4 | 6 | 2 | – | 1 | 7 | 8 | – | 3 | 8 |
| Phthisis (not otherwise defined) | 540 | 4 | 8 | 4 | 16 | 5 | 16 | 16 | 22 | 6 | 23 | 22 | 57 | 1 | 6 | 41 |
| Tuberculous Meningitis | 97 | 1 | 2 | 2 | 1 | – | 4 | 3 | 2 | – | 1 | 1 | 11 | – | 2 | 4 |
| Tuberculous Peritonitis | 45 | – | 2 | 2 | 1 | – | 1 | – | – | – | 1 | 1 | 7 | – | 1 | 3 |
| Tabes Mesenterica | 29 | – | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | 2 |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 18 | – | – | – | – | – | 3 | 1 | – | – | 2 | – | 4 | – | – | – |
| General Tuberculosis | 59 | – | 2 | 2 | – | – | 1 | 1 | 5 | – | – | – | 7 | – | 2 | 10 |
| Scrofula | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 23 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 2 | 4 | – | 7 | 18 | 12 | 9 | 4 | 4 | 3 | – | 2 | 2 | 2 | – | 1 |
| Dysentery | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | 3 | 2 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | – | – | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | – | 1 | – | 2 | – | – | 1 | – | – | – | – | – | 1 | – |
| Phagedæna | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | 7 | 10 | 9 | 6 | 2 | 1 | 3 | – | – | – | – | 2 | 2 |
| Pneumonia — Broncho | 9 | 4 | – | 16 | 29 | 37 | 8 | 5 | 4 | 1 | 1 | 1 | – | 4 | 3 | 1 |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 15 | 8 | 7 | 30 | 63 | 59 | 25 | 29 | 8 | 2 | 3 | 2 | 2 | 3 | 5 | 2 |
| Other Infective Conditions | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 4 | 5 | 2 | 10 | 12 | 5 | 3 | 1 | 4 | – | 1 | – | 3 | 3 | – | 3 |
| Phthisis (not otherwise defined) | 31 | 12 | 2 | 39 | 77 | 39 | 16 | 15 | 13 | 3 | 3 | 3 | 12 | 12 | 13 | 7 |
| Tuberculous Meningitis | 7 | 2 | 1 | 12 | 14 | 16 | 1 | 5 | 3 | – | – | – | 3 | – | 1 | – |
| Tuberculous Peritonitis | 2 | – | – | 6 | 5 | 9 | 3 | – | 1 | – | – | 1 | 1 | – | – | – |
| Tabes Mesenterica | – | 2 | 1 | 5 | 5 | 9 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 3 | 1 | 3 | – | 1 | 2 | 1 | – | – | – | – | 1 | 2 | 1 | – | – |
| General Tuberculosis | 1 | 2 | – | 6 | 17 | 15 | 2 | – | 1 | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | 1 | – | 4 | 5 | 5 | 4 | 2 | – | – | 1 | 1 | – | 2 | – | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | 1 | – | – | | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 4 | 4 | – | 11 | 16 | 15 | 8 | 3 | 3 | 2 | 2 | 3 | – | 1 | 1 | 4 |
| Dysentery | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Syphilis | – | 1 | – | 2 | 1 | 3 | – | – | – | – | – | – | – | – | – | 1 |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 2 | 2 | – | 1 | 4 | 2 | – | 1 | 1 | – | – | – | 1 | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 1 | – | – | 1 | – | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Fever (not otherwise defined) | 2 | 1 | 1 | 4 | 7 | 3 | – | 3 | – | 1 | – | – | – | 1 | – | – |
| Erysipelas | 2 | – | – | 6 | 6 | 2 | 1 | 2 | 2 | 1 | – | – | 1 | 1 | 1 | – |
| Septicæmia (not Puerperal) | – | 1 | – | – | 1 | 2 | – | – | 1 | 1 | – | – | – | 1 | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Infective Endocarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 3 | 1 | – | 3 | 5 | 6 | 1 | 1 | 1 | – | 2 | – | – | 2 | 1 | – |
| Pneumonia — Broncho | 7 | 3 | – | 7 | 39 | 44 | 13 | 9 | 6 | 2 | – | – | 2 | – | 3 | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 17 | 12 | 4 | 14 | 29 | 29 | 11 | 13 | 6 | 1 | – | 2 | 6 | 1 | 5 | 3 |
| Other Infective Conditions | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | 2 | 4 | 6 | 12 | 10 | 1 | 2 | 4 | – | 2 | – | 5 | 3 | – | 1 |
| Phthisis (not otherwise defined) | 31 | 11 | 4 | 43 | 62 | 44 | 23 | 16 | 18 | 1 | 4 | 4 | 4 | 11 | 6 | 11 |
| Tuberculous Meningitis | 12 | 2 | 1 | 8 | 17 | 12 | 6 | 3 | 2 | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 4 | – | 1 | 3 | 7 | 7 | – | 1 | 1 | – | – | – | 1 | – | 1 | – |
| Tabes Mesenterica | 1 | – | – | 1 | 7 | 11 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | 1 | 2 | 1 | – | – | 1 | – | – | 1 | – | – | 1 | – |
| General Tuberculosis | 3 | 1 | 1 | 3 | 8 | 7 | 2 | – | 1 | – | – | 1 | – | – | 2 | – |
| Scrofula | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 1 | – | 4 | 3 | 3 | 2 | 1 | 1 | – | 1 | 1 | 1 | – | 1 | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | | – | – | | | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 25 | – | – | – | 1 | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 |
| Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 107 | 2 | 1 | 4 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 10 | – | 2 | 8 |
| Sarcoma | 21 | 1 | 1 | – | – | – | 1 | – | 1 | – | 2 | – | 1 | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 143 | – | 1 | 5 | 4 | 1 | 1 | 4 | 4 | – | 1 | 5 | 15 | – | 2 | 9 |
| Rickets | 11 | – | – | – | – | – | – | – | – | – | 1 | 1 | 5 | – | – | 2 |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 40 | 1 | 1 | – | – | – | 1 | – | 1 | – | 2 | 2 | 1 | – | 2 | – |
| Diabetes Mellitus | 39 | – | 1 | – | 1 | – | – | 2 | 2 | – | 1 | 1 | 4 | 1 | – | 2 |
| Premature Birth | 249 | 1 | – | 2 | 1 | 1 | 6 | 7 | 9 | – | 3 | 10 | 22 | – | – | 12 |
| Congenital Defects | 56 | – | – | 1 | 1 | – | – | 1 | – | – | 1 | 2 | 8 | – | 1 | 4 |
| Injury at Birth | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | – | – | 1 |
| Atelectasis | 21 | – | – | – | 1 | – | – | 2 | – | – | 1 | – | 2 | – | 1 | 2 |
| Want of Breast Milk | 11 | – | – | – | 1 | – | 1 | – | 1 | 1 | – | 1 | – | 1 | 2 | – |
| Teething | 14 | – | – | 1 | – | – | – | 1 | – | – | – | – | 3 | – | – | 2 |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 138 | – | – | 2 | 3 | – | 2 | – | 5 | 1 | – | – | 14 | 1 | 1 | 14 |
| Softening of Brain | 38 | – | – | – | 2 | – | 1 | – | 2 | – | – | – | 4 | – | – | 1 |
| General Paralysis of Insane | 44 | – | – | – | – | – | – | – | – | – | – | – | 11 | – | – | 18 |
| Insanity (not Puerperal) | 15 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | 3 | – | – | 3 |
| Chorea | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 34 | – | 1 | 4 | 1 | – | 2 | 1 | – | – | – | – | 4 | – | – | 5 |
| Convulsions | 124 | – | – | 6 | 2 | 3 | 4 | 2 | 4 | 2 | 4 | 1 | 5 | – | – | 9 |
| Laryngismus Stridulus | 3 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 12 | – | – | – | – | – | 1 | – | 2 | – | – | 2 | 1 | – | – | 1 |
| Paraplegia, Diseases of Cord | 32 | – | – | – | 2 | – | 2 | 1 | 3 | 2 | 1 | 1 | – | – | 1 | 1 |
| Neuritis; Peripheral, Poly-neuritis | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Brain Tumour (not Specific) | 9 | – | – | – | – | 1 | – | – | – | – | 1 | – | 2 | – | – | 1 |
| Other Diseases of Nervous System | 90 | 1 | 1 | 4 | 4 | – | 3 | 2 | 2 | 1 | 3 | 3 | 8 | 1 | – | 7 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 15 | – | – | – | – | – | 1 | 2 | – | – | – | 1 | 2 | – | – | – |
| Epistaxis, Diseases of Nose | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 154 | 1 | 1 | 2 | 2 | – | 5 | 2 | 2 | – | 4 | 9 | 18 | – | 2 | 6 |
| Pericarditis | 8 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hypertrophy of Heart | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 23 | – | – | – | – | – | – | 4 | 1 | – | 1 | 1 | 1 | – | – | – |
| Dilatation of Heart | 27 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | 3 |
| Fatty Degeneration of Heart | 21 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 2 | – | – | – |
| Syncope, Heart Disease (not specified) | 482 | 6 | 9 | 10 | 8 | 5 | 19 | 18 | 9 | 7 | 8 | 17 | 37 | 6 | 3 | 35 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 32 | – | 2 | 4 | 1 | – | – | 3 | 1 | – | – | – | 4 | – | – | 1 |
| Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chronic Rheumatism | 12 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 12 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 220 | 1 | 3 | 5 | – | 3 | 8 | 6 | 4 | 1 | 8 | 10 | 16 | 1 | 1 | 20 |
| Sarcoma | 20 | – | – | 1 | – | – | – | 2 | 1 | – | 1 | – | 4 | – | – | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 199 | 2 | 1 | 2 | 4 | 2 | 5 | 7 | 3 | 1 | 9 | 9 | 18 | 3 | 6 | 4 |
| Rickets | 9 | – | – | – | – | – | – | – | – | – | – | – | 5 | – | – | – |
| Purpura | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 47 | – | – | 1 | – | – | 1 | 2 | 2 | – | 2 | 1 | 4 | 2 | 2 | 5 |
| Diabetes Mellitus | 27 | – | 2 | – | 2 | – | – | – | – | – | – | 1 | – | – | – | 3 |
| Premature Birth | 189 | – | – | 2 | – | – | 5 | 4 | 4 | – | 1 | 4 | 27 | 1 | 3 | 11 |
| Congenital Defects | 49 | – | – | – | 1 | – | 1 | 2 | 2 | – | 1 | 1 | 4 | – | – | 3 |
| Injury at Birth | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Atelectasis | 10 | – | – | – | 2 | – | – | 1 | – | – | – | – | 4 | – | 1 | – |
| Want of Breast Milk | 16 | – | – | – | 2 | – | – | 2 | – | – | – | 1 | – | – | – | – |
| Teething | 7 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 126 | – | – | 3 | 5 | 1 | 1 | – | 2 | 2 | 1 | 2 | 8 | 1 | – | 9 |
| Softening of Brain | 51 | 1 | – | – | 1 | – | – | – | 3 | – | 1 | – | 6 | – | 2 | 3 |
| General Paralysis of Insane | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 4 |
| Insanity (not Puerperal) | 30 | – | – | – | – | – | 3 | – | – | – | – | – | 11 | – | 1 | 4 |
| Chorea | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Epilepsy | 24 | 2 | – | 1 | 1 | – | – | 1 | – | – | 1 | 1 | 1 | 1 | – | 3 |
| Convulsions | 88 | – | – | 8 | – | – | 3 | 4 | 2 | – | 2 | 2 | 14 | – | – | 4 |
| Laryngismus Stridulus | 8 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Locomotor Ataxy | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Paraplegia, Diseases of Cord | 36 | – | – | – | – | – | 2 | – | 1 | 1 | 1 | 1 | 4 | – | 1 | 2 |
| Neuritis; Peripheral, Poly-neuritis | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 10 | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | 2 |
| Other Diseases of Nervous System | 75 | 2 | – | – | 2 | 4 | 2 | 1 | 3 | – | 5 | 1 | 4 | – | – | 6 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Epistaxis, Diseases of Nose | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 215 | 1 | 4 | 2 | 4 | – | 3 | 3 | 2 | 1 | 7 | 8 | 28 | – | 3 | 12 |
| Pericarditis | 7 | – | – | – | – | – | 1 | – | – | 1 | 2 | – | – | – | – | – |
| Hypertrophy of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 14 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Dilatation of Heart | 21 | – | – | – | – | | – | – | – | – | – | – | 1 | – | – | 1 |
| Fatty Degeneration of Heart | 28 | – | 2 | – | – | – | – | 1 | – | 1 | 1 | – | 2 | – | – | 3 |
| Syncope, Heart Disease (not specified) | 508 | 5 | 7 | 14 | 5 | 3 | 14 | 16 | 20 | 7 | 13 | 18 | 35 | 4 | 4 | 40 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | 2 | – | 2 | 4 | 3 | 1 | 1 | 2 | – | – | – | – | – | – | 1 |
| Rheumatism of Heart | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 5 | 6 | – | 6 | 18 | 9 | 6 | 4 | 3 | – | 1 | – | 3 | 1 | – | 2 |
| Sarcoma | 3 | 1 | – | – | 1 | 2 | – | 4 | – | 1 | – | 1 | – | – | 1 | – |
| Cancer, Malignant Disease (not otherwise defined) | 5 | 8 | 2 | 17 | 19 | 10 | 6 | 11 | 2 | – | 1 | 3 | 3 | 1 | 2 | 1 |
| Rickets | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 2 | 1 | 2 | 10 | 3 | 3 | 1 | 3 | – | – | – | – | 1 | 2 | 1 |
| Diabetes Mellitus | 5 | 1 | – | 3 | 6 | 3 | – | – | 1 | 1 | – | 1 | – | 1 | 2 | – |
| Premature Birth | 15 | 8 | – | 26 | 39 | 41 | 9 | 11 | 9 | 2 | 5 | 1 | 3 | 1 | 2 | 3 |
| Congenital Defects | 2 | 1 | 1 | 4 | 6 | 10 | 4 | 4 | 3 | – | – | – | 1 | 1 | – | – |
| Injury at Birth | – | – | – | 1 | 2 | 3 | 3 | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | 1 | – | – | 5 | 2 | 1 | 1 | 1 | – | – | – | 1 | – | – | – |
| Want of Breast Milk | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 1 | 2 | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 10 | – | 2 | 15 | 23 | 22 | 7 | 5 | 4 | – | 1 | – | 2 | 2 | – | 2 |
| Softening of Brain | 3 | – | – | 3 | 4 | 11 | 1 | 3 | – | – | – | – | 2 | – | – | 1 |
| General Paralysis of Insane | – | – | – | 2 | – | 6 | – | 3 | – | – | – | – | 4 | – | – | – |
| Insanity (not Puerperal) | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | 1 | 1 | 1 |
| Chorea | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 2 | 2 | 4 | – | 3 | 1 | – | – | – | – | 1 | – | 2 | – |
| Convulsions | 5 | 4 | 2 | 10 | 12 | 26 | 7 | 2 | 7 | 2 | – | 1 | 1 | 1 | 1 | 1 |
| Laryngismus Stridulus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | – | 2 | 5 | 2 | 1 | 1 | 3 | – | – | – | 1 | 1 | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| Other Diseases of Nervous System | 3 | 6 | 1 | 8 | 13 | 8 | 4 | – | 1 | 3 | – | – | 2 | 1 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | 1 | – | 1 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 3 | 6 | 1 | 13 | 27 | 14 | 6 | 6 | 4 | 3 | 2 | 2 | 4 | 2 | 4 | 3 |
| Pericarditis | 2 | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | 3 | – | 2 | 6 | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – |
| Dilatation of Heart | 1 | 2 | – | 1 | 5 | 1 | 2 | 5 | – | – | – | 1 | 1 | – | – | 1 |
| Fatty Degeneration of Heart | 1 | 2 | – | 1 | 1 | 1 | 2 | 4 | 1 | – | – | – | 1 | 1 | – | 1 |
| Syncope, Heart Disease (not specified) | 22 | 15 | 5 | 35 | 70 | 46 | 10 | 18 | 16 | 5 | 3 | 5 | 14 | 9 | 10 | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | 2 | - | 4 | 2 | 1 | 3 | 1 | - | - | - | - | 1 | - | - | - |
| Rheumatism of Heart | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Chronic Rheumatism | - | 2 | 1 | - | 3 | 1 | - | - | 1 | - | - | - | 1 | - | - | - |
| Rheumatic Arthritis, Rheumatic Gout | - | - | 1 | 2 | 1 | 1 | 1 | 1 | - | - | - | 2 | - | - | - | - |
| Gout | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Carcinoma | 9 | 8 | 1 | 12 | 40 | 23 | 13 | 5 | 4 | 1 | 1 | - | 8 | 1 | 3 | 4 |
| Sarcoma | - | 1 | - | 2 | 1 | 1 | - | 1 | 1 | - | 1 | - | 1 | - | 1 | - |
| Cancer, Malignant Disease (not otherwise defined) | 10 | 14 | 3 | 14 | 24 | 10 | 10 | 7 | 9 | 4 | 1 | 1 | 7 | 3 | 3 | 3 |
| Rickets | - | 1 | - | 1 | - | - | 1 | - | - | - | - | - | 1 | - | - | - |
| Purpura | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hæmophilia, Hæmorrhagic Diathesis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Anæmia, Leucocythæmia | 4 | 2 | - | 3 | 4 | 2 | 1 | 6 | - | - | 1 | 1 | 1 | - | - | - |
| Diabetes Mellitus | 2 | 1 | - | - | 5 | 7 | - | 1 | 1 | - | - | - | - | - | 2 | - |
| Premature Birth | 9 | 2 | 3 | 12 | 33 | 33 | 14 | 6 | 5 | 3 | - | 2 | 1 | 3 | - | 1 |
| Congenital Defects | - | 1 | - | 6 | 8 | 6 | 3 | 5 | - | - | - | 1 | - | 2 | - | 2 |
| Injury at Birth | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | 1 | - | - |
| Atelectasis | 1 | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Want of Breast Milk | - | - | - | 2 | 1 | 2 | 2 | 1 | 3 | - | - | - | - | - | - | - |
| Teething | 1 | - | - | - | 3 | - | - | - | - | - | - | - | - | - | - | - |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 4 | 3 | 2 | 15 | 27 | 16 | 8 | 3 | 1 | 1 | 3 | 1 | 1 | 3 | 2 | 1 |
| Softening of Brain | 4 | 2 | - | 1 | 9 | 7 | 1 | 3 | - | - | - | - | 5 | 1 | - | 1 |
| General Paralysis of Insane | - | - | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - | - | - |
| Insanity (not Puerperal) | - | - | - | - | 2 | - | 1 | 2 | 2 | - | - | - | 2 | - | - | 2 |
| Chorea | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | 1 | - | - |
| Epilepsy | - | - | - | 4 | 3 | 1 | 2 | 1 | - | 1 | - | - | - | - | - | - |
| Convulsions | 4 | 1 | - | 4 | 13 | 10 | 7 | 7 | 2 | - | - | - | - | - | - | 1 |
| Laryngismus Stridulus | - | - | - | 1 | 1 | 3 | - | 2 | - | - | - | - | - | - | - | - |
| Locomotor Ataxy | - | 1 | 2 | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Paraplegia, Diseases of Cord | 2 | 1 | 1 | 3 | 7 | 2 | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | - | - |
| Neuritis; Peripheral, Poly-neuritis | 1 | - | - | 2 | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Brain Tumour (not Specific) | 1 | 2 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Nervous System | 3 | 5 | 1 | 3 | 16 | 7 | - | 2 | 1 | 2 | - | - | 4 | - | - | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | - | - | 1 | 1 | - | 1 | - | - | - | - | - | - | - | - | 1 | - |
| Epistaxis, Diseases of Nose | - | - | - | - | 2 | - | 1 | - | - | - | - | - | - | - | - | - |
| Ophthalmia, Diseases of Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF HEART. | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 9 | 17 | 1 | 13 | 30 | 16 | 7 | 18 | 3 | 1 | - | 2 | 3 | 3 | 4 | 10 |
| Pericarditis | - | - | - | - | - | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Hypertrophy of Heart | - | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Angina Pectoris | 2 | - | - | 1 | 5 | 1 | - | - | - | - | 1 | - | 1 | - | 1 | - |
| Dilatation of Heart | - | - | - | 3 | 4 | 2 | 1 | 3 | - | - | - | - | - | 5 | - | 1 |
| Fatty Degeneration of Heart | 2 | - | - | 4 | 2 | - | 1 | 4 | 2 | 1 | - | 1 | - | 1 | - | - |
| Syncope, Heart Disease (not specified) | 35 | 18 | 9 | 31 | 67 | 48 | 13 | 18 | 19 | 3 | 4 | 2 | 11 | 9 | 14 | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 156 | – | 2 | 1 | 1 | – | 2 | 2 | 2 | 1 | 1 | 11 | 17 | 3 | 5 | 3 |
| Apoplexy, Hemiplegia | 208 | 1 | 2 | 6 | 1 | 2 | 3 | 8 | 9 | 2 | 5 | 5 | 13 | 1 | 1 | 13 |
| Aneurism | 13 | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | 2 |
| Senile Gangrene | 22 | – | – | 2 | – | 2 | – | 1 | 1 | – | – | – | 2 | – | – | 3 |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 16 | – | 1 | – | – | – | – | – | 1 | – | – | 1 | 4 | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 16 | – | – | – | 1 | – | – | – | 1 | – | – | – | 3 | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Croup (not Spasmodic nor Membranous) | 6 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Other Dis. of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 457 | 2 | 2 | 15 | 9 | 3 | 8 | 13 | 18 | 2 | 9 | 9 | 34 | 2 | 3 | 29 |
| Emphysema, Asthma | 20 | – | – | – | 3 | – | 1 | – | – | – | – | 1 | 1 | – | – | 3 |
| Pleurisy | 35 | – | – | 1 | – | – | – | 1 | – | – | – | – | 4 | – | 2 | 1 |
| Fibroid Disease of Lung | 15 | – | – | – | – | – | 1 | – | – | – | 1 | – | 2 | – | – | 1 |
| Other Dis. of Respiratory System | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 5 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 16 | – | – | – | – | – | 2 | 1 | 1 | – | – | 1 | – | – | 1 | – |
| Gastric Catarrh | 63 | 2 | 1 | 1 | – | – | 1 | 1 | 2 | – | – | 2 | 4 | – | – | 10 |
| Other Diseases of Stomach (not Malignant) | 29 | – | – | – | – | – | 3 | – | – | – | 1 | 1 | 2 | – | – | [illegible] |
| Enteritis (not Infective) | 70 | 1 | – | 1 | – | – | 2 | 4 | 1 | – | – | 1 | 7 | – | – | [illegible] |
| Gastro-enteritis | 132 | – | – | 1 | – | – | 2 | 3 | 2 | 1 | – | 2 | 9 | – | 1 | [illegible] |
| Appendicitis, Perityphlitis | 15 | 1 | – | – | – | – | 1 | – | 1 | – | – | 1 | 3 | – | – | [illegible] |
| Hernia | 6 | – | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – | – | [illegible] |
| Intestinal Obstruction | 32 | – | – | 1 | 2 | – | 1 | 2 | 1 | 1 | – | – | 3 | – | – | [illegible] |
| Other Diseases of Intestines | 6 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | [illegible] |
| Peritonitis (not Puerperal) | 40 | – | – | – | 1 | – | 2 | – | 2 | – | 1 | 1 | 2 | – | – | [illegible] |
| Cirrhosis of Liver | 38 | – | – | – | – | – | 3 | – | – | 1 | – | 2 | 5 | – | – | [illegible] |
| Other Diseases of Liver and Gall Bladder | 35 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | 5 | 1 | – | [illegible] |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | [illegible] |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | [illegible] |
| Other Dis. of Lymphatic System | 6 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | [illegible] |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | [illegible] |
| Diseases of Supra-renal Capsules | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | [illegible] |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 53 | – | 1 | 1 | – | – | 3 | 1 | 1 | – | – | 3 | 6 | – | – | [illegible] |
| Chronic Bright's Disease, Albuminuria | 112 | – | – | – | 1 | 1 | – | 5 | 6 | – | 4 | 2 | 8 | 2 | 3 | [illegible] |
| Calculus (not Biliary) | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | [illegible] |
| Diseases of Bladder and of Prostate | 73 | 1 | 1 | 1 | 2 | 1 | 2 | 4 | 1 | 2 | 2 | 1 | 4 | – | – | [illegible] |
| Other Diseases of Urinary System | 14 | – | 1 | – | 1 | – | – | – | – | – | – | – | 2 | – | – | [illegible] |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 199 | – | 4 | 1 | 5 | 2 | 7 | 2 | 2 | 2 | 4 | 6 | 32 | 2 | 2 | 9 |
| Apoplexy, Hemiplegia | 277 | 2 | 2 | 10 | 4 | 2 | 11 | 10 | 9 | 5 | 15 | 7 | 18 | – | 4 | 9 |
| Aneurism | 9 | – | – | 1 | – | – | – | – | – | – | 1 | – | 3 | – | 1 | 1 |
| Senile Gangrene | 23 | 1 | – | 1 | 1 | 1 | – | 3 | – | – | 1 | – | – | – | 1 | 1 |
| Embolism, Thrombosis (not Cerebral) | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Phlebitis | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 7 | – | – | – | – | – | – | – | 3 | – | – | – | 1 | – | – | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 19 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 2 | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 8 | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Bronchitis | 473 | 8 | 7 | 25 | 16 | 3 | 9 | 29 | 11 | 4 | 8 | 13 | 52 | – | 8 | 13 |
| Emphysema, Asthma | 16 | – | – | – | 2 | – | 1 | – | – | – | 1 | 1 | – | – | – | 2 |
| Pleurisy | 26 | – | – | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | 2 |
| Fibroid Disease of Lung | 11 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 6 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gastric Ulcer | 34 | – | – | 2 | 1 | – | 3 | 5 | – | – | 1 | – | 4 | 1 | 1 | 3 |
| Gastric Catarrh | 76 | – | – | 2 | – | – | – | 3 | 3 | – | 2 | 1 | 6 | – | 2 | 8 |
| Other Diseases of Stomach (not Malignant) | 37 | 1 | – | – | – | – | 2 | 2 | 1 | – | – | 1 | 2 | – | 1 | 1 |
| Enteritis (not Infective) | 56 | 1 | – | 4 | – | 1 | 1 | – | – | 1 | – | 1 | 6 | 1 | – | 5 |
| Gastro-enteritis | 130 | – | – | – | – | – | 2 | 3 | 8 | – | 3 | 3 | 13 | – | 1 | 5 |
| Appendicitis, Perityphlitis | 14 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Hernia | 7 | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Intestinal Obstruction | 43 | 1 | 1 | 2 | 1 | – | 5 | 1 | 4 | – | 3 | 1 | 2 | – | – | 3 |
| Other Diseases of Intestines | 9 | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – | – |
| Peritonitis (not Puerperal) | 47 | – | – | – | – | – | 2 | 1 | 3 | – | 2 | 1 | 4 | – | 1 | 4 |
| Cirrhosis of Liver | 18 | 1 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| Other Diseases of Liver and Gall Bladder | 54 | – | 3 | – | 2 | 1 | 1 | 4 | 1 | – | – | 2 | 3 | – | – | 1 |
| Other Diseases of Digestive System | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 8 | – | – | 2 | – | – | 1 | 1 | – | – | – | – | 2 | – | – | – |
| Diseases of Thyroid Body | 11 | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | | 1 |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 51 | – | – | – | 1 | – | 2 | – | 3 | 1 | 1 | 1 | 5 | – | – | 2 |
| Chronic Bright's Disease, Albuminuria | 95 | – | – | 2 | 1 | 1 | 2 | 2 | 1 | – | 1 | 1 | 10 | 1 | 2 | 7 |
| Calculus (not Biliary) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 11 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Urinary System | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 8 | 8 | 5 | 7 | 18 | 9 | 11 | 9 | 6 | 1 | 2 | 3 | 5 | 1 | 3 | 4 |
| Apoplexy, Hemiplegia | 11 | 7 | 4 | 19 | 35 | 19 | 5 | 6 | 8 | 2 | 2 | – | 4 | 3 | 4 | 7 |
| Aneurism | 1 | 2 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 1 | 1 | – | 2 | 1 | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | 1 | – | 1 | 2 | 1 | – | – | 2 | – | – | – | – | – | 1 | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | 1 | 1 | 4 | 2 | – | – | 2 | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 19 | 16 | 1 | 18 | 80 | 60 | 38 | 20 | 17 | 1 | 3 | 1 | 2 | 11 | 8 | 4 |
| Emphysema, Asthma | – | 2 | – | 4 | 3 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Pleurisy | 1 | 2 | – | 3 | 4 | 4 | 3 | 2 | 2 | – | 1 | – | 1 | – | 2 | 1 |
| Fibroid Disease of Lung | 1 | – | – | 1 | 2 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 5 | 1 | 1 | 3 | 1 | – | – | 1 | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | 2 | – |
| Gastric Ulcer | – | 1 | – | 1 | 1 | 2 | 3 | 2 | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 2 | 3 | – | 2 | 4 | 18 | 1 | 3 | 1 | – | – | 1 | – | 1 | 1 | 2 |
| Other Diseases of Stomach (not Malignant) | 2 | 1 | – | 2 | 12 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 3 | 2 | – | 6 | 14 | 15 | 4 | 2 | 2 | – | 1 | – | – | 1 | 1 | – |
| Gastro-enteritis | 5 | 2 | 1 | 7 | 20 | 35 | 24 | 5 | – | – | – | – | 1 | 1 | 2 | 2 |
| Appendicitis, Perityphlitis | – | – | – | 2 | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Hernia | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | 4 | – | 2 | 3 | 1 | 2 | 2 | – | – | – | – | 2 | – | 1 | 3 |
| Other Diseases of Intestines | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – |
| Peritonitis (not Puerperal) | – | – | – | 1 | 7 | 9 | 2 | 2 | 1 | – | 1 | – | 1 | 2 | 1 | 1 |
| Cirrhosis of Liver | 2 | 1 | 1 | 1 | 4 | 4 | 4 | 1 | 2 | – | 4 | – | 1 | – | 1 | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | 4 | 8 | 3 | 1 | 4 | 1 | – | – | – | – | 1 | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | 3 | – | 5 | 10 | 9 | 2 | 2 | 1 | – | – | – | – | 1 | 1 | – |
| Chronic Bright's Disease, Albuminuria | 1 | 12 | 3 | 13 | 16 | 7 | 2 | 5 | 3 | – | 1 | 4 | 2 | 1 | 3 | – |
| Calculus (not Biliary) | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 5 | 2 | 4 | 4 | 11 | 7 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Other Diseases of Urinary System | – | – | – | 3 | 1 | 3 | 1 | – | 1 | – | – | – | – | 1 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 9 | 13 | 6 | 6 | 18 | 13 | 16 | 8 | 10 | – | 3 | 2 | 5 | 2 | 5 | 3 |
| Apoplexy, Hemiplegia | 12 | 9 | 2 | 26 | 45 | 26 | 11 | 9 | 7 | 1 | 3 | – | 7 | 3 | 3 | 5 |
| Aneurism | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | – | 1 | 1 | 3 | 1 | 3 | – | – | – | 1 | – | 1 | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Phlebitis | 1 | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | 1 | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | 3 | 3 | 3 | 2 | – | – | – | – | 1 | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | 1 | – | – | 4 | – | 2 | – | – | – | – | – | 1 | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 16 | 11 | 4 | 26 | 70 | 50 | 26 | 15 | 13 | 5 | 5 | 3 | 6 | 6 | 3 | 8 |
| Emphysema, Asthma | – | – | – | 3 | 3 | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| Pleurisy | 1 | 3 | 1 | 3 | 6 | 2 | – | 1 | 1 | – | 1 | – | – | – | 1 | – |
| Fibroid Disease of Lung | 2 | – | – | – | 4 | 2 | – | – | 1 | – | – | – | 1 | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Gastric Ulcer | 1 | – | – | 1 | 5 | 4 | – | 1 | – | – | – | – | – | – | 1 | – |
| Gastric Catarrh | 3 | 2 | 1 | 3 | 9 | 16 | 6 | 3 | – | – | – | 1 | – | 2 | 1 | 2 |
| Other Diseases of Stomach (not Malignant) | – | 2 | – | 4 | 8 | 5 | – | 3 | – | – | – | – | – | 1 | 1 | 2 |
| Enteritis (not Infective) | – | 2 | 1 | 7 | 8 | 10 | 3 | – | 1 | – | – | – | 2 | 1 | – | – |
| Gastro-enteritis | 1 | 3 | 1 | 6 | 24 | 33 | 13 | 2 | 3 | – | – | – | – | 2 | 3 | 1 |
| Appendicitis, Perityphlitis | – | – | 1 | 1 | 4 | 3 | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | 3 | – | – | 4 | 1 | 4 | – | – | – | 3 | 1 | – | – | 1 | 1 |
| Other Diseases of Intestines | – | – | 1 | – | – | 2 | – | – | – | – | 1 | 1 | – | – | – | – |
| Peritonitis (not Puerperal) | 3 | 2 | – | 3 | 5 | 2 | 3 | 4 | – | 2 | – | – | 1 | 1 | 1 | 2 |
| Cirrhosis of Liver | – | – | – | – | 5 | 2 | 2 | 1 | 1 | – | – | – | – | 2 | 1 | – |
| Other Diseases of Liver and Gall Bladder | 2 | 3 | 1 | 10 | 5 | 5 | 1 | 1 | 1 | – | 1 | 1 | 1 | 3 | – | 1 |
| Other Diseases of Digestive System | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | 1 | – | – | | – | – | – | – | – | – | – | – | |
| Other Dis. of Lymphatic System | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | 3 | – | – | – | – | – | 1 | – | – | – | 1 |
| Diseases of Supra-renal Capsules | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | 3 | 1 | 4 | 12 | 5 | 3 | 1 | – | – | 1 | 2 | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | 6 | 2 | 8 | 19 | 8 | 2 | 3 | 4 | – | 2 | – | 1 | 4 | 3 | – |
| Calculus (not Biliary) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Bladder and of Prostate | – | – | | – | 5 | 2 | – | – | 1 | – | – | | – | – | 1 | – |
| Other Diseases of Urinary System | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 9 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Arthritis, Periostitis | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Dis. of Locomotor System | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of the Skin | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 292 | 3 | 3 | 10 | – | 2 | 5 | 4 | 5 | 2 | 2 | 5 | 28 | – | – | 25 |
| Old Age | 318 | 1 | 3 | 7 | 8 | 4 | 7 | 9 | 12 | 3 | 17 | 9 | 27 | 1 | 5 | 14 |
| Dropsy, Ascites, Anasarca | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Tumour | 6 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 |
| Abscess | 5 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 33 | – | – | – | 1 | – | – | 2 | 1 | – | – | 1 | 1 | – | – | 2 |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | | | |
| In Mines and Quarries | 71 | – | – | – | – | – | – | – | – | – | – | – | 15 | – | 1 | 6 |
| Vehicles and Horses | 58 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 6 | – | 1 | 2 |
| Ships, Boats, Docks (not Drowning) | 5 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 12 | – | – | – | – | – | – | – | – | – | – | – | 4 | – | – | – |
| Weapons and Implements | 4 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Burns and Scalds | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Poisons, Poisonous Vapours | 12 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| Drowning | 128 | 4 | – | 6 | 3 | 1 | 6 | 2 | 4 | 2 | 1 | 1 | 16 | – | 1 | 15 |
| Suffocation { From Overlaying | 8 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Suffocation { Otherwise | 19 | – | – | – | – | – | 1 | – | – | – | – | 1 | 2 | – | – | – |
| Falls | 29 | 1 | 1 | – | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 | 1 |
| Weather Agencies | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Otherwise, or not stated | 47 | – | – | 1 | 3 | – | – | 2 | 2 | 1 | – | 1 | 1 | – | 2 | 1 |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 43 | – | – | 1 | – | – | – | – | – | – | – | 3 | 8 | – | 1 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Small Town Districts. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 6 | – | – | 1 | – | – | – | 1 | – | – | – | – | 2 | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 7 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Convulsions | 22 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 2 | – | 1 | 1 |
| Placenta Prævia, Flooding | 16 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | 2 | – | – | 1 |
| Other Accidents of Pregnancy and Childbirth | 30 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 11 | – | – | 1 | – | – | 1 | – | – | – | – | – | 2 | – | – | 1 |
| Arthritis, Periostitis | 5 | – | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – | 1 |
| Other Dis. of Locomotor System | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| Eczema | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of the Skin | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 240 | 1 | 1 | 11 | 2 | 1 | 5 | 3 | 6 | 3 | 2 | 3 | 19 | – | – | 26 |
| Old Age | 515 | 13 | 9 | 26 | 10 | 9 | 14 | 14 | 10 | 5 | 16 | 18 | 34 | 2 | 2 | 26 |
| Dropsy, Ascites, Anasarca | 5 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 12 | – | – | 1 | – | – | 1 | 4 | – | – | – | – | – | – | – | – |
| Abscess | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Other ill-defined causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 30 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 4 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 14 | – | – | – | – | – | – | – | 2 | 1 | 1 | – | 2 | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 30 | – | – | – | 4 | – | 1 | 2 | 2 | – | – | 1 | – | – | – | 1 |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 23 | – | – | – | – | 1 | – | 2 | – | – | – | 1 | 2 | 1 | – | 1 |
| Suffocation { From Overlaying | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – |
| Suffocation { Otherwise | 13 | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 | – | – | 1 |
| Falls | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weather Agencies | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 45 | – | – | – | – | – | 2 | 3 | 2 | 1 | 3 | – | 5 | – | 1 | 3 |
| Homicide | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 16 | 1 | – | – | – | – | 1 | – | – | 1 | – | 1 | 3 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 2 | – | – | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 2 | – |
| Eczema | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Pemphigus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 7 | 6 | – | 20 | 54 | 58 | 17 | 15 | 3 | 1 | 2 | 2 | 4 | 4 | 3 | 2 |
| Old Age | 6 | 15 | 3 | 30 | 44 | 30 | 14 | 11 | 8 | – | 4 | 1 | 3 | 9 | 6 | 7 |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Tumour | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Abscess | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 3 | 4 | – | 2 | 8 | 3 | – | 1 | 3 | – | – | – | – | – | – | 1 |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | 8 | 30 | 5 | 3 | 3 | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | – | 1 | 2 | 14 | 8 | 5 | 7 | 1 | 2 | 1 | – | 3 | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | 4 | 1 | – | 1 | – | – | – | – | – | 1 | – | – |
| Weapons and Implements | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | 3 | 3 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | 2 | 4 | – | 1 | – | – | – | – | – | – | – | 1 |
| Drowning | 12 | 6 | 1 | 8 | 17 | 8 | 5 | 2 | 1 | – | – | 1 | – | 2 | – | 3 |
| Suffocation { From Overlaying | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | 1 | – | – | 1 |
| Suffocation { Otherwise | 1 | – | 1 | 2 | 4 | 3 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Falls | 2 | 3 | 1 | 1 | 5 | 3 | 3 | 1 | 1 | – | – | – | 1 | 1 | – | – |
| Weather Agencies | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Otherwise, or not stated | 2 | 4 | – | 3 | 10 | 7 | 2 | 1 | 1 | – | – | – | 1 | 2 | – | – |
| Homicide | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suicide | 1 | 3 | – | 4 | 6 | 8 | 2 | – | 1 | 1 | – | 1 | – | 2 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | 1 | – | – |
| Other Dis. of Uterus and Vagina | 1 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | 2 | 4 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Other Accidents of Pregnancy and Childbirth | 1 | 1 | – | 3 | 4 | 10 | 1 | 1 | – | – | – | 1 | – | 2 | 2 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 1 | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Arthritis, Periostitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 5 | 12 | 2 | 17 | 32 | 50 | 16 | 6 | 5 | 1 | – | 2 | 2 | 3 | 1 | 3 |
| Old Age | 17 | 16 | 6 | 38 | 78 | 45 | 33 | 23 | 9 | 3 | 3 | 3 | 8 | 9 | 8 | 8 |
| Dropsy, Ascites, Anasarca | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | – | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | 1 |
| Abscess | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | – | – | 4 | 7 | 4 | – | 1 | 5 | – | – | – | 2 | – | – | 1 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | 1 | 2 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | 5 | 6 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | 1 | – | 2 | 5 | 1 | 4 | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | 2 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Falls | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Weather Agencies | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 6 | 2 | – | 3 | 5 | 3 | 1 | – | – | 1 | – | – | 1 | – | 1 | 2 |
| Homicide | – | – | – | – | – | – | – | – | – | 5 | – | – | – | – | – | – |
| Suicide | 1 | – | – | 2 | 1 | 4 | – | – | – | – | – | 1 | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES.

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 6971 | 128 | 170 | 365 | 181 | 19 | 171 | 245 | 795 | 164 | 204 | 448 | 460 | 38 | 31 |
| A.—GENERAL DISEASES | 2677 | 55 | 69 | 116 | 70 | 6 | 73 | 91 | 301 | 56 | 69 | 149 | 172 | 19 | 11 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 457 | 7 | 6 | 18 | 12 | – | 9 | 23 | 43 | 7 | 19 | 39 | 25 | 3 | 3 |
| II. " ORGANS OF SPECIAL SENSE | 11 | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 3 | – | – |
| III. " HEART | 834 | 7 | 24 | 43 | 20 | 1 | 20 | 24 | 91 | 13 | 32 | 62 | 59 | 4 | 3 |
| IV. " BLOOD VESSELS | 470 | 10 | 14 | 24 | 10 | 1 | 9 | 15 | 45 | 16 | 17 | 44 | 39 | 5 | 3 |
| V. " RESPIRATORY SYSTEM | 545 | 10 | 7 | 33 | 7 | 1 | 14 | 21 | 63 | 14 | 16 | 31 | 29 | 2 | 1 |
| VI. " DIGESTIVE SYSTEM | 451 | 8 | 8 | 23 | 11 | 3 | 11 | 18 | 58 | 11 | 11 | 30 | 31 | 2 | 3 |
| VII. " LYMPHATIC AND DUCTLESS GLANDS | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| VIII. " URINARY SYSTEM | 273 | 5 | 5 | 17 | 8 | – | 8 | 12 | 42 | 12 | 4 | 15 | 14 | – | – |
| IX. " GENERATIVE SYSTEM | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| X. " PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. " LOCOMOTOR SYSTEM | 16 | – | – | – | 1 | – | – | – | 4 | – | 1 | 1 | – | – | – |
| XII. " THE SKIN | 11 | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 761 | 22 | 26 | 67 | 28 | 4 | 18 | 33 | 102 | 20 | 22 | 45 | 45 | 2 | 4 |
| E.—VIOLENT DEATHS | 457 | 4 | 10 | 24 | 14 | 3 | 9 | 7 | 41 | 14 | 12 | 30 | 43 | 1 | 3 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 61 | 1 | – | – | – | – | – | 1 | 25 | 3 | 1 | 1 | 1 | 1 | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 25 | 1 | 1 | – | – | – | – | – | – | – | 1 | 5 | 1 | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 136 | 3 | 10 | 10 | 3 | – | 3 | 4 | 25 | 2 | 4 | 8 | 7 | 1 | 1 |
| Hooping-cough | 75 | 4 | 5 | 2 | 1 | – | 2 | 5 | 8 | 7 | 1 | 1 | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diphtheria | 67 | – | – | 3 | 3 | – | 2 | 3 | 6 | 3 | – | 2 | 3 | 1 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteric Fever | 44 | – | 1 | 4 | 1 | – | 2 | 1 | 2 | – | 1 | 1 | 7 | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES.

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 7007 | 134 | 210 | 407 | 215 | 19 | 195 | 253 | 752 | 137 | 228 | 534 | 509 | 33 | 31 |
| A.—GENERAL DISEASES | 2678 | 31 | 65 | 122 | 78 | 9 | 72 | 93 | 295 | 56 | 88 | 194 | 196 | 14 | 12 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 368 | 1 | 10 | 16 | 8 | – | 10 | 14 | 32 | 12 | 22 | 22 | 24 | – | 2 |
| II. ,, ORGANS OF SPECIAL SENSE | 13 | 1 | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| III. ,, HEART | 873 | 23 | 19 | 55 | 19 | 1 | 27 | 27 | 85 | 11 | 29 | 76 | 77 | 4 | 5 |
| IV. ,, BLOOD VESSELS | 588 | 16 | 11 | 24 | 16 | 1 | 20 | 19 | 66 | 8 | 18 | 57 | 42 | 1 | 1 |
| V. ,, RESPIRATORY SYSTEM | 540 | 11 | 14 | 37 | 15 | 3 | 20 | 22 | 66 | 9 | 23 | 29 | 36 | 2 | 2 |
| VI. ,, DIGESTIVE SYSTEM | 452 | 3 | 8 | 26 | 14 | – | 16 | 21 | 48 | 10 | 8 | 43 | 27 | 5 | 2 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 23 | – | – | – | – | – | – | 2 | 1 | – | – | 1 | 4 | – | – |
| VIII. ,, URINARY SYSTEM | 180 | 1 | 5 | 13 | 6 | 1 | 3 | 4 | 19 | – | 4 | 9 | 14 | 1 | 3 |
| IX. ,, GENERATIVE SYSTEM | 34 | – | – | 1 | 4 | – | 2 | 4 | – | 2 | – | 2 | 1 | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 71 | 3 | – | 2 | 2 | – | 1 | 3 | 8 | 2 | 1 | 3 | 9 | 1 | – |
| XI. ,, LOCOMOTOR SYSTEM | 16 | 2 | – | 2 | 1 | 1 | – | 1 | 2 | – | – | 1 | – | – | – |
| XII. ,, THE SKIN | 15 | – | – | 1 | 1 | – | – | 1 | 4 | – | – | 1 | 1 | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1004 | 39 | 72 | 98 | 45 | 3 | 16 | 35 | 103 | 23 | 27 | 87 | 69 | 5 | 4 |
| E.—VIOLENT DEATHS | 152 | 3 | 6 | 10 | 5 | – | 7 | 7 | 21 | 4 | 8 | 9 | 9 | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 3 | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – |
| Small-pox: Not Vaccinated | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Measles | 47 | – | – | – | – | – | – | 4 | 9 | 2 | – | 2 | 3 | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 38 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | 8 | 3 | 1 | – |
| Typhus | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 153 | 1 | 3 | 10 | 6 | 1 | 6 | 9 | 28 | 4 | 1 | 9 | 11 | – | – |
| Hooping-cough | 96 | 2 | 4 | 1 | 9 | 1 | 7 | 3 | 15 | 6 | 1 | 2 | 2 | 1 | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 75 | – | – | 3 | 2 | – | – | 1 | 8 | 1 | – | 10 | 7 | – | – |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 40 | 1 | – | 3 | – | – | 2 | 1 | 3 | 1 | – | 2 | 3 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 200 | 93 | 234 | 152 | 401 | 905 | 91 | 424 | 104 | 148 | 40 | 15 | 129 | 293 | 157 | 166 |
| A.—GENERAL DISEASES . . | 68 | 22 | 86 | 51 | 146 | 400 | 41 | 196 | 45 | 49 | 16 | 7 | 45 | 129 | 57 | 62 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 10 | 5 | 15 | 16 | 21 | 71 | 7 | 19 | 9 | 14 | 2 | 2 | 9 | 22 | 13 | 8 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – | – |
| •III. ,, HEART . . . | 17 | 11 | 26 | 22 | 44 | 112 | 10 | 62 | 15 | 17 | 7 | – | 18 | 38 | 17 | 15 |
| IV. ,, BLOOD VESSELS . | 9 | 4 | 24 | 6 | 13 | 51 | 5 | 31 | 5 | 12 | 4 | 1 | 10 | 24 | 9 | 10 |
| V. ,, RESPIRATORY SYSTEM | 30 | 14 | 13 | 9 | 47 | 76 | 8 | 26 | 4 | 6 | 4 | 1 | 8 | 20 | 11 | 19 |
| VI. ,, DIGESTIVE SYSTEM . | 22 | 5 | 19 | 5 | 35 | 34 | 6 | 30 | 5 | 11 | 1 | – | 6 | 14 | 18 | 12 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 11 | 5 | 7 | 6 | 18 | 33 | 1 | 10 | 4 | 3 | – | – | 6 | 12 | 9 | 6 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | 1 | 4 | 3 | – | – | – | – | – | – | – | 1 | – | – |
| XII. ,, THE SKIN . . . | – | 1 | – | – | 2 | 2 | – | – | 1 | – | – | – | – | 1 | – | 1 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 20 | 11 | 34 | 15 | 46 | 61 | 6 | 21 | 10 | 26 | 2 | 2 | 17 | 18 | 10 | 24 |
| E.—VIOLENT DEATHS. . . | 13 | 15 | 10 | 21 | 24 | 59 | 7 | 27 | 6 | 10 | 3 | 2 | 9 | 14 | 13 | 9 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | 5 | – | – | 1 | 2 | 4 | – | 14 | – | – | – | – | 1 | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | 2 | 2 | 8 | – | 2 | – | – | – | – | 1 | – | 1 | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough . . . . . | 2 | 1 | 11 | – | 7 | 4 | 1 | 6 | 3 | 1 | 1 | – | 4 | 4 | 4 | 6 |
| Mumps . . . . . | 1 | 2 | 5 | 1 | 4 | 16 | – | 2 | 1 | 1 | 1 | – | – | 5 | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . . | 1 | – | 2 | 2 | 2 | 20 | 2 | 6 | – | 2 | – | – | 1 | 1 | 1 | 1 |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | 1 | 1 | 1 | 2 | 14 | 1 | 2 | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 204 | 65 | 261 | 134 | 336 | 780 | 106 | 377 | 103 | 170 | 40 | 8 | 118 | 321 | 162 | 165 |
| A.—GENERAL DISEASES | 67 | 24 | 112 | 48 | 141 | 341 | 55 | 172 | 33 | 64 | 13 | 2 | 44 | 122 | 67 | 48 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 17 | 3 | 9 | 16 | 22 | 47 | 3 | 19 | 6 | 2 | 6 | – | 2 | 25 | 7 | 11 |
| II. ,, ORGANS OF SPECIAL SENSE | 2 | – | 1 | – | – | 3 | – | 2 | – | – | – | – | – | – | – | – |
| III. ,, HEART | 23 | 4 | 19 | 17 | 30 | 94 | 12 | 56 | 18 | 22 | 4 | – | 21 | 48 | 24 | 23 |
| IV. ,, BLOOD VESSELS | 17 | 5 | 19 | 16 | 24 | 57 | 7 | 27 | 10 | 26 | 2 | 5 | 7 | 33 | 18 | 15 |
| V. ,, RESPIRATORY SYSTEM | 16 | 8 | 21 | 13 | 28 | 52 | 8 | 25 | 5 | 11 | 1 | – | 10 | 20 | 19 | 14 |
| VI. ,, DIGESTIVE SYSTEM | 14 | 12 | 16 | 6 | 27 | 58 | 8 | 20 | 5 | 8 | 3 | – | 10 | 13 | 5 | 16 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | 1 | – | 1 | 3 | – | – | 3 | – | 1 | – | – | 1 | 1 | 1 | 2 |
| VIII. ,, URINARY SYSTEM | 7 | 1 | 6 | 3 | 6 | 26 | 3 | 6 | 4 | 6 | 1 | – | 7 | 12 | 3 | 6 |
| IX. ,, GENERATIVE SYSTEM | 2 | – | 1 | 1 | 1 | 6 | 1 | 2 | – | 1 | – | – | – | 2 | 1 | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 1 | – | 5 | – | 2 | 7 | 1 | 4 | – | 5 | – | – | 4 | 5 | 2 | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | 1 | 1 |
| XII. ,, THE SKIN | – | – | – | 1 | – | 2 | – | 1 | 1 | – | – | – | – | 1 | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 26 | 5 | 47 | 9 | 44 | 76 | 6 | 35 | 18 | 20 | 10 | 1 | 9 | 37 | 10 | 25 |
| E.—VIOLENT DEATHS | 10 | 2 | 5 | 3 | 8 | 10 | 1 | 4 | 3 | 4 | – | – | 3 | 2 | 4 | 4 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 5 | – | 1 | 1 | – | 9 | – | 7 | – | 1 | 1 | – | – | – | 2 | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | 1 | 1 | 3 | – | 9 | 3 | 1 | – | 1 | – | – | – | 1 | 1 | 1 |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 1 | 11 | – | 3 | 10 | 1 | 2 | 6 | 4 | 1 | 1 | – | 11 | 4 | 5 |
| Hooping-cough | 1 | 2 | 4 | – | 9 | 14 | – | 1 | 1 | 1 | 1 | – | 2 | 4 | 2 | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | 1 | 1 | 7 | 10 | 4 | 9 | 1 | 2 | – | – | 1 | 2 | 1 | 1 |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | 3 | 4 | 9 | – | 2 | – | 2 | – | – | – | 2 | 1 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 80 | – | 1 | 1 | 1 | – | 2 | 1 | 15 | 3 | 2 | 5 | 3 | – | – |
| Dysentery | 4 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 8 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Syphilis | 13 | – | – | 1 | – | 1 | – | – | 2 | – | – | – | 1 | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 27 | 2 | – | – | – | – | 2 | 1 | 4 | 1 | 1 | 1 | 3 | – | 1 |
| Septicæmia (not Puerperal) | 11 | – | – | 3 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Pyæmia (not Puerperal) | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 10 | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 | 2 | – | – |
| Phagedæna | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 39 | 1 | – | – | – | – | – | 5 | 8 | 1 | – | – | 3 | – | – |
| Pneumonia — Broncho | 111 | 1 | – | 5 | 2 | – | 2 | 2 | 12 | – | 4 | 11 | 3 | 1 | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 320 | 12 | 5 | 12 | 16 | 2 | 9 | 9 | 36 | 10 | 9 | 14 | 17 | – | – |
| Other Infective Conditions | 6 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 97 | 2 | 5 | 2 | 2 | – | 2 | – | 9 | 1 | 1 | 2 | 6 | 4 | – |
| Phthisis (not otherwise defined) | 499 | 7 | 22 | 30 | 16 | 1 | 13 | 18 | 40 | 6 | 8 | 19 | 41 | – | 4 |
| Tuberculous Meningitis | 63 | 2 | 1 | 1 | 1 | – | 3 | 3 | 5 | 1 | 1 | 1 | 8 | 1 | 2 |
| Tuberculous Peritonitis | 37 | – | 2 | 2 | 1 | – | – | 5 | 3 | – | 2 | – | – | – | 1 |
| Tabes Mesenterica | 23 | – | – | 2 | – | – | – | 1 | 4 | – | – | 1 | 2 | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 29 | 1 | 1 | 1 | 1 | – | 1 | 1 | 4 | – | – | – | 2 | – | – |
| General Tuberculosis | 57 | 1 | – | 2 | 1 | 1 | 2 | 2 | 4 | 2 | 2 | 4 | 5 | – | – |
| Scrofula | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 25 | – | – | – | – | – | – | 2 | 2 | 1 | 1 | 1 | 2 | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 78 | 1 | – | 1 | 1 | – | 3 | 3 | 10 | 1 | 3 | 5 | 7 | – | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | | – | – | – | – | – | | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Syphilis | 7 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 22 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Puerperal Pyæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Phlegmasia Alba Dolens | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 28 | 1 | 1 | – | – | – | – | 1 | – | 1 | 1 | 2 | 1 | – | – |
| Erysipelas | 23 | 2 | – | 1 | 2 | – | – | – | 2 | 1 | – | 3 | 2 | – | – |
| Septicæmia (not Puerperal) | 11 | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – |
| Pyæmia (not Puerperal) | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 5 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Phagedæna | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 27 | 1 | – | – | 1 | – | – | 1 | 3 | 1 | – | 4 | 2 | – | – |
| Pneumonia — Broncho | 86 | – | – | 2 | 3 | – | 1 | 5 | 10 | – | 3 | 4 | 4 | – | 1 |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 255 | 3 | 9 | 16 | 16 | 2 | 7 | 5 | 21 | 9 | 8 | 27 | 11 | 4 | 2 |
| Other Infective Conditions | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 110 | 2 | 7 | 4 | 2 | – | 1 | 4 | 10 | 2 | 5 | 5 | – | 2 | 1 |
| Phthisis (not otherwise defined) | 475 | 1 | 12 | 25 | 8 | 1 | 20 | 15 | 50 | 3 | 15 | 32 | 39 | 1 | 3 |
| Tuberculous Meningitis | 65 | 1 | – | 3 | – | – | – | 1 | 5 | – | 3 | 2 | 6 | – | 1 |
| Tuberculous Peritonitis | 33 | – | – | 2 | – | 1 | – | 2 | 5 | – | 1 | 2 | 4 | – | – |
| Tabes Mesenterica | 14 | – | 1 | 2 | – | – | 1 | – | 3 | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 30 | 1 | – | – | – | – | – | 2 | 3 | 1 | 2 | 6 | 3 | – | – |
| General Tuberculosis | 52 | – | – | – | 1 | – | 2 | – | 6 | 2 | 4 | 3 | 5 | – | – |
| Scrofula | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 7 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | 2 | 3 | 5 | 6 | 6 | 4 | 1 | 1 | – | 5 | – | 6 | 1 | 6 |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 |
| Syphilis | 1 | – | – | – | – | 6 | – | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | 5 | 1 | 1 | 1 | 1 | – | 1 | – | 1 | – | – |
| Septicæmia (not Puerperal) | – | – | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | 2 |
| Pyæmia (not Puerperal) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 4 | 1 | 1 | 1 | – | 8 | – | 4 | – | 1 | – | – | – | 1 | – | – |
| Pneumonia — Broncho | 4 | 3 | – | 1 | 12 | 15 | 5 | 9 | 4 | 6 | – | – | 2 | 6 | 1 | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 13 | – | 5 | 3 | 18 | 61 | 7 | 15 | 6 | 2 | 2 | – | 2 | 22 | 9 | 4 |
| Other Infective Conditions | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | 1 | 7 | 2 | 9 | 7 | 2 | 16 | – | 3 | – | – | 3 | 8 | 1 | – |
| Phthisis (not otherwise defined) | 7 | 2 | 18 | 12 | 23 | 94 | 2 | 46 | 6 | 9 | 2 | – | 8 | 23 | 9 | 13 |
| Tuberculous Meningitis | – | 3 | 4 | 1 | 4 | 7 | – | 4 | 2 | 1 | 1 | – | 2 | 2 | 1 | 1 |
| Tuberculous Peritonitis | – | – | 2 | 1 | 3 | 3 | – | 2 | 1 | 1 | – | – | – | 3 | 4 | 1 |
| Tabes Mesenterica | 1 | – | – | 2 | 3 | 4 | 1 | 2 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | 1 | 5 | 6 | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – |
| General Tuberculosis | 1 | – | – | 1 | 1 | 14 | 1 | 5 | – | 1 | – | – | 2 | 2 | 1 | 2 |
| Scrofula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | 1 | – | 4 | – | 4 | – | – | 1 | – | 1 | 2 | – | 2 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 1 | – | 1 | 1 | 6 | 14 | 3 | 6 | – | 1 | 1 | – | 2 | 3 | 1 | 3 |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | 1 | 1 | 3 | 8 | – | 1 | – | – | – | – | 1 | 1 | – | 1 |
| Puerperal Pyæmia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 3 | – | – | 1 | 3 | 4 | 1 | 4 | – | – | 1 | – | 2 | 1 | – | – |
| Erysipelas | 1 | 1 | 2 | – | – | 2 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | 3 | 2 | 3 | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 1 | 1 | 1 | – | 1 | 4 | – | 4 | – | – | – | – | – | 1 | – | 1 |
| Pneumonia: Broncho | 4 | 1 | 2 | 2 | 8 | 16 | 5 | 4 | – | 2 | – | – | 1 | 3 | 3 | 2 |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 7 | 1 | 10 | 2 | 17 | 29 | 3 | 12 | 3 | 9 | 2 | – | 1 | 8 | 6 | 5 |
| Other Infective Conditions | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | – | 14 | 1 | 4 | 14 | 3 | 12 | 3 | 3 | – | – | – | 6 | 2 | 1 |
| Phthisis (not otherwise defined) | 11 | 3 | 25 | 8 | 22 | 63 | 7 | 37 | 5 | 8 | 5 | – | 5 | 30 | 12 | 9 |
| Tuberculous Meningitis | 3 | – | 3 | 1 | 6 | 8 | 1 | 8 | – | 2 | – | – | 2 | 5 | 4 | – |
| Tuberculous Peritonitis | – | – | 1 | 2 | 2 | 2 | – | 3 | – | 1 | – | – | 1 | 1 | 3 | – |
| Tabes Mesenterica | – | – | – | – | 1 | 3 | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | 1 | 2 | 1 | – | 3 | 1 | 1 | – | – | – | 1 | 1 | – |
| General Tuberculosis | 3 | – | 1 | 2 | 1 | 5 | 1 | 4 | – | 3 | – | – | 1 | 4 | 1 | 3 |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 24 | 1 | 1 | 2 | – | – | 5 | 1 | 1 | – | – | – | 1 | 1 | – |
| Rheumatism of Heart | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 8 | – | – | – | 4 | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 6 | 1 | – | 3 | – | – | – | – | 2 | – | – | – | – | – | – |
| Gout | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Carcinoma | 143 | 3 | 1 | 6 | 5 | – | 3 | 3 | 9 | 2 | 9 | 14 | 13 | 1 | 1 |
| Sarcoma | 20 | 1 | – | 1 | 1 | – | – | – | 6 | – | – | 2 | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 180 | 6 | 5 | 13 | 4 | – | 4 | 8 | 16 | 2 | 5 | 14 | 13 | 1 | – |
| Rickets | 9 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – |
| Purpura | 6 | – | – | 1 | – | – | – | – | 3 | – | 1 | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 34 | – | – | 1 | 1 | – | – | 1 | 4 | – | – | 3 | 2 | – | – |
| Diabetes Mellitus | 37 | 1 | 1 | 1 | 2 | – | 1 | 1 | 5 | 2 | 2 | 5 | – | 1 | – |
| Premature Birth | 188 | 3 | 3 | 2 | 1 | 1 | 11 | 6 | 23 | 3 | 8 | 19 | 12 | 1 | 1 |
| Congenital Defects | 57 | – | 3 | 1 | 1 | – | – | – | 2 | 2 | 1 | 7 | 5 | 2 | – |
| Injury at Birth | 19 | – | 1 | 1 | – | – | – | – | 2 | 1 | 1 | 1 | 2 | – | – |
| Atelectasis | 18 | – | – | 1 | – | – | – | 2 | 4 | 1 | 1 | 1 | 1 | – | – |
| Want of Breast Milk | 13 | – | – | – | – | – | – | 3 | 1 | – | – | – | 1 | – | – |
| Teething | 17 | 1 | – | – | – | – | 1 | 1 | 2 | 1 | – | 1 | 2 | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 100 | 2 | 1 | 3 | 3 | – | – | 2 | 8 | 4 | 1 | 6 | 9 | – | 2 |
| Softening of Brain | 41 | – | – | 2 | – | – | 1 | 4 | 2 | 1 | – | 6 | 1 | – | – |
| General Paralysis of Insane | 41 | – | – | – | – | – | 1 | 1 | – | – | 10 | – | – | – | – |
| Insanity (not Puerperal) | 7 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 35 | – | – | 1 | 2 | – | – | 1 | 4 | – | 1 | 2 | 3 | – | – |
| Convulsions | 88 | 1 | 2 | 5 | 3 | – | 2 | 10 | 9 | 1 | 4 | 6 | 6 | 1 | 1 |
| Laryngismus Stridulus | 4 | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – | – |
| Locomotor Ataxy | 12 | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 33 | 2 | – | 1 | – | – | – | 1 | 2 | 1 | – | 3 | 1 | – | – |
| Neuritis; Peripheral, Poly-neuritis | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 6 | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 87 | 2 | 2 | 6 | 4 | – | 4 | 4 | 12 | – | 3 | 12 | 3 | 2 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 10 | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 3 | – | – |
| Epistaxis, Diseases of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 209 | – | 10 | 11 | 3 | 1 | 6 | 10 | 21 | 4 | 4 | 18 | 15 | – | – |
| Pericarditis | 4 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | 8 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Angina Pectoris | 18 | – | 1 | – | – | – | – | – | 6 | 1 | 1 | 2 | 1 | – | – |
| Dilatation of Heart | 29 | – | – | – | – | – | – | 1 | 2 | 2 | 1 | 2 | 3 | – | 2 |
| Fatty Degeneration of Heart | 18 | – | – | 2 | 1 | – | – | – | 1 | – | – | 1 | 5 | – | – |
| Syncope, Heart Disease (not specified) | 548 | 7 | 13 | 30 | 16 | – | 12 | 13 | 59 | 6 | 26 | 39 | 35 | 4 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 24 | – | – | 6 | 2 | – | – | – | 2 | 1 | 1 | 3 | 1 | – | – |
| Rheumatism of Heart | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Chronic Rheumatism | 16 | – | – | 1 | 1 | – | – | – | 3 | – | – | 1 | 3 | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 14 | – | 3 | 1 | – | – | – | – | 2 | – | – | 3 | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Carcinoma | 206 | 4 | 6 | 9 | 6 | – | 4 | 4 | 25 | 4 | 10 | 18 | 20 | 2 | 2 |
| Sarcoma | 24 | 1 | – | 2 | – | – | – | 2 | 5 | – | 1 | 4 | 1 | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 278 | 6 | 13 | 15 | 7 | 2 | 9 | 13 | 24 | 7 | 6 | 17 | 21 | 3 | – |
| Rickets | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Purpura | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 58 | 1 | 1 | 4 | 4 | – | 1 | 1 | 3 | – | 1 | 6 | 8 | – | 2 |
| Diabetes Mellitus | 41 | – | 1 | 4 | 2 | – | 1 | – | 4 | 1 | 2 | 3 | 2 | – | – |
| Premature Birth | 125 | 1 | 2 | 1 | – | – | 3 | 7 | 18 | 4 | 11 | 5 | 10 | – | – |
| Congenital Defects | 41 | – | – | 2 | – | – | 2 | 4 | 4 | 2 | 2 | 3 | 2 | – | – |
| Injury at Birth | 8 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| Atelectasis | 9 | – | 1 | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – |
| Want of Breast Milk | 9 | – | 1 | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – |
| Teething | 11 | – | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | 1 | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 96 | – | 2 | 5 | 1 | – | 3 | 5 | 6 | 6 | 4 | 6 | 8 | – | – |
| Softening of Brain | 47 | – | – | – | – | – | 1 | 2 | 3 | 1 | 1 | 4 | 2 | – | 1 |
| General Paralysis of Insane | 14 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 15 | – | – | 1 | – | – | – | – | 1 | – | 7 | 1 | – | – | – |
| Chorea | 3 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 28 | – | – | 1 | – | – | 1 | – | 5 | – | 3 | 2 | 3 | – | – |
| Convulsions | 46 | – | 2 | 2 | 1 | – | 1 | 2 | 6 | – | – | 3 | 3 | – | – |
| Laryngismus Stridulus | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 3 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Paraplegia, Diseases of Cord | 23 | 1 | – | 1 | – | – | – | 1 | 1 | 1 | 1 | 1 | 2 | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | 3 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Brain Tumour (not Specific) | 5 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 84 | – | 4 | 4 | 6 | – | 3 | 2 | 9 | 2 | 6 | 4 | 6 | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE** | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 12 | 1 | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 244 | 3 | 8 | 10 | 7 | – | 7 | 4 | 19 | 5 | 7 | 30 | 18 | – | – |
| Pericarditis | 5 | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Angina Pectoris | 9 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dilatation of Heart | 21 | – | – | – | – | – | – | 3 | 1 | – | 1 | 1 | – | – | 5 |
| Fatty Degeneration of Heart | 32 | – | – | – | – | – | 2 | 1 | 2 | – | 1 | 5 | 5 | – | – |
| Syncope, Heart Disease (not specified) | 561 | 20 | 10 | 44 | 12 | 1 | 17 | 19 | 62 | 6 | 20 | 39 | 53 | 4 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | 1 | 1 | – | 1 | 1 | – | 2 | – | – | – | – | 1 | 2 | – | 1 |
| Rheumatism of Heart | – | – | – | – | – | 2 | – | 4 | – | – | – | – | – | – | 1 | – |
| Chronic Rheumatism | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Carcinoma | 4 | – | 4 | 3 | 4 | 28 | 3 | 4 | 3 | 3 | 3 | – | 2 | 6 | 3 | 3 |
| Sarcoma | – | – | 1 | – | 1 | 4 | – | – | 1 | – | – | – | – | 2 | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 7 | 2 | 9 | 5 | 5 | 9 | – | 10 | 3 | 4 | 1 | – | 7 | 13 | 9 | 5 |
| Rickets | 3 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Purpura | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | 1 | – | 3 | 4 | 1 | 3 | 1 | 2 | – | – | 1 | 3 | – | 3 |
| Diabetes Mellitus | 1 | – | 1 | – | 1 | 2 | – | 2 | 2 | – | – | 1 | – | 2 | 3 | – |
| Premature Birth | 3 | 2 | 1 | 3 | 14 | 23 | 3 | 10 | 7 | 6 | 3 | – | 3 | 8 | 1 | 7 |
| Congenital Defects | 1 | 2 | – | 1 | 4 | 7 | 2 | 6 | 1 | 1 | – | – | 2 | 2 | 1 | 3 |
| Injury at Birth | – | 1 | 1 | 1 | 3 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Atelectasis | 3 | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | 2 | 1 | – | 1 | 1 | 1 | – | – | – | 2 | – | – |
| Teething | – | – | 4 | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 4 | 1 | 5 | – | 10 | 14 | 3 | 9 | 1 | 2 | – | – | – | 6 | 2 | 2 |
| Softening of Brain | 1 | 1 | 2 | – | 2 | 9 | – | 2 | 1 | 1 | – | – | 3 | 1 | 1 | – |
| General Paralysis of Insane | – | – | 3 | 10 | – | 15 | – | 1 | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | 2 | 1 | 4 | – | 1 | – | 3 | 1 | 1 | 1 | 1 | 3 | 2 |
| Convulsions | 3 | 2 | – | – | 5 | 7 | 2 | – | 4 | 4 | 1 | – | 2 | 4 | 2 | 1 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | 1 | – | 1 | 1 | – | 1 | – | 1 | – | – | – | 3 | – | 1 |
| Paraplegia, Diseases of Cord | 1 | – | 1 | 2 | 2 | 5 | – | 2 | – | – | – | – | 2 | 5 | 1 | 1 |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | 3 | – | – | 14 | 1 | 1 | 3 | 2 | – | – | 1 | 2 | 4 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | 2 | 4 | 5 | 16 | 23 | 1 | 17 | 4 | 3 | 1 | – | 2 | 10 | 8 | 6 |
| Pericarditis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 2 | 1 | – | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| Angina Pectoris | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| Dilatation of Heart | – | – | 1 | – | 2 | 3 | 1 | 2 | 1 | – | – | – | 2 | 2 | 1 | 1 |
| Fatty Degeneration of Heart | – | – | 2 | – | – | 1 | 1 | – | – | 2 | – | – | – | 1 | 1 | – |
| Syncope, Heart Disease (not specified) | 13 | 9 | 17 | 16 | 25 | 80 | 7 | 41 | 10 | 12 | 6 | – | 12 | 24 | 7 | 8 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – | 2 | – | – | 1 |
| Rheumatism of Heart | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – |
| Chronic Rheumatism | – | – | 2 | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 3 | 2 | 4 | 7 | 10 | 32 | 6 | 10 | 4 | 2 | – | – | 2 | 4 | 2 | 4 |
| Sarcoma | 1 | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 2 | 3 | 22 | 1 | 9 | 22 | 4 | 19 | 5 | 11 | – | 1 | 11 | 14 | 8 | 3 |
| Rickets | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | 1 | – | 3 | 2 | 5 | 2 | 1 | 2 | 2 | – | – | 3 | 2 | – | 2 |
| Diabetes Mellitus | 1 | 1 | 2 | 1 | 1 | 3 | – | 3 | 1 | 1 | – | – | 2 | 2 | 3 | – |
| Premature Birth | 4 | – | – | 1 | 9 | 22 | 3 | 5 | – | – | – | – | 2 | 9 | 6 | 2 |
| Congenital Defects | – | 1 | 1 | 2 | 2 | 4 | 3 | 3 | – | – | – | – | 2 | – | 1 | 1 |
| Injury at Birth | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | 1 | 1 | – |
| Atelectasis | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Teething | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 7 | 1 | 1 | 1 | 7 | 8 | 3 | 5 | 1 | 1 | 3 | – | 1 | 8 | 1 | 2 |
| Softening of Brain | 4 | 1 | – | 5 | 2 | 5 | – | 5 | 2 | – | – | – | – | 5 | – | 3 |
| General Paralysis of Insane | – | – | – | 3 | – | 9 | – | – | – | – | – | – | – | 1 | – | – |
| Insanity (not Puerperal) | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Chorea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | 1 | 3 | 2 | 1 | – | – | 1 | – | – | – | 1 | 2 | – | – |
| Convulsions | 2 | – | – | – | 4 | 11 | – | 2 | 1 | – | 1 | – | – | 2 | 1 | 2 |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | 1 | 1 | 2 | 1 | 2 | – | 1 | – | – | 2 | – | – | 2 | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | – | 5 | 1 | 4 | 10 | – | 4 | – | – | – | – | – | 5 | 4 | 3 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | 1 | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 9 | – | 5 | 6 | 7 | 25 | 1 | 14 | 7 | 11 | 1 | – | 4 | 18 | 11 | 7 |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | 1 | – | – | 1 | – | – | 3 | – | – | – | – | – | 1 | – | 1 |
| Dilatation of Heart | – | – | – | 2 | – | 1 | – | 3 | 3 | – | – | – | 1 | – | – | – |
| Fatty Degeneration of Heart | 3 | – | 1 | 1 | – | 2 | – | 2 | – | 1 | – | – | 1 | 2 | 1 | 2 |
| Syncope, Heart Disease (not specified) | 11 | 3 | 13 | 8 | 22 | 66 | 11 | 33 | 8 | 10 | 3 | – | 14 | 27 | 12 | 13 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 178 | 3 | 7 | 9 | 6 | – | 1 | 2 | 5 | 2 | 6 | 15 | 17 | 2 | 1 |
| Apoplexy, Hemiplegia | 230 | 5 | 6 | 13 | 3 | 1 | 4 | 12 | 35 | 12 | 10 | 23 | 13 | 2 | – |
| Aneurism | 19 | 2 | – | – | – | – | 1 | – | – | 1 | – | 1 | 4 | 1 | – |
| Senile Gangrene | 20 | – | – | 1 | 1 | – | 2 | 1 | 1 | – | – | 1 | 2 | – | 2 |
| Embolism, Thrombosis (not Cerebral) | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Phlebitis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 18 | – | 1 | 1 | – | – | – | – | 4 | – | – | 4 | 2 | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | 14 | – | – | 1 | – | – | – | 1 | 1 | – | – | 2 | 1 | | – |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 4 | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Bronchitis | 432 | 10 | 6 | 25 | 4 | – | 12 | 18 | 46 | 12 | 15 | 25 | 21 | 2 | 1 |
| Emphysema, Asthma | 22 | – | – | 5 | 1 | – | – | 2 | 4 | – | – | 1 | 2 | – | – |
| Pleurisy | 49 | – | 1 | – | 1 | – | 1 | – | 7 | 1 | 1 | 1 | 4 | – | – |
| Fibroid Disease of Lung | 20 | – | – | – | – | 1 | 1 | – | 4 | – | – | 2 | 1 | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 12 | 1 | – | – | – | – | – | 2 | 2 | – | – | 1 | – | – | – |
| Gastric Ulcer | 23 | – | 1 | 2 | – | – | 2 | 1 | 4 | – | 3 | 2 | 2 | – | 1 |
| Gastric Catarrh | 53 | 1 | 2 | – | 1 | – | – | – | 4 | 3 | – | 2 | 5 | – | – |
| Other Diseases of Stomach (not Malignant) | 15 | – | 1 | 2 | – | – | – | 1 | – | – | – | – | 1 | – | 1 |
| Enteritis (not Infective) | 53 | 2 | – | – | – | 1 | 1 | 3 | 5 | 3 | 1 | 3 | 4 | – | – |
| Gastro-enteritis | 59 | 1 | – | 1 | 1 | – | – | 1 | 8 | – | – | 1 | 4 | – | – |
| Appendicitis, Perityphlitis | 38 | – | 2 | – | 1 | – | – | 2 | 9 | 1 | 1 | 2 | 1 | – | – |
| Hernia | 12 | – | – | 1 | – | – | 2 | – | 4 | – | – | 2 | – | – | – |
| Intestinal Obstruction | 38 | 1 | – | 1 | 3 | 2 | 1 | 1 | 5 | 2 | 1 | 2 | 1 | – | – |
| Other Diseases of Intestines | 11 | – | – | 1 | – | – | 1 | 2 | – | 1 | – | 1 | 2 | – | – |
| Peritonitis (not Puerperal) | 60 | – | – | 9 | 3 | – | 3 | 2 | 10 | 1 | 2 | 5 | 3 | – | – |
| Cirrhosis of Liver | 26 | 1 | 1 | – | 1 | – | 1 | – | 2 | – | 1 | 4 | 2 | 1 | 1 |
| Other Diseases of Liver and Gall Bladder | 46 | 1 | 1 | 6 | 1 | – | – | 3 | 5 | – | 2 | 4 | 5 | 1 | – |
| Other Diseases of Digestive System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 35 | – | – | 1 | 1 | – | 1 | 2 | 5 | 1 | – | 4 | 3 | – | – |
| Chronic Bright's Disease, Albuminuria | 101 | – | 2 | 7 | 3 | – | 3 | 7 | 17 | 2 | 1 | 1 | 6 | – | – |
| Calculus (not Biliary) | 4 | – | – | – | – | – | – | – | 4 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 113 | 5 | 3 | 6 | 3 | – | 4 | 3 | 13 | 8 | 3 | 8 | 5 | – | – |
| Other Diseases of Urinary System | 20 | – | – | 3 | 1 | – | – | – | 3 | 1 | – | 2 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 208 | 6 | 7 | 5 | 5 | 1 | 8 | 2 | 21 | 4 | 6 | 15 | 15 | 1 | 1 |
| Apoplexy, Hemiplegia | 320 | 8 | 3 | 13 | 6 | – | 11 | 12 | 35 | 3 | 10 | 36 | 26 | – | – |
| Aneurism | 5 | – | – | – | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – |
| Senile Gangrene | 31 | 2 | 1 | 4 | 2 | – | – | 2 | 4 | – | 1 | 2 | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 7 | – | – | 1 | 1 | – | – | – | 3 | – | – | – | – | – | – |
| Phlebitis | 4 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Varicose Veins | 3 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Other Diseases of Blood Vessels | 10 | – | – | 1 | – | – | – | 1 | 2 | – | 1 | 2 | 1 | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | 17 | – | – | 1 | – | – | – | 1 | 1 | 4 | 1 | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 9 | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Other Dis. of Larynx and Trachea | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 440 | 9 | 10 | 24 | 11 | 2 | 20 | 17 | 59 | 5 | 21 | 25 | 28 | 2 | 2 |
| Emphysema, Asthma | 25 | – | 2 | 5 | 3 | – | – | 1 | – | – | – | 1 | 2 | – | – |
| Pleurisy | 39 | 1 | 2 | 6 | – | 1 | – | 3 | 5 | – | 1 | 1 | 5 | – | – |
| Fibroid Disease of Lung | 6 | – | – | – | – | – | – | – | 1 | – | – | 2 | – | – | – |
| Other Dis. of Respiratory System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 11 | – | – | 2 | 1 | – | – | 1 | 3 | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 35 | – | 1 | 6 | 1 | – | 1 | – | 2 | – | – | 5 | 3 | – | – |
| Gastric Catarrh | 68 | – | 1 | 1 | 1 | – | 5 | – | 8 | 3 | 1 | 12 | 7 | 1 | – |
| Other Diseases of Stomach (not Malignant) | 17 | 1 | – | 2 | – | – | 1 | 2 | 1 | – | – | 1 | – | – | – |
| Enteritis (not Infective) | 49 | – | – | 1 | 2 | – | 3 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | – |
| Gastro-enteritis | 53 | – | – | 1 | 1 | – | – | – | 2 | 1 | 2 | 2 | 1 | – | – |
| Appendicitis, Perityphlitis | 19 | – | 2 | – | – | – | 1 | 3 | 1 | 2 | – | 1 | 3 | 1 | – |
| Hernia | 10 | – | – | 1 | – | – | – | – | 4 | – | – | – | 2 | – | – |
| Intestinal Obstruction | 45 | – | – | 3 | 2 | – | 1 | 4 | 9 | 1 | 2 | 3 | 3 | – | – |
| Other Diseases of Intestines | 8 | – | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Peritonitis (not Puerperal) | 65 | 2 | 2 | 8 | 3 | – | 2 | 4 | 6 | – | – | 5 | 1 | – | 1 |
| Cirrhosis of Liver | 21 | – | – | – | 2 | – | 1 | – | 2 | – | – | 5 | 4 | – | – |
| Other Diseases of Liver and Gall Bladder | 45 | – | – | 1 | – | – | 1 | 4 | 7 | – | 2 | 5 | 2 | 2 | 1 |
| Other Diseases of Digestive System | 5 | – | – | – | 1 | – | – | 2 | – | – | – | 2 | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 8 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – |
| Diseases of Thyroid Body | 11 | – | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – |
| Diseases of Supra-renal Capsules | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 51 | – | 2 | 2 | 2 | – | 2 | 1 | 5 | – | 3 | 1 | 4 | 1 | 3 |
| Chronic Bright's Disease, Albuminuria | 108 | 1 | 1 | 9 | 3 | 1 | 1 | 2 | 13 | – | 1 | 7 | 8 | – | – |
| Calculus (not Biliary) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 10 | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Other Diseases of Urinary System | 10 | – | 1 | 2 | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 3 | – | 18 | 3 | 4 | 28 | 2 | 15 | 1 | 6 | 1 | 1 | 6 | 13 | – | 1 |
| Apoplexy, Hemiplegia | 6 | 3 | 3 | 3 | 6 | 20 | 3 | 13 | 3 | 4 | 1 | – | 4 | 8 | 7 | 7 |
| Aneurism | – | – | 2 | – | 1 | 1 | – | 2 | – | – | 1 | – | – | 1 | 1 | – |
| Senile Gangrene | – | – | – | – | 1 | 2 | – | – | – | 2 | – | – | – | 2 | 1 | 1 |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | 1 | 1 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | 1 | 1 | 3 | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 24 | 11 | 10 | 6 | 35 | 64 | 8 | 18 | 4 | 3 | 2 | 1 | 7 | 14 | 11 | 17 |
| Emphysema, Asthma | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Pleurisy | 3 | 2 | 2 | 1 | 4 | 6 | – | 6 | – | 3 | 2 | – | – | 3 | – | – |
| Fibroid Disease of Lung | 2 | 1 | – | – | 4 | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Gastric Ulcer | – | – | 2 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Gastric Catarrh | 2 | 2 | – | 2 | 7 | 5 | 1 | 5 | 2 | – | – | – | – | 1 | 5 | 3 |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | 3 | 2 | – | 1 | – | 1 | – | – | 1 | – | – | 1 |
| Enteritis (not Infective) | 1 | – | 4 | – | 7 | 8 | – | 3 | – | 1 | 1 | – | – | 3 | 2 | – |
| Gastro-enteritis | 6 | – | – | – | 10 | 6 | 3 | 9 | 3 | 1 | – | – | – | 1 | 2 | 1 |
| Appendicitis, Perityphlitis | 3 | 2 | 1 | 1 | 2 | – | – | – | – | 2 | – | – | 2 | 3 | 2 | 1 |
| Hernia | – | – | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Intestinal Obstruction | 2 | – | 2 | – | – | 2 | 1 | 1 | – | 3 | – | – | 1 | – | 3 | 3 |
| Other Diseases of Intestines | 1 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Peritonitis (not Puerperal) | 5 | – | 2 | 2 | 2 | 1 | – | 4 | – | 1 | – | – | – | 2 | 1 | 2 |
| Cirrhosis of Liver | – | – | 2 | – | – | 4 | 1 | 2 | – | 1 | – | – | – | – | 1 | – |
| Other Diseases of Liver and Gall Bladder | – | 1 | 2 | – | 3 | 4 | – | 3 | – | 1 | – | – | – | 1 | 2 | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | – | 2 | 2 | 2 | 3 | – | 1 | – | – | – | – | 3 | 1 | – | 1 |
| Chronic Bright's Disease, Albuminuria | 6 | – | 3 | 1 | 6 | 16 | – | 4 | 1 | 2 | – | – | 2 | 6 | 3 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | 5 | 2 | 2 | 9 | 9 | 1 | 4 | 3 | 1 | – | – | 1 | 4 | 5 | 3 |
| Other Diseases of Urinary System | – | | – | 1 | 1 | 5 | – | 1 | – | – | – | – | – | 1 | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 4 | 1 | 9 | 3 | 7 | 29 | 4 | 12 | 3 | 8 | – | 3 | 3 | 13 | 9 | 3 |
| Apoplexy, Hemiplegia | 12 | 4 | 7 | 13 | 16 | 24 | 2 | 12 | 6 | 16 | 1 | 1 | 3 | 20 | 9 | 11 |
| Aneurism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | 2 | – | 1 | 1 | 1 | 2 | 1 | 2 | – | – | 1 | – | – | 1 |
| Embolism, Thrombosis (not Cerebral) | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | 1 | 1 | 3 | – | 1 | – | – | – | – | – | 1 | 1 | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | 1 | – | 3 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 14 | 7 | 16 | 11 | 21 | 43 | 8 | 18 | 5 | 8 | 1 | – | 8 | 18 | 16 | 11 |
| Emphysema, Asthma | – | – | 3 | – | 1 | 1 | – | 2 | – | 1 | – | – | 1 | – | 1 | 1 |
| Pleurisy | 1 | 1 | 1 | 1 | 1 | 4 | – | 2 | – | 1 | – | – | 1 | – | – | 1 |
| Fibroid Disease of Lung | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Other Dis. of Respiratory System | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Gastric Ulcer | – | 2 | 6 | – | 1 | 1 | – | – | – | – | – | – | 2 | 1 | – | 3 |
| Gastric Catarrh | 1 | 1 | 1 | – | 6 | 10 | – | 4 | 1 | – | – | – | 3 | – | – | 1 |
| Other Diseases of Stomach (not Malignant) | – | 1 | 1 | 1 | – | – | – | 2 | – | – | – | – | 2 | 1 | – | 1 |
| Enteritis (not Infective) | 4 | 2 | 4 | – | 1 | 13 | 3 | 2 | 1 | 1 | – | – | 1 | 1 | – | – |
| Gastro-enteritis | 4 | 4 | – | 2 | 7 | 16 | 2 | 6 | – | 1 | 1 | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – | 1 |
| Hernia | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | 1 | 1 | – | – | 2 | – | – | – | 1 | 1 | – | 1 | 4 | 2 | 4 |
| Other Diseases of Intestines | – | – | – | – | – | 3 | 1 | – | – | | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 3 | – | 1 | 1 | 6 | 7 | – | 1 | – | 1 | – | – | 1 | 4 | 2 | 4 |
| Cirrhosis of Liver | – | – | 1 | – | – | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | – | 1 | 1 | 5 | 3 | 1 | 2 | 1 | 2 | – | – | – | 2 | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Dis. of Lymphatic System | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Diseases of Thyroid Body | 1 | – | – | 1 | 2 | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 |
| Diseases of Supra-renal Capsules | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | – | – | 1 | 4 | 8 | – | 1 | 1 | 1 | – | – | 2 | 4 | – | 1 |
| Chronic Bright's Disease, Albuminuria | 5 | 1 | 4 | 2 | 2 | 14 | 3 | 5 | 3 | 4 | 1 | – | 4 | 8 | 1 | 4 |
| Calculus (not Biliary) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 3 | – | – | – | 1 | – | – | – | – | 2 | 1 |
| Other Diseases of Urinary System | – | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | – | – | – | 1 | – | – | – | 4 | – | 1 | 1 | – | – | – |
| Arthritis, Periostitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Eczema | 7 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 182 | 6 | 4 | 3 | 8 | – | 1 | 4 | 29 | 3 | 4 | 9 | 13 | – | 2 |
| Old Age | 469 | 12 | 19 | 50 | 19 | 4 | 13 | 21 | 60 | 15 | 16 | 33 | 23 | 2 | 2 |
| Dropsy, Ascites, Anasarca | 5 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | 13 | – | – | – | – | – | 2 | – | 6 | – | 1 | – | – | – | – |
| Abscess | 12 | 1 | – | – | – | – | – | 1 | 2 | – | – | 1 | 1 | – | – |
| Hæmorrhage | 5 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Sudden Death (cause unascertained) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | 5 | – | – | 1 | – | – | – | – | 4 | – | – | – | – | – | – |
| Causes not specified | 67 | 3 | 3 | 12 | 1 | – | 1 | 7 | 1 | 1 | 1 | 1 | 8 | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 43 | – | – | – | – | – | – | – | 2 | 1 | – | – | 5 | 1 | – |
| Vehicles and Horses | 76 | – | – | 1 | 3 | – | – | 2 | 10 | 5 | 1 | 5 | 7 | – | – |
| Ships, Boats, Docks (not Drowning) | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 5 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 16 | – | 2 | 1 | 1 | – | – | – | 3 | – | – | 1 | 3 | – | 1 |
| Poisons, Poisonous Vapours | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Drowning | 123 | – | 4 | 10 | 2 | 2 | 3 | 2 | 9 | 2 | 1 | 10 | 13 | – | 1 |
| Suffocation { From Overlaying | 9 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 9 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Falls | 21 | 2 | 2 | 4 | – | – | 1 | – | 1 | – | – | 1 | 2 | – | – |
| Weather Agencies | 19 | – | 1 | – | 1 | – | 1 | 2 | 2 | – | 1 | 1 | – | – | – |
| Otherwise, or not stated | 59 | – | – | 5 | 4 | 1 | 3 | – | 3 | 6 | 5 | 3 | 2 | – | 1 |
| Homicide | 2 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Suicide | 57 | – | – | 2 | – | – | – | 1 | 11 | – | 4 | 8 | 9 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Total Mainland-Rural Districts. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 9 | – | – | – | 1 | – | 1 | 2 | – | 1 | – | 1 | – | – | – |
| Other Diseases of Ovary | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 10 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Other Dis. of Uterus and Vagina | 7 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 5 | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 5 | – | – | – | – | – | – | 1 | – | – | – | – | 2 | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 21 | 2 | – | – | 1 | – | – | – | 4 | 1 | – | 2 | 3 | 1 | – |
| Placenta Prævia, Flooding | 18 | 1 | – | 1 | – | – | – | – | 2 | – | 1 | – | 2 | – | – |
| Other Accidents of Pregnancy and Childbirth | 27 | – | – | 1 | 1 | – | 1 | 2 | 2 | 1 | – | 1 | 2 | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 12 | 2 | – | 1 | 1 | 1 | – | 1 | 2 | – | – | 1 | – | – | – |
| Arthritis, Periostitis | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 7 | – | – | – | 1 | – | – | 1 | 1 | – | – | 1 | 1 | – | – |
| Eczema | 5 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of the Skin | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 122 | 3 | 4 | 3 | 3 | – | 1 | 8 | 9 | 6 | 3 | 4 | 5 | 2 | – |
| Old Age | 775 | 36 | 65 | 85 | 38 | 3 | 14 | 20 | 82 | 15 | 24 | 73 | 54 | 2 | 4 |
| Dropsy, Ascites, Anasarca | 8 | – | – | 1 | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Tumour | 24 | – | – | 1 | – | – | – | 2 | 3 | 2 | – | 4 | 1 | – | – |
| Abscess | 8 | – | – | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Hæmorrhage | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 60 | – | 3 | 7 | 2 | – | 1 | 4 | 6 | – | – | 6 | 7 | 1 | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 11 | – | – | 2 | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 28 | – | 4 | 3 | 2 | – | 1 | 3 | 2 | – | 1 | 3 | 1 | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 22 | – | – | – | 3 | – | – | 2 | 3 | 2 | 2 | – | 2 | – | |
| Suffocation { From Overlaying | 7 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | |
| Suffocation { Otherwise | 10 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – |
| Falls | 9 | 2 | – | – | – | – | – | – | 2 | – | 2 | 1 | 1 | – | – |
| Weather Agencies | 6 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Otherwise, or not stated | 45 | 1 | 1 | 5 | – | – | 4 | 1 | 8 | 1 | 2 | 2 | 1 | – | – |
| Homicide | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Suicide | 12 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 3 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | 1 | – | 1 |
| Pemphigus | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 7 | 4 | 2 | 4 | 20 | 22 | 3 | 6 | 6 | 7 | 1 | | 4 | 4 | 3 | 3 |
| Old Age | 11 | 5 | 26 | 8 | 16 | 34 | 3 | 10 | 3 | 19 | 1 | 2 | 9 | 12 | 5 | 16 |
| Dropsy, Ascites, Anasarca | – | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tumour | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Abscess | – | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | 1 |
| Hæmorrhage | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | 1 | – |
| Sudden Death (cause unascertained) | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | 1 | 5 | 1 | 7 | 1 | – | 1 | 1 | – | – | – | 3 | 1 | 1 | 4 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | | |
| In Mines and Quarries | 6 | – | – | 1 | 4 | 18 | – | 5 | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | 2 | – | 6 | 4 | 15 | – | 1 | – | 2 | – | – | 1 | 5 | 2 | 1 |
| Ships, Boats, Docks (not Drowning) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – |
| Burns and Scalds | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | 2 | – | 1 | – | 3 | – | – | – | – | 1 | – | – | – |
| Drowning | 1 | 6 | 8 | 10 | 6 | 8 | 1 | 5 | 3 | 2 | – | 1 | 2 | 1 | 8 | 2 |
| Suffocation { From Overlaying | – | – | – | – | 1 | – | – | 1 | 1 | 4 | – | – | – | – | 1 | – |
| Suffocation { Otherwise | 1 | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | 1 | – | 1 |
| Falls | – | 1 | – | 1 | 2 | 1 | 2 | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | 1 | 1 | 1 | 2 | 1 | 1 | 1 | – | – | 1 | 1 | – |
| Otherwise, or not stated | – | 2 | 1 | – | 1 | 6 | 1 | 3 | – | – | 1 | – | 4 | 2 | 1 | 4 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 1 | 1 | 1 | 2 | 6 | 1 | 2 | 1 | 1 | – | 1 | – | 3 | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 1 | – | – | 1 | – | 3 | – | – | – | 1 | – | – | – | 1 | 1 | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Disorders of Menstruation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | 2 | – | – | – | – | 2 | – | – | – | – | 1 | – | 1 | – |
| Placenta Prævia, Flooding | – | – | 1 | – | – | 1 | – | – | – | 4 | – | – | 2 | 2 | 1 | – |
| Other Accidents of Pregnancy and Childbirth | – | – | 2 | – | 2 | 5 | 1 | 2 | – | 1 | – | – | 1 | 2 | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | | |
| Atrophy, Debility | 9 | – | 6 | 1 | 11 | 20 | 1 | 6 | 2 | – | 1 | 1 | 3 | 6 | – | 4 |
| Old Age | 16 | 4 | 33 | 7 | 27 | 47 | 3 | 25 | 11 | 20 | 9 | – | 4 | 29 | 9 | 16 |
| Dropsy, Ascites, Anasarca | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | 5 | 1 | – | 1 | – | – | – | 1 | 1 | 1 | 1 |
| Abscess | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | 6 | – | 5 | 1 | 1 | 1 | 3 | – | – | – | 1 | 1 | – | 4 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | 1 | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | 1 | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Suffocation { From Overlaying | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | 2 |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Weather Agencies | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | – | 1 | – | 2 | 8 | – | 1 | 2 | 1 | – | – | 2 | – | – | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | 2 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1903.

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **ALL CAUSES** | 875 | 134 | 142 | 140 | 244 | 133 | 82 | 971 | 194 | 162 | 143 | 269 | 129 | 74 |
| A.—GENERAL DISEASES | 315 | 49 | 48 | 73 | 68 | 46 | 31 | 316 | 46 | 58 | 75 | 66 | 39 | 32 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. Diseases of Nervous System | 37 | 3 | 6 | 12 | 6 | 8 | 2 | 42 | 8 | 3 | 7 | 10 | 8 | 6 |
| II. ,, Organs of Special Sense | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, Heart | 74 | 13 | 9 | 5 | 22 | 13 | 12 | 87 | 15 | 18 | 5 | 27 | 16 | 6 |
| IV. ,, Blood Vessels | 40 | 7 | 6 | 9 | 10 | 4 | 4 | 49 | 6 | 13 | 4 | 9 | 10 | 7 |
| V. ,, Respiratory System | 52 | 9 | 8 | 11 | 12 | 7 | 5 | 76 | 17 | 10 | 13 | 24 | 9 | 3 |
| VI. ,, Digestive System | 51 | 6 | 11 | 9 | 10 | 9 | 6 | 35 | 6 | 9 | 4 | 8 | 4 | 4 |
| VII. ,, Lymphatic and Ductless Glands | – | – | – | – | – | – | – | 6 | – | 2 | 2 | – | 2 | – |
| VIII. ,, Urinary System | 32 | 4 | 6 | 1 | 9 | 6 | 6 | 21 | 2 | 6 | 2 | 5 | 1 | 5 |
| IX. ,, Generative System | – | – | – | – | – | – | – | 3 | – | 1 | 1 | – | 1 | – |
| X. ,, Pregnancy and Childbirth | – | – | – | – | – | – | – | 8 | 2 | 2 | 2 | 1 | 1 | – |
| XI. ,, Locomotor System | 4 | – | 3 | – | – | 1 | – | 2 | – | – | 1 | – | 1 | – |
| XII. ,, The Skin | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 208 | 30 | 30 | 17 | 91 | 34 | 6 | 313 | 88 | 39 | 26 | 117 | 33 | 10 |
| E.—VIOLENT DEATHS. | 60 | 12 | 15 | 3 | 15 | 5 | 10 | 12 | 4 | 1 | 1 | 2 | 3 | 1 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 12 | 2 | – | 9 | 1 | – | – | 10 | 1 | – | 9 | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 30 | 5 | 7 | 6 | 4 | 6 | 2 | 38 | 6 | 7 | 8 | 9 | 7 | 1 |
| Hooping-cough | 4 | 1 | – | – | 3 | – | – | 5 | – | – | – | 3 | – | 2 |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | 1 | 1 | – | 1 | 1 | 1 | 5 | – | – | 2 | – | 2 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | 3 | – | 1 | – | – | – | 8 | – | 1 | 5 | 2 | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1903. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **A.—GENERAL DISEASES**—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 4 | – | 1 | 1 | 2 | – | – | 5 | 2 | – | – | 1 | 1 | 1 |
| Dysentery | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| Syphilis | 1 | – | 1 | – | – | – | – | 4 | – | 2 | – | – | 1 | 1 |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | 6 | – | 1 | 2 | 3 | – | – |
| Erysipelas | 1 | – | – | – | – | 1 | – | 3 | 1 | – | – | – | 2 | – |
| Septicæmia (not Puerperal) | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 6 | 2 | 2 | 1 | 1 | – | – | 2 | – | – | – | – | – | 2 |
| Pneumonia: Broncho | 9 | – | – | 5 | 3 | – | 1 | 9 | – | 2 | 5 | 1 | – | 1 |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 41 | 4 | 2 | 11 | 11 | 7 | 6 | 43 | 4 | 3 | 20 | 5 | 8 | 3 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 12 | 1 | 2 | 1 | 6 | – | 2 | 8 | 3 | 2 | 1 | 2 | – | – |
| Phthisis (not otherwise defined) | 79 | 13 | 9 | 24 | 14 | 15 | 4 | 67 | 20 | 7 | 12 | 19 | 6 | 3 |
| Tuberculous Meningitis | 6 | 1 | 2 | – | 2 | – | 1 | 4 | – | 1 | 1 | 1 | – | 1 |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 4 | 2 | 1 | – | 1 | – | – | 1 | – | – | – | – | 1 | – |
| General Tuberculosis | 3 | 1 | 1 | – | 1 | – | – | 3 | – | 2 | – | – | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1903. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 5 | 2 | – | 1 | 1 | – | 1 | 4 | 1 | 2 | – | – | 1 | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 5 | – | 1 | – | 3 | – | 1 | 3 | – | – | – | 2 | – | 1 |
| Rheumatic Arthritis, Rheumatic Gout | 2 | – | 1 | 1 | – | – | – | 1 | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 8 | 2 | – | – | 5 | 1 | – | 20 | 2 | 5 | – | 8 | 3 | 2 |
| Sarcoma | 1 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 36 | 3 | 7 | 6 | 5 | 11 | 4 | 29 | 1 | 10 | 6 | 3 | 5 | 4 |
| Rickets | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 3 | – | – | 1 | – | – | 2 | 6 | – | 2 | 1 | 1 | – | 2 |
| Diabetes Mellitus | 3 | – | – | – | 1 | 1 | 1 | 4 | 1 | 1 | – | 1 | – | 1 |
| Premature Birth | 9 | 1 | 5 | – | – | – | 3 | 9 | 1 | 5 | – | – | 1 | 2 |
| Congenital Defects | 4 | – | 2 | 1 | – | – | 1 | 7 | 1 | 2 | – | 1 | – | 3 |
| Injury at Birth | 1 | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | 1 | – | – | – | – | 3 | – | 1 | 1 | 1 | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 6 | 1 | 2 | 2 | – | 1 | – | 10 | 1 | – | 3 | 1 | 2 | 3 |
| Softening of Brain | – | – | – | – | – | – | – | 8 | 1 | 1 | 1 | 1 | 2 | 2 |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | – | – | – | 1 | – | 3 | 1 | 1 | – | – | 1 | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | 1 | – | 1 | 4 | – | – | 1 | 1 | 1 | 1 |
| Convulsions | 12 | 1 | – | 8 | 1 | 2 | – | 2 | – | – | 2 | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | 1 | – | 1 | – | – | 3 | 1 | – | – | 2 | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 13 | 1 | 2 | 2 | 3 | 4 | 1 | 12 | 4 | 1 | – | 5 | 2 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 26 | 2 | 4 | – | 10 | 3 | 7 | 25 | 3 | 7 | 1 | 8 | 3 | 3 |
| Pericarditis | 2 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Dilatation of Heart | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 4 | – | – | 1 | 1 | – | 2 | 2 | 1 | – | – | 1 | – | – |
| Syncope, Heart Disease (not specified) | 38 | 9 | 4 | 4 | 11 | 8 | | 58 | 11 | 10 | 4 | 18 | 12 | 3 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1903. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 8 | 3 | 2 | – | 3 | – | – | 17 | 3 | 6 | 2 | 3 | 1 | 2 |
| Apoplexy, Hemiplegia | 28 | 4 | 4 | 9 | 5 | 4 | 2 | 28 | 3 | 4 | 2 | 6 | 9 | 4 |
| Aneurism | 1 | – | | – | – | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | 1 | – | – | 3 | – | 2 | – | – | – | 1 |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 5 | – | 1 | 3 | 1 | – | – | 7 | – | – | 4 | 3 | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 38 | 6 | 5 | 8 | 8 | 7 | 4 | 58 | 12 | 10 | 8 | 16 | 9 | 3 |
| Emphysema, Asthma | 2 | 1 | 1 | – | – | – | – | 4 | 1 | – | 1 | 2 | – | – |
| Pleurisy | 7 | 2 | 1 | – | 3 | – | 1 | 5 | 2 | – | – | 3 | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 8 | – | 3 | 1 | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – |
| Gastric Catarrh | 3 | – | – | 1 | 1 | 1 | – | 5 | 2 | – | – | 3 | – | – |
| Other Diseases of Stomach (not Malignant) | 4 | – | – | 2 | 1 | 1 | – | 3 | – | 1 | 1 | 1 | – | – |
| Enteritis (not Infective) | 3 | – | – | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | 1 |
| Gastro-enteritis | 3 | 1 | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | 1 |
| Hernia | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Intestinal Obstruction | 8 | – | 3 | 1 | 2 | 2 | – | 8 | 2 | 2 | 1 | 1 | 1 | 1 |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 9 | 2 | – | 3 | 1 | 1 | 2 | 4 | – | 1 | 1 | 1 | – | 1 |
| Cirrhosis of Liver | 4 | 1 | 1 | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 6 | 1 | 2 | – | 1 | 2 | – | 6 | 2 | 1 | 1 | – | 2 | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | 4 | – | – | 2 | – | 2 | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | 1 | – | – | 2 | – | – | 1 | – | – | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 12 | 1 | 2 | 1 | 3 | 2 | 3 | 16 | 2 | 5 | 1 | 3 | – | 5 |
| Calculus (not Biliary) | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 12 | – | 3 | – | 3 | 3 | 3 | 2 | – | – | – | 2 | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | 1 | 1 | – | 2 | – | 1 | – | – | 1 | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1903. (*Continued.*)

| CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | 2 | – | 1 | – | – | 1 | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | 5 | – | 2 | 2 | 1 | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | 1 | – | – | 1 | – | 2 | – | – | 1 | – | 1 | – |
| Arthritis, Periostitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 16 | 2 | 1 | 1 | 10 | – | 2 | 18 | 3 | 3 | 1 | 7 | 2 | 2 |
| Old Age | 129 | 20 | 26 | 14 | 33 | 32 | 4 | 210 | 70 | 28 | 19 | 60 | 25 | 8 |
| Dropsy, Ascites, Anasarca | 4 | 1 | – | – | 2 | 1 | – | 5 | 1 | 1 | 2 | – | 1 | – |
| Tumour | – | – | – | – | – | – | – | 4 | 2 | – | – | – | 2 | – |
| Abscess | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – |
| Hæmorrhage | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 57 | 7 | 3 | 1 | 45 | 1 | – | 74 | 12 | 7 | 4 | 50 | 1 | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | 1 | – | – | 2 | – | – | 4 | 2 | – | – | – | 2 | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 37 | 7 | 12 | 2 | 9 | 2 | 5 | – | – | – | – | – | – | – |
| Suffocation — From Overlaying | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation — Otherwise | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – |
| Falls | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 |
| Weather Agencies | 4 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 7 | 1 | 2 | – | 2 | 1 | 1 | 5 | 1 | 1 | 1 | 2 | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 1 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

1903.

---

# CAUSES OF DEATH

AT

# DIFFERENT PERIODS OF LIFE.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **ALL CAUSES** | 38136 | 4738 | 1606 | 2544 | 2401 | 907 | 513 | 367 | 1010 | 664 | 993 | 1201 | 1210 | 1219 |
| A.—GENERAL DISEASES | 16742 | 2382 | 686 | 1489 | 1592 | 603 | 352 | 239 | 608 | 358 | 628 | 734 | 725 | 689 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2763 | 349 | 217 | 316 | 284 | 111 | 55 | 32 | 101 | 63 | 59 | 48 | 51 | 57 |
| II. ,, ORGANS OF SPECIAL SENSE | 97 | 6 | 5 | 17 | 7 | 5 | 3 | 1 | 9 | 8 | 5 | 8 | 3 | 4 |
| III. ,, HEART | 3576 | 73 | 8 | 7 | 4 | 4 | 4 | 4 | 30 | 36 | 55 | 73 | 77 | 85 |
| IV. ,, BLOOD VESSELS | 2113 | 6 | 1 | 1 | 3 | 1 | 1 | – | – | 2 | 3 | 10 | 13 | 29 |
| V. ,, RESPIRATORY SYSTEM | 3185 | 350 | 209 | 295 | 231 | 75 | 24 | 25 | 24 | 9 | 19 | 32 | 23 | 50 |
| VI. ,, DIGESTIVE SYSTEM | 2620 | 375 | 279 | 294 | 159 | 45 | 24 | 26 | 81 | 69 | 63 | 70 | 65 | 61 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 46 | 1 | – | 1 | 1 | – | 1 | 2 | 2 | 1 | 3 | 3 | 4 | 4 |
| VIII. ,, URINARY SYSTEM | 1329 | 14 | 6 | 7 | 10 | 9 | 5 | 5 | 24 | 23 | 29 | 24 | 33 | 46 |
| IX. ,, GENERATIVE SYSTEM | 9 | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 116 | 1 | – | 1 | 5 | 4 | 6 | 2 | 26 | 15 | 6 | 6 | 7 | 4 |
| XII. ,, THE SKIN | 52 | 18 | 3 | 5 | 7 | 1 | – | 1 | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 3252 | 1062 | 156 | 94 | 60 | 12 | 7 | 3 | 11 | 7 | 5 | 10 | 10 | 12 |
| E.—VIOLENT DEATHS | 2236 | 99 | 36 | 16 | 38 | 37 | 31 | 27 | 94 | 73 | 117 | 183 | 199 | 178 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 15 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Small-pox: Not Vaccinated | 6 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 |
| Small-pox: Doubtful | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 11 | 2 | 2 | 2 | 5 | – | – | – | – | – | – | – | – | – |
| Measles | 595 | 11 | 19 | 146 | 252 | 66 | 37 | 21 | 32 | 1 | 1 | 2 | 2 | 2 |
| German Measles | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Scarlet Fever | 194 | 1 | 2 | 5 | 25 | 31 | 26 | 19 | 54 | 14 | 6 | 4 | 4 | 1 |
| Typhus | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 412 | 14 | 9 | 14 | 6 | 7 | 4 | 2 | 9 | 6 | 8 | 11 | 14 | 9 |
| Hooping-cough | 885 | 78 | 93 | 255 | 278 | 94 | 37 | 26 | 24 | – | – | – | – | – |
| Mumps | 5 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Diphtheria | 298 | 2 | 5 | 26 | 59 | 50 | 38 | 35 | 63 | 8 | 2 | 2 | 1 | – |
| Cerebro-spinal Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 8 | 1 | 1 | – | 1 | – | – | – | – | – | 3 | 1 | 1 | – |
| Enteric Fever | 306 | – | – | 2 | 1 | 1 | 1 | 2 | 31 | 24 | 50 | 45 | 40 | 38 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 37866 | 3483 | 1268 | 2054 | 2133 | 890 | 522 | 406 | 1048 | 668 | 1009 | 1184 | 1295 | 1323 |
| A.—GENERAL DISEASES | 16578 | 1806 | 522 | 1252 | 1468 | 630 | 366 | 275 | 687 | 424 | 689 | 798 | 856 | 785 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2294 | 237 | 155 | 213 | 200 | 78 | 60 | 39 | 96 | 50 | 63 | 46 | 38 | 62 |
| II. " ORGANS OF SPECIAL SENSE | 72 | 3 | 6 | 9 | 11 | – | 2 | 3 | 10 | 5 | 7 | 3 | – | 3 |
| III. " HEART | 3848 | 44 | 11 | 4 | 6 | 2 | 1 | 4 | 28 | 52 | 67 | 70 | 85 | 109 |
| IV. " BLOOD VESSELS | 2492 | 1 | 1 | 1 | 1 | – | 1 | 1 | 1 | 7 | 9 | 11 | 16 | 24 |
| V. " RESPIRATORY SYSTEM | 3177 | 231 | 174 | 233 | 198 | 70 | 38 | 24 | 42 | 17 | 15 | 25 | 26 | 21 |
| VI. " DIGESTIVE SYSTEM | 2665 | 279 | 221 | 227 | 142 | 50 | 18 | 22 | 85 | 57 | 69 | 83 | 82 | 99 |
| VII. " LYMPHATIC AND DUCTLESS GLANDS | 100 | 1 | – | 1 | – | 3 | – | 1 | 1 | 3 | 5 | 8 | 6 | 12 |
| VIII. " URINARY SYSTEM | 848 | 5 | 5 | 3 | 8 | 4 | 5 | 4 | 14 | 17 | 19 | 28 | 44 | 50 |
| IX. " GENERATIVE SYSTEM | 195 | 2 | – | – | – | 2 | – | – | – | 1 | 2 | 14 | 16 | 16 |
| X. " PREGNANCY AND CHILDBIRTH | 406 | – | – | – | – | – | – | – | – | – | 21 | 57 | 83 | 88 |
| XI. " LOCOMOTOR SYSTEM | 93 | 4 | – | – | 3 | 1 | 2 | 1 | 13 | 8 | 14 | 5 | 5 | 4 |
| XII. " THE SKIN | 59 | 14 | 5 | 3 | 1 | – | 2 | – | – | – | 1 | 1 | – | 2 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 4161 | 778 | 137 | 91 | 65 | 15 | 4 | 5 | 14 | 6 | 7 | 9 | 9 | 17 |
| E.—VIOLENT DEATHS. | 878 | 78 | 31 | 17 | 30 | 35 | 23 | 27 | 57 | 21 | 21 | 26 | 29 | 31 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Small-pox: Not Vaccinated | 6 | 2 | 1 | – | – | – | – | 1 | – | – | – | 2 | – | – |
| Small-pox: Doubtful | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 9 | – | – | 4 | 4 | 1 | – | – | – | – | – | – | – | – |
| Measles | 538 | 2 | 8 | 149 | 229 | 58 | 44 | 18 | 23 | 5 | – | – | – | 1 |
| German Measles | 4 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Scarlet Fever | 213 | – | 3 | 5 | 25 | 43 | 21 | 21 | 59 | 16 | 3 | 8 | 6 | 1 |
| Typhus | 7 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 555 | 7 | 8 | 9 | 9 | 9 | 4 | 4 | 14 | 3 | 11 | 14 | 15 | 14 |
| Hooping-cough | 1061 | 94 | 92 | 281 | 315 | 131 | 68 | 42 | 35 | 1 | – | – | – | |
| Mumps | 4 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Diphtheria | 342 | 2 | 1 | 23 | 68 | 42 | 45 | 38 | 104 | 8 | 2 | 2 | 2 | 2 |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pyrexia (origin uncertain) | 8 | 1 | 1 | 1 | 3 | 1 | – | – | – | – | – | 1 | – | – |
| Enteric Fever | 246 | – | – | – | 1 | 5 | 1 | 1 | 15 | 24 | 38 | 41 | 42 | 25 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** . . . . . | 1265 | 1471 | 1570 | 1876 | 2018 | 2428 | 2256 | 2134 | 1734 | 1237 | 590 | 130 | 32 | 8 | 14 |
| A.—GENERAL DISEASES . . | 652 | 696 | 668 | 721 | 702 | 703 | 552 | 463 | 287 | 156 | 47 | 8 | 2 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 84 | 123 | 109 | 121 | 101 | 118 | 108 | 93 | 104 | 34 | 19 | 3 | 3 | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 4 | 1 | 3 | 1 | 2 | 3 | – | – | 1 | 1 | – | – | – | – | – |
| III. ,, HEART . . . | 129 | 166 | 206 | 272 | 337 | 471 | 480 | 427 | 357 | 199 | 59 | 12 | 1 | – | – |
| IV. ,, BLOOD VESSELS . | 35 | 60 | 74 | 163 | 225 | 332 | 324 | 330 | 246 | 169 | 76 | 5 | 3 | 1 | – |
| V. ,, RESPIRATORY SYSTEM | 48 | 67 | 121 | 166 | 218 | 305 | 266 | 261 | 170 | 127 | 57 | 10 | 3 | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 72 | 92 | 118 | 122 | 125 | 134 | 136 | 94 | 78 | 28 | 8 | 2 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 2 | 3 | 1 | 6 | 4 | 3 | 4 | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 48 | 64 | 88 | 125 | 115 | 131 | 144 | 149 | 110 | 79 | 35 | 5 | 1 | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | 1 | 1 | – | – | – | – | 3 | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 6 | 7 | 2 | 2 | – | 9 | 3 | 1 | 3 | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | 1 | 3 | 5 | 2 | 2 | 2 | – | 1 | 1 | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 14 | 23 | 24 | 30 | 39 | 102 | 153 | 268 | 340 | 424 | 276 | 82 | 18 | 7 | 3 |
| E.—VIOLENT DEATHS. . . | 171 | 169 | 155 | 145 | 147 | 112 | 84 | 46 | 33 | 20 | 12 | 2 | 1 | – | 11 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | 5 | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . . | 1 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 13 | 13 | 21 | 24 | 35 | 42 | 40 | 48 | 28 | 25 | 8 | 2 | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | 1 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 24 | 13 | 12 | 8 | 5 | 4 | 3 | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 1379 | 1235 | 1456 | 1636 | 1860 | 2415 | 2412 | 2636 | 2282 | 1876 | 953 | 344 | 88 | 11 | – |
| A.—GENERAL DISEASES | 726 | 612 | 635 | 648 | 617 | 730 | 680 | 590 | 398 | 270 | 84 | 20 | 10 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 70 | 69 | 87 | 99 | 90 | 125 | 121 | 114 | 97 | 47 | 28 | 10 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | 2 | 3 | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| III. ,, HEART | 138 | 142 | 230 | 285 | 380 | 466 | 455 | 516 | 404 | 235 | 91 | 21 | 2 | – | – |
| IV. ,, BLOOD VESSELS | 44 | 60 | 131 | 187 | 239 | 325 | 344 | 397 | 348 | 230 | 89 | 20 | 4 | – | – |
| V. ,, RESPIRATORY SYSTEM | 48 | 49 | 104 | 111 | 212 | 277 | 277 | 337 | 290 | 219 | 92 | 43 | 3 | 1 | – |
| VI. ,, DIGESTIVE SYSTEM | 100 | 85 | 103 | 135 | 137 | 157 | 149 | 144 | 105 | 78 | 30 | 7 | 1 | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 10 | 7 | 15 | 7 | 3 | 8 | 3 | 6 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 60 | 61 | 70 | 77 | 72 | 78 | 74 | 70 | 36 | 27 | 10 | 5 | 2 | – | – |
| IX. ,, GENERATIVE SYSTEM | 24 | 22 | 20 | 19 | 10 | 13 | 8 | 11 | 5 | 8 | 2 | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 96 | 55 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 2 | 2 | 6 | 1 | 3 | 3 | 6 | 9 | – | – | 1 | – | – | – | – |
| XII. ,, THE SKIN | – | 3 | 2 | 1 | – | 2 | 5 | 6 | 6 | 1 | 2 | 2 | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 17 | 27 | 19 | 32 | 47 | 188 | 237 | 389 | 538 | 727 | 499 | 209 | 66 | 9 | – |
| E.—VIOLENT DEATHS | 44 | 39 | 26 | 33 | 49 | 43 | 52 | 45 | 54 | 34 | 25 | 7 | – | 1 | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 15 | 17 | 17 | 33 | 36 | 57 | 56 | 71 | 61 | 42 | 18 | 7 | 4 | – | – |
| Hooping-cough | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 14 | 10 | 8 | 8 | 3 | 4 | 2 | 3 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 3 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Epidemic Diarrhœa, Infective Enteritis | 101 | 27 | 22 | 27 | 18 | 2 | – | – | 1 | 1 | – | – | – | |
| Diarrhœa (not otherwise defined) | 593 | 137 | 130 | 133 | 76 | 14 | 5 | 4 | 4 | 2 | – | – | 1 | |
| Dysentery | 19 | 2 | – | 1 | – | – | – | 1 | – | – | – | 3 | 3 | |
| Malaria | 5 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Tetanus | 25 | 8 | – | – | 1 | – | – | 1 | 3 | 1 | – | 1 | 3 | |
| Syphilis | 101 | 45 | 17 | 10 | 6 | 3 | – | 1 | – | 1 | 1 | 1 | 2 | |
| Gonorrhœa | 3 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Erysipelas | 112 | 18 | 5 | 3 | 2 | – | – | – | – | 1 | 2 | – | 2 | |
| Septicæmia (not Puerperal) | 58 | 5 | 1 | 1 | – | 1 | 1 | – | 3 | 3 | 2 | 1 | 6 | |
| Pyæmia (not Puerperal) | 15 | 3 | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | |
| Phlegmon, Carbuncle (not Anthrax) | 59 | 8 | 3 | 2 | – | – | 1 | – | 2 | 1 | 2 | – | – | |
| Phagedæna | 31 | 3 | 2 | – | – | 1 | – | – | 1 | 2 | – | – | – | |
| Infective Endocarditis | 8 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | |
| Pneumonia — Lobar | 392 | 3 | 3 | 15 | 14 | 4 | 5 | 4 | 4 | 4 | 21 | 16 | 23 | 2 |
| Pneumonia — Broncho | 1144 | 139 | 127 | 288 | 280 | 78 | 37 | 19 | 24 | 6 | 7 | 4 | 5 | |
| Pneumonia — Epidemic | 14 | – | 1 | – | – | – | 2 | – | – | – | 2 | – | 1 | |
| Pneumonia — Not defined | 2153 | 92 | 90 | 202 | 190 | 69 | 35 | 20 | 49 | 14 | 51 | 60 | 79 | 8 |
| Other Infective Conditions | 43 | 1 | – | 2 | 5 | 2 | 2 | – | 2 | – | 7 | 6 | 2 | |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 509 | – | 1 | 14 | 17 | 10 | 7 | 1 | 18 | 19 | 61 | 61 | 52 | 5 |
| Phthisis (not otherwise defined) | 2709 | 3 | 7 | 15 | 21 | 12 | 8 | – | 49 | 62 | 263 | 394 | 365 | 3 |
| Tuberculous Meningitis | 586 | 23 | 30 | 102 | 134 | 58 | 33 | 29 | 89 | 45 | 6 | 14 | 10 | |
| Tuberculous Peritonitis | 300 | 8 | 13 | 36 | 32 | 32 | 24 | 15 | 42 | 30 | 18 | 8 | 10 | |
| Tabes Mesenterica | 203 | 18 | 19 | 40 | 29 | 25 | 21 | 8 | 19 | 13 | 3 | 2 | 1 | |
| Lupus | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | |
| Tubercle of other Organs | 160 | 1 | 2 | 3 | 5 | 1 | 5 | 9 | 15 | 30 | 16 | 19 | 11 | 1 |
| General Tuberculosis | 382 | 9 | 18 | 41 | 43 | 22 | 15 | 12 | 40 | 27 | 32 | 31 | 20 | 1 |
| Scrofula | 8 | 1 | – | – | 1 | 1 | – | – | – | – | 1 | 1 | – | |
| Parasitic Diseases | 7 | 3 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | |
| Starvation | 5 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | |
| Scurvy | 5 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | |
| Alcoholism, Delirium Tremens | 183 | – | – | – | – | – | – | – | – | – | – | 3 | 11 | 2 |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ptomaine Poisoning | 8 | 1 | – | – | 1 | – | – | 1 | – | 2 | 1 | – | – | |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | 3 | – | – | – | – | – | – | – | – | – | 2 | 1 | – | |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued*).

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| siatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| pidemic Diarrhœa, Infective Enteritis | 74 | 17 | 22 | 18 | 12 | 1 | 2 | – | – | – | – | – | – | – |
| iarrhœa (not otherwise defined) | 521 | 80 | 77 | 101 | 68 | 11 | 7 | 1 | 6 | 4 | 3 | 1 | 5 | 5 |
| ysentery | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| lalaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| abies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| landers | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| etanus | 9 | 4 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| yphilis | 112 | 57 | 16 | 8 | 7 | 2 | – | – | – | – | 1 | 2 | 2 | 2 |
| onorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Septicæmia, Sapræmia | 110 | – | – | – | – | – | – | – | – | – | 5 | 19 | 30 | 29 |
| uerperal Pyæmia | 6 | – | – | – | – | – | – | – | – | – | – | 3 | – | 2 |
| ilegmasia Alba Dolens | 12 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 3 |
| uerperal Fever (not otherwise defined) | 175 | – | – | – | – | – | – | – | – | – | 4 | 40 | 61 | 39 |
| ysipelas | 124 | 32 | 4 | 3 | 1 | – | 1 | – | – | 1 | 2 | 2 | 4 | 4 |
| pticæmia (not Puerperal) | 58 | 3 | – | 3 | – | – | 1 | 1 | 5 | 4 | 2 | 6 | 4 | 3 |
| æmia (not Puerperal) | 14 | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | 1 | – |
| legmon, Carbuncle (not Anthrax) | 48 | 8 | 4 | – | – | – | 1 | – | – | 1 | 4 | 1 | 5 | 3 |
| agedæna | 29 | 2 | 1 | 1 | 4 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| fective Endocarditis | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| eumonia: Lobar | 247 | 5 | 3 | 8 | 5 | 4 | 2 | 3 | 12 | 3 | 9 | 7 | 17 | 15 |
| eumonia: Broncho | 960 | 92 | 108 | 233 | 234 | 65 | 25 | 20 | 21 | 8 | 6 | 5 | 8 | 5 |
| eumonia: Epidemic | 13 | – | 1 | – | – | – | – | – | 3 | – | 1 | – | 2 | 2 |
| eumonia: Not defined | 1552 | 73 | 60 | 144 | 163 | 68 | 30 | 23 | 31 | 19 | 35 | 33 | 40 | 43 |
| her Infective Conditions | 27 | 1 | – | 1 | 2 | 3 | 1 | 3 | 1 | 2 | 2 | 4 | 2 | 2 |
| lmonary Tuberculosis (Tuberculous Phthisis) | 576 | 1 | 3 | 13 | 21 | 14 | 11 | 5 | 34 | 30 | 70 | 69 | 82 | 57 |
| thisis (not otherwise defined) | 2836 | 2 | 5 | 8 | 24 | 15 | 13 | 11 | 78 | 130 | 341 | 420 | 400 | 381 |
| berculous Meningitis | 544 | 13 | 38 | 82 | 100 | 64 | 39 | 42 | 92 | 32 | 21 | 8 | 6 | 1 |
| berculous Peritonitis | 295 | 2 | 10 | 18 | 31 | 26 | 20 | 5 | 58 | 16 | 25 | 19 | 21 | 15 |
| bes Mesenterica | 148 | 6 | 9 | 26 | 35 | 21 | 10 | 7 | 18 | 7 | 2 | 2 | 1 | 3 |
| pus | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| bercle of other Organs | 127 | – | – | 6 | 1 | 4 | 2 | 2 | 13 | 24 | 21 | 9 | 7 | 3 |
| ueral Tuberculosis | 320 | 3 | 11 | 26 | 30 | 20 | 12 | 15 | 30 | 39 | 40 | 24 | 22 | 12 |
| ofula | 14 | – | – | 1 | – | 2 | 1 | 1 | 2 | – | 2 | 1 | 1 | 1 |
| rasitic Diseases | 5 | 1 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| rvation | 8 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| rvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| oholism, Delirium Tremens | 106 | – | – | – | – | – | – | – | – | – | – | – | 6 | 11 |
| um, Morphia Habit | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| maine Poisoning | 5 | – | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – |
| ustrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 2 | 5 | 4 | 11 | 12 | 12 | 8 | 9 | 10 | 5 | 4 | – | 1 | – | – |
| Dysentery | 2 | – | – | – | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Malaria | 1 | 1 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | 2 | 1 | 1 | 3 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 9 | 4 | 11 | 5 | 13 | 7 | 7 | 7 | 2 | 3 | 1 | – | – | – |
| Septicæmia (not Puerperal) | 1 | 10 | 5 | 2 | 1 | 4 | 4 | – | 4 | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | 3 | – | 2 | – | – | – | 1 | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 5 | 4 | 4 | 4 | 7 | 4 | 4 | 4 | 2 | 1 | – | – | – | – |
| Phagedæna | 3 | 1 | 7 | 6 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 31 | 30 | 34 | 38 | 32 | 40 | 19 | 17 | 8 | 6 | – | – | – | – | – |
| Pneumonia — Broncho | 11 | 12 | 11 | 10 | 16 | 16 | 14 | 15 | 10 | 6 | 3 | 1 | – | – | – |
| Pneumonia — Epidemic | 1 | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 106 | 128 | 118 | 146 | 147 | 146 | 110 | 111 | 50 | 43 | 13 | 1 | 1 | – | – |
| Other Infective Conditions | – | 1 | 2 | 1 | 4 | 1 | 2 | – | 2 | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 46 | 46 | 32 | 36 | 14 | 9 | 9 | 5 | – | 1 | – | – | – | – | – |
| Phthisis (not otherwise defined) | 279 | 256 | 190 | 161 | 136 | 74 | 46 | 20 | 11 | 3 | 1 | – | – | – | – |
| Tuberculous Meningitis | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 4 | 6 | 5 | 5 | 4 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tubercle of other Organs | 8 | 3 | 5 | 7 | 1 | 3 | 3 | 2 | – | – | – | – | – | – | – |
| General Tuberculosis | 14 | 13 | 10 | 6 | 6 | 4 | 2 | – | – | – | – | – | – | – | – |
| Scrofula | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 24 | 26 | 27 | 25 | 18 | 11 | 7 | 3 | 2 | – | – | – | – | – | – |
| Opium, Morphia Habit | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 6 | 7 | 5 | 15 | 13 | 24 | 21 | 24 | 19 | 13 | 3 | 1 | 1 | – | – |
| Dysentery | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Syphilis | 4 | 1 | 4 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 21 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 23 | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 7 | 6 | 7 | 5 | 12 | 5 | 6 | 10 | 5 | 3 | 1 | – | – | – |
| Septicæmia (not Puerperal) | 4 | 6 | – | 2 | 1 | 4 | 3 | 2 | 3 | 1 | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | 2 | – | 1 | 4 | – | – | – | 1 | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | 3 | 4 | 3 | 2 | 5 | 1 | 1 | 1 | – | – | – | – | – |
| Phagedæna | 2 | 2 | – | 4 | 3 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Infective Endocarditis | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 14 | 15 | 11 | 18 | 14 | 20 | 18 | 23 | 10 | 7 | 4 | – | – | – | – |
| Pneumonia — Broncho | 6 | 6 | 10 | 13 | 9 | 24 | 17 | 17 | 8 | 15 | 4 | 1 | – | – | – |
| Pneumonia — Epidemic | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 57 | 63 | 72 | 86 | 71 | 78 | 113 | 88 | 79 | 58 | 21 | 2 | 2 | – | – |
| Other Infective Conditions | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 47 | 35 | 28 | 18 | 9 | 11 | 10 | 5 | 1 | 1 | 1 | – | – | – | – |
| Phthisis (not otherwise defined) | 321 | 220 | 163 | 112 | 73 | 66 | 28 | 14 | 9 | 2 | – | – | – | – | – |
| Tuberculous Meningitis | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 8 | 6 | 5 | 3 | 3 | 2 | – | 2 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – |
| Tubercle of other Organs | 8 | 6 | 4 | 2 | 1 | 6 | 4 | 1 | 2 | 1 | – | – | – | – | – |
| General Tuberculosis | 7 | 4 | 4 | 8 | 4 | 3 | 4 | 2 | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 14 | 14 | 13 | 15 | 17 | 7 | 5 | 3 | 1 | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 112 | – | 2 | – | 1 | 2 | – | 2 | 10 | 15 | 17 | 5 | 11 | 9 |
| Rheumatism of Heart | 16 | – | – | – | – | 1 | – | 1 | – | 2 | 4 | 1 | 2 | 1 |
| Chronic Rheumatism | 36 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Rheumatic Arthritis, Rheumatic Gout | 25 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – |
| Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 632 | – | – | – | – | 1 | – | 1 | – | – | 3 | 2 | 4 | 5 |
| Sarcoma | 120 | – | – | 1 | 1 | 1 | 1 | 1 | 4 | 7 | 6 | 8 | 9 | 10 |
| Cancer, Malignant Disease (not otherwise defined) | 781 | – | – | – | – | – | – | 1 | – | – | 2 | 1 | 5 | 5 |
| Rickets | 45 | 5 | 4 | 8 | 18 | 4 | 3 | 1 | 2 | – | – | – | – | – |
| Purpura | 15 | – | – | – | 2 | 2 | 1 | – | 2 | – | 1 | – | – | 1 |
| Hæmophilia, Hæmorrhagic Diathesis | 6 | 3 | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| Anæmia, Leucocythæmia | 170 | 3 | 3 | 3 | 7 | – | 1 | – | 5 | 5 | 8 | 7 | 4 | 9 |
| Diabetes Mellitus | 164 | – | – | – | 1 | 1 | – | – | – | 8 | 9 | 14 | 16 | 10 |
| Premature Birth | 1225 | 1221 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 301 | 261 | 17 | 6 | 5 | 1 | 1 | 2 | 3 | 1 | 4 | – | – | – |
| Injury at Birth | 86 | 86 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 100 | 100 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 66 | 32 | 18 | 14 | 2 | – | – | – | – | – | – | – | – | – |
| Teething | 138 | 1 | 12 | 69 | 50 | 6 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 843 | 54 | 91 | 165 | 161 | 64 | 41 | 20 | 75 | 44 | 34 | 14 | 19 | 11 |
| Softening of Brain | 177 | – | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| General Paralysis of Insane | 165 | – | – | – | – | – | – | – | – | 1 | – | – | 3 | 13 |
| Insanity (not Puerperal) | 44 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Chorea | 6 | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – |
| Epilepsy | 154 | 4 | 3 | 4 | 2 | – | – | 1 | 5 | 8 | 14 | 15 | 13 | 9 |
| Convulsions | 657 | 279 | 105 | 113 | 92 | 29 | 10 | 6 | 9 | 1 | 1 | 1 | 1 | 1 |
| Laryngismus Stridulus | 44 | 4 | 7 | 14 | 15 | 2 | – | 1 | 1 | – | – | – | – | – |
| Locomotor Ataxy | 55 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Paraplegia, Diseases of Cord | 166 | – | – | 2 | 2 | 1 | 2 | 1 | 1 | 3 | 4 | 6 | 8 | 7 |
| Neuritis; Peripheral, Poly-neuritis | 21 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Brain Tumour (not Specific) | 54 | – | 1 | 1 | 1 | – | 1 | 1 | 3 | 3 | 1 | 4 | 2 | 4 |
| Other Diseases of Nervous System | 377 | 8 | 10 | 17 | 11 | 14 | – | 2 | 7 | 2 | 3 | 6 | 3 | 6 |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 87 | 2 | 5 | 17 | 6 | 5 | 3 | 1 | 9 | 8 | 5 | 8 | 3 | 4 |
| Epistaxis, Diseases of Nose | 9 | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 911 | 2 | – | – | – | 1 | 2 | – | 6 | 18 | 18 | 36 | 32 | 38 |
| Pericarditis | 33 | 1 | – | – | 1 | 1 | – | – | 3 | 1 | 4 | – | 1 | 1 |
| Hypertrophy of Heart | 34 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Angina Pectoris | 105 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Dilatation of Heart | 107 | – | – | – | – | – | – | – | 1 | – | 2 | 3 | 2 | 2 |
| Fatty Degeneration of Heart | 122 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| Syncope, Heart Disease (not specified) | 2264 | 70 | 8 | 7 | 3 | 2 | 2 | 4 | 19 | 17 | 30 | 34 | 41 | 40 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 132 | – | – | 2 | 2 | – | – | 1 | 13 | 20 | 13 | 9 | 8 | 9 |
| Rheumatism of Heart | 14 | – | – | – | – | – | – | 1 | – | 4 | – | 2 | 2 | 1 |
| Chronic Rheumatism | 83 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Rheumatic Arthritis, Rheumatic Gout | 58 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1046 | – | – | – | – | – | – | – | – | – | – | 2 | 8 | 25 |
| Sarcoma | 103 | – | – | – | 1 | – | – | 2 | 1 | 3 | 2 | 8 | 4 | 7 |
| Cancer, Malignant Disease (not otherwise defined) | 1116 | – | – | – | – | – | 1 | – | – | – | 1 | 2 | 5 | 25 |
| Rickets | 36 | 1 | 1 | 5 | 19 | 6 | – | 3 | – | 1 | – | – | – | – |
| Purpura | 26 | 2 | 1 | 1 | 2 | 2 | – | – | 3 | 3 | 1 | 2 | 1 | – |
| Hæmophilia, Hæmorrhagic Diathesis | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 249 | 3 | – | 1 | 1 | 2 | – | – | 3 | 5 | 13 | 13 | 16 | 23 |
| Diabetes Mellitus | 169 | – | – | – | – | – | – | – | 4 | 1 | 6 | 9 | 16 | 7 |
| Premature Birth | 938 | 937 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 239 | 197 | 15 | 11 | 5 | – | – | 2 | 3 | 4 | – | 1 | – | – |
| Injury at Birth | 43 | 43 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 74 | 74 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 56 | 31 | 11 | 9 | 5 | – | – | – | – | – | – | – | – | – |
| Teething | 95 | 1 | 4 | 49 | 37 | 3 | 1 | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 691 | 43 | 71 | 122 | 111 | 51 | 39 | 30 | 67 | 34 | 31 | 19 | 6 | 7 |
| Softening of Brain | 193 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| General Paralysis of Insane | 41 | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 | 5 |
| Insanity (not Puerperal) | 105 | – | – | – | – | – | – | – | – | 1 | 1 | 4 | 3 | 9 |
| Chorea | 12 | – | – | – | – | – | 1 | – | 3 | 1 | 1 | – | 1 | – |
| Epilepsy | 119 | 3 | 1 | 1 | 2 | – | 2 | – | 3 | 6 | 18 | 2 | 9 | 10 |
| Convulsions | 465 | 183 | 72 | 75 | 66 | 20 | 11 | 6 | 11 | 4 | 5 | 2 | 2 | 3 |
| Laryngismus Stridulus | 20 | 2 | 4 | 5 | 6 | 2 | – | – | 1 | – | – | – | – | – |
| Locomotor Ataxy | 16 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Paraplegia, Diseases of Cord | 141 | – | – | – | 1 | 1 | 4 | 1 | 1 | 1 | 4 | 3 | 4 | 10 |
| Neuritis; Peripheral, Poly-neuritis | 34 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Brain Tumour (not Specific) | 54 | – | – | 1 | – | – | 1 | – | 7 | – | – | 4 | 4 | 7 |
| Other Diseases of Nervous System | 403 | 6 | 7 | 9 | 14 | 4 | 2 | 2 | 3 | 2 | 3 | 9 | 7 | 5 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 64 | 2 | 4 | 9 | 10 | – | 1 | 3 | 9 | 4 | 7 | 3 | – | 3 |
| Epistaxis, Diseases of Nose | 5 | 1 | 2 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Ophthalmia, Diseases of Eye | 3 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1071 | 2 | 1 | – | – | – | – | 3 | 18 | 34 | 36 | 33 | 36 | 51 |
| Pericarditis | 35 | – | – | – | – | – | – | 1 | 1 | 3 | 1 | 2 | 3 | 1 |
| Hypertrophy of Heart | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 69 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Dilatation of Heart | 94 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 3 | 2 | 3 |
| Fatty Degeneration of Heart | 154 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Syncope, Heart Disease (not specified) | 2415 | 42 | 10 | 4 | 5 | 2 | 1 | – | 8 | 14 | 27 | 31 | 44 | 51 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 6 | 7 | 5 | 3 | 3 | 4 | 2 | 4 | 3 | 1 | – | – | – | – | – |
| Rheumatism of Heart | – | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| Chronic Rheumatism | – | 1 | 1 | 4 | 5 | 5 | 3 | 6 | 3 | 3 | 2 | 1 | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 3 | 3 | 1 | 2 | 1 | – | 4 | 1 | 5 | 2 | – | – | – | – | – |
| Gout | – | – | – | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Carcinoma | 11 | 26 | 51 | 85 | 96 | 109 | 94 | 74 | 44 | 21 | 4 | 1 | – | – | – |
| Sarcoma | 5 | 6 | 13 | 10 | 11 | 7 | 7 | 4 | 6 | 1 | 1 | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 18 | 33 | 64 | 81 | 106 | 129 | 125 | 104 | 73 | 27 | 6 | 1 | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 9 | 14 | 13 | 7 | 17 | 25 | 16 | 7 | 4 | 3 | – | – | – | – | – |
| Diabetes Mellitus | 11 | 10 | 12 | 11 | 6 | 20 | 13 | 10 | 9 | 2 | 1 | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 6 | 9 | 7 | 6 | 6 | 7 | 4 | 2 | 2 | 1 | – | – | – | – | – |
| Softening of Brain | 3 | 3 | 14 | 12 | 21 | 24 | 25 | 21 | 29 | 11 | 6 | 3 | 1 | – | – |
| General Paralysis of Insane | 33 | 44 | 34 | 27 | 3 | 6 | 1 | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 3 | 8 | 5 | 3 | 7 | 4 | 1 | 4 | 5 | – | – | – | – | – | – |
| Chorea | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 12 | 12 | 8 | 10 | 8 | 7 | 8 | 3 | 6 | 1 | 1 | – | – | – | – |
| Convulsions | 1 | 1 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 4 | 6 | 7 | 9 | 11 | 5 | 6 | 4 | 1 | – | 1 | – | – | – | – |
| Paraplegia, Diseases of Cord | 5 | 13 | 16 | 17 | 19 | 23 | 15 | 12 | 7 | 1 | 1 | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 2 | 7 | – | 4 | 2 | – | – | 1 | 2 | 1 | – | – | – | – | – |
| Brain Tumour (not Specific) | 9 | 4 | 4 | 9 | 3 | – | 2 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 6 | 16 | 13 | 22 | 18 | 41 | 45 | 46 | 50 | 19 | 10 | – | 2 | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 4 | 1 | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 46 | 54 | 65 | 72 | 86 | 104 | 114 | 96 | 73 | 38 | 9 | 1 | – | – | – |
| Pericarditis | 2 | 2 | 1 | 1 | 3 | 5 | 1 | 2 | 3 | – | – | – | – | – | – |
| Hypertrophy of Heart | 3 | 1 | 5 | 3 | 2 | 5 | 5 | 3 | 3 | 2 | – | – | – | – | – |
| Angina Pectoris | 3 | 6 | 4 | 6 | 15 | 19 | 20 | 18 | 8 | 4 | 1 | – | – | – | – |
| Dilatation of Heart | 4 | 3 | 6 | 8 | 13 | 15 | 12 | 13 | 13 | 6 | 4 | – | – | – | – |
| Fatty Degeneration of Heart | 4 | 8 | 10 | 8 | 14 | 20 | 15 | 18 | 15 | 3 | 3 | – | – | – | – |
| Syncope, Heart Disease (not specified) | 67 | 92 | 115 | 174 | 204 | 303 | 313 | 277 | 242 | 146 | 42 | 11 | 1 | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 5 | 7 | 6 | 6 | 3 | 9 | 9 | 8 | 1 | 1 | – | – | – | – | – |
| Rheumatism of Heart | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | 1 | 3 | 4 | 11 | 12 | 10 | 19 | 12 | 7 | – | 1 | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 2 | 1 | 3 | 6 | 3 | 6 | 11 | 15 | 3 | 4 | 1 | 1 | – | – | – |
| Gout | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Carcinoma | 51 | 75 | 109 | 102 | 151 | 153 | 149 | 107 | 58 | 45 | 9 | 1 | 1 | – | – |
| Sarcoma | 6 | 7 | 8 | 12 | 8 | 14 | 4 | 8 | 6 | 1 | – | 1 | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 41 | 61 | 102 | 116 | 123 | 168 | 161 | 134 | 92 | 59 | 19 | 4 | 2 | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | 1 | 1 | 1 | 1 | 3 | – | – | 1 | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 18 | 16 | 18 | 30 | 18 | 20 | 20 | 18 | 9 | 1 | 1 | – | – | – | – |
| Diabetes Mellitus | 8 | 5 | 18 | 11 | 24 | 19 | 20 | 14 | 5 | 2 | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 18 | 10 | 9 | 7 | 3 | 4 | 4 | 2 | 2 | 1 | – | – | – | – | – |
| Softening of Brain | 2 | 5 | 8 | 17 | 17 | 28 | 23 | 36 | 17 | 22 | 9 | 6 | – | – | – |
| General Paralysis of Insane | 6 | 10 | 8 | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 6 | 10 | 11 | 9 | 12 | 10 | 6 | 10 | 8 | 2 | 2 | 1 | – | – | – |
| Chorea | – | – | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Epilepsy | 14 | 4 | 6 | 9 | 5 | 9 | 7 | 3 | 5 | – | – | – | – | – | – |
| Convulsions | – | 1 | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | 1 | 3 | 5 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 4 | 9 | 10 | 16 | 13 | 16 | 16 | 12 | 11 | – | 3 | 1 | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 6 | 5 | 6 | 3 | 5 | 3 | 2 | 1 | – | – | 1 | – | – | – | – |
| Brain Tumour (not Specific) | 1 | 6 | 6 | 10 | 4 | – | 2 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 12 | 8 | 20 | 18 | 28 | 51 | 55 | 50 | 51 | 22 | 13 | 2 | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | 2 | 2 | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 59 | 58 | 76 | 89 | 86 | 105 | 113 | 118 | 88 | 45 | 16 | 4 | – | – | – |
| Pericarditis | 1 | – | 1 | 5 | 5 | 2 | 1 | 4 | 2 | 1 | – | – | 1 | – | – |
| Hypertrophy of Heart | – | – | 1 | 4 | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Angina Pectoris | – | 1 | 4 | 3 | 5 | 11 | 10 | 14 | 14 | 2 | 2 | – | – | – | – |
| Dilatation of Heart | 3 | 2 | 6 | 8 | 8 | 13 | 13 | 11 | 8 | 8 | 1 | 1 | – | – | – |
| Fatty Degeneration of Heart | 5 | 4 | 11 | 12 | 21 | 35 | 21 | 26 | 10 | 5 | 1 | – | – | – | – |
| Syncope, Heart Disease (not specified) | 70 | 77 | 131 | 164 | 253 | 299 | 297 | 342 | 282 | 173 | 71 | 16 | 1 | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 834 | 4 | 1 | 1 | 1 | 1 | 1 | – | – | 1 | 2 | 8 | 5 | 9 |
| Apoplexy, Hemiplegia | 1006 | – | – | – | 2 | – | – | – | – | – | 1 | 1 | 4 | 14 |
| Aneurism | 92 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 4 |
| Senile Gangrene | 83 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 22 | 2 | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Phlebitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 67 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 74 | 5 | 6 | 14 | 23 | 10 | 3 | 4 | 1 | – | – | 2 | – | – |
| Membranous Laryngitis (not Diphtheritic) | 6 | – | – | 2 | 3 | – | – | – | 1 | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 33 | 3 | 2 | 6 | 11 | 1 | 1 | 5 | 4 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 9 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 2656 | 334 | 196 | 265 | 192 | 60 | 19 | 14 | 12 | 7 | 12 | 17 | 9 | 25 |
| Emphysema, Asthma | 98 | – | – | – | – | – | – | – | – | – | – | – | 2 | 6 |
| Pleurisy | 192 | 2 | 3 | 5 | 2 | 3 | – | – | 5 | 2 | 5 | 12 | 11 | 12 |
| Fibroid Disease of Lung | 71 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | 5 |
| Other Dis. of Respiratory System | 40 | 5 | 2 | 1 | – | – | 1 | 1 | 1 | – | 1 | – | 1 | 2 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 21 | 1 | – | 5 | 2 | 1 | – | 2 | 4 | 1 | 1 | – | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 42 | 4 | 2 | 4 | 3 | – | – | 1 | 2 | – | 1 | 1 | 1 | 2 |
| Gastric Ulcer | 113 | – | – | – | 1 | – | – | – | 1 | 1 | 5 | 8 | 9 | 5 |
| Gastric Catarrh | 291 | 72 | 44 | 42 | 11 | 9 | 5 | 2 | 7 | 4 | 2 | 4 | 1 | 3 |
| Other Diseases of Stomach (not Malignant) | 135 | 14 | 8 | 4 | 4 | – | 1 | 1 | 1 | 3 | 2 | 3 | 2 | 6 |
| Enteritis (not Infective) | 304 | 78 | 59 | 60 | 17 | 8 | 2 | 6 | 11 | 2 | 3 | 2 | 3 | 2 |
| Gastro-enteritis | 572 | 128 | 132 | 132 | 100 | 17 | 4 | 3 | 7 | 4 | – | – | 4 | 2 |
| Appendicitis, Perityphlitis | 155 | – | – | 2 | 1 | 1 | 1 | 3 | 21 | 21 | 20 | 23 | 14 | 6 |
| Hernia | 70 | 1 | 2 | 2 | 2 | 3 | 1 | – | 1 | – | 2 | 5 | 1 | – |
| Intestinal Obstruction | 247 | 22 | 20 | 23 | 5 | 3 | 2 | 2 | 6 | 12 | 10 | 8 | 11 | 6 |
| Other Diseases of Intestines | 56 | 11 | 2 | 6 | 2 | – | 2 | – | – | 1 | – | 3 | 1 | 3 |
| Peritonitis (not Puerperal) | 258 | 18 | 8 | 11 | 9 | 2 | 2 | 6 | 19 | 17 | 14 | 9 | 14 | 10 |
| Cirrhosis of Liver | 156 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 7 |
| Other Diseases of Liver and Gall Bladder | 196 | 25 | 2 | 2 | 2 | 1 | 4 | – | 1 | 3 | 3 | 3 | 1 | 7 |
| Other Diseases of Digestive System | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 8 | 1 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – |
| Other Dis. of Lymphatic System | 24 | – | – | 1 | 1 | – | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 3 |
| Diseases of Thyroid Body | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Supra-renal Capsules | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 298 | 6 | 5 | 3 | 7 | 6 | 3 | 4 | 15 | 13 | 14 | 11 | 16 | 15 |
| Chronic Bright's Disease, Albuminuria | 540 | – | – | 2 | – | 3 | 1 | – | 8 | 8 | 10 | 10 | 12 | 27 |
| Calculus (not Biliary) | 19 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 366 | 1 | – | 1 | 2 | – | – | – | – | – | 3 | – | – | 1 |
| Other Diseases of Urinary System | 106 | 6 | – | 1 | 1 | – | 1 | 1 | 1 | 2 | 2 | 3 | 5 | 3 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 961 | 1 | – | 1 | – | – | 1 | – | – | 3 | 6 | 4 | 9 | 11 |
| Apoplexy, Hemiplegia | 1276 | – | 1 | – | – | – | – | 1 | – | 1 | 2 | – | 3 | 5 |
| Aneurism | 35 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Senile Gangrene | 111 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 32 | – | – | – | 1 | – | – | – | 1 | – | 1 | 4 | 1 | 4 |
| Phlebitis | 21 | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 2 |
| Varicose Veins | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 48 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 69 | 5 | 6 | 12 | 8 | 7 | 5 | 5 | 14 | 2 | 2 | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 3 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 42 | 1 | 1 | 6 | 11 | 9 | 3 | 4 | 6 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 8 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Bronchitis | 2765 | 216 | 161 | 210 | 174 | 52 | 27 | 15 | 20 | 13 | 8 | 13 | 11 | 12 |
| Emphysema, Asthma | 76 | – | – | – | – | – | – | – | – | 1 | 1 | – | 3 | 3 |
| Pleurisy | 158 | 2 | 3 | 3 | 5 | 1 | – | – | – | 1 | 2 | 9 | 9 | 6 |
| Fibroid Disease of Lung | 27 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – |
| Other Dis. of Respiratory System | 29 | 6 | 3 | – | – | – | – | – | 2 | – | 2 | – | 2 | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 23 | 2 | 1 | – | 2 | 2 | – | – | 4 | 1 | – | 3 | 1 | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 38 | 6 | – | 4 | 5 | 3 | – | 1 | 1 | – | – | – | 1 | – |
| Gastric Ulcer | 166 | – | – | – | – | – | – | – | 2 | 2 | 20 | 36 | 23 | 23 |
| Gastric Catarrh | 372 | 59 | 33 | 30 | 15 | 4 | 1 | 3 | 7 | 2 | 2 | 1 | 7 | 10 |
| Other Diseases of Stomach (not Malignant) | 142 | 15 | 11 | 4 | 2 | – | 1 | – | 1 | – | 3 | 3 | 2 | 3 |
| Enteritis (not Infective) | 279 | 47 | 38 | 40 | 29 | 9 | 4 | 5 | 8 | 5 | 3 | 2 | 6 | 5 |
| Gastro-enteritis | 529 | 111 | 111 | 128 | 73 | 21 | 3 | 6 | 11 | 6 | 3 | 5 | 4 | 3 |
| Appendicitis, Perityphlitis | 105 | – | – | – | – | 1 | 2 | 1 | 16 | 14 | 9 | 8 | 10 | 6 |
| Hernia | 69 | 2 | 1 | – | – | 1 | – | – | – | 2 | – | 1 | – | 1 |
| Intestinal Obstruction | 236 | 5 | 15 | 10 | 5 | 4 | 2 | – | 6 | 8 | 2 | 7 | 6 | 4 |
| Other Diseases of Intestines | 53 | 7 | – | 3 | 1 | 1 | – | – | 2 | 2 | 3 | 3 | 2 | 1 |
| Peritonitis (not Puerperal) | 290 | 9 | 10 | 4 | 7 | 3 | 4 | 4 | 23 | 14 | 22 | 12 | 15 | 30 |
| Cirrhosis of Liver | 87 | – | – | 1 | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Other Diseases of Liver and Gall Bladder | 262 | 14 | 1 | 3 | 3 | 1 | 1 | 2 | 4 | – | 2 | 2 | 3 | 11 |
| Other Diseases of Digestive System | 14 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. of Lymphatic System | 38 | 1 | – | 1 | – | 2 | – | 1 | – | 3 | 2 | 2 | – | 3 |
| Diseases of Thyroid Body | 50 | – | – | – | – | 1 | – | – | 1 | – | 3 | 6 | 5 | 8 |
| Diseases of Supra-renal Capsules | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 279 | 4 | 3 | 3 | 6 | 4 | 4 | 2 | 7 | 12 | 9 | 15 | 17 | 27 |
| Chronic Bright's Disease, Albuminuria | 460 | – | 2 | – | 1 | – | – | 2 | 5 | 4 | 8 | 12 | 20 | 18 |
| Calculus (not Biliary) | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 44 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 2 |
| Other Diseases of Urinary System | 57 | 1 | – | – | 1 | – | 1 | – | 1 | – | 2 | 1 | 6 | 3 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 10 | 27 | 29 | 55 | 87 | 135 | 135 | 137 | 105 | 55 | 21 | 3 | 1 | – | – |
| Apoplexy, Hemiplegia | 16 | 17 | 35 | 84 | 117 | 158 | 157 | 154 | 112 | 91 | 39 | 2 | 2 | – | – |
| Aneurism | 9 | 15 | 6 | 19 | 14 | 7 | 7 | 3 | 3 | 2 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 14 | 13 | 18 | 10 | 16 | 11 | – | – | 1 | – |
| Embolism, Thrombosis (not Cerebral) | – | 1 | – | 2 | 3 | 3 | 2 | 1 | 2 | 1 | 1 | – | – | – | – |
| Phlebitis | – | – | 1 | – | – | 1 | – | – | 2 | – | – | – | – | – | – |
| Varicose Veins | – | – | – | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | 3 | 2 | 4 | 12 | 8 | 17 | 12 | 4 | 4 | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 2 | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 29 | 43 | 81 | 121 | 173 | 263 | 228 | 225 | 150 | 116 | 53 | 9 | 3 | – | – |
| Emphysema, Asthma | 4 | 6 | 9 | 14 | 11 | 13 | 12 | 10 | 4 | 4 | 2 | 1 | – | – | – |
| Pleurisy | 12 | 10 | 20 | 12 | 16 | 18 | 17 | 13 | 12 | 4 | 2 | – | – | – | – |
| Fibroid Disease of Lung | – | 6 | 5 | 16 | 13 | 9 | 5 | 7 | – | 2 | – | – | – | – | – |
| Other Dis. of Respiratory System | 3 | 1 | 3 | 2 | 3 | 1 | 3 | 5 | 4 | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | 1 | – | 4 | 2 | 4 | 3 | 2 | 2 | 2 | – | – | – | – | – |
| Gastric Ulcer | 13 | 6 | 11 | 11 | 8 | 19 | 10 | 2 | 1 | 1 | 1 | – | – | – | – |
| Gastric Catarrh | 5 | 6 | 6 | 5 | 9 | 12 | 12 | 14 | 13 | 2 | – | 1 | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | 7 | 10 | 12 | 18 | 11 | 8 | 8 | 7 | 2 | 1 | – | – | – | – |
| Enteritis (not Infective) | 2 | 6 | 6 | 4 | 4 | 8 | 6 | 6 | 4 | 4 | 1 | – | – | – | – |
| Gastro-enteritis | – | 4 | 4 | 7 | 4 | 5 | 7 | 1 | 3 | 3 | 1 | – | – | – | – |
| Appendicitis, Perityphlitis | 7 | 8 | 6 | 5 | 3 | 6 | 1 | 4 | 2 | – | – | – | – | – | – |
| Hernia | – | 1 | 5 | 4 | 7 | 3 | 11 | 9 | 9 | 1 | – | – | – | – | – |
| Intestinal Obstruction | 10 | 11 | 14 | 9 | 11 | 13 | 19 | 14 | 12 | 2 | 1 | 1 | – | – | – |
| Other Diseases of Intestines | 3 | 1 | 3 | 4 | 5 | 1 | 8 | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 11 | 17 | 20 | 14 | 12 | 18 | 12 | 8 | 5 | 1 | 1 | – | – | – | – |
| Cirrhosis of Liver | 7 | 15 | 21 | 22 | 22 | 21 | 16 | 11 | 6 | 3 | 1 | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 10 | 9 | 11 | 21 | 20 | 12 | 23 | 15 | 13 | 7 | 1 | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | 2 | 1 | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 2 | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 18 | 15 | 21 | 28 | 18 | 23 | 22 | 22 | 6 | 3 | 3 | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 21 | 39 | 53 | 73 | 65 | 64 | 58 | 43 | 27 | 10 | 6 | – | – | – | – |
| Calculus (not Biliary) | 1 | – | – | 1 | 1 | 1 | 4 | 3 | 6 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 3 | 6 | 14 | 20 | 33 | 55 | 73 | 62 | 62 | 24 | 4 | – | – | – |
| Other Diseases of Urinary System | 6 | 7 | 8 | 9 | 11 | 10 | 5 | 8 | 9 | 4 | 2 | – | 1 | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 18 | 22 | 53 | 86 | 101 | 122 | 140 | 152 | 103 | 92 | 30 | 5 | 1 | – | – |
| Apoplexy, Hemiplegia | 21 | 35 | 71 | 89 | 125 | 170 | 178 | 199 | 203 | 113 | 44 | 13 | 2 | – | – |
| Aneurism | – | 1 | 2 | 7 | 6 | 4 | 2 | 3 | 3 | 3 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | 2 | 10 | 10 | 35 | 26 | 13 | 13 | 2 | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 2 | – | 2 | 1 | 1 | 7 | 3 | 1 | 1 | 2 | – | – | – | – | – |
| Phlebitis | 1 | 2 | 3 | 2 | 1 | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | – | – | 1 | 2 | 8 | 7 | 5 | 11 | 6 | 2 | – | 1 | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Bronchitis | 30 | 36 | 89 | 92 | 185 | 231 | 258 | 313 | 265 | 208 | 84 | 39 | 2 | 1 | – |
| Emphysema, Asthma | 4 | 5 | 5 | 6 | 4 | 15 | 7 | 8 | 5 | 4 | 1 | 3 | 1 | – | – |
| Pleurisy | 12 | 5 | 10 | 8 | 12 | 26 | 10 | 10 | 13 | 5 | 6 | – | – | – | – |
| Fibroid Disease of Lung | 2 | 1 | – | 4 | 7 | 4 | 1 | 3 | 1 | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 4 | – | – | 3 | 4 | 1 | 1 | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 2 | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | 2 | 1 | 1 | 4 | 1 | 3 | 1 | – | 1 | 2 | – | – | – | – |
| Gastric Ulcer | 11 | 7 | 7 | 13 | 3 | 4 | 5 | 7 | 2 | 1 | – | – | – | – | – |
| Gastric Catarrh | 17 | 11 | 14 | 16 | 24 | 25 | 23 | 24 | 14 | 21 | 5 | 3 | 1 | – | – |
| Other Diseases of Stomach (not Malignant) | 8 | 8 | 5 | 6 | 12 | 12 | 11 | 17 | 7 | 4 | 6 | 1 | – | – | – |
| Enteritis (not Infective) | 6 | 6 | 5 | 5 | 8 | 8 | 12 | 8 | 12 | 6 | 1 | 1 | – | – | – |
| Gastro-enteritis | 1 | 2 | 3 | 11 | 4 | 9 | 1 | 4 | 5 | 3 | – | 1 | – | – | – |
| Appendicitis, Perityphlitis | 12 | 1 | 9 | 5 | 4 | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – |
| Hernia | 2 | 4 | 4 | 7 | 9 | 9 | 12 | 3 | 3 | 3 | 5 | – | – | – | – |
| Intestinal Obstruction | 7 | 9 | 11 | 12 | 18 | 25 | 22 | 24 | 20 | 11 | 3 | – | – | – | – |
| Other Diseases of Intestines | 2 | 2 | 3 | 2 | 3 | 4 | 1 | 7 | 2 | 1 | 1 | – | – | – | – |
| Peritonitis (not Puerperal) | 14 | 19 | 12 | 18 | 15 | 14 | 14 | 12 | 7 | 7 | 1 | – | – | – | – |
| Cirrhosis of Liver | 6 | 5 | 14 | 8 | 8 | 14 | 8 | 7 | 7 | 4 | 1 | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 9 | 9 | 13 | 31 | 22 | 28 | 36 | 26 | 22 | 14 | 4 | 1 | – | – | – |
| Other Diseases of Digestive System | 2 | – | 1 | – | 2 | 3 | – | 1 | 2 | – | 1 | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 1 | 2 | 4 | 3 | 2 | 6 | 1 | 4 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 6 | 4 | 9 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 27 | 18 | 18 | 20 | 17 | 19 | 16 | 12 | 5 | 8 | 2 | 3 | 1 | – | – |
| Chronic Bright's Disease, Albuminuria | 29 | 37 | 43 | 46 | 47 | 53 | 43 | 51 | 23 | 11 | 4 | – | 1 | – | – |
| Calculus (not Biliary) | 2 | 2 | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | 3 | 6 | 3 | 3 | 6 | 4 | 5 | 4 | 2 | 2 | – | – | – |
| Other Diseases of Urinary System | 2 | 3 | 5 | 5 | 3 | 3 | 9 | 3 | 3 | 3 | 2 | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1902.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 9 | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 79 | 1 | – | – | 3 | 4 | 3 | 2 | 18 | 12 | 4 | 6 | 5 | 4 |
| Arthritis, Periostitis | 26 | – | – | 1 | 2 | – | 3 | – | 7 | 2 | 2 | – | 1 | – |
| Other Dis. of Locomotor System | 11 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 14 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 19 | 6 | 3 | 4 | 4 | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | 10 | 6 | – | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 9 | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 1233 | 953 | 121 | 71 | 47 | 3 | 2 | 1 | 6 | 1 | – | – | 1 | – |
| Old Age | 1534 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 28 | 2 | – | – | – | – | – | – | 2 | – | 1 | 1 | 1 | 1 |
| Tumour | 42 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Abscess | 51 | 9 | 3 | 4 | 4 | – | 1 | – | – | 1 | – | 1 | – | 1 |
| Hæmorrhage | 19 | 5 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | 1 |
| Sudden Death (cause unascertained) | 31 | 6 | 2 | – | – | 2 | – | – | – | – | 1 | – | 1 | 2 |
| Other ill-defined causes | 6 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Causes not specified | 308 | 85 | 29 | 19 | 8 | 6 | 4 | 2 | 3 | 4 | 2 | 7 | 6 | 6 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 169 | – | – | – | – | – | – | – | – | 5 | 20 | 25 | 24 | 24 |
| Vehicles and Horses | 316 | – | – | – | 2 | 2 | 5 | 8 | 16 | 11 | 22 | 31 | 36 | 26 |
| Ships, Boats, Docks (not Drowning) | 72 | – | – | – | – | – | – | – | – | 1 | 2 | 7 | 8 | 8 |
| Building Operations | 15 | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 | 1 |
| Machinery | 44 | – | – | 1 | – | – | – | – | 2 | 2 | 5 | 5 | 5 | 6 |
| Weapons and Implements | 13 | – | – | – | – | – | – | – | – | – | 2 | 5 | 3 | – |
| Burns and Scalds | 128 | – | 1 | 4 | 25 | 24 | 8 | 6 | 13 | 2 | 1 | 3 | 5 | 2 |
| Poisons, Poisonous Vapours | 61 | – | 1 | 1 | 2 | 2 | – | – | 2 | 2 | 2 | 3 | 7 | 10 |
| Drowning | 480 | – | – | – | 4 | 4 | 12 | 6 | 36 | 31 | 30 | 51 | 42 | 42 |
| Suffocation { From Overlaying | 80 | 52 | 24 | 4 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 92 | 34 | 9 | 3 | 2 | 1 | 1 | – | 2 | – | 1 | 3 | 1 | 2 |
| Falls | 150 | – | 1 | – | – | 1 | 3 | – | 6 | 4 | 6 | 16 | 10 | 11 |
| Weather Agencies | 36 | 2 | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 | 4 |
| Otherwise, or not stated | 368 | 5 | – | 3 | 3 | 3 | 2 | 7 | 16 | 14 | 18 | 18 | 33 | 26 |
| Homicide | 11 | 6 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Suicide | 201 | – | – | – | – | – | – | – | – | – | 4 | 13 | 20 | 16 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 49 | – | – | – | – | – | – | – | – | – | 2 | 2 | 1 | 4 |
| Other Diseases of Ovary | 13 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | 3 |
| Uterine Tumour (not Malignant) | 60 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Other Dis. of Uterus and Vagina | 36 | 2 | – | – | – | 1 | – | – | – | – | – | 4 | 5 | 4 |
| Disorders of Menstruation | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Generative and Mammary Organs | 33 | – | – | – | – | 1 | – | – | – | – | – | 7 | 7 | 2 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 25 | – | – | – | – | – | – | – | – | – | – | 3 | 8 | 6 |
| Puerperal Mania | 9 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 |
| Puerperal Convulsions | 100 | – | – | – | – | – | – | – | – | – | 11 | 19 | 27 | 13 |
| Placenta Prævia, Flooding | 94 | – | – | – | – | – | – | – | – | – | 1 | 9 | 7 | 26 |
| Other Accidents of Pregnancy and Childbirth | 178 | – | – | – | – | – | – | – | – | – | 9 | 25 | 38 | 42 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 62 | 1 | – | – | 2 | – | – | 1 | 10 | 6 | 13 | 4 | 4 | 4 |
| Arthritis, Periostitis | 23 | 3 | – | – | – | 1 | 2 | – | 3 | 2 | 1 | 1 | – | – |
| Other Dis. of Locomotor System | 8 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 24 | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Eczema | 15 | 2 | 4 | 2 | 1 | – | 2 | – | – | – | 1 | – | – | – |
| Pemphigus | 11 | 8 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 9 | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 975 | 697 | 113 | 68 | 43 | 8 | 1 | 4 | 4 | – | 1 | – | 1 | 4 |
| Old Age | 2658 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 49 | 1 | – | 1 | – | 1 | 1 | – | 1 | 1 | 2 | – | – | 2 |
| Tumour | 95 | – | 1 | 1 | 1 | – | – | – | – | – | 1 | 3 | 2 | 3 |
| Abscess | 40 | 4 | 2 | 1 | 7 | – | – | – | – | 1 | 1 | – | 1 | 3 |
| Hæmorrhage | 9 | 1 | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – |
| Sudden Death (cause unascertained) | 25 | 3 | 1 | 3 | – | – | – | – | – | – | – | – | – | 2 |
| Other ill-defined causes | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Causes not specified | 309 | 72 | 20 | 16 | 14 | 6 | 2 | 1 | 9 | 4 | 1 | 5 | 4 | 3 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 52 | – | – | 1 | 5 | 2 | 7 | 1 | 6 | 2 | 2 | 1 | 4 | 2 |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 201 | 1 | 2 | 4 | 19 | 26 | 12 | 15 | 30 | 7 | 4 | 4 | 4 | 2 |
| Poisons, Poisonous Vapours | 35 | 1 | – | 1 | 1 | 1 | – | 3 | – | 3 | 1 | 3 | 1 | 3 |
| Drowning | 74 | – | – | – | 2 | 3 | 1 | 3 | 5 | 3 | 5 | 8 | 2 | 3 |
| Suffocation { From Overlaying | 62 | 42 | 16 | 4 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 74 | 27 | 11 | 5 | – | – | – | 1 | 1 | – | 1 | – | 1 | 1 |
| Falls | 58 | – | 1 | – | – | – | 2 | – | 3 | – | – | 2 | – | 4 |
| Weather Agencies | 13 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Otherwise, or not stated | 224 | 2 | 1 | 1 | 3 | 2 | 1 | 3 | 11 | 4 | 3 | 4 | 4 | 8 |
| Homicide | 9 | 4 | – | 1 | – | 1 | – | 1 | 1 | – | – | – | 1 | – |
| Suicide | 73 | – | – | – | – | – | – | – | – | – | 4 | 3 | 12 | 7 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | 1 | 1 | – | – | – | – | 3 | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 5 | 2 | 1 | 1 | – | 4 | 2 | – | 2 | – | – | – | – | – | – |
| Arthritis, Periostitis | 1 | 2 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | 3 | – | – | – | 4 | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | 1 | 2 | 4 | 2 | 1 | 1 | – | 1 | 1 | – | – | – |
| Eczema | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 2 | 4 | – | 8 | 13 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 57 | 123 | 240 | 319 | 416 | 273 | 81 | 18 | 7 | – |
| Dropsy, Ascites, Anasarca | 1 | 1 | – | 3 | 2 | 4 | 2 | 3 | – | 3 | 1 | – | – | – | – |
| Tumour | 2 | 3 | 1 | 3 | 5 | 11 | 3 | 6 | 1 | 2 | – | – | – | – | – |
| Abscess | 2 | 2 | 2 | 5 | 3 | 3 | 2 | 3 | 3 | 1 | – | 1 | – | – | – |
| Hæmorrhage | – | 1 | 2 | – | – | 4 | – | 2 | 1 | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 2 | 3 | 4 | – | 2 | – | 4 | – | 1 | 1 | – | – | – | – | – |
| Other ill-defined causes | – | – | 2 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Causes not specified | 5 | 9 | 13 | 11 | 14 | 23 | 19 | 14 | 13 | 1 | 2 | – | – | – | 3 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 23 | 18 | 14 | 6 | 5 | 2 | 3 | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 24 | 23 | 25 | 20 | 19 | 23 | 11 | 6 | 4 | – | 1 | 1 | – | – | – |
| Ships, Boats, Docks (not Drowning) | 8 | 8 | 5 | 11 | 6 | 4 | 2 | 1 | 1 | – | – | – | – | – | – |
| Building Operations | 2 | 3 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Machinery | 4 | 5 | 3 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | 5 | 5 | 2 | 6 | 3 | 4 | 2 | 1 | 2 | 2 | – | – | – | – |
| Poisons, Poisonous Vapours | 5 | 6 | 2 | 2 | 8 | 1 | 4 | 1 | – | – | – | – | – | – | – |
| Drowning | 37 | 35 | 29 | 32 | 31 | 25 | 14 | 4 | 3 | 1 | – | – | – | – | 11 |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 9 | 4 | 1 | 10 | 7 | – | – | 1 | – | 1 | – | – | – | – | – |
| Falls | 12 | 16 | 12 | 9 | 12 | 7 | 12 | 3 | 4 | 2 | 2 | – | 1 | – | – |
| Weather Agencies | 1 | 6 | 4 | 1 | 1 | 7 | – | 2 | 1 | 2 | – | – | – | – | – |
| Otherwise, or not stated | 27 | 22 | 32 | 22 | 29 | 25 | 15 | 14 | 16 | 10 | 7 | 1 | – | – | – |
| Homicide | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 16 | 16 | 20 | 28 | 21 | 13 | 19 | 10 | 3 | 2 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 4 | 3 | 6 | 3 | 2 | 6 | 5 | 4 | 1 | 4 | 2 | – | – | – | – |
| Other Diseases of Ovary | – | 3 | – | 1 | – | – | – | 3 | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 5 | 12 | 9 | 11 | 8 | 5 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 7 | 1 | 2 | 3 | – | 1 | 1 | 3 | – | 2 | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 7 | 3 | 1 | 1 | – | 1 | – | – | 2 | 1 | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 5 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 18 | 9 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 28 | 21 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 42 | 22 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 1 | 2 | 1 | 2 | 2 | 3 | 4 | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | 1 | 4 | – | – | 1 | 1 | 2 | – | – | 1 | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | 1 | – | 2 | 3 | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | 2 | 1 | 1 | – | 2 | 4 | 5 | 3 | 1 | 1 | 1 | – | – | – |
| Eczema | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | 1 | 2 | – | 1 | 1 | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 2 | 2 | 3 | 8 | 16 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 138 | 187 | 354 | 495 | 711 | 493 | 205 | 66 | 9 | – |
| Dropsy, Ascites, Anasarca | – | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 5 | 5 | – | 1 | – | – | – |
| Tumour | 5 | 5 | 6 | 5 | 6 | 16 | 12 | 10 | 13 | 4 | 1 | – | – | – | – |
| Abscess | 3 | 2 | – | 1 | – | 4 | 2 | – | 4 | 2 | 1 | 1 | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | 3 | 2 | 1 | 5 | 2 | 1 | – | – | – | 1 | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 5 | 11 | 7 | 15 | 16 | 22 | 27 | 18 | 21 | 5 | 3 | 2 | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | – | 2 | 2 | 1 | 2 | 3 | 2 | 2 | 2 | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 8 | 5 | 3 | 2 | 8 | 8 | 8 | 12 | 9 | 6 | 2 | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | 3 | 2 | 5 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Drowning | 9 | 10 | 3 | 4 | 4 | 3 | 3 | 1 | 2 | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 2 | 2 | 3 | 5 | 7 | 4 | – | 1 | 1 | 1 | – | – | – | – | – |
| Falls | 3 | 5 | 2 | 1 | 3 | 2 | 6 | 7 | 9 | 4 | 3 | 1 | – | – | – |
| Weather Agencies | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Otherwise, or not stated | 6 | 7 | 7 | 7 | 14 | 14 | 27 | 19 | 28 | 21 | 20 | 6 | – | 1 | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 9 | 6 | 3 | 6 | 8 | 8 | 4 | 1 | 2 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 18128 | 2356 | 870 | 1502 | 1418 | 521 | 306 | 192 | 536 | 307 | 445 | 574 | 583 | 632 |
| A.—GENERAL DISEASES | 8614 | 1190 | 405 | 923 | 969 | 364 | 217 | 123 | 329 | 168 | 287 | 348 | 327 | 355 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1298 | 174 | 119 | 178 | 163 | 45 | 34 | 16 | 51 | 31 | 22 | 16 | 21 | 23 |
| II. ,, ORGANS OF SPECIAL SENSE | 60 | 1 | 4 | 7 | 7 | 2 | 1 | – | 8 | 6 | 4 | 7 | 3 | 2 |
| III. ,, HEART | 1458 | 31 | 3 | 3 | 2 | 1 | 2 | 2 | 20 | 15 | 24 | 44 | 41 | 44 |
| IV. ,, BLOOD VESSELS | 902 | 6 | 1 | 1 | 3 | – | – | – | – | 2 | 1 | 8 | 7 | 19 |
| V. ,, RESPIRATORY SYSTEM | 1577 | 186 | 106 | 169 | 126 | 46 | 14 | 13 | 13 | 3 | 8 | 17 | 11 | 27 |
| VI. ,, DIGESTIVE SYSTEM | 1271 | 195 | 130 | 151 | 84 | 28 | 10 | 13 | 38 | 27 | 34 | 42 | 44 | 44 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 21 | 1 | – | – | – | – | 1 | 2 | – | – | 2 | 1 | 4 | 2 |
| VIII. ,, URINARY SYSTEM | 619 | 7 | 3 | 2 | 4 | 4 | 3 | 4 | 12 | 14 | 14 | 13 | 20 | 28 |
| IX. ,, GENERATIVE SYSTEM | 5 | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 66 | 1 | – | 1 | 3 | 2 | 5 | 2 | 12 | 11 | 2 | 2 | 5 | 2 |
| XII. ,, THE SKIN | 23 | 10 | 1 | 3 | 1 | – | – | 1 | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1211 | 486 | 76 | 52 | 36 | 9 | 3 | 1 | 6 | 4 | 1 | 4 | 6 | 10 |
| E.—VIOLENT DEATHS. | 1003 | 67 | 22 | 11 | 20 | 20 | 16 | 15 | 47 | 26 | 45 | 72 | 94 | 76 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 11 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Small-pox: Not Vaccinated | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Small-pox: Doubtful | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 9 | 1 | 1 | 2 | 5 | – | – | – | – | – | – | – | – | – |
| Measles | 375 | 1 | 12 | 90 | 163 | 47 | 24 | 12 | 24 | – | – | – | – | 1 |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 118 | 1 | 2 | 3 | 16 | 17 | 18 | 6 | 31 | 11 | 5 | 4 | 2 | 1 |
| Typhus | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 112 | 3 | 3 | 7 | 1 | 1 | 2 | 1 | 3 | 1 | 2 | 3 | 6 | 2 |
| Hooping-cough | 557 | 30 | 49 | 168 | 183 | 68 | 29 | 16 | 14 | – | – | – | – | – |
| Mumps | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 110 | 1 | 2 | 13 | 21 | 21 | 14 | 9 | 23 | 4 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 5 | – | 1 | – | 1 | – | – | – | – | – | 1 | 1 | 1 | – |
| Enteric Fever | 149 | – | – | 1 | 1 | 1 | – | 2 | 15 | 11 | 20 | 25 | 21 | 21 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 17725 | 1775 | 690 | 1189 | 1272 | 542 | 298 | 221 | 541 | 318 | 458 | 572 | 612 | 669 |
| A.—GENERAL DISEASES | 8300 | 939 | 291 | 749 | 881 | 396 | 215 | 158 | 359 | 194 | 307 | 379 | 394 | 391 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1062 | 136 | 79 | 108 | 128 | 45 | 33 | 20 | 46 | 20 | 24 | 17 | 11 | 27 |
| II. ,, ORGANS OF SPECIAL SENSE | 41 | 1 | 2 | 4 | 5 | – | 2 | 2 | 7 | 3 | 5 | 1 | – | 3 |
| III. ,, HEART | 1589 | 25 | 7 | 1 | 1 | – | – | 3 | 17 | 32 | 40 | 34 | 42 | 66 |
| IV. ,, BLOOD VESSELS | 1017 | 1 | – | 1 | 1 | – | 1 | – | – | 4 | 1 | 2 | 10 | 12 |
| V. ,, RESPIRATORY SYSTEM | 1587 | 122 | 83 | 134 | 124 | 41 | 21 | 7 | 15 | 9 | 3 | 14 | 12 | 12 |
| VI. ,, DIGESTIVE SYSTEM | 1324 | 138 | 128 | 127 | 70 | 27 | 10 | 9 | 44 | 25 | 34 | 48 | 41 | 42 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 39 | – | – | – | – | 1 | – | 1 | – | 1 | 2 | 3 | 3 | 6 |
| VIII. ,, URINARY SYSTEM | 405 | 3 | 4 | 1 | 2 | 1 | 3 | 2 | 7 | 9 | 7 | 15 | 24 | 23 |
| IX. ,, GENERATIVE SYSTEM | 120 | 2 | – | – | – | 1 | – | – | – | – | – | 12 | 11 | 13 |
| X. ,, PREGNANCY AND CHILDBIRTH | 206 | – | – | – | – | – | – | – | – | – | 10 | 28 | 43 | 45 |
| XI. ,, LOCOMOTOR SYSTEM | 47 | 3 | – | – | 2 | 1 | 1 | 1 | 8 | 6 | 6 | 1 | 3 | – |
| XII. ,, THE SKIN | 25 | 6 | 2 | 1 | 1 | – | – | – | – | – | 1 | 1 | – | 2 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1498 | 346 | 73 | 51 | 39 | 11 | 2 | 4 | 2 | 2 | 3 | 3 | 2 | 7 |
| E.—VIOLENT DEATHS. | 465 | 53 | 21 | 12 | 18 | 18 | 10 | 14 | 36 | 13 | 10 | 14 | 16 | 20 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 4 | 1 | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Small-pox: Doubtful | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 7 | – | – | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| Measles | 341 | 1 | 3 | 95 | 151 | 37 | 30 | 9 | 15 | – | – | – | – | – |
| German Measles | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 101 | – | 1 | 3 | 13 | 26 | 8 | 10 | 25 | 8 | 1 | 4 | 1 | – |
| Typhus | 4 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 154 | 3 | 2 | 2 | 2 | 3 | – | – | 6 | 1 | 1 | 3 | 3 | 7 |
| Hooping-cough | 653 | 45 | 52 | 186 | 188 | 88 | 46 | 26 | 21 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 150 | – | – | 11 | 33 | 21 | 23 | 17 | 40 | 1 | – | 1 | 1 | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 4 | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Enteric Fever | 123 | – | – | – | 1 | 1 | – | – | 7 | 13 | 12 | 20 | 19 | 16 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 647 | 786 | 814 | 945 | 992 | 1127 | 923 | 763 | 482 | 281 | 100 | 19 | 7 | – | – |
| A.—GENERAL DISEASES | 335 | 381 | 348 | 377 | 339 | 312 | 210 | 177 | 78 | 40 | 8 | 3 | 1 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 30 | 48 | 45 | 54 | 45 | 51 | 48 | 36 | 31 | 12 | 4 | – | 1 | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | 3 | – | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 73 | 91 | 108 | 117 | 164 | 216 | 174 | 142 | 91 | 39 | 10 | 1 | – | – | – |
| IV. ,, BLOOD VESSELS | 17 | 35 | 38 | 85 | 129 | 149 | 153 | 127 | 64 | 40 | 16 | – | 1 | – | – |
| V. ,, RESPIRATORY SYSTEM | 25 | 40 | 76 | 92 | 115 | 168 | 130 | 93 | 58 | 28 | 10 | 3 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 40 | 46 | 63 | 59 | 58 | 60 | 48 | 29 | 19 | 6 | 3 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 2 | 2 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 33 | 43 | 55 | 72 | 57 | 72 | 57 | 46 | 26 | 22 | 7 | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 3 | 4 | 2 | 2 | – | 6 | – | – | 1 | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | 1 | 1 | 3 | 2 | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | .. | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 7 | 18 | 14 | 12 | 17 | 44 | 64 | 92 | 105 | 91 | 40 | 9 | 4 | – | – |
| E.—VIOLENT DEATHS | 79 | 78 | 62 | 73 | 65 | 44 | 36 | 21 | 7 | 3 | 2 | 2 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 2 | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 7 | 2 | 6 | 9 | 10 | 11 | 12 | 6 | 6 | 6 | 1 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 9 | 8 | 6 | 1 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 716 | 656 | 736 | 858 | 912 | 1083 | 1022 | 998 | 764 | 503 | 227 | 77 | 13 | 3 | – |
| A.—GENERAL DISEASES | 372 | 314 | 309 | 329 | 300 | 318 | 280 | 200 | 125 | 75 | 23 | 2 | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 36 | 27 | 39 | 46 | 27 | 52 | 47 | 36 | 36 | 12 | 7 | 3 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | 2 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 80 | 68 | 122 | 143 | 186 | 190 | 164 | 130 | 105 | 59 | 20 | 3 | 1 | – | – |
| IV. ,, BLOOD VESSELS | 20 | 33 | 62 | 100 | 100 | 139 | 158 | 148 | 130 | 68 | 22 | 2 | 2 | – | – |
| V. ,, RESPIRATORY SYSTEM | 29 | 31 | 68 | 74 | 130 | 146 | 150 | 148 | 112 | 60 | 24 | 12 | 1 | – | – |
| VI. ,, DIGESTIVE SYSTEM | 50 | 53 | 47 | 78 | 75 | 75 | 63 | 65 | 33 | 28 | 11 | 3 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 4 | 1 | 6 | 4 | 1 | 1 | 1 | 4 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 31 | 41 | 39 | 42 | 35 | 38 | 27 | 25 | 11 | 7 | 3 | 4 | 1 | – | – |
| IX. ,, GENERATIVE SYSTEM | 14 | 16 | 13 | 11 | 6 | 9 | 3 | 3 | 2 | 4 | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 48 | 31 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | 1 | 2 | – | 1 | 3 | 1 | 6 | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | 1 | 1 | 1 | – | 1 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 7 | 13 | 9 | 13 | 22 | 95 | 102 | 155 | 191 | 182 | 110 | 44 | 8 | 2 | – |
| E.—VIOLENT DEATHS. | 24 | 24 | 15 | 17 | 28 | 16 | 23 | 26 | 18 | 8 | 6 | 4 | – | 1 | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 7 | 7 | 5 | 12 | 10 | 20 | 12 | 19 | 15 | 9 | 4 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 13 | 5 | 4 | 6 | 2 | 3 | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 76 | 20 | 18 | 21 | 12 | 2 | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 350 | 85 | 85 | 78 | 46 | 8 | 2 | 2 | 3 | 1 | – | – | 1 | 1 |
| Dysentery | 9 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Malaria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 6 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| Syphilis | 72 | 38 | 12 | 7 | 3 | 2 | – | 1 | – | 1 | 1 | 1 | 2 | – |
| Gonorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 48 | 11 | 3 | 1 | – | – | – | – | – | – | 1 | – | – | 4 |
| Septicæmia (not Puerperal) | 25 | 3 | 1 | 1 | – | 1 | 1 | – | 2 | 2 | – | 1 | 3 | 1 |
| Pyæmia (not Puerperal) | 6 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 33 | 3 | 2 | 2 | – | – | 1 | – | 2 | – | 2 | – | – | – |
| Phagedæna | 16 | – | 2 | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Infective Endocarditis | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Pneumonia — Lobar | 249 | 2 | 2 | 9 | 11 | 3 | 2 | 2 | 1 | 3 | 13 | 10 | 16 | 15 |
| Pneumonia — Broncho | 685 | 66 | 73 | 185 | 181 | 54 | 26 | 12 | 15 | 1 | 3 | 3 | 5 | 1 |
| Pneumonia — Epidemic | 8 | – | 1 | – | – | – | 1 | – | – | – | 2 | – | 1 | 1 |
| Pneumonia — Not defined | 1081 | 41 | 51 | 116 | 102 | 41 | 22 | 8 | 26 | 3 | 26 | 33 | 34 | 48 |
| Other Infective Conditions | 31 | – | – | 2 | 5 | 2 | 2 | – | 2 | – | 4 | 3 | 2 | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 244 | – | 1 | 7 | 13 | 6 | 4 | 1 | 9 | 9 | 24 | 25 | 20 | 27 |
| Phthisis (not otherwise defined) | 1311 | 2 | 5 | 8 | 12 | 5 | 7 | – | 33 | 34 | 117 | 178 | 153 | 165 |
| Tuberculous Meningitis | 325 | 14 | 20 | 63 | 76 | 31 | 16 | 20 | 45 | 21 | 4 | 4 | 5 | 5 |
| Tuberculous Peritonitis | 177 | 3 | 10 | 21 | 17 | 21 | 16 | 10 | 29 | 17 | 10 | 3 | 5 | 2 |
| Tabes Mesenterica | 100 | 7 | 8 | 21 | 18 | 9 | 13 | 4 | 10 | 7 | 1 | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tubercle of other Organs | 86 | – | 1 | 1 | 2 | 1 | 2 | 6 | 6 | 18 | 6 | 11 | 6 | 8 |
| General Tuberculosis | 186 | 5 | 8 | 24 | 27 | 12 | 8 | 7 | 22 | 9 | 14 | 14 | 9 | 5 |
| Scrofula | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Parasitic Diseases | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Starvation | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Alcoholism, Delirium Tremens | 97 | – | – | – | – | – | – | – | – | – | – | 1 | 7 | 12 |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Industrial Poisoning— By Lead | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 50 | 12 | 18 | 11 | 7 | 1 | 1 | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 272 | 51 | 48 | 54 | 36 | 4 | 5 | – | 4 | 2 | 1 | 1 | 1 | 1 |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 76 | 45 | 13 | 6 | 2 | 1 | – | – | – | – | 1 | 2 | 1 | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 41 | – | – | – | – | – | – | – | – | – | 4 | 6 | 12 | 11 |
| Puerperal Pyæmia | 4 | – | – | – | – | – | – | – | – | – | – | 3 | – | 1 |
| Phlegmasia Alba Dolens | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Puerperal Fever (not otherwise defined) | 89 | – | – | – | – | – | – | – | – | – | 3 | 20 | 32 | 20 |
| Erysipelas | 44 | 11 | 2 | 1 | 1 | – | 1 | – | – | 1 | 1 | 1 | – | 3 |
| Septicæmia (not Puerperal) | 25 | 2 | – | 1 | – | – | – | – | 2 | 4 | 2 | 4 | 2 | – |
| Pyæmia (not Puerperal) | 10 | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | 1 | – |
| Phlegmon, Carbuncle (not Anthrax) | 25 | 4 | 3 | – | – | – | – | – | – | 1 | 1 | – | 2 | 2 |
| Phagedæna | 17 | 1 | – | – | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Infective Endocarditis | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pneumonia — Lobar | 144 | 3 | 1 | 3 | 4 | 1 | – | 3 | 7 | 2 | 5 | 2 | 7 | 10 |
| Pneumonia — Broncho | 547 | 46 | 56 | 138 | 154 | 42 | 15 | 10 | 8 | 5 | 5 | 3 | 3 | 3 |
| Pneumonia — Epidemic | 11 | – | 1 | – | – | – | – | – | 2 | – | 1 | – | 2 | 2 |
| Pneumonia — Not defined | 782 | 33 | 28 | 76 | 99 | 47 | 15 | 17 | 20 | 10 | 13 | 14 | 19 | 24 |
| Other Infective Conditions | 17 | – | – | 1 | 1 | 2 | – | 3 | – | 2 | 2 | 2 | 1 | 2 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 289 | 1 | 3 | 8 | 14 | 10 | 6 | 4 | 21 | 17 | 34 | 29 | 40 | 30 |
| Phthisis (not otherwise defined) | 1348 | 2 | 2 | 3 | 13 | 10 | 9 | 8 | 46 | 47 | 159 | 201 | 182 | 185 |
| Tuberculous Meningitis | 297 | 7 | 21 | 49 | 57 | 41 | 23 | 24 | 46 | 9 | 9 | 4 | 2 | – |
| Tuberculous Peritonitis | 175 | 1 | 6 | 10 | 19 | 18 | 16 | 2 | 35 | 11 | 12 | 12 | 13 | 10 |
| Tabes Mesenterica | 74 | 1 | 5 | 16 | 17 | 8 | 5 | 5 | 11 | 4 | 1 | 1 | – | – |
| Lupus | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tubercle of other Organs | 63 | – | – | 4 | 1 | 4 | 2 | – | 8 | 13 | 6 | 4 | 6 | – |
| General Tuberculosis | 161 | 2 | 3 | 17 | 16 | 11 | 6 | 12 | 15 | 20 | 17 | 14 | 10 | 5 |
| Scrofula | 7 | – | – | – | – | 2 | 1 | 1 | 2 | – | – | 1 | – | – |
| Parasitic Diseases | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Starvation | 6 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 69 | – | – | – | – | – | – | – | – | – | – | – | 4 | 9 |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | 3 | 2 | 6 | 10 | 5 | 4 | 4 | 2 | 1 | – | – | – | – | – |
| Dysentery | 1 | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Malaria | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 4 | 2 | 8 | 2 | 4 | 3 | 4 | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | 1 | 4 | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 2 | – | 3 | 3 | 7 | 2 | 2 | 2 | – | – | – | – | – | – |
| Phagedæna | 1 | 1 | 3 | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 20 | 24 | 23 | 24 | 19 | 28 | 8 | 7 | 5 | 2 | – | – | – | – | – |
| Pneumonia — Broncho | 8 | 8 | 7 | 6 | 9 | 6 | 2 | 4 | 6 | 2 | 1 | 1 | – | – | – |
| Pneumonia — Epidemic | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 55 | 73 | 67 | 74 | 69 | 59 | 53 | 46 | 18 | 13 | 3 | – | – | – | – |
| Other Infective Conditions | – | – | 1 | 1 | 4 | 1 | 2 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 25 | 23 | 15 | 24 | 6 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 135 | 141 | 97 | 80 | 73 | 36 | 19 | 8 | 1 | 2 | – | – | – | – | – |
| Tuberculous Meningitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 2 | 3 | 2 | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 5 | 2 | 1 | 4 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| General Tuberculosis | 5 | 7 | 2 | 2 | 1 | 3 | 2 | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 17 | 18 | 13 | 13 | 6 | 5 | 3 | 2 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 3 | 4 | 3 | 11 | 8 | 8 | 9 | 7 | 5 | 4 | 2 | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 8 | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 2 | 5 | 2 | 1 | 2 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | 3 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | 3 | 3 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Phagedæna | 2 | 2 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 11 | 9 | 7 | 12 | 9 | 14 | 11 | 11 | 5 | 5 | 2 | – | – | – | – |
| Pneumonia — Broncho | 2 | 3 | 7 | 9 | 3 | 11 | 7 | 9 | 3 | 5 | – | – | – | – | – |
| Pneumonia — Epidemic | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 37 | 35 | 44 | 37 | 39 | 40 | 54 | 32 | 23 | 20 | 5 | 1 | – | – | – |
| Other Infective Conditions | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 18 | 16 | 16 | 12 | 3 | 2 | 3 | 2 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 164 | 109 | 74 | 58 | 30 | 22 | 13 | 5 | 6 | – | – | – | – | – | – |
| Tuberculous Meningitis | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 2 | 3 | 2 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Tubercle of other Organs | 3 | 4 | 2 | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – |
| General Tuberculosis | 4 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 8 | 12 | 10 | 9 | 7 | 4 | 3 | 2 | 1 | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 3 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 38 | – | – | – | 1 | 1 | – | – | 5 | 4 | 6 | 2 | 4 | |
| Rheumatism of Heart | 6 | – | – | – | – | – | – | – | – | – | 3 | 1 | – | |
| Chronic Rheumatism | 18 | – | – | – | – | – | – | – | – | – | 1 | – | – | |
| Rheumatic Arthritis, Rheumatic Gout | 10 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | |
| Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Carcinoma | 292 | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 | |
| Sarcoma | 62 | – | – | 1 | – | – | – | 1 | 3 | 4 | 3 | 7 | 3 | |
| Cancer, Malignant Disease (not otherwise defined) | 329 | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 | |
| Rickets | 20 | 3 | 2 | 2 | 7 | 2 | 3 | 1 | – | – | – | – | – | |
| Purpura | 7 | – | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | |
| Hæmophilia, Hæmorrhagic Diathesis | 5 | 3 | – | – | – | – | – | – | – | – | 2 | – | – | |
| Anæmia, Leucocythæmia | 78 | 1 | 1 | 2 | 4 | – | 1 | – | 2 | 3 | 2 | 5 | 2 | |
| Diabetes Mellitus | 60 | – | – | – | 1 | 1 | – | – | – | 2 | 5 | 7 | 8 | |
| Premature Birth | 631 | 631 | – | – | – | – | – | – | – | – | – | – | – | |
| Congenital Defects | 140 | 121 | 8 | 3 | 3 | 1 | 1 | 1 | – | – | 2 | – | – | |
| Injury at Birth | 35 | 35 | – | – | – | – | – | – | – | – | – | – | – | |
| Atelectasis | 45 | 45 | – | – | – | – | – | – | – | – | – | – | – | |
| Want of Breast Milk | 31 | 10 | 10 | 9 | 2 | – | – | – | – | – | – | – | – | |
| Teething | 97 | – | 9 | 51 | 33 | 4 | – | – | – | – | – | – | – | |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 466 | 32 | 58 | 98 | 91 | 25 | 26 | 12 | 42 | 23 | 13 | 7 | 7 | |
| Softening of Brain | 72 | – | – | – | – | – | – | – | – | – | – | – | – | |
| General Paralysis of Insane | 42 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | |
| Insanity (not Puerperal) | 10 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chorea | 3 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | |
| Epilepsy | 52 | 1 | 1 | 2 | – | – | – | – | 1 | 1 | 3 | 3 | 6 | |
| Convulsions | 326 | 135 | 50 | 59 | 53 | 11 | 6 | 2 | 3 | 1 | 1 | – | 1 | |
| Laryngismus Stridulus | 32 | 4 | 5 | 10 | 12 | 1 | – | – | – | – | – | – | – | |
| Locomotor Ataxy | 28 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Paraplegia, Diseases of Cord | 78 | – | – | – | 1 | 1 | 1 | – | – | 1 | 1 | 4 | 5 | |
| Neuritis; Peripheral, Poly-neuritis | 10 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Brain Tumour (not Specific) | 32 | – | 1 | 1 | – | – | 1 | 1 | 3 | 2 | 1 | 1 | – | |
| Other Diseases of Nervous System | 147 | 2 | 4 | 8 | 6 | 6 | – | 1 | 2 | 1 | 2 | 1 | 1 | |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 56 | – | 4 | 7 | 6 | 2 | 1 | – | 8 | 6 | 4 | 7 | 3 | |
| Epistaxis, Diseases of Nose | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 404 | – | – | – | – | – | 2 | – | 2 | 7 | 10 | 20 | 18 | |
| Pericarditis | 18 | 1 | – | – | – | – | – | – | 2 | 1 | 1 | – | 1 | |
| Hypertrophy of Heart | 15 | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| Angina Pectoris | 43 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Dilatation of Heart | 34 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Fatty Degeneration of Heart | 73 | – | – | – | – | – | – | – | – | – | – | – | 1 | |
| Syncope, Heart Disease (not specified) | 871 | 30 | 3 | 3 | 2 | 1 | – | 2 | 15 | 7 | 13 | 24 | 21 | |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 55 | – | – | 1 | 1 | – | – | 1 | 8 | 10 | 3 | 5 | 3 | 5 |
| Rheumatism of Heart | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Chronic Rheumatism | 42 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 26 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 468 | – | – | – | – | – | – | – | – | – | – | 1 | 4 | 14 |
| Sarcoma | 48 | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 4 | 1 | 3 |
| Cancer, Malignant Disease (not otherwise defined) | 475 | – | – | – | – | – | – | – | – | – | – | 1 | 4 | 14 |
| Rickets | 23 | – | 1 | 3 | 14 | 4 | – | 1 | – | – | – | – | – | – |
| Purpura | 14 | – | – | 1 | 1 | 1 | – | – | 2 | 2 | 1 | 1 | 1 | – |
| Hæmophilia, Hæmorrhagic Diathesis | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 105 | 1 | – | 1 | 1 | 2 | – | – | – | 1 | 5 | 6 | 9 | 7 |
| Diabetes Mellitus | 70 | – | – | – | – | – | – | – | 2 | 1 | 3 | 2 | 6 | 4 |
| Premature Birth | 488 | 488 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 117 | 97 | 8 | 3 | 3 | – | – | 2 | 2 | 2 | – | – | – | – |
| Injury at Birth | 20 | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 43 | 43 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 24 | 9 | 8 | 4 | 3 | – | – | – | – | – | – | – | – | – |
| Teething | 63 | 1 | 3 | 36 | 19 | 3 | 1 | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 367 | 28 | 36 | 63 | 72 | 34 | 24 | 16 | 35 | 14 | 9 | 5 | 2 | 2 |
| Softening of Brain | 62 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 15 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 3 |
| Insanity (not Puerperal) | 31 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 4 |
| Chorea | 3 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Epilepsy | 39 | – | – | – | 2 | – | 1 | – | 1 | 1 | 8 | 1 | 1 | 4 |
| Convulsions | 252 | 106 | 38 | 35 | 42 | 9 | 6 | 3 | 4 | 2 | 3 | 1 | – | – |
| Laryngismus Stridulus | 10 | 1 | 2 | 4 | 3 | | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Paraplegia, Diseases of Cord | 56 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 | 4 |
| Neuritis; Peripheral, Poly-neuritis | 20 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Brain Tumour (not Specific) | 24 | – | – | – | – | – | – | – | 5 | – | – | 2 | 2 | 4 |
| Other Diseases of Nervous System | 178 | 1 | 3 | 6 | 9 | 2 | 1 | 1 | – | 1 | 2 | 4 | 3 | 3 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 39 | 1 | 2 | 4 | 5 | – | 1 | 2 | 7 | 3 | 5 | 1 | – | 3 |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 479 | 1 | – | – | – | – | – | 2 | 11 | 20 | 26 | 19 | 16 | 36 |
| Pericarditis | 21 | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 1 | – |
| Hypertrophy of Heart | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 29 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Dilatation of Heart | 33 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | 2 |
| Fatty Degeneration of Heart | 80 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope, Heart Disease (not specified) | 941 | 24 | 7 | 1 | 1 | – | – | – | 4 | 11 | 13 | 14 | 23 | 27 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 4 | 2 | 1 | 2 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Rheumatism of Heart | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | 1 | – | 3 | 5 | 2 | 1 | 3 | 2 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 2 | 2 | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Gout | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Carcinoma | 6 | 13 | 32 | 50 | 44 | 52 | 36 | 31 | 13 | 5 | 1 | 1 | – | – |
| Sarcoma | 3 | 4 | 6 | 5 | 7 | 3 | 2 | 3 | 1 | – | 1 | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 11 | 17 | 35 | 43 | 50 | 56 | 42 | 42 | 17 | 6 | 1 | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 5 | 8 | 7 | 4 | 3 | 12 | 4 | 2 | – | 3 | – | – | – | – |
| Diabetes Mellitus | 5 | 3 | 3 | 3 | 2 | 7 | 5 | 3 | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 3 | 3 | 3 | 3 | 5 | 6 | 1 | 1 | 1 | 1 | – | – | – | – |
| Softening of Brain | 1 | 1 | 4 | 9 | 10 | 12 | 9 | 11 | 8 | 4 | – | – | 1 | – |
| General Paralysis of Insane | 7 | 15 | 5 | 7 | 2 | 1 | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | 3 | – | 1 | 2 | 1 | – | 1 | 2 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | 6 | 6 | 5 | 1 | 3 | 3 | 1 | 1 | 1 | – | – | – | – |
| Convulsions | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 4 | 3 | 5 | 3 | 6 | 1 | 5 | 1 | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 3 | 6 | 8 | 13 | 8 | 10 | 6 | 3 | 1 | – | 1 | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | 5 | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 7 | 3 | 4 | 1 | 3 | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 3 | 10 | 10 | 5 | 16 | 23 | 18 | 16 | 6 | 3 | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 3 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 31 | 32 | 38 | 34 | 43 | 40 | 38 | 38 | 17 | 9 | 1 | – | – | – |
| Pericarditis | 2 | – | – | 1 | 3 | 1 | – | 1 | 3 | – | – | – | – | – |
| Hypertrophy of Heart | 3 | 1 | 3 | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Angina Pectoris | 1 | 2 | 2 | 3 | 9 | 8 | 7 | 9 | 1 | 1 | – | – | – | – |
| Dilatation of Heart | 2 | 2 | 3 | 4 | 6 | 6 | 3 | 3 | 4 | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | 7 | 7 | 4 | 8 | 18 | 7 | 12 | 6 | 1 | 1 | – | – | – |
| Syncope, Heart Disease (not specified) | 33 | 47 | 55 | 70 | 95 | 142 | 117 | 78 | 59 | 28 | 8 | 1 | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | 3 | 2 | 4 | – | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | 1 | 2 | 2 | 7 | 7 | 5 | 7 | 5 | 4 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 2 | – | 2 | 2 | 3 | 2 | 5 | 5 | 2 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 26 | 35 | 46 | 47 | 82 | 71 | 68 | 37 | 21 | 13 | 3 | – | – | – | – |
| Sarcoma | 3 | 5 | 3 | 8 | 5 | 4 | 2 | 4 | 1 | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 26 | 36 | 47 | 60 | 63 | 72 | 62 | 47 | 27 | 9 | 7 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 10 | 5 | 7 | 13 | 7 | 11 | 10 | 4 | 4 | 1 | – | – | – | – | – |
| Diabetes Mellitus | 3 | 3 | 8 | 7 | 11 | 11 | 6 | 1 | 2 | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 10 | 3 | 2 | 5 | – | 2 | 2 | – | 2 | 1 | – | – | – | – | – |
| Softening of Brain | 1 | 3 | 5 | 10 | 5 | 8 | 7 | 10 | 4 | 4 | 3 | 2 | – | – | – |
| General Paralysis of Insane | 2 | 4 | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 2 | – | 4 | 3 | 2 | 4 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | 2 | 3 | 3 | 2 | 2 | – | 2 | 1 | – | – | – | – | – | – |
| Convulsions | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | 5 | 6 | 8 | 4 | 9 | 6 | 3 | 3 | – | – | 1 | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 5 | 2 | 5 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | 4 | 2 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 7 | 3 | 11 | 6 | 12 | 23 | 28 | 18 | 24 | 6 | 4 | – | – | – | – |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Heart.** | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 35 | 31 | 42 | 42 | 40 | 45 | 41 | 42 | 17 | 9 | 4 | – | – | – | – |
| Pericarditis | 1 | – | 1 | 3 | 5 | 2 | – | 2 | 1 | – | – | – | 1 | – | – |
| Hypertrophy of Heart | – | – | 1 | 2 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Angina Pectoris | – | 1 | 2 | 1 | 3 | 2 | 6 | 7 | 5 | 1 | – | – | – | – | – |
| Dilatation of Heart | 1 | 1 | 3 | 2 | 4 | 6 | 4 | 2 | 2 | 2 | 1 | – | – | – | – |
| Fatty Degeneration of Heart | 2 | 1 | 8 | 8 | 14 | 17 | 9 | 13 | 3 | 4 | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 41 | 34 | 65 | 85 | 119 | 117 | 104 | 114 | 77 | 42 | 15 | 3 | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 372 | 4 | 1 | 1 | 1 | – | – | – | – | 1 | 1 | 7 | 4 | 4 |
| Apoplexy, Hemiplegia | 399 | – | – | – | 2 | – | – | – | – | – | – | – | 2 | 9 |
| Aneurism | 56 | – | – | – | – | – | – | – | – | – | – | 1 | – | 4 |
| Senile Gangrene | 31 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 13 | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 29 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 30 | 3 | 2 | 7 | 12 | 2 | 1 | – | – | – | – | 2 | – | – |
| Membranous Laryngitis (not Diphtheritic) | 3 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 12 | – | 1 | 2 | 5 | 1 | – | 3 | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 5 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1362 | 181 | 100 | 154 | 106 | 41 | 12 | 8 | 7 | 3 | 4 | 10 | 6 | 17 |
| Emphysema, Asthma | 37 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Pleurisy | 83 | – | 3 | 4 | 2 | 2 | – | – | 4 | – | 2 | 5 | 5 | 5 |
| Fibroid Disease of Lung | 25 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 |
| Other Dis. of Respiratory System | 20 | 1 | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 8 | – | – | 2 | 1 | 1 | – | 1 | – | – | 1 | – | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 18 | 3 | – | 2 | 1 | – | – | 1 | – | – | – | – | 1 | 2 |
| Gastric Ulcer | 52 | – | – | – | – | – | – | – | 1 | – | 3 | 6 | 6 | 4 |
| Gastric Catarrh | 138 | 39 | 22 | 22 | 5 | 7 | – | 1 | 4 | 1 | – | 2 | 1 | 2 |
| Other Diseases of Stomach (not Malignant) | 72 | 5 | 5 | 2 | 3 | – | 1 | 1 | – | – | – | 2 | 2 | 5 |
| Enteritis (not Infective) | 139 | 35 | 30 | 30 | 10 | 3 | 1 | 3 | 6 | 1 | 1 | 1 | 1 | – |
| Gastro-enteritis | 282 | 69 | 54 | 68 | 54 | 10 | 2 | 2 | 2 | 1 | – | – | 1 | – |
| Appendicitis, Perityphlitis | 88 | – | – | 1 | 1 | 1 | 1 | 1 | 17 | 10 | 10 | 14 | 11 | 5 |
| Hernia | 42 | 1 | 2 | 1 | – | 3 | 1 | – | 1 | – | 1 | 4 | 1 | – |
| Intestinal Obstruction | 135 | 12 | 14 | 14 | 3 | 2 | 2 | – | 3 | 5 | 8 | 4 | 6 | 6 |
| Other Diseases of Intestines | 30 | 5 | – | 2 | 1 | – | 2 | – | – | 1 | – | 3 | 1 | 2 |
| Peritonitis (not Puerperal) | 109 | 9 | 2 | 6 | 4 | 1 | – | 3 | 3 | 7 | 7 | 3 | 10 | 4 |
| Cirrhosis of Liver | 70 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 7 |
| Other Diseases of Liver and Gall Bladder | 87 | 17 | 1 | 1 | 1 | – | – | – | 1 | 1 | 3 | 2 | – | 6 |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 4 | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Other Dis. of Lymphatic System | 10 | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 | 2 | 1 |
| Diseases of Thyroid Body | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Supra-renal Capsules | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 174 | 2 | 3 | 2 | 2 | 3 | 2 | 4 | 10 | 8 | 8 | 6 | 11 | 10 |
| Chronic Bright's Disease, Albuminuria | 258 | – | – | – | – | 1 | 1 | – | 2 | 5 | 6 | 4 | 7 | 16 |
| Calculus (not Biliary) | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 117 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 62 | 4 | – | – | – | – | – | – | – | 1 | – | 3 | 2 | 2 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 412 | 1 | – | 1 | – | – | 1 | – | – | 3 | 1 | – | 4 | 7 |
| Apoplexy, Hemiplegia | 497 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Aneurism | 18 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Senile Gangrene | 41 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 11 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | 2 |
| Phlebitis | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 27 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 21 | 1 | 3 | 5 | 3 | 2 | 1 | – | 2 | 1 | 2 | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 3 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 12 | – | 1 | 2 | 6 | 1 | 1 | – | 1 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 5 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 1428 | 115 | 78 | 123 | 111 | 37 | 17 | 7 | 12 | 7 | 4 | 11 | 7 | 7 |
| Emphysema, Asthma | 24 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Pleurisy | 71 | 1 | 1 | 2 | 4 | – | – | – | – | 1 | 1 | 3 | 3 | 4 |
| Fibroid Disease of Lung | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 15 | 5 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 7 | – | 1 | – | – | – | – | – | 2 | – | – | 1 | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 29 | 3 | – | 4 | 4 | 2 | – | 1 | 1 | – | – | – | 1 | – |
| Gastric Ulcer | 76 | – | – | – | – | – | – | – | – | – | 7 | 22 | 10 | 11 |
| Gastric Catarrh | 191 | 34 | 22 | 17 | 9 | 1 | – | 1 | 3 | 1 | 2 | – | 2 | 5 |
| Other Diseases of Stomach (not Malignant) | 71 | 10 | 7 | 2 | – | – | – | – | – | – | 1 | 1 | 2 | 1 |
| Enteritis (not Infective) | 140 | 27 | 20 | 23 | 19 | 5 | 2 | 2 | 3 | 1 | 1 | – | 2 | 3 |
| Gastro-enteritis | 268 | 48 | 62 | 68 | 33 | 12 | 2 | 3 | 7 | 4 | 2 | 3 | 2 | – |
| Appendicitis, Perityphlitis | 56 | – | – | – | – | – | 2 | – | 10 | 9 | 6 | 3 | 5 | 2 |
| Hernia | 44 | 2 | 1 | – | – | 1 | – | – | – | 2 | – | 1 | – | 1 |
| Intestinal Obstruction | 114 | 1 | 10 | 6 | 1 | 2 | 2 | – | 3 | 3 | 2 | 6 | 3 | 1 |
| Other Diseases of Intestines | 28 | 3 | – | 2 | – | 1 | – | – | 2 | 1 | – | 2 | 1 | 1 |
| Peritonitis (not Puerperal) | 137 | 4 | 5 | 2 | 3 | 2 | 1 | 2 | 11 | 4 | 12 | 8 | 12 | 15 |
| Cirrhosis of Liver | 37 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Liver and Gall Bladder | 123 | 6 | – | 2 | 1 | 1 | 1 | – | 2 | – | 1 | 1 | – | 1 |
| Other Diseases of Digestive System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 16 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | 2 |
| Diseases of Thyroid Body | 19 | – | – | – | – | 1 | – | – | – | – | 1 | 3 | 3 | 4 |
| Diseases of Supra-renal Capsules | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 148 | 2 | 2 | 1 | 2 | 1 | 3 | 1 | 3 | 6 | 3 | 9 | 10 | 12 |
| Chronic Bright's Disease, Albuminuria | 204 | – | 2 | – | – | – | – | 1 | 3 | 2 | 3 | 6 | 9 | 8 |
| Calculus (not Biliary) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 19 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Diseases of Urinary System | 29 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | 5 | 2 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 4 | 18 | 13 | 35 | 55 | 56 | 63 | 51 | 31 | 13 | 9 | – | – | – | – |
| Apoplexy, Hemiplegia | 7 | 7 | 17 | 34 | 62 | 73 | 71 | 64 | 27 | 20 | 3 | – | 1 | – | – |
| Aneurism | 6 | 9 | 5 | 14 | 8 | 3 | 4 | 1 | – | 1 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 7 | 8 | 6 | 3 | 5 | 2 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | 1 | – | – | 3 | 1 | 1 | 1 | – | – | 1 | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | 3 | 2 | 1 | 8 | 5 | 4 | 3 | 1 | 1 | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 18 | 30 | 55 | 72 | 93 | 149 | 120 | 83 | 54 | 26 | 10 | 3 | – | – | – |
| Emphysema, Asthma | 1 | 3 | 3 | 7 | 8 | 6 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| Pleurisy | 4 | 4 | 13 | 4 | 5 | 7 | 6 | 4 | 3 | 1 | – | – | – | – | – |
| Fibroid Disease of Lung | – | 2 | 1 | 7 | 5 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 2 | 1 | 3 | 1 | 3 | – | 2 | 2 | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | 2 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Gastric Ulcer | 7 | 1 | 7 | 4 | 2 | 8 | 1 | – | 1 | – | 1 | – | – | – | – |
| Gastric Catarrh | 3 | 1 | 5 | 3 | 4 | 5 | 4 | 3 | 2 | 2 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | 6 | 6 | 8 | 9 | 4 | 4 | 3 | 2 | 1 | 1 | – | – | – | – |
| Enteritis (not Infective) | 1 | 3 | 2 | 2 | – | 4 | 3 | 2 | – | – | – | – | – | – | – |
| Gastro-enteritis | – | 1 | 4 | 2 | 3 | 3 | 2 | 1 | 1 | 1 | 1 | – | – | – | – |
| Appendicitis, Perityphlitis | 4 | 5 | 3 | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Hernia | – | 1 | 5 | 3 | 5 | 2 | 7 | 3 | 1 | – | – | – | – | – | – |
| Intestinal Obstruction | 5 | 7 | 9 | 7 | 4 | 9 | 5 | 5 | 4 | 1 | – | – | – | – | – |
| Other Diseases of Intestines | 2 | 1 | 2 | 2 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 6 | 7 | 7 | 5 | 7 | 11 | 4 | 2 | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | 4 | 9 | 8 | 11 | 12 | 7 | 4 | 3 | 1 | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 4 | 4 | 5 | 10 | 6 | 5 | 10 | 5 | 4 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 11 | 11 | 18 | 23 | 8 | 13 | 9 | 8 | – | 1 | 1 | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 13 | 25 | 28 | 38 | 28 | 39 | 23 | 12 | 5 | 3 | 2 | – | – | – | – |
| Calculus (not Biliary) | 1 | – | – | 1 | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 2 | 2 | 4 | 11 | 12 | 22 | 23 | 14 | 17 | 4 | 1 | – | – | – |
| Other Diseases of Urinary System | 6 | 5 | 7 | 6 | 9 | 7 | 3 | 2 | 4 | 1 | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 10 | 13 | 30 | 47 | 38 | 53 | 67 | 52 | 43 | 33 | 8 | – | – | – | – |
| Apoplexy, Hemiplegia | 9 | 18 | 29 | 44 | 57 | 69 | 77 | 81 | 67 | 27 | 11 | 2 | 2 | – | – |
| Aneurism | – | 1 | 2 | 4 | 3 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | 1 | 3 | 6 | 13 | 11 | 4 | 3 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | 1 | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | 1 | – | 7 | 4 | 1 | 8 | 4 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 19 | 25 | 65 | 63 | 119 | 129 | 144 | 135 | 102 | 59 | 20 | 11 | 1 | – | – |
| Emphysema, Asthma | 3 | 2 | – | 3 | 2 | 4 | 1 | 4 | 2 | 1 | – | – | – | – | – |
| Pleurisy | 6 | 2 | 3 | 6 | 4 | 11 | 4 | 6 | 6 | – | 3 | – | – | – | – |
| Fibroid Disease of Lung | 1 | 1 | – | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 2 | – | – | 2 | 2 | – | 1 | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | 2 | 1 | 1 | 3 | 1 | 2 | – | – | 1 | 1 | – | – | – | – |
| Gastric Ulcer | 5 | 6 | 3 | 4 | 2 | 1 | – | 4 | – | 1 | – | – | – | – | – |
| Gastric Catarrh | 6 | 4 | 7 | 12 | 14 | 15 | 11 | 11 | 4 | 6 | 3 | 1 | – | – | – |
| Other Diseases of Stomach (not Malignant) | 6 | 6 | 2 | 3 | 3 | 3 | 7 | 10 | 3 | 2 | 2 | – | – | – | – |
| Enteritis (not Infective) | 2 | 4 | 2 | 3 | 5 | 3 | 5 | 1 | 5 | 1 | – | 1 | – | – | – |
| Gastro-enteritis | 1 | 1 | – | 8 | 3 | 5 | – | 2 | 1 | 1 | – | – | – | – | – |
| Appendicitis, Perityphlitis | 6 | 1 | 5 | 3 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Hernia | 2 | 2 | 2 | 5 | 8 | 3 | 7 | 2 | 1 | 2 | 2 | – | – | – | – |
| Intestinal Obstruction | 4 | 6 | 4 | 4 | 10 | 14 | 8 | 13 | 5 | 5 | 1 | – | – | – | – |
| Other Diseases of Intestines | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Peritonitis (not Puerperal) | 4 | 11 | 6 | 10 | 7 | 7 | 4 | 3 | 3 | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 4 | 4 | 4 | 6 | 3 | 6 | 3 | 2 | 1 | 1 | 1 | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 5 | 4 | 7 | 18 | 14 | 14 | 15 | 14 | 9 | 5 | 1 | 1 | – | – | – |
| Other Diseases of Digestive System | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | 3 | 3 | 1 | 1 | – | 3 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 16 | 15 | 11 | 12 | 7 | 10 | 7 | 4 | 2 | 4 | 2 | 2 | 1 | – | – |
| Chronic Bright's Disease, Albuminuria | 12 | 22 | 22 | 24 | 24 | 25 | 16 | 17 | 6 | 2 | – | – | – | – | – |
| Calculus (not Biliary) | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | 1 | 3 | 2 | 1 | 2 | 4 | 1 | – | – | 2 | – | – | – |
| Other Diseases of Urinary System | 2 | 1 | 4 | 3 | 1 | 2 | 2 | – | 2 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 5 | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 48 | 1 | – | – | 3 | 2 | 2 | 2 | 12 | 9 | 1 | 2 | 3 | 2 |
| Arthritis, Periostitis | 10 | – | – | 1 | – | – | 3 | – | – | 1 | 1 | – | 1 | – |
| Other Dis. of Locomotor System | 8 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 7 | 2 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | 6 | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 591 | 441 | 59 | 42 | 29 | 2 | 2 | – | 4 | – | – | – | 1 | – |
| Old Age | 410 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 13 | 2 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Tumour | 21 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Abscess | 25 | 4 | 2 | – | 3 | – | 1 | – | – | 1 | – | – | – | 1 |
| Hæmorrhage | 10 | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Sudden Death (cause unascertained) | 16 | 3 | 1 | – | – | 1 | – | – | – | – | 1 | – | – | 1 |
| Other ill-defined causes | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Causes not specified | 124 | 32 | 14 | 10 | 3 | 6 | – | 1 | 1 | 2 | – | 2 | 3 | 5 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 31 | – | – | – | – | – | – | – | – | 1 | 6 | 4 | 6 | 4 |
| Vehicles and Horses | 137 | – | – | – | – | 1 | 4 | 4 | 7 | 5 | 8 | 14 | 16 | 13 |
| Ships, Boats, Docks (not Drowning) | 56 | – | – | – | – | – | – | – | – | 1 | 2 | 3 | 7 | 6 |
| Building Operations | 9 | – | – | – | – | – | – | – | – | – | 2 | – | 3 | 1 |
| Machinery | 22 | – | – | – | – | – | – | – | – | 1 | 4 | 3 | 4 | 3 |
| Weapons and Implements | 3 | – | – | – | – | – | – | – | – | – | – | 3 | – | – |
| Burns and Scalds | 77 | – | 1 | 3 | 16 | 14 | 5 | 4 | 7 | 2 | – | 2 | 4 | 1 |
| Poisons, Poisonous Vapours | 30 | – | 1 | 1 | 1 | 2 | – | – | 1 | 1 | 1 | 1 | 4 | 4 |
| Drowning | 129 | – | – | – | – | – | 4 | 2 | 12 | 4 | 6 | 10 | 14 | 15 |
| Suffocation { From Overlaying | 51 | 34 | 14 | 3 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 57 | 22 | 6 | 2 | 1 | – | 1 | – | 2 | – | – | 2 | – | 2 |
| Falls | 91 | – | – | – | – | 1 | 1 | – | 6 | 3 | 2 | 11 | 7 | 9 |
| Weather Agencies | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 216 | 4 | – | 2 | 2 | 2 | 1 | 5 | 12 | 8 | 13 | 13 | 19 | 10 |
| Homicide | 6 | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suicide | 83 | – | – | – | – | – | – | – | – | – | 1 | 6 | 9 | 8 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 29 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 |
| Other Diseases of Ovary | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 | 3 |
| Uterine Tumour (not Malignant) | 39 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Other Dis. of Uterus and Vagina | 18 | 2 | – | – | – | – | – | – | – | – | – | 3 | 2 | 3 |
| Disorders of Menstruation | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Generative and Mammary Organs | 23 | – | – | – | – | 1 | – | – | – | – | – | 6 | 5 | 1 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 11 | – | – | – | – | – | – | – | – | – | – | – | 5 | 2 |
| Puerperal Mania | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Puerperal Convulsions | 48 | – | – | – | – | – | – | – | – | – | 7 | 10 | 12 | 9 |
| Placenta Prævia, Flooding | 48 | – | – | – | – | – | – | – | – | – | – | 5 | 3 | 13 |
| Other Accidents of Pregnancy and Childbirth | 93 | – | – | – | – | – | – | – | – | – | 3 | 12 | 22 | 20 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 29 | – | – | – | 2 | – | – | 1 | 7 | 5 | 5 | – | 2 | – |
| Arthritis, Periostitis | 14 | 3 | – | – | – | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – |
| Other Dis. of Locomotor System | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 10 | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Eczema | 6 | – | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Pemphigus | 5 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 454 | 304 | 63 | 40 | 24 | 4 | 1 | 3 | – | – | – | – | – | 1 |
| Old Age | 824 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 20 | 1 | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | 1 |
| Tumour | 45 | – | – | 1 | 1 | – | – | – | – | – | 1 | 1 | 2 | 3 |
| Abscess | 20 | 3 | – | – | 6 | – | – | – | – | – | 1 | – | – | 2 |
| Hæmorrhage | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 12 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 119 | 36 | 10 | 7 | 8 | 6 | – | 1 | 1 | 2 | 1 | 2 | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 23 | – | – | 1 | 2 | 1 | 1 | – | 3 | 1 | – | – | 4 | 2 |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 123 | 1 | 1 | 4 | 12 | 15 | 6 | 10 | 24 | 6 | 1 | 4 | 2 | 2 |
| Poisons, Poisonous Vapours | 24 | 1 | – | 1 | 1 | – | – | 2 | – | 3 | – | 2 | 1 | 2 |
| Drowning | 18 | – | – | – | 1 | – | – | – | – | 1 | 3 | 1 | 1 | – |
| Suffocation { From Overlaying | 43 | 29 | 11 | 3 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 46 | 17 | 8 | 3 | – | – | – | 1 | – | – | 1 | – | – | 1 |
| Falls | 37 | – | 1 | – | – | – | 2 | – | 2 | – | – | 2 | – | 3 |
| Weather Agencies | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Otherwise, or not stated | 113 | 2 | – | – | 2 | 2 | 1 | 1 | 7 | 2 | 3 | 3 | 3 | 6 |
| Homicide | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 31 | – | – | – | – | – | – | – | – | – | 1 | 1 | 5 | 3 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | [illegible] |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | 2 | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – | | – |
| Arthritis, Periostitis | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | | – |
| Other Dis. of Locomotor System | – | 2 | – | – | – | 4 | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | 1 | – | 3 | 2 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 2 | 3 | – | 3 | 3 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 26 | 54 | 83 | 104 | 90 | 40 | 9 | 4 | – | – |
| Dropsy, Ascites, Anasarca | – | 1 | – | – | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| Tumour | 1 | 2 | – | 1 | 4 | 4 | 3 | 3 | – | – | – | – | – | – | – |
| Abscess | 1 | 2 | 1 | 2 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | 3 | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | 7 | 9 | 6 | 6 | 7 | 4 | 3 | 1 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 2 | 5 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 12 | 13 | 9 | 10 | 7 | 8 | – | 5 | – | – | – | 1 | – | – | – |
| Ships, Boats, Docks (not Drowning) | 5 | 6 | 5 | 11 | 5 | 4 | 1 | – | – | – | – | – | – | – | – |
| Building Operations | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 2 | 1 | 1 | 4 | 1 | 3 | – | – | – | – | – | – | – | – |
| Drowning | 15 | 11 | 7 | 10 | 10 | 4 | 3 | 2 | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 7 | 2 | – | 5 | 4 | – | – | 1 | – | – | – | – | – | – | – |
| Falls | 8 | 10 | 8 | 8 | 6 | 4 | 5 | – | 2 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or not stated | 17 | 16 | 21 | 13 | 16 | 16 | 10 | 5 | 5 | 3 | 2 | 1 | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 8 | 6 | 6 | 12 | 8 | 3 | 10 | 6 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 4 | 2 | 3 | 3 | 1 | 4 | 2 | 2 | – | 2 | – | – | – | – | – |
| Other Diseases of Ovary | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 3 | 11 | 8 | 4 | 5 | 3 | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 3 | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 4 | 1 | – | 1 | – | 1 | – | – | 2 | 1 | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 14 | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 22 | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | 1 | – | – | 2 | – | 3 | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | 1 | 1 | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | 1 | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Eczema | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | 1 | 1 | 4 | 8 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 76 | 81 | 147 | 179 | 177 | 110 | 44 | 8 | 2 | – |
| Dropsy, Ascites, Anasarca | – | 2 | 1 | – | 1 | 2 | 4 | 2 | 1 | 1 | | – | – | | – |
| Tumour | 3 | 3 | 3 | 2 | 4 | 6 | 7 | 2 | 4 | 2 | – | – | – | | – |
| Abscess | 1 | – | – | – | – | 2 | 1 | – | 2 | 2 | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | 3 | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | 4 | 3 | 7 | 6 | 7 | 8 | 4 | 5 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | 1 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 6 | 5 | 2 | – | 7 | 2 | 3 | 5 | 3 | 2 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | 3 | 1 | 4 | – | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | 3 | 3 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | 2 | 2 | 4 | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Falls | – | 3 | 1 | 1 | 2 | 2 | 4 | 4 | 7 | 1 | 1 | 1 | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Otherwise, or not stated | 5 | 6 | 4 | 3 | 11 | 8 | 13 | 11 | 6 | 5 | 5 | 3 | – | 1 | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 6 | 2 | 2 | 3 | 3 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 4984 | 648 | 219 | 322 | 344 | 131 | 64 | 58 | 121 | 93 | 108 | 155 | 151 | 160 |
| A.—GENERAL DISEASES | 2134 | 329 | 81 | 172 | 227 | 80 | 45 | 36 | 67 | 42 | 67 | 93 | 100 | 96 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 426 | 60 | 27 | 43 | 49 | 26 | 8 | 8 | 12 | 11 | 11 | 5 | 9 | 12 |
| II. ,, ORGANS OF SPECIAL SENSE | 8 | 2 | – | 4 | – | – | 1 | – | – | – | – | – | – | – |
| III. ,, HEART | 488 | 12 | – | 2 | – | 1 | – | – | 2 | 8 | 4 | 7 | 7 | 10 |
| IV. ,, BLOOD VESSELS | 283 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 3 |
| V. ,, RESPIRATORY SYSTEM | 447 | 54 | 32 | 41 | 31 | 12 | 5 | 3 | 4 | 2 | 2 | 8 | 4 | 4 |
| VI. ,, DIGESTIVE SYSTEM | 353 | 50 | 46 | 46 | 25 | 4 | 4 | 7 | 9 | 15 | 9 | 8 | 8 | 3 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 8 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| VIII. ,, URINARY SYSTEM | 149 | 1 | – | 2 | 3 | – | – | – | 4 | 2 | 3 | 4 | 4 | 4 |
| IX. ,, GENERATIVE SYSTEM | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 13 | – | – | – | 1 | 1 | – | – | 4 | – | 2 | – | 1 | – |
| XII. ,, THE SKIN | 7 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 408 | 126 | 28 | 11 | 5 | 1 | – | 1 | 1 | – | – | – | – | – |
| E.—VIOLENT DEATHS | 259 | 12 | 5 | – | 2 | 6 | 1 | 3 | 17 | 13 | 9 | 29 | 17 | 27 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 60 | 2 | 1 | 21 | 29 | 3 | 1 | 2 | 1 | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 17 | – | – | 2 | 3 | 5 | 2 | 1 | 3 | 1 | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 42 | 1 | 1 | 2 | 2 | 1 | – | – | 2 | 1 | 1 | 2 | 2 | 2 |
| Hooping-cough | 116 | 15 | 16 | 25 | 35 | 14 | 4 | 4 | 3 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diphtheria | 48 | – | 2 | 2 | 10 | 9 | 4 | 12 | 8 | 1 | – | – | – | – |
| Cerebro-spinal Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 51 | – | – | 1 | – | – | – | – | 4 | 6 | 8 | 6 | 5 | 9 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 4873 | 488 | 165 | 290 | 278 | 116 | 75 | 61 | 132 | 87 | 149 | 133 | 161 | 175 |
| A.—GENERAL DISEASES | 2194 | 245 | 72 | 176 | 196 | 84 | 55 | 41 | 92 | 55 | 97 | 109 | 111 | 113 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 352 | 31 | 22 | 36 | 28 | 7 | 9 | 8 | 15 | 7 | 14 | 9 | 11 | 16 |
| II. ,, ORGANS OF SPECIAL SENSE | 8 | 1 | 2 | 1 | 1 | – | – | – | 1 | 1 | – | 1 | – | – |
| III. ,, HEART | 504 | 9 | 1 | – | – | 1 | 1 | – | 1 | 5 | 6 | 19 | 7 | 11 |
| IV. ,, BLOOD VESSELS | 308 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| V. ,, RESPIRATORY SYSTEM | 413 | 37 | 26 | 33 | 24 | 10 | 3 | 7 | 7 | 6 | 2 | 2 | 3 | 1 |
| VI. ,, DIGESTIVE SYSTEM | 318 | 42 | 27 | 29 | 16 | 8 | 1 | 1 | 10 | 9 | 15 | 7 | 8 | 12 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 10 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | 2 | 2 |
| VIII. ,, URINARY SYSTEM | 77 | – | – | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 3 | 2 | 3 | 4 |
| IX. ,, GENERATIVE SYSTEM | 15 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 45 | – | – | – | – | – | – | – | – | – | 3 | 7 | 9 | 10 |
| XI. ,, LOCOMOTOR SYSTEM | 10 | – | – | – | – | – | – | – | 1 | 1 | 3 | 2 | – | 1 |
| XII. ,, THE SKIN | 4 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 532 | 115 | 13 | 11 | 8 | – | 1 | – | 1 | 1 | 2 | 1 | 1 | 2 |
| E.—VIOLENT DEATHS. | 83 | 6 | 2 | – | 3 | 4 | 4 | 3 | 3 | – | 3 | 3 | 4 | 1 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 51 | 1 | 3 | 19 | 15 | 7 | 4 | 1 | 1 | – | – | – | – | – |
| German Measles | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Scarlet Fever | 33 | – | – | 1 | 2 | 7 | 2 | 3 | 9 | 4 | 1 | 3 | 1 | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 63 | 1 | 1 | 3 | 2 | 3 | 1 | 2 | 1 | – | 1 | 4 | 3 | 1 |
| Hooping-cough | 146 | 18 | 12 | 38 | 42 | 13 | 12 | 6 | 4 | – | – | – | – | – |
| Mumps | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diphtheria | 44 | – | 1 | 1 | 8 | 8 | 7 | 5 | 12 | 1 | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 37 | – | – | – | – | 1 | 1 | 1 | 5 | 2 | 9 | 4 | 7 | 3 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 176 | 175 | 198 | 267 | 275 | 323 | 324 | 247 | 202 | 154 | 60 | 8 | – | 1 | – |
| A.—GENERAL DISEASES | 88 | 86 | 82 | 107 | 95 | 79 | 73 | 45 | 27 | 11 | 6 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 16 | 20 | 19 | 16 | 17 | 16 | 12 | 10 | 13 | 4 | 1 | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 25 | 23 | 28 | 49 | 39 | 74 | 85 | 43 | 39 | 24 | 6 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 2 | 7 | 12 | 21 | 26 | 51 | 41 | 50 | 42 | 18 | 8 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 3 | 6 | 18 | 26 | 29 | 44 | 43 | 35 | 19 | 14 | 7 | 1 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 10 | 13 | 10 | 15 | 19 | 12 | 16 | 11 | 8 | 5 | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 2 | 7 | 9 | 17 | 16 | 16 | 19 | 15 | 8 | 10 | 3 | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 3 | 1 | 1 | 2 | 5 | 14 | 31 | 35 | 42 | 66 | 28 | 6 | – | 1 | – |
| E.—VIOLENT DEATHS | 25 | 12 | 18 | 13 | 24 | 14 | 4 | 2 | 3 | 2 | 1 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 3 | – | 1 | 1 | 7 | 3 | 2 | 5 | 1 | 2 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 5 | 2 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 172 | 149 | 198 | 201 | 223 | 325 | 313 | 335 | 269 | 221 | 95 | 25 | 6 | 1 | – |
| A.—GENERAL DISEASES . . | 90 | 81 | 91 | 78 | 75 | 89 | 84 | 75 | 46 | 32 | 7 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 8 | 10 | 14 | 14 | 17 | 20 | 15 | 10 | 14 | 8 | 5 | 4 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 15 | 20 | 31 | 35 | 44 | 71 | 73 | 65 | 56 | 24 | 7 | 1 | 1 | – | – |
| IV. ,, BLOOD VESSELS . | 9 | 5 | 17 | 27 | 30 | 52 | 40 | 52 | 36 | 27 | 7 | 2 | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 8 | 3 | 14 | 16 | 25 | 34 | 34 | 50 | 31 | 21 | 12 | 4 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 13 | 10 | 18 | 11 | 14 | 20 | 18 | 12 | 10 | 4 | 2 | 1 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 3 | 7 | 5 | 10 | 6 | 5 | 9 | 6 | 1 | 1 | 2 | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 2 | 1 | 1 | 3 | 1 | 1 | 1 | 4 | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 13 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 3 | 6 | 1 | 4 | 5 | 23 | 38 | 56 | 68 | 101 | 52 | 13 | 5 | 1 | – |
| E.—VIOLENT DEATHS. . . | 7 | 4 | 4 | 2 | 5 | 10 | 1 | 3 | 7 | 3 | 1 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | 1 | 2 | 5 | 4 | 7 | 5 | 6 | 7 | 3 | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 14 | 4 | 3 | 2 | 3 | – | – | – | 1 | 1 | – | – | – | – |
| Diarrhœa (not otherwise defined) | 60 | 20 | 8 | 12 | 12 | 2 | 1 | – | – | – | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Malaria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 6 | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 19 | 1 | 1 | 2 | 1 | – | – | – | – | – | 1 | – | 1 | 1 |
| Septicæmia (not Puerperal) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Pyæmia (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlegmon, Carbuncle (not Anthrax) | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 36 | 1 | 1 | 2 | 2 | – | 1 | – | – | – | 3 | 1 | 4 | 2 |
| Pneumonia — Broncho | 132 | 17 | 16 | 32 | 37 | 8 | 5 | – | 1 | 2 | 1 | – | – | 2 |
| Pneumonia — Epidemic | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 295 | 16 | 13 | 27 | 33 | 10 | 4 | 5 | 4 | 4 | 4 | 12 | 14 | 12 |
| Other Infective Conditions | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 69 | – | – | 2 | 2 | – | 1 | – | 2 | 1 | 12 | 10 | 6 | 5 |
| Phthisis (not otherwise defined) | 364 | 1 | – | 1 | 3 | 1 | – | – | 3 | 10 | 27 | 45 | 55 | 43 |
| Tuberculous Meningitis | 86 | 6 | 3 | 13 | 26 | 9 | 8 | 4 | 10 | 2 | – | 1 | 3 | – |
| Tuberculous Peritonitis | 37 | 3 | 1 | 5 | 6 | 4 | 3 | 3 | 7 | 1 | 1 | 1 | – | 1 |
| Tabes Mesenterica | 43 | 4 | 4 | 8 | 10 | 7 | 6 | – | 1 | 1 | – | 1 | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 13 | – | 1 | 1 | 1 | – | – | 2 | 3 | 2 | 2 | – | – | – |
| General Tuberculosis | 65 | – | 3 | 6 | 5 | 3 | 3 | 1 | 9 | 7 | 4 | 7 | 5 | 4 |
| Scrofula | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 17 | 3 | 3 | 6 | 4 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 72 | 10 | 9 | 20 | 6 | 4 | 1 | – | 1 | 2 | – | – | – | 4 |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Syphilis | 14 | 5 | 1 | – | 3 | – | – | – | – | – | – | – | 1 | 2 |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 12 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 2 |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Puerperal Fever (not otherwise defined) | 18 | – | – | – | – | – | – | – | – | – | – | 2 | 7 | 6 |
| Erysipelas | 20 | 5 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Septicæmia (not Puerperal) | 8 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 10 | 2 | 1 | – | – | – | 1 | – | – | – | 2 | – | 1 | – |
| Phagedæna | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 37 | 1 | 1 | 3 | 1 | 1 | 1 | – | 1 | – | 1 | 2 | 3 | 2 |
| Pneumonia — Broncho | 124 | 14 | 12 | 32 | 26 | 8 | 2 | 6 | 4 | 2 | – | 1 | 2 | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia — Not defined | 198 | 9 | 8 | 16 | 30 | 9 | 6 | 1 | 1 | 3 | 7 | 6 | 4 | 7 |
| Other Infective Conditions | 3 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 70 | – | – | – | 2 | – | 1 | – | 4 | 3 | 8 | 11 | 11 | 11 |
| Phthisis (not otherwise defined) | 406 | – | 1 | 2 | 7 | 1 | 2 | 1 | 11 | 19 | 49 | 57 | 54 | 49 |
| Tuberculous Meningitis | 81 | 1 | 9 | 11 | 19 | 7 | 8 | 8 | 10 | 2 | 3 | 2 | 1 | – |
| Tuberculous Peritonitis | 42 | – | 1 | 5 | 6 | 3 | 1 | 1 | 9 | 3 | 3 | 1 | 3 | 2 |
| Tabes Mesenterica | 30 | – | – | 3 | 6 | 6 | 3 | 2 | 4 | 2 | – | 1 | – | 3 |
| Lupus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 15 | – | – | – | – | – | – | 1 | 3 | 3 | 2 | – | 1 | 1 |
| General Tuberculosis | 45 | 1 | 2 | 5 | 6 | 5 | 1 | 1 | 4 | 6 | 6 | 3 | 1 | 2 |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Starvation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 2 | 1 | – | 2 | 1 | 1 | – | 1 | – | 2 | – | – | – | – |
| Septicæmia (not Puerperal) | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Phagedæna | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 3 | 2 | 4 | 4 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 1 | – | 1 | 3 | 3 | – | 2 | 1 | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 12 | 13 | 14 | 20 | 21 | 22 | 14 | 12 | 3 | 4 | 2 | – | – | – | – |
| Other Infective Conditions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 8 | 4 | 6 | 4 | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 42 | 36 | 29 | 33 | 14 | 10 | 6 | 1 | 3 | – | 1 | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 2 | 1 | 2 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 3 | 2 | 2 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 2 | 2 | – | – | 1 | 3 | – | 5 | 2 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | 3 | 2 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | 3 | 1 | 1 | 3 | 5 | 2 | 2 | 2 | – | 1 | – | – | – | – |
| Pneumonia — Broncho | – | – | 1 | – | 2 | 5 | 3 | 4 | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 6 | 7 | 8 | 10 | 8 | 8 | 16 | 8 | 7 | 9 | 4 | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 3 | 8 | 2 | – | 2 | 3 | – | 1 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 51 | 34 | 29 | 13 | 11 | 5 | 5 | 4 | – | 1 | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | 2 | – | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 20 | – | 1 | – | – | – | – | 1 | 2 | 1 | 1 | 1 | 3 | 4 |
| Rheumatism of Heart | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 82 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Sarcoma | 16 | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 93 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rickets | 4 | – | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 15 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | 25 | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 | 2 |
| Premature Birth | 148 | 148 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 44 | 40 | 1 | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| Injury at Birth | 17 | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 16 | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 10 | 8 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 9 | – | – | 4 | 4 | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 133 | 12 | 14 | 21 | 29 | 15 | 5 | 3 | 9 | 8 | 7 | – | 3 | 1 |
| Softening of Brain | 26 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 38 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Insanity (not Puerperal) | 11 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 31 | 1 | – | 1 | 1 | – | – | 1 | – | 1 | 3 | 2 | 2 | 2 |
| Convulsions | 107 | 46 | 12 | 16 | 15 | 8 | 3 | 2 | 2 | – | – | 1 | – | 1 |
| Laryngismus Stridulus | 5 | – | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Locomotor Ataxy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 21 | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – | 1 | 1 |
| Neuritis; Peripheral, Poly-neuritis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 6 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| Other Diseases of Nervous System | 40 | 1 | – | 2 | 2 | 3 | – | – | – | 1 | – | 1 | 1 | 2 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 6 | 1 | – | 4 | – | – | 1 | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 118 | – | – | – | – | 1 | – | – | 1 | 5 | 2 | 5 | 4 | 3 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope, Heart Disease (not specified) | 325 | 12 | – | 2 | – | – | – | – | 1 | 3 | 2 | 2 | 3 | 6 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 17 | – | – | 1 | 1 | – | – | – | 1 | 1 | 2 | 1 | – | – |
| Rheumatism of Heart | 3 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Chronic Rheumatism | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 132 | – | – | – | – | – | – | – | – | – | – | – | 2 | 4 |
| Sarcoma | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 135 | – | – | – | – | – | – | – | – | – | 1 | – | – | 5 |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 6 | 1 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 33 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 | 3 |
| Diabetes Mellitus | 27 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 |
| Premature Birth | 127 | 127 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 25 | 20 | 3 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Injury at Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 12 | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 7 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Teething | 11 | – | – | 6 | 5 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 92 | 4 | 6 | 21 | 14 | 3 | 6 | 3 | 10 | 4 | 6 | 4 | 1 | 2 |
| Softening of Brain | 25 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| General Paralysis of Insane | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Insanity (not Puerperal) | 26 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Chorea | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 24 | – | – | – | – | – | – | – | – | 3 | 5 | – | 3 | 4 |
| Convulsions | 77 | 24 | 15 | 13 | 13 | 1 | 1 | 3 | 4 | – | – | 1 | 1 | 1 |
| Laryngismus Stridulus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 23 | – | – | – | – | 1 | 1 | 1 | – | – | 2 | 1 | 2 | 2 |
| Neuritis; Peripheral, Poly-neuritis | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Brain Tumour (not Specific) | 15 | – | – | 1 | – | – | 1 | – | – | – | – | 2 | 1 | 1 |
| Other Diseases of Nervous System | 54 | 3 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | 1 | 1 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 6 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | 1 | – | – |
| Epistaxis, Diseases of Nose | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 108 | – | 1 | – | – | – | – | – | 1 | 4 | – | 7 | 3 | 6 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 16 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Dilatation of Heart | 19 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Fatty Degeneration of Heart | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 347 | 9 | – | – | – | 1 | 1 | – | – | 1 | 5 | 9 | 4 | 5 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | - | 2 | - | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Rheumatism of Heart | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chronic Rheumatism | - | - | - | 1 | - | 2 | - | 1 | - | - | - | - | - | - | - |
| Rheumatic Arthritis, Rheumatic Gout | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| Gout | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Carcinoma | 2 | 7 | 4 | 13 | 14 | 13 | 16 | 6 | 5 | 1 | - | - | - | - | - |
| Sarcoma | - | - | 2 | 3 | 2 | 1 | 2 | - | 2 | - | - | - | - | - | - |
| Cancer, Malignant Disease (not otherwise defined) | 1 | 6 | 6 | 11 | 10 | 13 | 21 | 13 | 9 | 1 | 1 | - | - | - | - |
| Rickets | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Purpura | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Hæmophilia, Hæmorrhagic Diathesis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Anæmia, Leucocythæmia | 2 | 2 | 1 | - | 4 | 2 | 2 | 1 | - | - | - | - | - | - | - |
| Diabetes Mellitus | 1 | 2 | 3 | 5 | 2 | - | 1 | 1 | 2 | 1 | - | - | - | - | - |
| Premature Birth | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Congenital Defects | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Injury at Birth | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Atelectasis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Teething | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | - | - | 2 | 2 | 1 | - | - | - | 1 | - | - | - | - | - | - |
| Softening of Brain | 2 | - | 2 | - | 3 | 6 | 3 | 1 | 5 | 3 | - | 1 | - | - | - |
| General Paralysis of Insane | 8 | 9 | 11 | 5 | - | 1 | - | - | - | - | - | - | - | - | - |
| Insanity (not Puerperal) | - | 1 | 2 | 1 | 3 | 1 | 1 | - | - | - | - | - | - | - | - |
| Chorea | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Epilepsy | 5 | 3 | - | 2 | 2 | 1 | 2 | - | 1 | - | 1 | - | - | - | - |
| Convulsions | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Laryngismus Stridulus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Locomotor Ataxy | - | 1 | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Paraplegia, Diseases of Cord | - | 1 | 2 | 1 | 3 | 3 | 4 | - | - | - | - | - | - | - | - |
| Neuritis; Peripheral, Poly-neuritis | - | 1 | - | 1 | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Brain Tumour (not Specific) | 1 | - | - | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Nervous System | - | 4 | - | 1 | 2 | 4 | 2 | 8 | 5 | 1 | - | - | - | - | - |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Epistaxis, Diseases of Nose | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Ophthalmia, Diseases of Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 10 | 5 | 6 | 11 | 11 | 17 | 18 | 8 | 8 | 2 | 1 | - | - | - | - |
| Pericarditis | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Hypertrophy of Heart | - | - | 2 | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Angina Pectoris | - | 3 | 2 | 1 | 1 | 4 | 2 | 2 | 3 | 1 | - | - | - | - | - |
| Dilatation of Heart | - | 1 | 1 | 1 | 2 | 3 | 2 | 1 | 2 | - | 2 | - | - | - | - |
| Fatty Degeneration of Heart | 1 | - | - | - | 2 | - | 1 | - | 1 | - | - | - | - | - | - |
| Syncope, Heart Disease (not specified) | 14 | 14 | 17 | 35 | 23 | 50 | 60 | 32 | 25 | 21 | 3 | - | - | - | - |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | 2 | – | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | 1 | – | – | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 7 | 14 | 12 | 17 | 13 | 13 | 21 | 13 | 10 | 4 | 2 | – | – | – | – |
| Sarcoma | – | – | 1 | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 6 | 3 | 16 | 11 | 14 | 18 | 15 | 21 | 13 | 12 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 5 | 2 | 5 | 6 | 1 | 2 | 3 | – | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | 1 | 4 | – | 5 | 2 | 4 | 4 | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 3 | 1 | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | 1 | 1 | 4 | 3 | 1 | 3 | 6 | 1 | 1 | 3 | – | – | – |
| General Paralysis of Insane | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | 3 | 1 | 3 | 4 | 3 | 2 | 3 | 2 | – | – | 1 | – | – | – |
| Chorea | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | 3 | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | 1 | 1 | 2 | – | 1 | 4 | 1 | 1 | – | 1 | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | 3 | 1 | 3 | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 1 | 1 | 3 | 4 | 10 | 6 | 3 | 3 | 7 | 3 | – | – | – | – |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Heart.** | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 5 | 6 | 7 | 11 | 8 | 6 | 15 | 13 | 10 | 3 | 1 | 1 | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 2 | 2 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | – | – | – | – |
| Dilatation of Heart | – | – | 2 | – | 2 | 1 | 4 | 4 | 2 | 1 | – | – | – | – | – |
| Fatty Degeneration of Heart | – | 1 | 2 | – | – | 4 | 3 | – | 2 | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 10 | 13 | 18 | 21 | 32 | 57 | 49 | 46 | 41 | 19 | 5 | – | 1 | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 120 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 141 | – | – | – | – | – | – | – | – | – | 1 | – | – | 3 |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 14 | 2 | 1 | 1 | 3 | 3 | 1 | 2 | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 6 | – | – | 1 | 3 | – | – | – | 2 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 367 | 49 | 30 | 38 | 24 | 8 | 4 | 1 | 2 | 2 | 1 | 5 | – | 1 |
| Emphysema, Asthma | 17 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Pleurisy | 24 | 1 | – | 1 | – | – | – | – | – | – | 1 | 2 | 2 | 3 |
| Fibroid Disease of Lung | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Dis. of Respiratory System | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 4 | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 5 | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Gastric Ulcer | 14 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| Gastric Catarrh | 34 | 9 | 5 | 4 | 2 | – | 3 | 1 | – | 2 | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 15 | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Enteritis (not Infective) | 39 | 11 | 7 | 8 | 1 | 1 | – | 2 | 2 | – | 1 | – | 1 | – |
| Gastro-enteritis | 96 | 21 | 29 | 23 | 13 | 2 | – | 1 | – | 1 | – | – | 1 | – |
| Appendicitis, Perityphlitis | 13 | – | – | – | – | – | – | – | 1 | 3 | 1 | 1 | 1 | 1 |
| Hernia | 10 | – | – | 1 | 2 | – | – | – | – | – | – | 1 | – | – |
| Intestinal Obstruction | 34 | 3 | 1 | 5 | 2 | 1 | – | 1 | 1 | 2 | 2 | 2 | 1 | – |
| Other Diseases of Intestines | 9 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 40 | 1 | 2 | – | 3 | – | – | 1 | 4 | 4 | 3 | 4 | 2 | 2 |
| Cirrhosis of Liver | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 22 | – | – | – | 1 | – | 1 | – | – | 2 | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 5 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 33 | 1 | – | 1 | 3 | – | – | – | 4 | – | 2 | 1 | – | 2 |
| Chronic Bright's Disease, Albuminuria | 57 | – | – | – | – | – | – | – | – | 2 | – | 3 | 2 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 51 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Urinary System | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| **Diseases of Blood Vessels.** | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 125 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Apoplexy, Hemiplegia | 154 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | |
| Laryngitis | 10 | 1 | – | 1 | 1 | 2 | – | 2 | 3 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 6 | – | – | 1 | – | 3 | – | 1 | 1 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 366 | 35 | 23 | 31 | 23 | 5 | 3 | 4 | 2 | 5 | 2 | 2 | 2 | 1 |
| Emphysema, Asthma | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pleurisy | 17 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Fibroid Disease of Lung | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 5 | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 5 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 20 | – | – | – | – | – | – | – | 1 | – | 5 | 2 | 5 | 1 |
| Gastric Catarrh | 32 | 6 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | 3 |
| Other Diseases of Stomach (not Malignant) | 14 | 2 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| Enteritis (not Infective) | 32 | 5 | 7 | 4 | 2 | 1 | – | – | – | 1 | 1 | – | – | – |
| Gastro-enteritis | 77 | 22 | 14 | 22 | 10 | 2 | – | – | 2 | – | 1 | – | – | – |
| Appendicitis, Perityphlitis | 14 | – | – | – | – | 1 | – | – | 1 | 4 | 1 | 1 | – | 1 |
| Hernia | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 26 | 2 | 3 | 1 | 1 | – | – | – | 2 | – | – | 1 | 2 | 1 |
| Other Diseases of Intestines | 8 | 2 | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – |
| Peritonitis (not Puerperal) | 37 | 1 | 2 | – | – | – | 1 | – | 3 | 3 | 4 | 2 | – | 3 |
| Cirrhosis of Liver | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 34 | – | – | – | 1 | – | – | – | 1 | – | 1 | 1 | 1 | 2 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Lymphatic and Ductless Glands.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 28 | – | – | 2 | 1 | 1 | – | – | 1 | 1 | 1 | 1 | 1 | 2 |
| Chronic Bright's Disease, Albuminuria | 37 | – | – | – | 1 | – | – | 1 | – | 1 | 2 | – | 2 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 10 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | 2 | 4 | 7 | 9 | 16 | 20 | 27 | 22 | 9 | 3 | – | – | – | – |
| Apoplexy, Hemiplegia | 1 | 5 | 8 | 13 | 16 | 30 | 17 | 18 | 16 | 8 | 5 | – | – | – | – |
| Aneurism | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 3 | 11 | 22 | 23 | 34 | 39 | 31 | 17 | 12 | 7 | 1 | – | – | – |
| Emphysema, Asthma | 1 | – | 2 | 2 | – | 4 | 3 | 2 | – | 1 | – | – | – | – | – |
| Pleurisy | – | 1 | 3 | – | 4 | 4 | – | 1 | – | 1 | – | – | – | – | – |
| Fibroid Disease of Lung | – | 2 | 2 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | 1 | 1 | 1 | – | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Gastric Catarrh | – | 1 | – | – | 1 | – | – | 3 | 3 | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | 1 | 1 | 3 | 3 | 1 | 2 | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | 1 | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Gastro-enteritis | – | 2 | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| Intestinal Obstruction | 1 | 1 | 2 | 1 | 2 | 1 | 3 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Intestines | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | 3 | 2 | 3 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | 3 | 2 | 2 | 4 | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | 1 | 1 | 3 | 3 | – | 3 | – | 4 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | 4 | – | 1 | 5 | 4 | 1 | 2 | – | 1 | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 1 | 3 | 8 | 12 | 6 | 8 | 6 | 3 | 1 | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | 2 | 5 | 3 | 11 | 9 | 6 | 9 | 3 | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 2 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| **Diseases of Blood Vessels.** | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 2 | 1 | 6 | 14 | 13 | 19 | 15 | 24 | 13 | 11 | 4 | – | – | – | – |
| Apoplexy, Hemiplegia | 5 | 4 | 9 | 12 | 15 | 30 | 22 | 22 | 17 | 12 | 3 | 2 | – | – | – |
| Aneurism | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 1 | 4 | 4 | 3 | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | 2 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | – | | – | – | – | – |
| Varicose Veins | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 3 | 11 | 13 | 23 | 30 | 32 | 46 | 31 | 20 | 12 | 4 | – | – | – |
| Emphysema, Asthma | 1 | – | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Pleurisy | 4 | – | 1 | 2 | 2 | 2 | 1 | 2 | – | 1 | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 3 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 3 | 2 | 2 | 1 | 3 | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | 1 | – | – | – | 2 | 1 | – | 2 | 1 | – | 1 | – | – | – |
| Enteritis (not Infective) | 1 | – | 2 | – | 2 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 2 | – | – | – | 2 | 1 | 1 | – | – | 1 | – | – | – | – |
| Intestinal Obstruction | 1 | 1 | 1 | – | 1 | 2 | 3 | 1 | 2 | 1 | – | – | – | – | – |
| Other Diseases of Intestines | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | 2 | 1 | 2 | 2 | 3 | 3 | 3 | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | 5 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | 2 | 1 | 6 | 2 | 4 | 5 | 2 | 3 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Lymphatic and Ductless Glands.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Diseases of Thyroid Body | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | 2 | 2 | 3 | 4 | 2 | 2 | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 1 | 3 | 2 | 6 | 2 | 3 | 4 | 6 | – | 1 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | 2 | 1 | 1 | – | – | 3 | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 7 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | 1 | – |
| Arthritis, Periostitis | 6 | – | – | – | 1 | – | – | – | 3 | – | 1 | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 152 | 112 | 26 | 7 | 4 | – | – | 1 | – | – | – | – | – | – |
| Old Age | 208 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 8 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 27 | 10 | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 24 | – | – | – | – | – | – | – | – | 1 | 1 | 5 | 3 | 4 |
| Vehicles and Horses | 42 | – | – | – | – | 1 | – | 1 | 4 | 2 | 2 | 8 | 3 | 2 |
| Ships, Boats, Docks (not Drowning) | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Building Operations | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 6 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Burns and Scalds | 20 | – | – | – | 2 | 4 | – | – | 3 | – | 1 | 1 | 1 | – |
| Poisons, Poisonous Vapours | 10 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 4 |
| Drowning | 63 | – | – | – | – | – | 1 | 2 | 9 | 5 | 3 | 7 | 3 | 5 |
| Suffocation { From Overlaying | 11 | 8 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 8 | – | 1 | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 39 | – | – | – | – | 1 | – | – | 1 | 3 | 1 | 3 | 3 | 7 |
| Homicide | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Suicide | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 3 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Placenta Prævia, Flooding | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | 5 |
| Other Accidents of Pregnancy and Childbirth | 23 | – | – | – | – | – | – | – | – | – | 2 | 4 | 6 | 5 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 8 | – | – | – | – | – | – | – | 1 | – | 3 | 2 | – | 1 |
| Arthritis, Periostitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 141 | 113 | 9 | 9 | 7 | – | – | – | – | – | – | – | – | – |
| Old Age | 334 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 11 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Tumour | 10 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Abscess | 6 | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Sudden Death (cause unascertained) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 26 | 2 | 3 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 4 | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 16 | – | – | – | 1 | 3 | 3 | – | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 7 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – |
| Drowning | 11 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – |
| Suffocation { From Overlaying | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 16 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 13 | – | – | – | – | – | – | – | – | – | 2 | 1 | 4 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 8 | 28 | 33 | 40 | 64 | 28 | 6 | – | 1 | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Tumour | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | – | – | 1 | 1 | 6 | 1 | 1 | 1 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 7 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | 1 | 5 | 1 | 3 | 2 | 2 | – | 2 | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Building Operations | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Machinery | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 2 | 1 | – | 2 | 1 | – | – | – | 2 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 6 | 4 | 4 | 3 | 8 | 3 | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 4 | 1 | 3 | 3 | 3 | 3 | 1 | 1 | – | – | 1 | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | 2 | 4 | 2 | 4 | – | – | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | | – |
| Other Diseases of Ovary | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | 3 | 1 | 1 | – | – | – | – | – | – | – | | – |
| Other Dis. of Uterus and Vagina | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | 1 | | – | – | – | – | – | – | – | | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | 1 | – | – | – | | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 17 | 33 | 48 | 65 | 100 | 52 | 13 | 5 | 1 | – |
| Dropsy, Ascites, Anasarca | – | 1 | – | 1 | 2 | 1 | – | 2 | 1 | 1 | – | – | – | – | – |
| Tumour | – | 1 | – | 1 | – | 1 | – | 4 | 1 | – | – | – | – | – | – |
| Abscess | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | 3 | – | 1 | 1 | 4 | 4 | 2 | 1 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | 1 | – | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Falls | 1 | 1 | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Weather Agencies | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | 1 | – | 1 | 2 | – | 3 | 5 | 2 | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **ALL CAUSES** . . . . . | 7178 | 918 | 307 | 418 | 398 | 152 | 86 | 73 | 183 | 130 | 210 | 215 | 234 | 198 |
| A.—GENERAL DISEASES . . | 3002 | 453 | 117 | 233 | 251 | 103 | 57 | 52 | 112 | 69 | 134 | 133 | 142 | 104 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 545 | 58 | 41 | 55 | 49 | 22 | 10 | 4 | 20 | 17 | 12 | 16 | 10 | 9 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 17 | 2 | 1 | 5 | – | 1 | – | 1 | 1 | – | 1 | – | – | 1 |
| III. ,, HEART . . . | 722 | 14 | 3 | 1 | 1 | – | – | 2 | 3 | 8 | 14 | 10 | 12 | 17 |
| IV. ,, BLOOD VESSELS . | 418 | – | – | – | – | 1 | 1 | – | – | – | – | 2 | 3 | 2 |
| V. ,, RESPIRATORY SYSTEM | 564 | 52 | 38 | 44 | 36 | 10 | 3 | 6 | 3 | 1 | 5 | 3 | 5 | 12 |
| VI. ,, DIGESTIVE SYSTEM . | 494 | 75 | 68 | 58 | 36 | 6 | 6 | 3 | 15 | 11 | 10 | 7 | 10 | 6 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 12 | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | 1 | – | – |
| VIII. ,, URINARY SYSTEM . | 256 | 4 | 1 | 3 | 2 | 3 | 1 | – | 6 | 3 | 6 | 4 | 2 | 7 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 17 | – | – | – | – | 1 | – | – | 7 | 2 | 1 | 1 | – | – |
| XII. ,, THE SKIN . . . | 10 | 3 | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 664 | 246 | 33 | 15 | 11 | – | – | – | 1 | 1 | 1 | 3 | 1 | 1 |
| E.—VIOLENT DEATHS. . . | 457 | 11 | 5 | 2 | 8 | 5 | 8 | 5 | 14 | 17 | 25 | 35 | 49 | 39 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Small-pox { Not Vaccinated . . | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 87 | 1 | 4 | 17 | 35 | 12 | 6 | 5 | 5 | – | – | 1 | 1 | – |
| German Measles . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Scarlet Fever . . . . . | 33 | – | – | – | 4 | 4 | 4 | 10 | 9 | – | – | – | 1 | – |
| Typhus . . . . . | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 92 | 2 | – | – | 3 | 4 | 1 | 1 | 2 | 2 | 1 | 4 | 2 | – |
| Hooping-cough . . . . . | 133 | 17 | 21 | 37 | 35 | 9 | 4 | 5 | 5 | – | – | – | – | – |
| Mumps . . . . . | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 68 | – | – | 5 | 15 | 10 | 13 | 6 | 15 | 1 | – | – | 1 | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteric Fever . . . . . | 58 | – | – | – | – | – | 1 | – | 9 | 3 | 12 | 4 | 11 | 5 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 7290 | 704 | 241 | 354 | 361 | 148 | 89 | 62 | 198 | 123 | 201 | 205 | 264 | 243 |
| A.—GENERAL DISEASES | 3090 | 358 | 100 | 204 | 240 | 99 | 56 | 38 | 124 | 83 | 145 | 139 | 166 | 149 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 470 | 41 | 33 | 41 | 30 | 15 | 10 | 8 | 21 | 10 | 11 | 9 | 9 | 10 |
| II. ,, ORGANS OF SPECIAL SENSE | 10 | – | 2 | 2 | 2 | – | – | 1 | – | – | – | 1 | – | – |
| III. ,, HEART | 795 | 5 | 1 | 1 | 2 | – | – | 1 | 7 | 9 | 13 | 10 | 19 | 18 |
| IV. ,, BLOOD VESSELS | 530 | – | – | – | – | – | – | – | 1 | – | 5 | 4 | 4 | 4 |
| V. ,, RESPIRATORY SYSTEM | 561 | 41 | 32 | 36 | 30 | 14 | 9 | 3 | 9 | – | 1 | 5 | 5 | 5 |
| VI. ,, DIGESTIVE SYSTEM | 536 | 58 | 38 | 49 | 39 | 11 | 4 | 4 | 16 | 13 | 10 | 16 | 19 | 17 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 22 | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | 1 | 1 |
| VIII. ,, URINARY SYSTEM | 165 | 1 | – | – | 2 | 1 | 1 | – | 4 | 2 | 5 | 5 | 10 | 11 |
| IX. ,, GENERATIVE SYSTEM | 23 | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 |
| X. ,, PREGNANCY AND CHILDBIRTH | 76 | – | – | – | – | – | – | – | – | – | 5 | 10 | 19 | 14 |
| XI. ,, LOCOMOTOR SYSTEM | 18 | 1 | – | – | 1 | – | – | – | 3 | – | – | 1 | 2 | 1 |
| XII. ,, THE SKIN | 14 | 4 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 814 | 188 | 29 | 17 | 8 | 4 | 1 | – | 2 | – | 2 | 1 | 1 | 4 |
| E.—VIOLENT DEATHS | 166 | 7 | 4 | 4 | 7 | 4 | 7 | 7 | 10 | 5 | 2 | 2 | 6 | 7 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 89 | – | 1 | 25 | 39 | 12 | 5 | 4 | 1 | 1 | – | – | – | 1 |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 41 | – | 1 | 1 | 4 | 4 | 5 | 7 | 15 | 1 | 1 | – | 1 | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 147 | 3 | 2 | 1 | 2 | – | 2 | 1 | 3 | 1 | 4 | 2 | 4 | 4 |
| Hooping-cough | 161 | 19 | 17 | 33 | 56 | 21 | 7 | 4 | 4 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 68 | 2 | – | 5 | 15 | 7 | 8 | 6 | 21 | 3 | – | 1 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 2 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Enteric Fever | 38 | – | – | – | – | 1 | – | – | 2 | 6 | 7 | 5 | 8 | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 216 | 247 | 266 | 318 | 369 | 467 | 460 | 499 | 386 | 255 | 136 | 29 | 6 | 1 | 1 |
| A.—GENERAL DISEASES | 111 | 105 | 116 | 106 | 126 | 140 | 121 | 109 | 66 | 29 | 12 | 1 | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 15 | 28 | 19 | 26 | 20 | 27 | 28 | 21 | 23 | 5 | 7 | 2 | 1 | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | 1 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| III. ,, HEART | 13 | 31 | 31 | 57 | 70 | 88 | 95 | 109 | 79 | 45 | 13 | 5 | 1 | – | – |
| IV. ,, BLOOD VESSELS | 10 | 9 | 9 | 26 | 39 | 68 | 60 | 78 | 54 | 41 | 13 | 1 | – | 1 | – |
| V. ,, RESPIRATORY SYSTEM | 11 | 11 | 17 | 26 | 44 | 39 | 47 | 57 | 44 | 32 | 17 | 1 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 9 | 13 | 24 | 19 | 16 | 28 | 27 | 20 | 19 | 6 | 1 | 1 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | 1 | – | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 7 | 10 | 16 | 20 | 23 | 26 | 34 | 30 | 23 | 13 | 9 | 3 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | 1 | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1 | 2 | 1 | 4 | 5 | 26 | 26 | 64 | 65 | 77 | 62 | 14 | 4 | – | – |
| E.—VIOLENT DEATHS | 39 | 35 | 33 | 32 | 25 | 22 | 19 | 10 | 10 | 6 | 2 | – | – | – | 1 |
| A.—GENERAL DISEASES | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | 5 | 6 | 5 | 10 | 11 | 12 | 8 | 3 | 4 | 3 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | 2 | 5 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 229 | 213 | 261 | 286 | 386 | 480 | 481 | 555 | 490 | 409 | 217 | 69 | 19 | 2 | – |
| A.—GENERAL DISEASES | 122 | 109 | 107 | 113 | 128 | 153 | 142 | 136 | 86 | 63 | 22 | 5 | 3 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 14 | 16 | 19 | 21 | 27 | 23 | 27 | 33 | 25 | 10 | 5 | 2 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| III. ,, HEART | 22 | 26 | 40 | 61 | 81 | 99 | 92 | 106 | 101 | 57 | 20 | 4 | – | – | – |
| IV. ,, BLOOD VESSELS | 7 | 11 | 25 | 34 | 59 | 67 | 66 | 84 | 74 | 56 | 24 | 5 | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 2 | 5 | 11 | 9 | 34 | 46 | 53 | 66 | 61 | 45 | 25 | 12 | 1 | 1 | – |
| VI. ,, DIGESTIVE SYSTEM | 14 | 10 | 24 | 20 | 21 | 35 | 35 | 30 | 23 | 21 | 8 | 1 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | 4 | 4 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 11 | 8 | 17 | 12 | 17 | 16 | 11 | 13 | 10 | 8 | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 4 | 3 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 16 | 10 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | 1 | 4 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | 2 | – | – | – | – | 2 | – | 1 | 1 | – | 1 | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 4 | 3 | 3 | 5 | 7 | 32 | 36 | 75 | 92 | 138 | 107 | 39 | 15 | 1 | – |
| E.—VIOLENT DEATHS | 11 | 5 | 5 | 8 | 10 | 5 | 13 | 8 | 15 | 9 | 5 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 4 | 4 | 8 | 13 | 10 | 16 | 22 | 17 | 13 | 5 | 1 | 1 | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 3 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 9 | 3 | – | 3 | 3 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 99 | 16 | 18 | 30 | 13 | 1 | 2 | – | 1 | 1 | – | – | – | – |
| Dysentery | 4 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – |
| Malaria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 5 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | 1 |
| Syphilis | 9 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 17 | 4 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Septicæmia (not Puerperal) | 15 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – |
| Pyæmia (not Puerperal) | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 10 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Pneumonia — Lobar | 62 | – | – | 3 | 1 | 1 | 1 | 2 | 2 | 1 | 3 | 2 | 2 | 2 |
| Pneumonia — Broncho | 207 | 38 | 25 | 45 | 43 | 14 | 3 | 4 | 4 | 3 | 2 | 1 | – | 1 |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 416 | 18 | 16 | 34 | 40 | 12 | 7 | 6 | 5 | 2 | 12 | 8 | 14 | 14 |
| Other Infective Conditions | 4 | – | – | – | – | – | – | – | – | – | 3 | 1 | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 87 | – | – | 2 | – | 2 | 1 | – | 6 | 3 | 14 | 9 | 11 | 7 |
| Phthisis (not otherwise defined) | 456 | – | 1 | 4 | 3 | 3 | – | – | 7 | 7 | 60 | 78 | 67 | 56 |
| Tuberculous Meningitis | 106 | 3 | 4 | 15 | 24 | 15 | 5 | 4 | 17 | 9 | 1 | 4 | 2 | 1 |
| Tuberculous Peritonitis | 49 | 1 | 1 | 8 | 6 | 5 | 3 | – | 3 | 7 | 2 | – | 2 | 1 |
| Tabes Mesenterica | 36 | 4 | 4 | 7 | 1 | 6 | 1 | 3 | 5 | 3 | 1 | 1 | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Tubercle of other Organs | 28 | – | – | – | 1 | – | 2 | 1 | 1 | 7 | 2 | 6 | 3 | 1 |
| General Tuberculosis | 71 | 2 | 6 | 5 | 6 | 3 | 3 | 3 | 6 | 5 | 7 | 3 | 4 | 4 |
| Scrofula | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | 1 | | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 44 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 8 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| Ptomaine Poisoning | 3 | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 6 | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 94 | 12 | 11 | 18 | 11 | 2 | 1 | – | 1 | – | 1 | – | 3 | – |
| Dysentery | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 11 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 33 | – | – | – | – | – | – | – | – | – | 1 | 8 | 7 | 11 |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Puerperal Fever (not otherwise defined) | 34 | – | – | – | – | – | – | – | – | – | – | 12 | 10 | 7 |
| Erysipelas | 34 | 9 | 1 | – | – | – | – | – | – | – | – | 1 | 3 | – |
| Septicæmia (not Puerperal) | 14 | 1 | – | – | – | – | – | – | 2 | – | – | 1 | 1 | 1 |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 8 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Phagedæna | 7 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 37 | – | 1 | 1 | – | 1 | 1 | – | 4 | – | 1 | – | 5 | 1 |
| Pneumonia — Broncho | 194 | 24 | 31 | 44 | 37 | 12 | 7 | 4 | 5 | 1 | – | – | 2 | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 274 | 18 | 11 | 33 | 25 | 6 | 3 | 3 | 3 | 5 | 10 | 5 | 7 | 6 |
| Other Infective Conditions | 5 | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 99 | – | – | 2 | 3 | 2 | 2 | – | 7 | 2 | 16 | 16 | 10 | 7 |
| Phthisis (not otherwise defined) | 540 | – | 2 | 2 | 3 | 3 | 1 | – | 14 | 26 | 65 | 68 | 83 | 86 |
| Tuberculous Meningitis | 97 | 1 | 4 | 15 | 15 | 11 | 5 | 5 | 17 | 13 | 6 | 1 | 3 | 1 |
| Tuberculous Peritonitis | 45 | – | 1 | 1 | 5 | 5 | 3 | 1 | 9 | – | 5 | 4 | 1 | 1 |
| Tabes Mesenterica | 29 | 2 | 4 | 4 | 7 | 5 | 2 | – | 3 | – | 1 | – | 1 | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 18 | – | – | 1 | – | – | – | 1 | 1 | 3 | 4 | 2 | – | 1 |
| General Tuberculosis | 59 | – | 4 | 3 | 5 | 2 | 1 | 1 | 7 | 7 | 8 | 3 | 6 | 2 |
| Scrofula | 5 | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 23 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 1 | – | 1 | 1 | 1 | 4 | 2 | 3 | 2 | 1 | 1 | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | 1 | 1 | – | 1 | 1 | 2 | 4 | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | 2 | 1 | 1 | – | 2 | 3 | – | 2 | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | 1 | – | – | – | 2 | 1 | 2 | – | 1 | – | – | – | – |
| Phagedæna | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 3 | 2 | 5 | 5 | 5 | 8 | 7 | 4 | 2 | 1 | – | – | – | – | – |
| Pneumonia — Broncho | 1 | 2 | 2 | 1 | 1 | 7 | 3 | 3 | 2 | 1 | 1 | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 16 | 21 | 19 | 30 | 30 | 32 | 26 | 29 | 13 | 11 | 1 | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | 9 | 4 | 1 | 3 | 2 | 5 | 2 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 45 | 37 | 29 | 19 | 15 | 11 | 7 | 6 | 1 | – | – | – | – | – | – |
| Tuberculous Meningitis | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 2 | 1 | 2 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 4 | 2 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 5 | 1 | 5 | 4 | 7 | 4 | 4 | 1 | 1 | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | 1 | 1 | 2 | 5 | 7 | 6 | 8 | 3 | – | – | 1 | – | – |
| Dysentery | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | | | | | | | | | | | | | | | |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 4 | – | 1 | 1 | 4 | 2 | 1 | 2 | 2 | 1 | 1 | – | – | – |
| Septicæmia (not Puerperal) | 2 | 2 | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Phagedæna | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Infective Endocarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | 2 | 2 | 2 | 1 | 1 | 3 | 5 | 1 | 2 | 1 | – | – | – | – |
| Pneumonia — Broncho | 3 | 1 | 2 | 1 | 2 | 5 | 3 | 3 | 1 | 3 | 2 | 1 | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 7 | 6 | 7 | 23 | 12 | 13 | 22 | 17 | 18 | 10 | 4 | – | – | – | – |
| Other Infective Conditions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 8 | 5 | 4 | 1 | 4 | 3 | 4 | 1 | – | 1 | 1 | – | – | – | – |
| Phthisis (not otherwise defined) | 55 | 42 | 25 | 22 | 13 | 21 | 4 | 3 | 2 | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 4 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | 1 | 1 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 5 | 2 | 3 | 3 | 7 | – | 1 | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 25 | - | 1 | - | - | - | - | - | 1 | 4 | 7 | 1 | 2 | 1 |
| Rheumatism of Heart | 2 | - | - | - | - | - | - | - | - | 2 | - | - | - | - |
| Chronic Rheumatism | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Rheumatic Arthritis, Rheumatic Gout | 6 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gout | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Carcinoma | 107 | - | - | - | - | - | - | - | - | - | 1 | 1 | 1 | - |
| Sarcoma | 21 | - | - | - | - | - | - | - | 1 | 1 | - | - | 3 | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 143 | - | - | - | - | - | - | 1 | - | - | - | - | 2 | - |
| Rickets | 11 | 1 | - | 4 | 5 | 1 | - | - | - | - | - | - | - | - |
| Purpura | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Hæmophilia, Hæmorrhagic Diathesis | 1 | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| Anæmia, Leucocythæmia | 40 | 1 | 1 | - | 3 | - | - | - | 2 | 2 | 2 | 1 | 1 | 1 |
| Diabetes Mellitus | 39 | - | - | - | - | - | - | - | - | - | 2 | 1 | 4 | - |
| Premature Birth | 249 | 247 | 2 | - | - | - | - | - | - | - | - | - | - | - |
| Congenital Defects | 56 | 46 | 5 | 2 | - | - | - | - | 2 | 1 | - | - | - | - |
| Injury at Birth | 14 | 14 | - | - | - | - | - | - | - | - | - | - | - | - |
| Atelectasis | 21 | 21 | - | - | - | - | - | - | - | - | - | - | - | - |
| Want of Breast Milk | 11 | 3 | 5 | 3 | - | - | - | - | - | - | - | - | - | - |
| Teething | 14 | 1 | 1 | 7 | 5 | - | - | - | - | - | - | - | - | - |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 138 | 6 | 14 | 27 | 28 | 12 | 8 | 2 | 12 | 10 | 6 | 4 | 5 | - |
| Softening of Brain | 38 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| General Paralysis of Insane | 44 | - | - | - | - | - | - | - | - | - | - | - | - | 4 |
| Insanity (not Puerperal) | 15 | - | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Chorea | 2 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Epilepsy | 34 | - | 2 | 1 | - | - | - | - | 2 | 6 | 3 | 4 | 2 | 2 |
| Convulsions | 124 | 51 | 20 | 23 | 18 | 6 | - | 1 | 3 | - | - | - | - | - |
| Laryngismus Stridulus | 3 | - | - | 1 | 1 | - | - | - | 1 | - | - | - | - | - |
| Locomotor Ataxy | 12 | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| Paraplegia, Diseases of Cord | 32 | - | - | 1 | 1 | - | 1 | - | - | - | 1 | 2 | 1 | - |
| Neuritis; Peripheral, Poly-neuritis | 4 | - | - | - | - | - | - | - | - | - | - | 1 | - | - |
| Brain Tumour (not Specific) | 9 | - | - | - | - | - | - | - | - | 1 | - | 2 | 1 | 1 |
| Other Diseases of Nervous System | 90 | 1 | 5 | 2 | 1 | 4 | - | 1 | 2 | - | 1 | 2 | 1 | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 15 | 1 | 1 | 5 | - | 1 | - | 1 | 1 | - | 1 | - | - | 1 |
| Epistaxis, Diseases of Nose | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Ophthalmia, Diseases of Eye | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 154 | 2 | - | - | - | - | - | - | 1 | 3 | 4 | 5 | 3 | 7 |
| Pericarditis | 8 | - | - | - | 1 | - | - | - | - | - | 2 | - | - | - |
| Hypertrophy of Heart | 7 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Angina Pectoris | 23 | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| Dilatation of Heart | 27 | - | - | - | - | - | - | - | 1 | - | 2 | 1 | 2 | 1 |
| Fatty Degeneration of Heart | 21 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Syncope, Heart Disease (not specified) | 482 | 12 | 3 | 1 | - | - | - | 2 | 1 | 5 | 6 | 4 | 7 | 8 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 32 | – | – | – | – | – | – | – | 2 | 6 | 6 | 1 | 3 | 2 |
| Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Chronic Rheumatism | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 220 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Sarcoma | 20 | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| Cancer, Malignant Disease (not otherwise defined) | 199 | – | – | – | – | – | 1 | – | – | – | – | – | – | 3 |
| Rickets | 9 | 1 | – | 2 | 3 | 2 | – | – | – | 1 | – | – | – | – |
| Purpura | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 47 | – | – | – | – | – | – | – | 1 | 3 | 3 | 2 | 3 | 6 |
| Diabetes Mellitus | 27 | – | – | – | – | – | – | – | – | – | 3 | 3 | 2 | – |
| Premature Birth | 189 | 188 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 49 | 40 | 3 | 3 | – | – | – | – | – | 2 | – | – | – | – |
| Injury at Birth | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 10 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 16 | 12 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 7 | – | 1 | 2 | 4 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| **Diseases of Nervous System.** | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 126 | 6 | 17 | 21 | 17 | 6 | 5 | 8 | 15 | 5 | 7 | 4 | 3 | 1 |
| Softening of Brain | 51 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| General Paralysis of Insane | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 30 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | 2 |
| Chorea | 4 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Epilepsy | 24 | 2 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – |
| Convulsions | 88 | 32 | 11 | 18 | 8 | 7 | 2 | – | 2 | 1 | 2 | – | 1 | 2 |
| Laryngismus Stridulus | 8 | 1 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 36 | – | – | – | – | – | 2 | – | – | – | – | – | 1 | 2 |
| Neuritis; Peripheral, Poly-neuritis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 10 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| Other Diseases of Nervous System | 75 | – | 2 | 1 | 2 | 1 | 1 | – | 2 | 1 | – | 1 | 2 | 2 |
| **Diseases of Organs of Special Sense.** | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 7 | – | – | 2 | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Epistaxis, Diseases of Nose | 3 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Heart.** | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 215 | 1 | – | – | – | – | – | 1 | 6 | 5 | 4 | 4 | 10 | 6 |
| Pericarditis | 7 | – | – | – | – | – | – | – | – | 2 | 1 | – | 2 | 1 |
| Hypertrophy of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 21 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| Fatty Degeneration of Heart | 28 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Syncope, Heart Disease (not specified) | 508 | 4 | 1 | 1 | 1 | – | – | – | 1 | 1 | 7 | 5 | 7 | 11 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 2 | 2 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | 1 | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | 2 | 6 | 11 | 18 | 17 | 16 | 17 | 8 | 6 | 2 | – | – | – | – |
| Sarcoma | 1 | 2 | 3 | 2 | 1 | 3 | – | 1 | 2 | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 4 | 6 | 11 | 11 | 20 | 24 | 22 | 22 | 14 | 4 | 1 | 1 | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 2 | 1 | – | 7 | 3 | 7 | 3 | 3 | – | – | – | – | – | – |
| Diabetes Mellitus | 5 | – | 4 | 2 | 2 | 9 | 2 | 3 | 4 | 1 | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Softening of Brain | – | 1 | 3 | 1 | 5 | 4 | 6 | 3 | 8 | – | 4 | 2 | – | – | – |
| General Paralysis of Insane | 6 | 12 | 10 | 10 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | 3 | 2 | – | 2 | 2 | – | 3 | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | 1 | 4 | – | 1 | 2 | 2 | – | – | – | – | – | – |
| Convulsions | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | 1 | – | 4 | – | 2 | 1 | 2 | – | – | 1 | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | 3 | 2 | 2 | 3 | 3 | 4 | 3 | 2 | 1 | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Brain Tumour (not Specific) | | – | – | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 7 | 1 | 4 | 4 | 15 | 12 | 8 | 9 | 4 | 2 | – | 1 | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | 8 | 11 | 16 | 16 | 19 | 25 | 15 | 10 | 7 | 1 | – | – | – | – |
| Pericarditis | – | 1 | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | | – | – | 1 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| Angina Pectoris | 1 | 1 | – | 1 | 4 | 3 | 5 | 3 | 2 | 1 | 1 | – | – | – | – |
| Dilatation of Heart | 1 | – | – | 1 | 3 | 3 | 2 | 6 | 2 | 1 | 1 | – | – | – | – |
| Fatty Degeneration of Heart | – | – | 2 | 3 | 2 | 2 | 5 | 3 | 2 | 1 | 1 | – | – | – | – |
| Syncope, Heart Disease (not specified) | 10 | 21 | 17 | 35 | 44 | 58 | 57 | 80 | 61 | 35 | 9 | 5 | 1 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 2 | – | 2 | 2 | 1 | 1 | 4 | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | 1 | 1 | 2 | 1 | 5 | 1 | 1 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | 1 | – | – | – | 2 | 3 | 5 | – | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 8 | 11 | 27 | 17 | 34 | 36 | 23 | 33 | 10 | 16 | 1 | 1 | – | – | – |
| Sarcoma | 1 | 1 | 3 | 3 | 1 | 5 | 1 | 1 | 1 | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 3 | 9 | 17 | 16 | 19 | 32 | 41 | 24 | 19 | 8 | 5 | 1 | 1 | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | 5 | 1 | 6 | 5 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – |
| Diabetes Mellitus | 1 | – | 3 | – | 4 | 3 | 5 | 2 | 1 | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | 2 | 3 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | 1 | 1 | 5 | 4 | 7 | 8 | 12 | 4 | 7 | – | 1 | – | – | – |
| General Paralysis of Insane | 1 | 1 | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 2 | 4 | 4 | 1 | 4 | 1 | 1 | 4 | 2 | – | 1 | – | – | – | – |
| Chorea | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Epilepsy | 5 | 1 | 1 | 1 | 3 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | 2 | 2 | 2 | 6 | 3 | 4 | 6 | 3 | – | 2 | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | 1 | 5 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 3 | 3 | 5 | 5 | 7 | 6 | 10 | 13 | 3 | 2 | 1 | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 10 | 10 | 13 | 20 | 17 | 25 | 19 | 22 | 26 | 13 | 3 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | 4 | 2 | 3 | 5 | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | 3 | 1 | 3 | 4 | 2 | 2 | 2 | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | 1 | 3 | 5 | 5 | 3 | 6 | 2 | 1 | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 10 | 16 | 26 | 35 | 57 | 62 | 64 | 71 | 66 | 41 | 17 | 4 | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 156 | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | 2 |
| Apoplexy, Hemiplegia | 208 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Aneurism | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Senile Gangrene | 22 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 16 | – | 2 | 3 | 4 | 2 | – | 1 | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 6 | – | 1 | – | 2 | – | – | 1 | 2 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 457 | 50 | 34 | 40 | 30 | 8 | 3 | 4 | 1 | 1 | 5 | 1 | 1 | 6 |
| Emphysema, Asthma | 20 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Pleurisy | 35 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 1 |
| Fibroid Disease of Lung | 15 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Dis. of Respiratory System | 13 | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 5 | 1 | – | – | 1 | – | – | – | 2 | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 6 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 16 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Gastric Catarrh | 63 | 15 | 13 | 7 | 4 | – | 2 | – | – | 1 | 2 | – | – | 1 |
| Other Diseases of Stomach (not Malignant) | 29 | 7 | 2 | 2 | – | – | – | – | – | – | 1 | 1 | – | – |
| Enteritis (not Infective) | 70 | 13 | 13 | 18 | 5 | 2 | 1 | 1 | 1 | – | 1 | – | 1 | 1 |
| Gastro-enteritis | 132 | 26 | 33 | 26 | 23 | 4 | 2 | – | 3 | 1 | – | – | 1 | 2 |
| Appendicitis, Perityphlitis | 15 | – | – | – | – | – | – | – | 1 | 5 | 3 | 1 | 1 | – |
| Hernia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 32 | 3 | 2 | 2 | – | – | – | 1 | 1 | 3 | – | 1 | 3 | – |
| Other Diseases of Intestines | 6 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 40 | 5 | 2 | 1 | 1 | – | 1 | 1 | 7 | 1 | 3 | 2 | 2 | – |
| Cirrhosis of Liver | 38 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 35 | 5 | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Lymphatic System | 6 | – | – | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 53 | 2 | – | – | 2 | 3 | 1 | – | 1 | 3 | 2 | 3 | 2 | 2 |
| Chronic Bright's Disease, Albuminuria | 112 | – | – | 2 | – | – | – | – | 5 | – | 3 | 1 | – | 4 |
| Calculus (not Biliary) | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 73 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 14 | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 199 | – | – | – | – | – | – | – | – | – | 3 | – | 3 | 2 |
| Apoplexy, Hemiplegia | 277 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Aneurism | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 23 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 7 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – |
| Phlebitis | 7 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 19 | 3 | 2 | 2 | 2 | 3 | 2 | 1 | 3 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 8 | – | – | 1 | 1 | 3 | 1 | – | 2 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Bronchitis | 473 | 36 | 29 | 32 | 27 | 7 | 5 | 2 | 3 | – | – | – | – | 3 |
| Emphysema, Asthma | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Pleurisy | 26 | 1 | – | 1 | – | 1 | – | – | – | – | – | 3 | 3 | – |
| Fibroid Disease of Lung | 11 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Other Dis. of Respiratory System | 6 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 3 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 34 | – | – | – | – | – | – | – | – | 2 | 5 | 6 | 5 | 4 |
| Gastric Catarrh | 76 | 9 | 7 | 7 | 2 | 1 | 1 | – | 3 | – | – | 1 | 3 | 1 |
| Other Diseases of Stomach (not Malignant) | 37 | 2 | 3 | 1 | 2 | – | 1 | – | 1 | – | – | 1 | – | – |
| Enteritis (not Infective) | 56 | 7 | 6 | 10 | 5 | 2 | 1 | 1 | 1 | 2 | – | 1 | 3 | 1 |
| Gastro-enteritis | 130 | 28 | 22 | 28 | 25 | 6 | 1 | 1 | 1 | 1 | – | 2 | 2 | – |
| Appendicitis, Perityphlitis | 14 | – | – | – | – | – | – | 1 | 4 | – | – | 3 | 2 | – |
| Hernia | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 43 | 2 | – | 1 | 2 | 1 | – | – | – | 3 | – | – | 1 | 1 |
| Other Diseases of Intestines | 9 | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Peritonitis (not Puerperal) | 47 | 3 | – | 2 | 1 | – | – | – | 5 | 4 | 4 | 1 | 1 | 3 |
| Cirrhosis of Liver | 18 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 54 | 2 | – | – | 1 | – | – | 1 | 1 | – | – | – | 1 | 7 |
| Other Diseases of Digestive System | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. of Lymphatic System | 8 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Diseases of Thyroid Body | 11 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 51 | 1 | – | – | 2 | 1 | 1 | – | 2 | 1 | 3 | 1 | 4 | 5 |
| Chronic Bright's Disease, Albuminuria | 95 | – | – | – | – | – | – | – | 1 | 1 | 1 | 4 | 5 | 5 |
| Calculus (not Biliary) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 11 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Other Diseases of Urinary System | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 4 | 2 | 4 | 7 | 15 | 29 | 26 | 29 | 22 | 11 | 1 | 1 | – | – | – |
| Apoplexy, Hemiplegia | 5 | 4 | 4 | 17 | 20 | 31 | 31 | 35 | 26 | 23 | 9 | – | – | – | – |
| Aneurism | 1 | 3 | 1 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 5 | 1 | 5 | 2 | 6 | 2 | – | – | 1 | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Varicose Veins | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | 2 | 1 | 1 | 8 | 2 | 1 | 1 | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 6 | 6 | 10 | 14 | 36 | 34 | 35 | 47 | 39 | 30 | 15 | 1 | – | – | – |
| Emphysema, Asthma | 1 | 1 | 2 | 3 | 2 | – | 4 | 2 | 1 | 1 | 1 | – | – | – | – |
| Pleurisy | 3 | 2 | 1 | 4 | 3 | 4 | 5 | 4 | 2 | – | 1 | – | – | – | – |
| Fibroid Disease of Lung | – | 1 | 2 | 5 | 3 | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | 1 | 1 | 3 | 2 | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Gastric Ulcer | 3 | 3 | 1 | 2 | 2 | 2 | – | – | – | 1 | – | – | – | – | – |
| Gastric Catarrh | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 3 | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | 1 | 1 | 1 | 4 | 3 | 2 | 2 | 2 | – | – | – | – | – | – |
| Enteritis (not Infective) | – | 2 | – | 1 | – | 4 | 1 | 1 | 3 | – | 1 | – | – | – | – |
| Gastro-enteritis | – | – | – | 4 | – | 2 | 3 | – | – | 2 | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | 3 | 3 | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | 1 | 2 | – | 2 | 1 | 4 | 2 | 2 | – | – | 1 | – | – | – |
| Other Diseases of Intestines | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | 3 | 4 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 1 | 11 | 5 | 2 | 8 | 5 | 3 | 2 | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 4 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 5 | – | 2 | 2 | 5 | 4 | 5 | 5 | 2 | – | 1 | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | 7 | 12 | 10 | 16 | 11 | 13 | 11 | 8 | 4 | 3 | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | 2 | 7 | 1 | 10 | 14 | 13 | 10 | 8 | 5 | 2 | – | – | – |
| Other Diseases of Urinary System | – | 2 | – | 1 | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 2 | 4 | 9 | 16 | 26 | 26 | 23 | 32 | 24 | 20 | 7 | 2 | – | – | – |
| Apoplexy, Hemiplegia | 4 | 7 | 15 | 16 | 28 | 38 | 38 | 42 | 44 | 30 | 11 | 2 | – | – | – |
| Aneurism | – | – | – | 2 | 3 | – | – | 2 | – | 2 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | 1 | 1 | 3 | 7 | 4 | 2 | 4 | 1 | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Phlebitis | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 3 | 7 | 7 | 25 | 36 | 47 | 63 | 56 | 45 | 24 | 12 | 1 | 1 | – |
| Emphysema, Asthma | – | – | 1 | 1 | 2 | 2 | 4 | 1 | 1 | – | 1 | – | – | – | – |
| Pleurisy | – | 2 | 3 | – | 3 | 5 | 2 | 1 | 1 | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | 1 | 4 | 3 | – | 1 | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Gastric Ulcer | 1 | 1 | 1 | 3 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Gastric Catarrh | 4 | 1 | 4 | 1 | 3 | 4 | 6 | 6 | 4 | 6 | 2 | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | 1 | 2 | 2 | 6 | 3 | 2 | 5 | 1 | 1 | 1 | – | – | – | – |
| Enteritis (not Infective) | 1 | 1 | 1 | 1 | – | 3 | 1 | 4 | 2 | 1 | 1 | – | – | – | – |
| Gastro-enteritis | – | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | – | 1 | – | – | – |
| Appendicitis, Perityphlitis | 2 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | 2 | 3 | – | 1 | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | 1 | 4 | 2 | 2 | 4 | 6 | 3 | 5 | 3 | 1 | – | – | – | – |
| Other Diseases of Intestines | – | – | – | 1 | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | 3 | 3 | 2 | 3 | 3 | 3 | 1 | 2 | 2 | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 3 | 1 | 2 | 3 | 2 | 2 | 1 | 3 | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | 1 | 2 | 6 | 3 | 5 | 9 | 5 | 3 | 3 | 2 | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | 3 | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | 3 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 6 | – | 4 | 3 | 4 | 3 | 4 | 4 | 2 | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 5 | 8 | 12 | 8 | 10 | 11 | 5 | 9 | 6 | 4 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | 1 | 1 | 1 | 1 | – | 2 | 2 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 9 | – | – | – | – | 1 | – | – | 3 | 2 | 1 | 1 | – | – |
| Arthritis, Periostitis | 6 | – | – | – | – | – | – | – | 3 | – | – | – | – | – |
| Other Dis. of Locomotor System | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 292 | 234 | 27 | 12 | 9 | – | – | – | 1 | 1 | – | – | – | – |
| Old Age | 318 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 5 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 7 | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 33 | 9 | 5 | 2 | 2 | – | – | – | – | – | 1 | 2 | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 71 | – | – | – | – | – | – | – | – | 2 | 7 | 8 | 9 | 11 |
| Vehicles and Horses | 58 | – | – | – | 1 | – | 1 | 2 | 2 | 1 | 4 | 5 | 12 | 3 |
| Ships, Boats, Docks (not Drowning) | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 12 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Weapons and Implements | 4 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – |
| Burns and Scalds | 12 | – | – | – | 4 | 3 | 1 | 1 | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 12 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – |
| Drowning | 128 | – | – | – | 2 | 1 | 4 | 1 | 10 | 12 | 8 | 9 | 11 | 15 |
| Suffocation { From Overlaying | 8 | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 19 | 6 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | 1 | – |
| Falls | 29 | – | – | – | – | – | 1 | – | – | – | 3 | 2 | 2 | 1 |
| Weather Agencies | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Otherwise, or not stated | 47 | 1 | – | 1 | – | – | 1 | 1 | 1 | 2 | 2 | – | 5 | 3 |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 43 | – | – | – | – | – | – | – | – | – | – | 4 | 4 | 4 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 7 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Puerperal Convulsions | 22 | – | – | – | – | – | – | – | – | – | 2 | 4 | 6 | 2 |
| Placenta Prævia, Flooding | 16 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 |
| Other Accidents of Pregnancy and Childbirth | 30 | – | – | – | – | – | – | – | – | – | 3 | 4 | 8 | 8 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 11 | 1 | – | – | – | – | – | – | 1 | – | – | 1 | 2 | 1 |
| Arthritis, Periostitis | 5 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Other Dis. of Locomotor System | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pemphigus | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 240 | 178 | 24 | 14 | 7 | 4 | – | – | 2 | – | 1 | – | 1 | 2 |
| Old Age | 515 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Tumour | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 6 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Causes not specified | 30 | 9 | 3 | 2 | 1 | – | 1 | – | – | – | – | – | – | 1 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 14 | – | – | – | 1 | – | 5 | 1 | 1 | 1 | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 30 | – | – | – | 4 | 2 | 2 | 3 | 3 | 1 | – | – | 1 | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Drowning | 23 | – | – | – | 1 | – | – | 2 | 2 | 1 | 1 | 2 | 1 | 2 |
| Suffocation { From Overlaying | 7 | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 13 | 2 | 3 | 1 | – | – | – | – | 1 | – | – | – | 1 | – |
| Falls | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Weather Agencies | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Otherwise, or not stated | 45 | – | – | 1 | 1 | – | – | – | 2 | – | – | – | – | 2 |
| Homicide | 5 | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | 1 | – |
| Suicide | 16 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Arthritis, Periostitis | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | 1 | – | 3 | 4 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 17 | 23 | 62 | 63 | 74 | 61 | 14 | 4 | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – |
| Tumour | – | – | – | – | – | 4 | – | – | 1 | 1 | – | – | – | – | – |
| Abscess | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | 1 | – | 1 | 1 | 4 | 2 | 1 | 1 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 8 | 10 | 6 | 4 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 5 | 2 | 5 | 4 | 2 | 3 | 3 | – | 2 | – | 1 | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Building Operations | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | 2 | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Drowning | 10 | 7 | 7 | 9 | 3 | 9 | 6 | – | 2 | 1 | – | – | – | – | 1 |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 2 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Falls | 3 | 3 | 1 | 1 | 3 | 1 | 4 | 1 | 1 | 1 | 1 | – | – | – | – |
| Weather Agencies | – | 2 | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Otherwise, or not stated | 3 | 1 | 3 | 3 | 8 | 2 | 1 | 4 | 3 | 2 | – | – | – | – | – |
| Homicide | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | 3 | 4 | 8 | 3 | 3 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | 2 | 1 | 1 | – | – | 1 | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 2 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 2 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Disorders of Menstruation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | 2 | – | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | 1 | 3 | 3 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 27 | 30 | 72 | 88 | 136 | 107 | 39 | 15 | 1 | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Tumour | 2 | – | 1 | 1 | – | 2 | 2 | 1 | 1 | 2 | – | – | – | – | – |
| Abscess | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | 2 | – | 1 | 3 | 1 | 3 | 1 | 2 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | 1 | – | 2 | 1 | 3 | 3 | 3 | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | 1 | 2 | 2 | – | 2 | 1 | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Falls | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | 1 | 1 | 2 | 1 | 1 | 8 | 4 | 9 | 6 | 5 | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 3 | 1 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **ALL CAUSES** . . . . . | 6971 | 746 | 198 | 285 | 217 | 97 | 50 | 41 | 154 | 120 | 210 | 207 | 208 | 197 |
| A.—GENERAL DISEASES . . | 2677 | 389 | 79 | 155 | 131 | 53 | 29 | 26 | 93 | 69 | 126 | 130 | 133 | 116 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 457 | 48 | 26 | 37 | 23 | 16 | 3 | 4 | 17 | 4 | 13 | 10 | 10 | 13 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 11 | 1 | – | 1 | – | 2 | 1 | – | – | 2 | – | 1 | – | 1 |
| III. ,, HEART . . . | 334 | 16 | 1 | 1 | 1 | 2 | 1 | – | 4 | 4 | 11 | 11 | 16 | 12 |
| IV. ,, BLOOD VESSELS . | 470 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 4 |
| V. ,, RESPIRATORY SYSTEM | 545 | 52 | 32 | 37 | 33 | 7 | 2 | 3 | 3 | 1 | 3 | 4 | 3 | 7 |
| VI. ,, DIGESTIVE SYSTEM . | 451 | 52 | 34 | 39 | 14 | 7 | 4 | 3 | 15 | 15 | 9 | 11 | 2 | 6 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VIII. ,, URINARY SYSTEM . | 273 | 1 | 2 | – | 1 | 2 | 1 | 1 | 2 | 4 | 6 | 2 | 7 | 5 |
| IX. ,, GENERATIVE SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 16 | – | – | – | – | – | 1 | – | 3 | 2 | 1 | 1 | 1 | 2 |
| XII. ,, THE SKIN . . . | 11 | 4 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 761 | 176 | 18 | 12 | 4 | 2 | 2 | – | 2 | 2 | 2 | – | – | – |
| E.—VIOLENT DEATHS. . . | 457 | 7 | 4 | 3 | 8 | 5 | 6 | 4 | 15 | 17 | 38 | 37 | 34 | 30 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 61 | 6 | 2 | 17 | 22 | 3 | 4 | 2 | 2 | 1 | 1 | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 25 | – | – | – | 2 | 5 | 2 | 2 | 11 | 2 | – | – | 1 | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 136 | 5 | 4 | 4 | – | 1 | – | – | 2 | 2 | 3 | 2 | 4 | 4 |
| Hooping-cough . . . . . | 75 | 16 | 7 | 24 | 23 | 2 | – | 1 | 2 | – | – | – | – | – |
| Mumps . . . . . | 1 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diphtheria . . . . . | 67 | 1 | 1 | 6 | 12 | 9 | 6 | 7 | 17 | 2 | 2 | 2 | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteric Fever . . . . . | 44 | – | – | – | – | – | – | – | 3 | 4 | 9 | 8 | 3 | 3 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 7007 | 467 | 155 | 206 | 194 | 77 | 54 | 58 | 160 | 128 | 174 | 212 | 233 | 209 |
| A.—GENERAL DISEASES | 2678 | 242 | 57 | 115 | 138 | 47 | 37 | 36 | 103 | 85 | 117 | 147 | 169 | 114 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 368 | 27 | 18 | 27 | 12 | 11 | 7 | 3 | 14 | 13 | 13 | 9 | 7 | 7 |
| II. ,, ORGANS OF SPECIAL SENSE | 13 | 1 | – | 2 | 3 | – | – | – | 2 | 1 | 2 | – | – | – |
| III. ,, HEART | 873 | 4 | 2 | 2 | 3 | 1 | – | – | 3 | 6 | 7 | 7 | 15 | 14 |
| IV. ,, BLOOD VESSELS | 588 | – | 1 | – | – | – | – | 1 | – | 3 | 2 | 5 | 1 | 6 |
| V. ,, RESPIRATORY SYSTEM | 540 | 30 | 28 | 26 | 14 | 3 | 3 | 6 | 10 | 2 | 3 | 4 | 5 | 2 |
| VI. ,, DIGESTIVE SYSTEM | 452 | 40 | 27 | 22 | 16 | 4 | 3 | 7 | 15 | 7 | 10 | 12 | 14 | 26 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 23 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 2 | – | 2 |
| VIII. ,, URINARY SYSTEM | 180 | 1 | 1 | – | 1 | 1 | – | 1 | 2 | 4 | 4 | 6 | 6 | 12 |
| IX. ,, GENERATIVE SYSTEM | 34 | – | – | – | – | 1 | – | – | – | 1 | 2 | 2 | 1 | 1 |
| X. ,, PREGNANCY AND CHILDBIRTH | 71 | – | – | – | – | – | – | – | – | – | 3 | 10 | 12 | 19 |
| XI. ,, LOCOMOTOR SYSTEM | 16 | – | – | – | – | – | 1 | – | – | 1 | 4 | 1 | – | 2 |
| XII. ,, THE SKIN | 15 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1004 | 107 | 16 | 10 | 5 | – | – | 1 | 4 | 1 | – | 1 | – | 1 |
| E.—VIOLENT DEATHS | 152 | 12 | 4 | 1 | 2 | 8 | 2 | 3 | 7 | 3 | 6 | 6 | 3 | 3 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Small-pox: Not Vaccinated | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Measles | 47 | – | 1 | 10 | 20 | 2 | 4 | 4 | 3 | 2 | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 38 | – | 1 | – | 6 | 6 | 6 | 1 | 10 | 3 | – | 1 | 3 | 1 |
| Typhus | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 153 | – | 3 | 1 | 3 | 3 | 1 | – | 4 | 1 | 3 | 5 | 5 | 2 |
| Hooping-cough | 96 | 11 | 11 | 23 | 27 | 8 | 3 | 6 | 6 | 1 | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 75 | – | – | 6 | 10 | 5 | 7 | 10 | 29 | 3 | 2 | – | 1 | 1 |
| Cerebro-spinal Fever | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 40 | – | – | – | – | 2 | – | – | 1 | 3 | 8 | 8 | 7 | 4 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 203 | 230 | 270 | 323 | 358 | 454 | 488 | 556 | 574 | 457 | 246 | 56 | 17 | 4 | 5 |
| A.—GENERAL DISEASES | 106 | 112 | 112 | 122 | 130 | 147 | 120 | 113 | 104 | 60 | 17 | 4 | 1 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 21 | 23 | 26 | 25 | 19 | 24 | 20 | 24 | 33 | 11 | 6 | – | 1 | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 18 | 20 | 36 | 46 | 61 | 85 | 116 | 121 | 135 | 82 | 28 | 6 | – | – | – |
| IV. ,, BLOOD VESSELS | 5 | 7 | 14 | 27 | 30 | 60 | 65 | 73 | 76 | 67 | 34 | 3 | 2 | – | – |
| V. ,, RESPIRATORY SYSTEM | 9 | 10 | 10 | 20 | 30 | 51 | 45 | 70 | 41 | 43 | 21 | 5 | 3 | – | – |
| VI. ,, DIGESTIVE SYSTEM | 10 | 17 | 18 | 28 | 31 | 28 | 39 | 26 | 29 | 9 | 4 | 1 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 6 | 4 | 6 | 15 | 16 | 15 | 32 | 54 | 45 | 29 | 15 | 1 | 1 | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| XI. ,, LOCOMOTOR SYSTEM | 1 | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1 | 1 | 6 | 11 | 9 | 13 | 25 | 63 | 97 | 150 | 115 | 36 | 8 | 4 | 2 |
| E.—VIOLENT DEATHS. | 25 | 35 | 41 | 25 | 32 | 28 | 23 | 11 | 13 | 6 | 6 | – | 1 | – | 3 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 6 | 7 | 8 | 8 | 14 | 8 | 26 | 16 | 7 | 4 | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 6 | 1 | – | 4 | 3 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 238 | 200 | 232 | 257 | 296 | 479 | 524 | 658 | 654 | 620 | 336 | 147 | 37 | 2 | – |
| A.—GENERAL DISEASES | 131 | 102 | 116 | 108 | 100 | 147 | 156 | 158 | 124 | 84 | 28 | 12 | 5 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 10 | 14 | 15 | 17 | 16 | 27 | 28 | 31 | 21 | 11 | 9 | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| III. ,, HEART | 21 | 26 | 33 | 44 | 62 | 101 | 112 | 149 | 125 | 84 | 40 | 12 | – | – | – |
| IV. ,, BLOOD VESSELS | 8 | 10 | 23 | 25 | 46 | 65 | 75 | 104 | 96 | 71 | 34 | 10 | 2 | – | – |
| V. ,, RESPIRATORY SYSTEM | 8 | 10 | 8 | 11 | 22 | 46 | 35 | 62 | 78 | 85 | 24 | 14 | 1 | – | – |
| VI. ,, DIGESTIVE SYSTEM | 22 | 12 | 13 | 23 | 21 | 25 | 29 | 33 | 35 | 24 | 9 | 2 | 1 | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 3 | – | 4 | 1 | 2 | 4 | – | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 13 | 5 | 7 | 11 | 12 | 19 | 22 | 24 | 13 | 9 | 4 | 1 | 1 | – | – |
| IX. ,, GENERATIVE SYSTEM | 4 | 1 | 3 | 4 | 2 | 1 | 3 | 2 | 2 | 3 | 1 | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 15 | 10 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | 1 | – | – | 4 | 1 | – | – | 1 | – | – | – | – |
| XII. ,, THE SKIN | – | – | 1 | – | – | 1 | – | 3 | 3 | – | 1 | 1 | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1 | 4 | 5 | 6 | 8 | 31 | 45 | 82 | 145 | 235 | 176 | 91 | 27 | 2 | – |
| E.—VIOLENT DEATHS. | 2 | 6 | 2 | 6 | 5 | 12 | 15 | 6 | 12 | 14 | 9 | 3 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | 5 | 5 | 5 | 7 | 14 | 17 | 18 | 19 | 13 | 8 | 4 | 3 | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 2 | – | 1 | – | 1 | 3 | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 80 | 16 | 19 | 13 | 4 | 3 | – | 2 | – | – | – | – | – | 2 |
| Dysentery | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 8 | 4 | – | – | – | – | – | 1 | 2 | – | – | – | 1 | – |
| Syphilis | 13 | 3 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | 1 |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 27 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Septicæmia (not Puerperal) | 11 | 1 | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – |
| Pyæmia (not Puerperal) | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 10 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Phagedæna | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 39 | – | – | 1 | – | – | 1 | – | 1 | – | 2 | 3 | – | 2 |
| Pneumonia — Broncho | 111 | 18 | 13 | 24 | 16 | 2 | 3 | 3 | 3 | – | 1 | – | – | 1 |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 320 | 17 | 9 | 25 | 14 | 6 | 2 | 1 | 12 | 3 | 8 | 5 | 14 | 8 |
| Other Infective Conditions | 6 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 97 | – | – | 3 | 2 | 2 | 1 | – | 1 | 6 | 10 | 15 | 13 | 8 |
| Phthisis (not otherwise defined) | 499 | – | 1 | 2 | 3 | 3 | 1 | – | 6 | 7 | 53 | 71 | 76 | 60 |
| Tuberculous Meningitis | 63 | – | 3 | 10 | 7 | 3 | 4 | 1 | 15 | 11 | 1 | 5 | – | 2 |
| Tuberculous Peritonitis | 37 | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 3 | 5 | 5 | 4 | 3 | 1 |
| Tabes Mesenterica | 23 | 3 | 3 | 4 | – | 3 | 1 | 1 | 3 | 2 | 1 | – | 1 | 1 |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 29 | 1 | – | 1 | 1 | – | 1 | – | 5 | 3 | 5 | 2 | 2 | 1 |
| General Tuberculosis | 57 | 2 | 1 | 6 | 5 | 4 | 1 | 1 | 2 | 6 | 7 | 6 | 2 | 3 |
| Scrofula | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 25 | – | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 78 | 6 | 8 | 9 | 15 | 1 | – | 1 | – | – | 1 | – | 1 | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 7 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 22 | – | – | – | – | – | – | – | – | – | – | 2 | 7 | 5 |
| Puerperal Pyæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlegmasia Alba Dolens | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Fever (not otherwise defined) | 28 | – | – | – | – | – | – | – | – | – | 1 | 5 | 10 | 5 |
| Erysipelas | 23 | 7 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 11 | – | – | 2 | – | – | 1 | – | – | – | – | – | 1 | 2 |
| Pyæmia (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phagedæna | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 27 | 1 | – | 1 | – | 1 | – | – | – | 1 | 2 | 3 | 2 | 1 |
| Pneumonia: Broncho | 86 | 8 | 9 | 17 | 17 | 3 | 1 | – | 3 | – | 1 | 1 | 1 | 1 |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 255 | 12 | 12 | 19 | 8 | 5 | 5 | 2 | 7 | 1 | 3 | 8 | 10 | 4 |
| Other Infective Conditions | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 110 | – | – | 3 | 2 | 2 | 2 | – | 2 | 8 | 10 | 12 | 21 | 8 |
| Phthisis (not otherwise defined) | 475 | – | – | 1 | 1 | 1 | – | 2 | 7 | 33 | 57 | 77 | 74 | 52 |
| Tuberculous Meningitis | 65 | 4 | 4 | 6 | 9 | 4 | 3 | 5 | 17 | 8 | 3 | 1 | – | – |
| Tuberculous Peritonitis | 33 | 1 | 2 | 2 | 1 | – | – | 1 | 5 | 2 | 5 | 2 | 4 | 2 |
| Tabes Mesenterica | 14 | 2 | – | 3 | 5 | 2 | – | – | – | 1 | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 30 | – | – | 1 | – | – | – | – | 1 | 5 | 9 | 3 | – | 1 |
| General Tuberculosis | 52 | – | 2 | 1 | 3 | 2 | 4 | 1 | 3 | 6 | 8 | 4 | 4 | 3 |
| Scrofula | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Parasitic Diseases | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 1 | 2 | 1 | 3 | 1 | 2 | – | 2 | 5 | 2 | 2 | – | – | – | – |
| Dysentery | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | 2 | 1 | 7 | 2 | 1 | 2 | 2 | 1 | 1 | – | – | – |
| Septicæmia (not Puerperal) | – | 4 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | 3 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Phagedæna | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 5 | 1 | 2 | 5 | 4 | 2 | 3 | 4 | 1 | 2 | – | – | – | – | – |
| Pneumonia — Broncho | 1 | 2 | – | – | 3 | 3 | 6 | 6 | 2 | 3 | 1 | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 20 | 19 | 17 | 20 | 23 | 26 | 17 | 20 | 16 | 12 | 4 | 1 | 1 | – | – |
| Other Infective Conditions | – | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | 8 | 6 | 7 | 2 | 3 | 2 | 1 | – | 1 | – | – | – | – | – |
| Phthisis (not otherwise defined) | 51 | 38 | 33 | 29 | 28 | 14 | 13 | 4 | 5 | 1 | – | – | – | – | – |
| Tuberculous Meningitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | 1 | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| General Tuberculosis | 3 | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 4 | 7 | 6 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 1 | 1 | 1 | 3 | 2 | 8 | 3 | 6 | 3 | 6 | 1 | 1 | – | – | – |
| Dysentery | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | 1 | 1 | 1 | 1 | 1 | 5 | 1 | 2 | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | – | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | 1 | 1 | 3 | 1 | – | 2 | 5 | 2 | – | – | – | – | – | – |
| Pneumonia — Broncho | 1 | 2 | – | 2 | 2 | 3 | 4 | 1 | 3 | 5 | 1 | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 6 | 12 | 11 | 13 | 10 | 15 | 20 | 22 | 25 | 16 | 7 | 1 | 1 | – | – |
| Other Infective Conditions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 17 | 6 | 6 | 4 | – | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 48 | 32 | 34 | 15 | 16 | 15 | 6 | 2 | 1 | 1 | – | – | – | – | – |
| Tuberculous Meningitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tubercle of other Organs | 4 | – | 2 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| General Tuberculosis | 2 | 1 | 1 | 3 | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 24 | – | – | – | – | 1 | – | 1 | 2 | 5 | 3 | 1 | 1 | 2 |
| Rheumatism of Heart | 7 | – | – | – | – | – | – | 1 | – | – | 1 | – | 2 | 1 |
| Chronic Rheumatism | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatic Arthritis, Rheumatic Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 143 | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 |
| Sarcoma | 20 | – | – | – | 1 | – | – | – | – | 2 | 2 | – | 3 | 3 |
| Cancer, Malignant Disease (not otherwise defined) | 180 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rickets | 9 | 1 | 2 | 1 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| Purpura | 6 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 34 | 1 | 1 | 1 | – | – | – | – | – | – | 4 | 1 | 1 | 1 |
| Diabetes Mellitus | 37 | – | – | – | – | – | – | – | – | 6 | 1 | 3 | 3 | 2 |
| Premature Birth | 188 | 186 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 57 | 52 | 3 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Injury at Birth | 19 | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 18 | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 13 | 10 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Teething | 17 | – | 1 | 7 | 8 | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 100 | 4 | 5 | 18 | 13 | 11 | 2 | 3 | 11 | 3 | 7 | 3 | 3 | 5 |
| Softening of Brain | 41 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| General Paralysis of Insane | 41 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Insanity (not Puerperal) | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 35 | 2 | – | – | 1 | – | – | – | 2 | – | 5 | 5 | 3 | 1 |
| Convulsions | 88 | 40 | 19 | 15 | 6 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Laryngismus Stridulus | 4 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 33 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 |
| Neuritis; Peripheral, Poly-neuritis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Brain Tumour (not Specific) | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Nervous System | 87 | 2 | 1 | 3 | 2 | 1 | – | – | 3 | – | – | 2 | – | 1 |
| **DISEASES OF ORGANS OF SPECIAL SENSE.** | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 10 | – | – | 1 | – | 2 | 1 | – | – | 2 | – | 1 | – | 1 |
| Epistaxis, Diseases of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 209 | – | – | – | – | – | – | – | 1 | 2 | 2 | 5 | 6 | 4 |
| Pericarditis | 4 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 29 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Fatty Degeneration of Heart | 18 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Syncope, Heart Disease (not specified) | 548 | 16 | 1 | 1 | 1 | 1 | 1 | – | 2 | 2 | 8 | 4 | 10 | 8 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 24 | – | – | – | – | – | – | – | 2 | 3 | 1 | 2 | 2 | 1 |
| Rheumatism of Heart | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Chronic Rheumatism | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 206 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 4 |
| Sarcoma | 24 | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | 1 | 3 |
| Cancer, Malignant Disease (not otherwise defined) | 278 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Rickets | 3 | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – |
| Purpura | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 58 | 2 | – | – | – | – | – | – | 1 | – | 2 | 4 | 2 | 6 |
| Diabetes Mellitus | 41 | – | – | – | – | – | – | – | 2 | – | – | 2 | 6 | 1 |
| Premature Birth | 125 | 125 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 41 | 35 | 1 | 2 | 2 | – | – | – | – | – | – | 1 | – | – |
| Injury at Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 9 | 7 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 11 | – | – | 5 | 6 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 96 | 4 | 10 | 16 | 7 | 8 | 3 | 3 | 7 | 11 | 8 | 6 | – | 2 |
| Softening of Brain | 47 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| General Paralysis of Insane | 14 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity (not Puerperal) | 15 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Chorea | 3 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Epilepsy | 28 | 1 | – | 1 | – | – | 1 | – | 2 | 1 | 4 | – | 4 | 1 |
| Convulsions | 46 | 20 | 7 | 9 | 3 | 3 | 2 | – | 1 | 1 | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Locomotor Ataxy | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Paraplegia, Diseases of Cord | 23 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Other Diseases of Nervous System | 84 | 2 | 1 | 1 | 1 | – | – | – | – | – | 1 | 2 | 1 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 12 | – | – | 2 | 3 | – | – | – | 2 | 1 | 2 | – | – | – |
| Epistaxis, Diseases of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 244 | – | – | – | – | – | – | – | – | 5 | 6 | 3 | 6 | 3 |
| Pericarditis | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Dilatation of Heart | 21 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fatty Degeneration of Heart | 32 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope, Heart Disease (not specified) | 561 | 4 | 2 | 2 | 3 | 1 | – | – | 3 | 1 | 1 | 3 | 9 | 8 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | 3 | – | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | 1 | – | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | 2 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Carcinoma | 2 | 4 | 8 | 10 | 20 | 26 | 23 | 19 | 18 | 9 | 1 | – | – | – | – |
| Sarcoma | 1 | – | 2 | – | 1 | – | 3 | – | 1 | 1 | | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | 4 | 10 | 13 | 25 | 31 | 28 | 24 | 27 | 12 | 3 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | 2 | 4 | 3 | 3 | 7 | 2 | 1 | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | – | 5 | 1 | 1 | – | 4 | 5 | 2 | 3 | 1 | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | 5 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Softening of Brain | – | 1 | 5 | 2 | 3 | 2 | 7 | 6 | 8 | 4 | 2 | – | – | – | – |
| General Paralysis of Insane | 12 | 8 | 8 | 5 | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | 1 | 1 | 1 | – | – | – | – | 2 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 2 | 2 | 2 | 1 | 3 | 2 | – | 2 | – | – | – | – | – | – |
| Convulsions | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | 1 | 2 | 2 | 3 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | 3 | 4 | 1 | 5 | 7 | 1 | 5 | 3 | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | 1 | 2 | 7 | 7 | 6 | 8 | 11 | 17 | 6 | 4 | – | 1 | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | 8 | 8 | 10 | 15 | 25 | 27 | 31 | 36 | 19 | 5 | 1 | – | – | |
| Pericarditis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Hypertrophy of Heart | – | – | – | – | 1 | 3 | 1 | 1 | – | 2 | – | – | – | – | |
| Angina Pectoris | 1 | – | – | 1 | 1 | 3 | 6 | 4 | 2 | – | – | – | – | – | |
| Dilatation of Heart | 1 | – | 2 | 2 | 2 | 3 | 4 | 2 | 5 | 5 | 1 | – | – | – | |
| Fatty Degeneration of Heart | 2 | 1 | 1 | 1 | 2 | – | 2 | 3 | 3 | 1 | 1 | – | – | – | |
| Syncope, Heart Disease (not specified) | 10 | 10 | 25 | 32 | 40 | 50 | 76 | 80 | 89 | 55 | 21 | 5 | – | – | |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| heumatic Fever, Acute Rheumatism | 2 | 2 | 1 | – | – | 2 | 3 | 2 | 1 | – | – | – | – | – | – |
| heumatism of Heart | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| hronic Rheumatism | – | – | – | 1 | 3 | – | 2 | 5 | 3 | 1 | – | 1 | – | – | – |
| heumatic Arthritis, Rheumatic Gout | – | – | – | 2 | – | – | 3 | 4 | 1 | 3 | – | 1 | – | – | – |
| out | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| arcinoma | 9 | 15 | 22 | 17 | 21 | 31 | 34 | 22 | 15 | 10 | 3 | – | 1 | – | – |
| arcoma | 2 | 1 | 1 | – | – | 4 | – | 3 | 3 | – | – | 1 | – | – | – |
| ancer, Malignant Disease (not otherwise defined) | 6 | 13 | 20 | 28 | 22 | 42 | 37 | 40 | 31 | 26 | 6 | 3 | – | – | – |
| ickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| urpura | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| æmia, Leucocythæmia | – | 4 | 5 | 4 | 5 | 3 | 5 | 12 | 3 | – | – | – | – | – | – |
| iabetes Mellitus | 2 | 1 | 2 | 4 | 3 | 3 | 5 | 6 | 2 | 2 | – | – | – | – | – |
| remature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ongenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| njury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| telectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vant of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| leningitis, Inflammation of Brain | 3 | 2 | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| oftening of Brain | 1 | 1 | 1 | 1 | 4 | 9 | 7 | 9 | 3 | 6 | 4 | – | – | – | – |
| eneral Paralysis of Insane | 3 | 4 | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| sanity (not Puerperal) | 1 | 3 | 2 | 2 | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – |
| horea | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| pilepsy | 1 | 1 | 1 | 2 | – | 2 | 4 | 1 | 1 | – | – | – | – | – | – |
| onvulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| aryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ocomotor Ataxy | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| araplegia, Diseases of Cord | – | 1 | 1 | 4 | 2 | 3 | 2 | 2 | 4 | – | – | – | – | – | – |
| euritis; Peripheral, Poly-neuritis | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| rain Tumour (not Specific) | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| ther Diseases of Nervous System | 1 | 1 | 5 | 3 | 6 | 10 | 11 | 18 | 11 | 5 | 3 | 1 | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| titis, Mastoid Disease | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| pistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| phthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| alvular Disease, Endocarditis (not Infective) | 9 | 11 | 12 | 16 | 19 | 28 | 34 | 37 | 29 | 16 | 8 | 2 | – | – | – |
| ericarditis | – | – | – | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| ngina Pectoris | – | – | – | – | – | 2 | – | 3 | 2 | – | 1 | – | – | – | – |
| Dilatation of Heart | 1 | 1 | 1 | 3 | 1 | 3 | 1 | 3 | 2 | 3 | – | 1 | – | – | – |
| atty Degeneration of Heart | 2 | 2 | – | 1 | 2 | 8 | 5 | 7 | 3 | – | 1 | – | – | – | – |
| yncope, Heart Disease (not specified) | 9 | 12 | 20 | 21 | 40 | 60 | 71 | 99 | 89 | 64 | 30 | 9 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 178 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | |
| Apoplexy, Hemiplegia | 230 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Aneurism | 19 | – | – | – | – | – | – | – | – | – | – | – | 1 | |
| Senile Gangrene | 20 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Embolism, Thrombosis (not Cerebral) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Blood Vessels | 18 | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 14 | – | 1 | 3 | 4 | 3 | 1 | 1 | 1 | – | – | – | – | |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Croup (not Spasmodic nor Membranous) | 4 | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | |
| Other Dis. of Larynx and Trachea | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Bronchitis | 432 | 52 | 31 | 31 | 27 | 3 | – | 1 | 2 | – | 2 | 1 | 2 | |
| Emphysema, Asthma | 22 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pleurisy | 49 | – | – | – | – | 1 | – | – | – | 1 | 1 | 3 | 1 | |
| Fibroid Disease of Lung | 20 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Respiratory System | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 12 | – | 1 | 1 | 1 | – | – | – | 2 | – | – | – | – | |
| Gastric Ulcer | 23 | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | – | |
| Gastric Catarrh | 53 | 8 | 4 | 9 | – | 2 | – | – | 3 | – | – | 2 | – | |
| Other Diseases of Stomach (not Malignant) | 15 | 1 | – | – | – | – | – | – | 1 | 2 | – | – | – | |
| Enteritis (not Infective) | 53 | 18 | 9 | 4 | 1 | 2 | – | – | 1 | 1 | – | 1 | – | |
| Gastro-enteritis | 59 | 11 | 16 | 15 | 10 | 1 | – | – | 1 | 1 | – | – | 1 | |
| Appendicitis, Perityphlitis | 38 | – | – | 1 | – | – | – | 2 | 2 | 3 | 6 | 7 | 1 | |
| Hernia | 12 | – | – | – | – | – | – | – | – | – | 1 | – | – | |
| Intestinal Obstruction | 38 | 4 | 3 | 2 | – | – | – | – | 1 | 2 | – | – | – | |
| Other Diseases of Intestines | 11 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | |
| Peritonitis (not Puerperal) | 60 | 3 | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 5 | 1 | – | – | |
| Cirrhosis of Liver | 26 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Liver and Gall Bladder | 46 | 3 | – | – | – | 1 | 3 | – | – | – | – | – | – | |
| Other Diseases of Digestive System | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Lymphatic System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 35 | 1 | 2 | – | – | – | – | – | – | 2 | 2 | – | 3 | |
| Chronic Bright's Disease, Albuminuria | 101 | – | – | – | – | 2 | – | – | 1 | 1 | 1 | 2 | 3 | |
| Calculus (not Biliary) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Bladder and of Prostate | 113 | – | – | – | – | – | – | – | – | – | 2 | – | – | |
| Other Diseases of Urinary System | 20 | – | – | – | 1 | – | 1 | 1 | 1 | 1 | 1 | – | 1 | |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 208 | – | – | – | – | – | – | – | – | – | 1 | 4 | 1 | 1 |
| Apoplexy, Hemiplegia | 320 | – | 1 | – | – | – | – | 1 | – | – | 1 | – | – | 3 |
| Aneurism | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Senile Gangrene | 31 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Phlebitis | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Varicose Veins | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 10 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 17 | – | 1 | 4 | 2 | – | 1 | 2 | 5 | 1 | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 9 | 1 | – | – | 1 | 1 | – | 3 | 2 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 440 | 29 | 27 | 22 | 11 | 2 | 2 | 1 | 3 | 1 | 2 | – | 1 | 1 |
| Emphysema, Asthma | 25 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Pleurisy | 39 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 1 |
| Fibroid Disease of Lung | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Other Dis. of Respiratory System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 11 | 1 | – | – | 2 | – | – | – | 2 | 1 | – | 1 | 1 | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 35 | – | – | – | – | – | – | – | 1 | – | 3 | 6 | 3 | 7 |
| Gastric Catarrh | 68 | 10 | 4 | 5 | 3 | – | – | 1 | 1 | 1 | – | – | 2 | 1 |
| Other Diseases of Stomach (not Malignant) | 17 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Enteritis (not Infective) | 49 | 7 | 5 | 3 | 2 | 1 | 1 | 2 | 4 | 1 | 1 | 1 | 1 | 1 |
| Gastro-enteritis | 53 | 13 | 13 | 10 | 5 | 1 | – | 2 | 1 | – | – | – | – | 3 |
| Appendicitis, Perityphlitis | 19 | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 3 | 2 |
| Hernia | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 45 | – | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | 1 |
| Other Diseases of Intestines | 8 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – |
| Peritonitis (not Puerperal) | 65 | 1 | 3 | – | 3 | 1 | 2 | 2 | 4 | 3 | 2 | 1 | 2 | 8 |
| Cirrhosis of Liver | 21 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Liver and Gall Bladder | 45 | 6 | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Digestive System | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 8 | – | – | 1 | – | 1 | – | – | – | 1 | – | 2 | – | – |
| Diseases of Thyroid Body | 11 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Diseases of Supra-renal Capsules | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 51 | 1 | 1 | – | 1 | 1 | – | 1 | 1 | 4 | 2 | 4 | 2 | 8 |
| Chronic Bright's Disease, Albuminuria | 108 | – | – | – | – | – | – | – | 1 | – | 2 | 2 | 4 | 3 |
| Calculus (not Biliary) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | 3 | 8 | 6 | 8 | 33 | 26 | 30 | 27 | 22 | 7 | 1 | 1 | – |
| Apoplexy, Hemiplegia | 2 | 1 | 5 | 18 | 18 | 22 | 33 | 35 | 36 | 37 | 19 | 2 | 1 | – |
| Aneurism | 2 | 3 | – | 3 | 3 | 1 | 1 | 1 | 3 | 1 | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | 2 | 3 | 4 | 4 | 6 | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Phlebitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | 1 | 2 | 2 | 4 | 5 | 2 | 2 | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Bronchitis | 3 | 4 | 5 | 13 | 21 | 44 | 33 | 60 | 32 | 38 | 19 | 4 | 3 | – |
| Emphysema, Asthma | 1 | 2 | 2 | 2 | 1 | 3 | 4 | 1 | 2 | 1 | 1 | 1 | – | – |
| Pleurisy | 5 | 3 | 3 | 2 | 4 | 2 | 6 | 4 | 7 | 2 | 1 | – | – | – |
| Fibroid Disease of Lung | – | 1 | – | 3 | 4 | 2 | 2 | 4 | – | 2 | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | 1 | – | 1 | – | 4 | – | – | – | 1 | – | – | – | – |
| Gastric Ulcer | 1 | 1 | – | 3 | 4 | 5 | 4 | 1 | – | – | – | – | – | – |
| Gastric Catarrh | 1 | 3 | – | – | 2 | 3 | 4 | 3 | 8 | – | – | 1 | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | 1 | 2 | 2 | 1 | 1 | – | 3 | 1 | – | – | – | – |
| Enteritis (not Infective) | 1 | – | 3 | 1 | 2 | – | 2 | 2 | 1 | 3 | – | – | – | – |
| Gastro-enteritis | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – |
| Appendicitis, Perityphlitis | 2 | 3 | 2 | 3 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Hernia | – | – | – | 1 | 1 | – | 2 | 2 | 5 | – | – | – | – | – |
| Intestinal Obstruction | 1 | 2 | 1 | 1 | 3 | 1 | 5 | 5 | 6 | – | 1 | – | – | – |
| Other Diseases of Intestines | – | – | – | 1 | 1 | – | 4 | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | 4 | 7 | 5 | 3 | 3 | 7 | 3 | 1 | – | 1 | – | – | – |
| Cirrhosis of Liver | – | – | – | 4 | 4 | 5 | 5 | 4 | 1 | 2 | 1 | – | – | – |
| Other Diseases of Liver and Gall Bladder | 3 | 3 | 4 | 6 | 7 | 3 | 4 | 5 | 1 | 2 | 1 | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | – | – | 2 | – | 1 | 7 | 7 | 4 | 1 | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 5 | 4 | 5 | 12 | 13 | 6 | 15 | 15 | 11 | 2 | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | 1 | 2 | 7 | 8 | 27 | 27 | 24 | 12 | 1 | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | 1 | – | 4 | 2 | 2 | 2 | – | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 4 | 4 | 6 | 9 | 23 | 24 | 33 | 40 | 20 | 24 | 11 | 2 | 1 | – | – |
| Apoplexy, Hemiplegia | 3 | 5 | 16 | 16 | 22 | 31 | 38 | 50 | 67 | 40 | 19 | 7 | – | – | – |
| Aneurism | – | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 5 | – | 11 | 6 | 4 | 4 | 1 | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Phlebitis | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | 1 | 1 | 2 | 2 | 2 | – | – | – | 1 | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Bronchitis | 5 | 5 | 5 | 8 | 17 | 34 | 30 | 58 | 68 | 76 | 21 | 11 | – | – | – |
| Emphysema, Asthma | – | 3 | 1 | 2 | – | 4 | 2 | 2 | 2 | 3 | – | 3 | 1 | – | – |
| Pleurisy | 2 | 1 | 2 | – | 3 | 8 | 3 | 1 | 6 | 4 | 3 | – | – | – | – |
| Fibroid Disease of Lung | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gastric Ulcer | 2 | – | 1 | 5 | – | – | 3 | 3 | 1 | – | – | – | – | – | – |
| Gastric Catarrh | 4 | 4 | 1 | 2 | 3 | 4 | 4 | 4 | 3 | 8 | – | 2 | 1 | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | 1 | 1 | – | 4 | 1 | 2 | 1 | – | 3 | – | – | – | – |
| Enteritis (not Infective) | 2 | 1 | – | 1 | 1 | 1 | 3 | 1 | 5 | 4 | – | – | – | – | – |
| Gastro-enteritis | – | – | 1 | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 2 | – | – | 1 | 3 | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Hernia | – | – | – | 2 | 1 | 2 | 1 | – | 1 | 1 | 2 | – | – | – | – |
| Intestinal Obstruction | 1 | 1 | 2 | 5 | 3 | 5 | 5 | 6 | 7 | 2 | 1 | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | 1 | – | – | 4 | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 7 | 3 | 2 | 4 | 3 | 1 | 3 | 4 | 1 | 4 | 1 | – | – | – | – |
| Cirrhosis of Liver | 1 | 1 | 2 | 1 | 2 | 3 | 3 | 2 | 4 | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | 2 | 3 | – | 3 | 4 | 5 | 5 | 7 | 4 | 1 | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 2 | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | 1 | 1 | 2 | 1 | 4 | 3 | 4 | 1 | 4 | – | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 9 | 4 | 5 | 6 | 10 | 14 | 15 | 17 | 10 | 2 | 3 | – | 1 | – | – |
| Calculus (not Biliary) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | 2 | – | 1 | 2 | – | 1 | 2 | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | 1 | 1 | – | 2 | 3 | 1 | 1 | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 13 | – | – | – | – | – | 1 | – | 2 | 1 | 1 | 1 | 1 | 2 |
| Arthritis, Periostitis | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 7 | 3 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 182 | 153 | 9 | 9 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| Old Age | 469 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Tumour | 13 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Abscess | 12 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 5 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 67 | 19 | 8 | 2 | – | – | 2 | – | – | 2 | 1 | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 43 | – | – | – | – | – | – | – | – | 1 | 6 | 8 | 6 | – |
| Vehicles and Horses | 76 | – | – | – | 1 | – | – | 1 | 3 | 3 | 8 | 4 | 5 | – |
| Ships, Boats, Docks (not Drowning) | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Machinery | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Weapons and Implements | 5 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Burns and Scalds | 16 | – | – | 1 | 3 | 2 | 2 | 1 | 2 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 9 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| Drowning | 123 | – | – | – | 2 | 3 | 3 | 1 | 5 | 10 | 13 | 16 | 10 | – |
| Suffocation { From Overlaying | 9 | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 9 | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Falls | 21 | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Weather Agencies | 19 | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 | – |
| Otherwise, or not stated | 59 | – | – | – | 1 | – | – | 1 | 2 | 1 | 2 | 2 | 6 | – |
| Homicide | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suicide | 57 | – | – | – | – | – | – | – | – | – | 3 | 3 | 6 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 9 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Other Diseases of Ovary | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Uterine Tumour (not Malignant) | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 7 | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 1 |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 21 | – | – | – | – | – | – | – | – | – | 1 | 3 | 8 | 2 |
| Placenta Prævia, Flooding | 18 | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 | 5 |
| Other Accidents of Pregnancy and Childbirth | 27 | – | – | – | – | – | – | – | – | – | 1 | 4 | 2 | 9 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 12 | – | – | – | – | – | – | – | – | 1 | 4 | 1 | – | 2 |
| Arthritis, Periostitis | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 5 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES.** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 122 | 93 | 14 | 4 | 4 | – | – | 1 | 2 | – | – | – | – | – |
| Old Age | 775 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 8 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hæmorrhage | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 60 | 12 | 2 | 5 | 1 | – | – | – | 2 | – | – | 1 | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 11 | – | – | – | – | – | – | – | 2 | – | 2 | 1 | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 28 | – | 1 | – | 2 | 5 | 1 | 2 | 1 | – | 3 | – | 1 | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 22 | – | – | – | – | 3 | 1 | – | 2 | 1 | 1 | 4 | – | 1 |
| Suffocation { From Overlaying | 7 | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 10 | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 45 | – | 1 | – | – | – | – | 1 | 1 | 2 | – | 1 | 1 | – |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | 2 | 4 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 5 | 17 | 52 | 87 | 148 | 113 | 35 | 8 | 4 | – |
| Dropsy, Ascites, Anasarca | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | 1 | 1 | 1 | – | 3 | – | 3 | – | 1 | – | – | – | – | – |
| Abscess | – | – | – | 3 | – | – | 1 | 2 | 1 | – | – | 1 | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other ill-defined causes | – | – | 2 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Causes not specified | – | – | 2 | 2 | 5 | 3 | 6 | 5 | 5 | 1 | 2 | – | – | – | 2 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 6 | 3 | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 4 | 6 | 6 | 5 | 7 | 9 | 5 | 1 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | 8 | 11 | 8 | 9 | 8 | 4 | 1 | 1 | – | – | – | – | – | 3 |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| Falls | 1 | 1 | 3 | – | 3 | 2 | 3 | 1 | 1 | 1 | 1 | – | 1 | – | – |
| Weather Agencies | 1 | 2 | 2 | 1 | 1 | 4 | – | – | 1 | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | 4 | 5 | 3 | 2 | 2 | 3 | 4 | 8 | 3 | 4 | – | – | – | – |
| Homicide | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | 5 | 7 | 4 | 8 | 3 | 7 | 2 | 1 | 1 | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | 1 | – | 1 | – | 1 | – | 1 | 2 | 1 | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | 1 | 3 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 3 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 7 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | 2 | 2 | – | 1 | 1 | – | – | – |
| Eczema | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 17 | 35 | 75 | 130 | 230 | 171 | 88 | 27 | 2 | – |
| Dropsy, Ascites, Anasarca | – | – | – | 1 | – | – | 1 | 1 | 1 | 3 | – | 1 | – | – | – |
| Tumour | – | 1 | 1 | 1 | 2 | 7 | 3 | 2 | 6 | – | 1 | – | – | – | – |
| Abscess | – | – | – | 1 | – | 1 | – | – | 2 | – | 1 | 1 | – | – | – |
| Hæmorrhage | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | 1 | 4 | 2 | 4 | 5 | 5 | 4 | 6 | 2 | 2 | 1 | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | 1 | 2 | – | 1 | 2 | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | 1 | – | 2 | 3 | 3 | 1 | 1 | 1 | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 4 | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Falls | – | – | – | – | – | – | 2 | 2 | 1 | 2 | 1 | – | – | – | – |
| Weather Agencies | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | 1 | 2 | 1 | 3 | 6 | 1 | 6 | 8 | 7 | 3 | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | – | 1 | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **ALL CAUSES** | 875 | 70 | 12 | 17 | 24 | 6 | 7 | 3 | 16 | 14 | 20 | 50 | 34 | 32 |
| A.—GENERAL DISEASES | 315 | 21 | 4 | 6 | 14 | 3 | 4 | 2 | 7 | 10 | 14 | 30 | 23 | 18 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 37 | 9 | 4 | 3 | – | 2 | – | – | 1 | – | 1 | 1 | 1 | – |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 74 | – | 1 | – | – | – | 1 | – | 1 | 1 | 2 | 1 | 1 | 2 |
| IV. ,, BLOOD VESSELS | 40 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| V. ,, RESPIRATORY SYSTEM | 52 | 6 | 1 | 4 | 5 | – | – | – | 1 | 2 | 1 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 51 | 3 | 1 | – | – | – | – | – | 4 | 1 | 1 | 2 | 1 | 2 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 32 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 4 | – | – | – | 1 | – | – | – | – | – | – | 2 | – | – |
| XII. ,, THE SKIN | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 208 | 28 | 1 | 4 | 4 | – | 2 | 1 | 1 | – | 1 | 3 | 3 | 1 |
| E.—VIOLENT DEATHS. | 60 | 2 | – | – | – | 1 | – | – | 1 | – | – | 10 | 5 | 6 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 12 | 1 | – | 1 | 3 | 1 | 2 | – | – | – | – | 1 | 1 | 1 |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 30 | 3 | 1 | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 |
| Hooping-cough | 4 | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 4 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 971 | 49 | 17 | 15 | 28 | 7 | 6 | 4 | 17 | 12 | 27 | 32 | 25 | 27 |
| A.—GENERAL DISEASES . . | 316 | 22 | 2 | 8 | 13 | 4 | 3 | 2 | 9 | 7 | 23 | 24 | 16 | 18 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 42 | 2 | 3 | 1 | 2 | – | 1 | – | – | – | 1 | 2 | – | 2 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 87 | 1 | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| IV. ,, BLOOD VESSELS . | 49 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 76 | 1 | 5 | 4 | 6 | 2 | 2 | 1 | 1 | – | 1 | – | 1 | 1 |
| VI. ,, DIGESTIVE SYSTEM . | 35 | 1 | 1 | – | 1 | – | – | 1 | – | 3 | – | – | – | 2 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VIII. ,, URINARY SYSTEM . | 21 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| IX. ,, GENERATIVE SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 8 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| XII. ,, THE SKIN . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 313 | 22 | 6 | 2 | 5 | – | – | – | 5 | 2 | – | 3 | 5 | 3 |
| E.—VIOLENT DEATHS. . . | 12 | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 10 | – | – | – | 4 | – | 1 | – | 3 | 2 | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 38 | – | – | 2 | – | – | – | 1 | – | – | 2 | – | – | – |
| Hooping-cough . . . . . | 5 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 5 | – | – | – | 2 | 1 | – | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 8 | – | – | – | – | – | – | – | – | – | 2 | 4 | 1 | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 23 | 33 | 22 | 23 | 24 | 57 | 61 | 69 | 90 | 90 | 48 | 18 | 2 | 2 | 8 |
| A.—GENERAL DISEASES | 12 | 12 | 10 | 9 | 12 | 25 | 28 | 19 | 12 | 16 | 4 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2 | 4 | – | – | – | – | – | 2 | 4 | 2 | 1 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| III. ,, HEART | – | 1 | 3 | 3 | 3 | 8 | 10 | 12 | 13 | 9 | 2 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 1 | 2 | 1 | 4 | 1 | 4 | 5 | 2 | 10 | 8 | 5 | 1 | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | 2 | – | 3 | 1 | 6 | 8 | 10 | 2 | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 3 | 3 | 3 | 1 | 1 | 6 | 6 | 8 | 3 | 2 | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | 2 | 1 | 3 | 2 | 2 | 4 | 8 | 5 | 1 | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 2 | 1 | 2 | 1 | 3 | 5 | 7 | 14 | 31 | 40 | 31 | 17 | 2 | 2 | 1 |
| E.—VIOLENT DEATHS | 3 | 9 | 1 | 2 | 1 | 4 | 2 | 2 | – | 3 | 1 | – | – | – | 7 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | 1 | – | 3 | 6 | 3 | 2 | 6 | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 24 | 17 | 29 | 34 | 43 | 48 | 72 | 90 | 105 | 123 | 78 | 26 | 13 | 3 | – |
| A.—GENERAL DISEASES | 11 | 6 | 12 | 20 | 14 | 23 | 18 | 21 | 17 | 16 | 4 | 1 | 2 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2 | 2 | - | 1 | 3 | 3 | 4 | 4 | 1 | 6 | 2 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | – | 2 | 4 | 2 | 7 | 5 | 14 | 16 | 17 | 11 | 4 | 1 | – | – | – |
| IV. ,, BLOOD VESSELS | – | 1 | 4 | 1 | 4 | 2 | 5 | 9 | 12 | 8 | 2 | 1 | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 1 | – | 3 | 1 | 1 | 5 | 5 | 11 | 8 | 8 | 7 | 1 | – | | – |
| VI. ,, DIGESTIVE SYSTEM | 1 | – | 1 | 3 | 6 | 2 | 4 | 4 | 4 | 1 | – | – | – | – | |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 2 | – | 2 | 2 | 2 | – | 5 | 2 | 1 | 2 | 1 | – | – | – | |
| IX. ,, GENERATIVE SYSTEM | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | - | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 2 | 1 | 1 | 4 | 5 | 7 | 16 | 21 | 42 | 71 | 54 | 22 | 11 | 3 | – |
| E.—VIOLENT DEATHS | – | – | – | – | 1 | – | – | 2 | 2 | – | 4 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | - | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | - | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | - | – | – | – | |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | - | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | 3 | 2 | 6 | 6 | 6 | 3 | 4 | 1 | 1 | – | - | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | | – | – | |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | - | – | 1 | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia — Lobar | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia — Broncho | 9 | – | – | 2 | 3 | – | – | – | 1 | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 41 | – | 1 | – | 1 | – | – | – | 2 | 2 | 1 | 2 | 3 | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 12 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 3 |
| Phthisis (not otherwise defined) | 79 | – | – | – | – | – | – | – | – | 4 | 6 | 22 | 14 | 9 |
| Tuberculous Meningitis | 6 | – | – | 1 | 1 | – | – | – | 2 | 2 | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| General Tuberculosis | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Erysipelas | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pneumonia — Broncho | 9 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | 1 |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 43 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | 2 | – | – | 2 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 8 | – | – | – | – | – | – | 1 | – | – | 2 | 1 | – | 1 |
| Phthisis (not otherwise defined) | 67 | – | – | – | – | – | 1 | – | – | 5 | 11 | 17 | 7 | 9 |
| Tuberculous Meningitis | 4 | – | – | 1 | – | 1 | – | – | 2 | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | 1 | – | – | – | 1 | – | 2 | – | 1 | – | – | – | – |
| Pneumonia — Broncho | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 3 | 2 | 1 | 2 | 4 | 7 | – | 4 | – | 3 | 3 | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 6 | 4 | 2 | – | 6 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | 1 | – | – | – | – | 1 | 2 | 1 | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 1 | 3 | 2 | 3 | 2 | 2 | 1 | 9 | 6 | 3 | 1 | – | 1 | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 3 | 3 | 1 | 4 | 3 | 3 | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 8 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 36 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 4 | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 6 | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | 1 | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Convulsions | 12 | 7 | 4 | – | – | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 13 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 26 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | |
| Pericarditis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Dilatation of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Fatty Degeneration of Heart | 4 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Syncope, Heart Disease (not specified) | 38 | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – | |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 20 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cancer, Malignant Disease (not otherwise defined) | 29 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rickets | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 6 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 |
| Diabetes Mellitus | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 7 | 5 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 10 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Softening of Brain | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 12 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 25 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 58 | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | 2 | 3 | 1 | 5 | 12 | 3 | 6 | 4 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | 1 | – | – | – | – | – | 1 | 3 | 2 | 1 | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 1 | 2 | 1 | 1 | 3 | 6 | 4 | 2 | 1 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | – | 1 | 2 | 2 | 3 | 3 | 7 | 8 | 7 | 1 | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | – | 2 | 4 | 1 | 2 | 3 | 2 | 2 | 2 | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | 2 | 1 | 5 | 4 | 6 | 2 | 2 | 4 | 1 | – | 1 | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | 1 | – | 2 | – | 4 | 1 | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | 1 | 1 | 1 | 4 | 1 | – | 1 | 1 | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | 2 | – | 2 | 1 | 4 | 4 | 6 | 4 | – | 1 | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 2 | 2 | 2 | 5 | 3 | 9 | 12 | 9 | 7 | 4 | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 28 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 5 | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 38 | 2 | 1 | 2 | 5 | – | – | – | – | 1 | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 7 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gastric Ulcer | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gastric Catarrh | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Enteritis (not Infective) | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastro-enteritis | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 9 | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – |
| Cirrhosis of Liver | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Chronic Bright's Disease, Albuminuria | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Calculus (not Biliary) | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| **DISEASES OF BLOOD VESSELS.** | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 28 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 7 | – | – | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 58 | 1 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – | 1 | – |
| Emphysema, Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 5 | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Appendicitis, Perityphlitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 8 | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Urinary System | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | 2 | – | – | – | 1 | – | – | 3 | – | 1 | 1 | – | – | – |
| Apoplexy, Hemiplegia | 1 | – | 1 | 2 | 1 | 2 | 5 | 2 | 7 | 3 | 3 | – | – | – | – |
| Aneurism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | – | – | 2 | 1 | 4 | 8 | 10 | 2 | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gastro-enteritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 2 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | 3 | – | 2 | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 2 | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | 1 | 2 | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 1 | 1 | – | 1 | 5 | 4 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| **DISEASES OF BLOOD VESSELS.** | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | 2 | – | 1 | – | 2 | 4 | 3 | 4 | – | 1 | – | – | – |
| Apoplexy, Hemiplegia | – | 1 | 2 | 1 | 3 | 2 | 3 | 4 | 8 | 4 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 1 | 1 | 1 | 2 | 5 | 11 | 8 | 8 | 7 | 1 | – | – | – |
| Emphysema, Asthma | – | – | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | 1 | 2 | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | – | 2 | 2 | 1 | – | 3 | 2 | 1 | 2 | 1 | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Arthritis, Periostitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 16 | 13 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Old Age | 129 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 57 | 15 | 1 | 3 | 2 | – | 2 | 1 | 1 | – | – | 3 | 3 | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 37 | – | – | – | – | – | – | – | – | – | – | 9 | 4 | – |
| Suffocation { From Overlaying | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Otherwise, or not stated | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES**—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 18 | 9 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| Old Age | 210 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Abscess | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 74 | 13 | 2 | 1 | 4 | – | – | – | 5 | 2 | – | 2 | 4 | 2 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 4 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 1 | 10 | 25 | 40 | 31 | 17 | 2 | 2 | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | 1 | 2 | 1 | 1 | 3 | 6 | 4 | 5 | – | – | – | – | – | 1 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | 5 | – | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | 7 |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Weather Agencies | – | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Otherwise, or not stated | 1 | – | – | – | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Ovary | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Uterine Tumour (not Malignant) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Dis. of Uterus and Vagina | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Disorders of Menstruation | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Generative and Mammary Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Mania | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Convulsions | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Placenta Prævia, Flooding | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Accidents of Pregnancy and Childbirth | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Arthritis, Periostitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Dis. of Locomotor System | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Eczema | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pemphigus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of the Skin | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - |
| C.—OTHER SPECIFIED DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | | |
| Atrophy, Debility | 1 | - | - | - | 2 | - | - | - | - | - | - | - | - | - | - |
| Old Age | - | - | - | - | - | 1 | 8 | 12 | 33 | 68 | 53 | 21 | 11 | 3 | - |
| Dropsy, Ascites, Anasarca | - | - | - | - | 1 | 1 | 1 | 1 | 1 | - | - | - | - | - | - |
| Tumour | - | - | 1 | - | - | - | - | 1 | 1 | - | - | - | - | - | - |
| Abscess | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hæmorrhage | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Sudden Death (cause unascertained) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other ill-defined causes | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Causes not specified | 1 | 1 | - | 4 | 2 | 5 | 7 | 7 | 7 | 3 | 1 | 1 | - | - | - |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | | |
| In Mines and Quarries | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Vehicles and Horses | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ships, Boats, Docks (not Drowning) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Building Operations | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Machinery | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Weapons and Implements | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - |
| Poisons, Poisonous Vapours | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Drowning | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suffocation — From Overlaying | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suffocation — Otherwise | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Falls | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Weather Agencies | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Otherwise, or not stated | - | - | - | - | - | - | - | - | 2 | - | 3 | - | - | - | - |
| Homicide | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suicide | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Execution | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 7798 | 980 | 346 | 670 | 695 | 251 | 162 | 99 | 248 | 130 | 179 | 253 | 273 | 322 |
| A.—GENERAL DISEASES . . | 3737 | 451 | 159 | 409 | 483 | 173 | 115 | 59 | 156 | 67 | 113 | 151 | 144 | 177 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 537 | 74 | 52 | 73 | 68 | 19 | 20 | 10 | 30 | 15 | 11 | 9 | 7 | 6 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 25 | 1 | 2 | 2 | 3 | 1 | – | – | 5 | 3 | 2 | 2 | 2 | – |
| III. ,, HEART . . . | 535 | 13 | – | 1 | 1 | 1 | 1 | 2 | 11 | 6 | 11 | 12 | 23 | 23 |
| IV. ,, BLOOD VESSELS . | 343 | 2 | – | 1 | 2 | – | – | – | – | 1 | – | 4 | 2 | 13 |
| V. ,, RESPIRATORY SYSTEM | 721 | 83 | 35 | 75 | 64 | 18 | 8 | 9 | 4 | 3 | 5 | 8 | 7 | 19 |
| VI. ,, DIGESTIVE SYSTEM . | 557 | 77 | 57 | 76 | 38 | 16 | 6 | 6 | 12 | 8 | 12 | 21 | 23 | 19 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 8 | – | – | – | – | – | – | 1 | – | – | – | 1 | 2 | 2 |
| VIII. ,, URINARY SYSTEM . | 258 | 2 | – | – | 2 | 3 | 1 | 3 | 4 | 5 | 4 | 7 | 6 | 16 |
| IX. ,, GENERATIVE SYSTEM | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 32 | – | – | – | 1 | 2 | 3 | 2 | 7 | 8 | 1 | – | 2 | – |
| XII. ,, THE SKIN . . . | 8 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 577 | 259 | 34 | 30 | 26 | 7 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | 7 |
| E.—VIOLENT DEATHS. . . | 458 | 14 | 6 | 1 | 7 | 11 | 7 | 6 | 17 | 13 | 19 | 37 | 53 | 39 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated . . . | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Small-pox: Not Vaccinated . . | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Small-pox: Doubtful . . . . | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | 5 | – | – | – | 5 | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 183 | – | 3 | 30 | 81 | 28 | 17 | 10 | 13 | – | – | – | – | 1 |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 45 | – | 1 | 2 | 5 | 9 | 6 | 1 | 14 | 4 | 2 | – | 1 | – |
| Typhus . . . . . | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 36 | – | 1 | 3 | – | 1 | – | – | 2 | 1 | – | 1 | 1 | 1 |
| Hooping-cough . . . . . | 284 | 12 | 29 | 88 | 92 | 36 | 15 | 5 | 7 | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 47 | 1 | 1 | 8 | 13 | 5 | 9 | 4 | 3 | 1 | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . . | 3 | – | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Enteric Fever . . . . . | 89 | – | – | 1 | 1 | 1 | – | – | 7 | 10 | 10 | 14 | 15 | 12 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 7273 | 752 | 305 | 541 | 578 | 267 | 133 | 110 | 221 | 128 | 184 | 225 | 260 | 286 |
| A.—GENERAL DISEASES | 3462 | 372 | 130 | 345 | 413 | 204 | 98 | 76 | 137 | 75 | 118 | 148 | 162 | 159 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 428 | 60 | 34 | 51 | 55 | 19 | 13 | 11 | 22 | 7 | 10 | 8 | 2 | 7 |
| II. ,, ORGANS OF SPECIAL SENSE | 12 | 1 | – | 2 | 3 | – | 1 | – | 2 | – | 1 | – | – | 2 |
| III. ,, HEART | 556 | 7 | 2 | – | 1 | – | – | – | 6 | 16 | 22 | 10 | 17 | 30 |
| IV. ,, BLOOD VESSELS | 398 | 1 | – | – | – | – | – | – | – | 2 | – | – | 3 | 4 |
| V. ,, RESPIRATORY SYSTEM | 681 | 57 | 37 | 57 | 49 | 18 | 10 | 5 | 9 | 4 | 2 | 9 | 7 | 9 |
| VI. ,, DIGESTIVE SYSTEM | 558 | 60 | 56 | 53 | 33 | 8 | 1 | 3 | 22 | 12 | 17 | 21 | 19 | 22 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 14 | – | – | – | – | 1 | – | 1 | – | – | – | 2 | – | 1 |
| VIII. ,, URINARY SYSTEM | 165 | 2 | 2 | 1 | – | – | 1 | 1 | 1 | 5 | 2 | 5 | 10 | 8 |
| IX. ,, GENERATIVE SYSTEM | 53 | – | – | – | – | 1 | – | – | – | – | – | 4 | 8 | 7 |
| X. ,, PREGNANCY AND CHILDBIRTH | 84 | – | – | – | – | – | – | – | – | – | 3 | 8 | 18 | 21 |
| XI. ,, LOCOMOTOR SYSTEM | 24 | 1 | – | – | 2 | – | 1 | 1 | 4 | 2 | 2 | 1 | 2 | – |
| XII. ,, THE SKIN | 13 | 5 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 625 | 166 | 38 | 30 | 16 | 5 | 1 | 3 | – | 1 | – | 2 | 2 | 6 |
| E.—VIOLENT DEATHS. | 200 | 20 | 5 | 2 | 6 | 11 | 7 | 9 | 18 | 4 | 6 | 6 | 10 | 9 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Small-pox: Doubtful | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 4 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Measles | 165 | – | 1 | 34 | 76 | 23 | 18 | 5 | 8 | – | – | – | – | – |
| German Measles | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 34 | – | – | – | 2 | 12 | 1 | 4 | 8 | 4 | – | 2 | 1 | – |
| Typhus | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 58 | 1 | – | 1 | 1 | 2 | – | – | 4 | – | – | 1 | 1 | 4 |
| Hooping-cough | 318 | 21 | 26 | 86 | 86 | 43 | 26 | 16 | 14 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 56 | – | – | 7 | 17 | 10 | 7 | 5 | 8 | 1 | – | – | 1 | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteric Fever | 55 | – | – | – | – | – | – | – | 4 | 7 | 7 | 8 | 10 | 5 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 263 | 365 | 387 | 423 | 406 | 480 | 332 | 252 | 167 | 81 | 25 | 8 | 1 | – | – |
| A.—GENERAL DISEASES . . | 136 | 175 | 169 | 175 | 133 | 127 | 73 | 49 | 24 | 15 | 2 | 2 | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 10 | 16 | 17 | 17 | 15 | 18 | 18 | 13 | 11 | 6 | 2 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 28 | 35 | 45 | 50 | 62 | 76 | 45 | 43 | 34 | 8 | 3 | 1 | – | – | – |
| IV. ,, BLOOD VESSELS . | 7 | 11 | 20 | 35 | 47 | 58 | 59 | 45 | 19 | 11 | 5 | – | 1 | – | – |
| V. ,, RESPIRATORY SYSTEM | 19 | 27 | 46 | 38 | 53 | 85 | 55 | 30 | 17 | 10 | 2 | 1 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 16 | 21 | 29 | 28 | 30 | 26 | 21 | 9 | 4 | 2 | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 12 | 22 | 23 | 34 | 24 | 38 | 21 | 14 | 10 | 6 | 1 | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 4 | 11 | 8 | 9 | 12 | 24 | 20 | 39 | 44 | 21 | 9 | 4 | – | – | – |
| E.—VIOLENT DEATHS. . . | 30 | 46 | 28 | 35 | 29 | 26 | 19 | 10 | 2 | 2 | 1 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox—Vaccinated . . . | 2 | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Small-pox—Not Vaccinated . . | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—Doubtful . . . | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 1 | – | 1 | 5 | 2 | 6 | 3 | 1 | 3 | 2 | 1 | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 6 | 3 | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** . . . . . | 329 | 292 | 323 | 368 | 359 | 424 | 390 | 342 | 241 | 144 | 50 | 17 | 4 | – | – |
| A.—GENERAL DISEASES . . | 167 | 137 | 140 | 131 | 105 | 127 | 99 | 65 | 32 | 15 | 6 | 1 | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 15 | 10 | 15 | 13 | 13 | 21 | 16 | 9 | 11 | 3 | 2 | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 40 | 30 | 37 | 57 | 63 | 66 | 54 | 52 | 27 | 13 | 6 | – | – | – | – |
| IV. ,, BLOOD VESSELS . | 7 | 17 | 34 | 49 | 42 | 59 | 57 | 52 | 42 | 18 | 10 | – | 1 | – | – |
| V. ,, RESPIRATORY SYSTEM | 19 | 14 | 34 | 36 | 60 | 52 | 77 | 58 | 38 | 10 | 6 | 3 | 1 | – | |
| VI. ,, DIGESTIVE SYSTEM . | 22 | 24 | 20 | 39 | 29 | 27 | 23 | 24 | 11 | 10 | 2 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | 1 | 4 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 16 | 18 | 17 | 22 | 18 | 14 | 10 | 7 | 2 | 1 | 1 | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 6 | 7 | 6 | 2 | 4 | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 22 | 11 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | 1 | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 4 | 8 | 7 | 9 | 12 | 49 | 40 | 57 | 71 | 70 | 16 | 10 | 2 | – | – |
| E.—VIOLENT DEATHS. . . | 9 | 13 | 6 | 7 | 13 | 5 | 10 | 13 | 6 | 3 | 1 | 1 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 1 | 3 | 2 | 5 | 5 | 11 | 5 | 4 | 5 | – | 1 | 1 | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 8 | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 17 | 2 | 4 | 7 | 4 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 131 | 33 | 31 | 24 | 19 | 2 | 1 | 1 | 2 | – | – | – | 1 | – |
| Dysentery | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Syphilis | 26 | 15 | 4 | 2 | 2 | 1 | – | – | – | – | – | – | 1 | – |
| Gonorrhœa | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 15 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 12 | – | 1 | – | – | 1 | – | – | 2 | 1 | – | 1 | 1 | 1 |
| Pyæmia (not Puerperal) | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 12 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 6 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pneumonia — Lobar | 88 | – | – | 1 | 3 | 1 | – | 1 | – | 1 | 3 | 3 | 5 | 7 |
| Pneumonia — Broncho | 340 | 33 | 31 | 92 | 96 | 27 | 17 | 6 | 8 | – | – | 3 | 3 | 1 |
| Pneumonia — Epidemic | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Pneumonia — Not defined | 539 | 21 | 21 | 57 | 60 | 22 | 14 | 5 | 16 | – | 17 | 18 | 19 | 31 |
| Other Infective Conditions | 17 | – | – | 1 | 3 | – | 1 | – | 2 | – | 4 | – | 1 | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 73 | – | – | 2 | 3 | 3 | 3 | 1 | 4 | 4 | 4 | 7 | 4 | 11 |
| Phthisis (not otherwise defined) | 628 | 2 | 4 | 6 | 6 | 5 | 5 | – | 17 | 20 | 56 | 80 | 65 | 84 |
| Tuberculous Meningitis | 131 | 6 | 7 | 24 | 30 | 14 | 8 | 9 | 21 | 5 | 1 | 1 | 4 | 1 |
| Tuberculous Peritonitis | 71 | 2 | 4 | 5 | 8 | 6 | 7 | 7 | 13 | 7 | 2 | 1 | 2 | 1 |
| Tabes Mesenterica | 48 | 3 | 4 | 11 | 10 | 1 | 8 | 1 | 7 | 2 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 36 | – | – | – | 1 | – | – | 5 | 1 | 8 | 3 | 4 | 1 | 6 |
| General Tuberculosis | 76 | 2 | 2 | 10 | 17 | 7 | 1 | 2 | 8 | 2 | 3 | 8 | 3 | 2 |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Parasitic Diseases | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Alcoholism, Delirium Tremens | 33 | – | – | – | – | – | – | – | – | – | – | 1 | 5 | 3 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 24 | 6 | 5 | 8 | 4 | 1 | – | – | – | | – | – | – | – |
| Diarrhœa (not otherwise defined) | 119 | 15 | 23 | 28 | 17 | 3 | 2 | – | 1 | 1 | – | 1 | 1 | 1 |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 30 | 18 | 6 | 3 | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 18 | – | – | – | – | – | – | – | – | – | 1 | 2 | 8 | 5 |
| Puerperal Pyæmia | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Phlegmasia Alba Dolens | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Fever (not otherwise defined) | 47 | – | – | – | – | – | – | – | – | – | – | 12 | 18 | 10 |
| Erysipelas | 19 | 5 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | 2 |
| Septicæmia (not Puerperal) | 9 | 2 | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – |
| Pyæmia (not Puerperal) | 3 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 9 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Phagedæna | 8 | 1 | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 57 | 2 | – | 2 | 1 | 1 | – | 2 | 4 | – | 1 | 1 | 3 | 4 |
| Pneumonia: Broncho | 260 | 19 | 32 | 64 | 76 | 23 | 9 | 5 | 4 | – | – | 1 | 1 | 1 |
| Pneumonia: Epidemic | 3 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Pneumonia: Not defined | 388 | 19 | 16 | 40 | 53 | 26 | 10 | 10 | 8 | 5 | 8 | 8 | 9 | 12 |
| Other Infective Conditions | 7 | – | – | – | – | – | – | 2 | – | – | 1 | 1 | 1 | 1 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 78 | – | 1 | 4 | 5 | 5 | 2 | – | 4 | 6 | 9 | 10 | 8 | 4 |
| Phthisis (not otherwise defined) | 563 | – | 2 | 2 | 8 | 4 | 4 | 5 | 21 | 18 | 61 | 79 | 71 | 73 |
| Tuberculous Meningitis | 104 | 2 | 6 | 16 | 17 | 14 | 9 | 11 | 16 | 5 | 3 | 1 | 1 | – |
| Tuberculous Peritonitis | 56 | 1 | 2 | 3 | 7 | 11 | 2 | 1 | 12 | 5 | 3 | 1 | 4 | 3 |
| Tabes Mesenterica | 35 | 1 | 1 | 8 | 10 | 4 | 3 | 3 | 3 | – | 1 | 1 | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 27 | – | – | 3 | 1 | 1 | – | – | 6 | 5 | 3 | – | 2 | – |
| General Tuberculosis | 71 | 1 | – | 10 | 8 | 8 | 3 | 3 | 3 | 11 | 8 | 5 | 2 | 3 |
| Scrofula | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 26 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | 1 | 1 | 2 | 5 | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Dysentery | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 2 | – | 5 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | – | 3 | – | 5 | 2 | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 5 | 9 | 8 | 11 | 10 | 12 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| Pneumonia — Broncho | 4 | 1 | 3 | 3 | 2 | 3 | 1 | 1 | 2 | 2 | – | 1 | – | – | |
| Pneumonia — Epidemic | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pneumonia — Not defined | 24 | 40 | 37 | 41 | 26 | 22 | 21 | 14 | 7 | 5 | 1 | – | – | – | – |
| Other Infective Conditions | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 5 | 10 | 5 | 6 | 1 | – | – | – | – | – | – | | | – | – |
| Phthisis (not otherwise defined) | 60 | 72 | 50 | 40 | 28 | 14 | 8 | 3 | 1 | 2 | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 4 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 2 | 4 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 4 | 3 | 6 | 5 | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 3 | 2 | 1 | 4 | 4 | 5 | 3 | 2 | 2 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 4 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – | – |
| Phagedæna | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 4 | 4 | 3 | 7 | 2 | 4 | 4 | 5 | – | 2 | 1 | – | – | – | – |
| Pneumonia — Broncho | – | 2 | 4 | 5 | 1 | 5 | 3 | 3 | 1 | 1 | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 23 | 16 | 22 | 15 | 15 | 17 | 25 | 19 | 6 | 4 | 2 | – | – | – | – |
| Other Infective Conditions | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | 8 | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 80 | 48 | 36 | 27 | 9 | 10 | 3 | 1 | 1 | – | – | – | – | – | – |
| Tuberculous Meningitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tubercle of other Organs | – | 2 | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| General Tuberculosis | 1 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | 6 | 6 | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 12 | – | – | – | 1 | – | – | – | 2 | – | 1 | 2 | 2 | – |
| Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Chronic Rheumatism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 108 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Sarcoma | 22 | – | – | 1 | – | – | – | 1 | 2 | 1 | – | 2 | 1 | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 127 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| Rickets | 4 | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Hæmophilia, Hæmorrhagic Diathesis | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Anæmia, Leucocythæmia | 23 | – | – | 1 | 1 | – | – | – | 2 | – | 1 | 1 | 1 | 5 |
| Diabetes Mellitus | 23 | – | – | – | – | 1 | – | – | – | – | – | 1 | 4 | 1 |
| Premature Birth | 250 | 250 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 46 | 40 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 15 | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | 49 | – | 5 | 26 | 17 | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 228 | 18 | 27 | 46 | 35 | 11 | 16 | 8 | 26 | 13 | 5 | 5 | 3 | 2 |
| Softening of Brain | 28 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 3 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| Epilepsy | 21 | 1 | – | 1 | – | – | – | – | – | – | 3 | 1 | 1 | – |
| Convulsions | 130 | 53 | 20 | 19 | 25 | 4 | 2 | – | 2 | – | 1 | – | 1 | – |
| Laryngismus Stridulus | 14 | 2 | 2 | 6 | 3 | 1 | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 33 | – | – | – | 1 | – | 1 | – | – | – | – | 2 | 2 | 1 |
| Neuritis; Peripheral, Poly-neuritis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 14 | – | – | – | – | – | 1 | 1 | 2 | 1 | – | – | – | 2 |
| Other Diseases of Nervous System | 50 | – | 3 | 1 | 4 | 2 | – | 1 | – | – | 1 | 1 | – | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 24 | – | 2 | 2 | 3 | 1 | – | – | 5 | 3 | 2 | 2 | 2 | – |
| Epistaxis, Diseases of Nose | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 133 | – | – | – | – | – | 1 | – | 2 | 2 | 3 | 4 | 9 | 12 |
| Pericarditis | 8 | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – |
| Hypertrophy of Heart | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fatty Degeneration of Heart | 34 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 335 | 13 | – | 1 | 1 | 1 | – | 2 | 7 | 3 | 8 | 8 | 13 | 10 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 20 | – | – | – | – | – | – | – | 4 | 4 | 1 | 1 | 3 | 2 |
| Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Chronic Rheumatism | 17 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 158 | – | – | – | – | – | – | – | – | – | – | – | 3 | 7 |
| Sarcoma | 22 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 |
| Cancer, Malignant Disease (not otherwise defined) | 187 | – | – | – | – | – | – | – | – | – | – | – | 2 | 10 |
| Rickets | 9 | – | – | – | 4 | 4 | – | 1 | – | – | – | – | – | – |
| Purpura | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 37 | – | – | – | 1 | – | – | – | – | – | 4 | 2 | 6 | 2 |
| Diabetes Mellitus | 25 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 3 |
| Premature Birth | 202 | 202 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 36 | 30 | 2 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Injury at Birth | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 10 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 39 | – | 1 | 22 | 14 | 2 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 175 | 17 | 16 | 34 | 36 | 13 | 8 | 10 | 16 | 5 | 3 | 4 | 1 | 2 |
| Softening of Brain | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Insanity (not Puerperal) | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Chorea | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 15 | – | – | – | 1 | – | 1 | – | – | – | 4 | – | – | 1 |
| Convulsions | 99 | 43 | 15 | 14 | 13 | 5 | 4 | 1 | 2 | 2 | – | – | – | – |
| Laryngismus Stridulus | 7 | – | 1 | 3 | 3 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Paraplegia, Diseases of Cord | 16 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Neuritis; Peripheral, Poly-neuritis | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 9 | – | – | – | – | – | – | – | 3 | – | – | 1 | – | 1 |
| Other Diseases of Nervous System | 75 | – | 2 | – | 2 | 1 | – | – | – | – | 2 | 1 | 1 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 11 | 1 | – | 2 | 3 | – | – | – | 2 | – | 1 | – | – | 2 |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 182 | – | – | – | – | – | – | – | 4 | 9 | 14 | 4 | 8 | 14 |
| Pericarditis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 8 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Dilatation of Heart | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fatty Degeneration of Heart | 26 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 330 | 7 | 2 | – | 1 | – | – | – | 2 | 7 | 7 | 6 | 9 | 15 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 4 | 7 | 16 | 23 | 15 | 18 | 11 | 9 | 3 | – | – | 1 | – | – | – |
| Sarcoma | 1 | 1 | 4 | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | 8 | 16 | 18 | 24 | 23 | 13 | 11 | 6 | 2 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 3 | 2 | 2 | – | 4 | – | – | – | – | | – | – | – | – |
| Diabetes Mellitus | 3 | 2 | – | 2 | 2 | 4 | 2 | 1 | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | 1 | 3 | 1 | 2 | 3 | – | – | 1 | – | – | – | – | – | – |
| Softening of Brain | 1 | 1 | 2 | 5 | 4 | 3 | 3 | 5 | 2 | 2 | | – | – | – | – |
| General Paralysis of Insane | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 3 | 3 | 2 | – | 1 | 3 | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | 4 | 6 | 3 | 3 | 4 | – | 3 | 1 | – | 1 | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 4 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | 3 | 2 | – | 6 | 9 | 5 | 5 | 4 | 1 | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 9 | 9 | 15 | 16 | 16 | 14 | 5 | 6 | 7 | 2 | 1 | – | – | – | – |
| Pericarditis | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Angina Pectoris | – | 2 | 1 | 1 | 4 | 4 | 2 | 2 | – | 1 | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | 3 | 1 | 2 | 4 | 8 | 3 | 7 | 4 | 1 | 1 | – | – | – | – |
| Syncope, Heart Disease (not specified) | 17 | 21 | 26 | 31 | 35 | 48 | 35 | 27 | 22 | 4 | 1 | 1 | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | 1 | 1 | 2 | 2 | 2 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 14 | 14 | 18 | 18 | 29 | 24 | 20 | 4 | 3 | 3 | 1 | – | – | – | – |
| Sarcoma | 1 | 2 | 2 | 4 | 2 | 4 | 1 | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 12 | 16 | 21 | 23 | 19 | 33 | 20 | 20 | 8 | 2 | 1 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 4 | – | 2 | 5 | 3 | 3 | 3 | 1 | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | 3 | 1 | 2 | 3 | 5 | 4 | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| **DISEASES OF NERVOUS SYSTEM.** | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 3 | 1 | 1 | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Softening of Brain | – | – | 3 | 1 | 1 | 2 | 3 | 2 | 1 | – | – | 1 | – | – | – |
| General Paralysis of Insane | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | 3 | 3 | 1 | 1 | 2 | 1 | 1 | 2 | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 5 | 3 | 4 | 4 | 8 | 14 | 12 | 4 | 7 | 3 | 2 | – | – | – | – |
| **DISEASES OF ORGANS OF SPECIAL SENSE** | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF HEART.** | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 20 | 14 | 15 | 22 | 12 | 17 | 14 | 9 | 3 | 2 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | 1 | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | 3 | 2 | 2 | 9 | 4 | 3 | 1 | 2 | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 20 | 15 | 19 | 32 | 46 | 37 | 34 | 37 | 22 | 7 | 5 | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 132 | 2 | – | 1 | – | – | – | – | – | 1 | – | 3 | 1 | 3 |
| Apoplexy, Hemiplegia | 172 | – | – | – | 2 | – | – | – | – | – | – | – | 1 | 7 |
| Aneurism | 16 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Senile Gangrene | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 15 | 3 | 1 | 2 | 7 | – | – | – | – | – | – | 2 | – | – |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 7 | – | 1 | 1 | 3 | – | – | 2 | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 624 | 80 | 32 | 68 | 52 | 18 | 7 | 6 | 3 | 3 | 2 | 4 | 4 | 14 |
| Emphysema, Asthma | 16 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pleurisy | 39 | – | 1 | 4 | 1 | – | – | – | 1 | – | 1 | 2 | 3 | 4 |
| Fibroid Disease of Lung | 8 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Other Dis. of Respiratory System | 8 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 3 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 8 | 2 | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Gastric Ulcer | 20 | – | – | – | – | – | – | – | 1 | – | – | 4 | 3 | 3 |
| Gastric Catarrh | 60 | 14 | 12 | 9 | 3 | 6 | – | – | 1 | – | – | 1 | – | – |
| Other Diseases of Stomach (not Malignant) | 34 | 1 | 3 | – | 3 | – | – | – | – | – | – | – | – | 2 |
| Enteritis (not Infective) | 61 | 14 | 10 | 16 | 5 | 1 | – | 2 | 1 | 1 | – | – | 1 | – |
| Gastro-enteritis | 129 | 28 | 23 | 35 | 24 | 4 | 1 | 1 | 1 | 1 | – | – | 1 | – |
| Appendicitis, Perityphlitis | 37 | – | – | 1 | – | – | 1 | 1 | 5 | 2 | 5 | 6 | 8 | 3 |
| Hernia | 21 | – | 1 | – | – | 3 | 1 | – | – | – | 1 | 3 | 1 | – |
| Intestinal Obstruction | 64 | 6 | 7 | 10 | 1 | 1 | 1 | – | 2 | 2 | 4 | 2 | 3 | 4 |
| Other Diseases of Intestines | 11 | 1 | – | 1 | – | – | 2 | – | – | – | – | – | – | 1 |
| Peritonitis (not Puerperal) | 42 | 3 | – | 2 | 1 | – | – | 1 | – | 2 | 1 | 2 | 4 | 2 |
| Cirrhosis of Liver | 24 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Other Diseases of Liver and Gall Bladder | 42 | 8 | 1 | 1 | – | – | – | – | 1 | – | 1 | 2 | – | 3 |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 5 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 72 | – | – | – | 1 | 3 | 1 | 3 | 3 | 3 | 2 | 3 | 3 | 7 |
| Chronic Bright's Disease, Albuminuria | 116 | – | – | – | – | – | – | – | 1 | 2 | 2 | 2 | 2 | 8 |
| Calculus (not Biliary) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 38 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 31 | 1 | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 158 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | 3 |
| Apoplexy, Hemiplegia | 214 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Senile Gangrene | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 5 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 3 | – | – | 1 | – | – | 2 | – | – | – | – | – | – | |
| Croup (not Spasmodic nor Membranous) | 4 | – | – | – | 3 | – | – | – | 1 | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 628 | 54 | 34 | 55 | 43 | 17 | 8 | 5 | 8 | 4 | 1 | 7 | 6 | 6 |
| Emphysema, Asthma | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pleurisy | 27 | – | 1 | 1 | 2 | – | – | – | – | – | – | 2 | 1 | 2 |
| Fibroid Disease of Lung | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 6 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 5 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 10 | 1 | – | – | 1 | 1 | – | 1 | 1 | – | – | – | 1 | – |
| Gastric Ulcer | 28 | – | – | – | – | – | – | – | – | – | 4 | 8 | 3 | 3 |
| Gastric Catarrh | 90 | 18 | 12 | 8 | 1 | – | – | – | 3 | – | 2 | – | – | 3 |
| Other Diseases of Stomach (not Malignant) | 25 | 1 | 3 | – | – | – | – | – | – | – | – | – | – | 1 |
| Enteritis (not Infective) | 57 | 9 | 6 | 12 | 8 | 3 | – | 2 | 2 | 1 | 1 | – | 1 | 1 |
| Gastro-enteritis | 126 | 25 | 28 | 28 | 21 | 2 | – | – | 4 | 2 | 2 | 3 | 1 | – |
| Appendicitis, Perityphlitis | 23 | – | – | – | – | – | – | – | 5 | 4 | 1 | 1 | 3 | – |
| Hernia | 18 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Intestinal Obstruction | 57 | – | 5 | 2 | – | 1 | – | – | 2 | 1 | 2 | 2 | 2 | 1 |
| Other Diseases of Intestines | 14 | 1 | – | 1 | – | 1 | – | – | 2 | 1 | – | 1 | 1 | – |
| Peritonitis (not Puerperal) | 53 | 1 | 1 | 2 | 1 | – | – | – | 3 | 2 | 4 | 4 | 7 | 10 |
| Cirrhosis of Liver | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 43 | 3 | – | – | 1 | – | 1 | – | – | – | 1 | – | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 7 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diseases of Thyroid Body | 6 | – | – | – | – | 1 | – | – | – | – | – | 2 | – | 1 |
| Diseases of Supra-renal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 65 | 2 | 1 | 1 | – | – | 1 | – | 1 | 4 | 1 | 3 | 3 | 3 |
| Chronic Bright's Disease, Albuminuria | 83 | – | 1 | – | – | – | – | 1 | – | 1 | 1 | 2 | 5 | 4 |
| Calculus (not Biliary) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 11 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 2 | 6 | 5 | 16 | 24 | 23 | 18 | 16 | 8 | 2 | 1 | – | – | – | – |
| Apoplexy, Hemiplegia | 3 | 4 | 12 | 15 | 23 | 27 | 32 | 24 | 11 | 8 | 2 | – | 1 | – | – |
| Aneurism | 2 | 1 | 1 | 4 | – | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 3 | 5 | 1 | – | 1 | 1 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | 2 | – | – | 3 | 1 | 2 | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 15 | 21 | 34 | 31 | 46 | 76 | 52 | 27 | 17 | 9 | 2 | 1 | – | – | – |
| Emphysema, Asthma | – | 3 | 2 | 2 | 2 | 4 | – | 2 | – | – | – | – | – | – | – |
| Pleurisy | 3 | 1 | 7 | 3 | 1 | 4 | 2 | – | – | 1 | – | – | – | – | – |
| Fibroid Disease of Lung | – | 1 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | 1 | 1 | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 2 | 1 | 2 | 1 | – | 3 | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 1 | – | 2 | 2 | 1 | 3 | 2 | 1 | – | 2 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | 2 | 4 | 6 | 5 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |
| Enteritis (not Infective) | 1 | 3 | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Gastro-enteritis | – | 1 | 2 | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | 1 | 3 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 2 | 2 | 3 | 4 | 3 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | 6 | 3 | 1 | 4 | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 4 | 5 | 1 | 2 | 4 | 3 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | 3 | 6 | 5 | 2 | 5 | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 5 | 4 | 7 | 9 | 5 | 8 | 4 | 1 | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 3 | 14 | 10 | 20 | 11 | 21 | 11 | 6 | 2 | 1 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | 1 | 2 | 1 | 4 | 2 | 4 | 6 | 8 | 5 | 1 | – | – | – | – |
| Other Diseases of Urinary System | 2 | 3 | 4 | 4 | 4 | 6 | 2 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 3 | 6 | 16 | 22 | 14 | 22 | 19 | 19 | 19 | 12 | 1 | – | – | – | – |
| Apoplexy, Hemiplegia | 4 | 11 | 17 | 23 | 27 | 34 | 33 | 30 | 20 | 5 | 7 | – | 1 | – | – |
| Aneurism | – | – | 1 | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | | 4 | 3 | 2 | – | 2 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 14 | 12 | 32 | 32 | 57 | 51 | 73 | 54 | 36 | 10 | 5 | 3 | 1 | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Pleurisy | 3 | 1 | 2 | 4 | 1 | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – |
| Fibroid Disease of Lung | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | 1 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Gastric Ulcer | 3 | 3 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 5 | 2 | 4 | 6 | 7 | 6 | 4 | 6 | – | 3 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 3 | 2 | – | 3 | 1 | – | 3 | 5 | – | 2 | 1 | – | – | – | – |
| Enteritis (not Infective) | 1 | 1 | – | 2 | 2 | 1 | – | – | 4 | – | – | – | – | – | – |
| Gastro-enteritis | – | 1 | – | 5 | – | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Appendicitis, Perityphlitis | 5 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | 2 | 2 | 2 | 2 | 3 | 2 | – | – | – | – | – | – | – |
| Intestinal Obstruction | 2 | 2 | 3 | 4 | 4 | 7 | 5 | 5 | 4 | 2 | 1 | – | – | – | – |
| Other Diseases of Intestines | 1 | 2 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | 4 | 2 | 6 | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | – | 2 | – | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | 2 | 4 | 4 | 6 | 5 | 8 | 4 | 2 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | 3 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 8 | 9 | 6 | 6 | 3 | 7 | 2 | – | 1 | 1 | 1 | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 8 | 8 | 9 | 13 | 14 | 4 | 7 | 5 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 26 | – | – | – | 1 | 2 | 2 | 2 | 7 | 7 | – | – | 2 | 1 |
| Arthritis, Periostitis | 4 | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – |
| Other Dis. of Locomotor System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 301 | 223 | 25 | 21 | 21 | 1 | 1 | – | 1 | – | – | – | 1 | – |
| Old Age | 143 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tumour | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Abscess | 16 | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 5 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Sudden Death (cause unascertained) | 14 | 3 | 1 | – | – | 1 | – | – | – | – | 1 | – | – | 1 |
| Other ill-defined causes | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Causes not specified | 86 | 27 | 6 | 9 | 3 | 5 | – | 1 | 1 | – | – | 1 | 1 | 3 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 20 | – | – | – | – | – | – | – | – | – | 3 | 4 | 4 | 2 |
| Vehicles and Horses | 65 | – | – | – | – | – | 2 | 1 | 2 | 4 | 3 | 8 | 7 | 6 |
| Ships, Boats, Docks (not Drowning) | 23 | – | – | – | – | – | – | – | – | – | – | – | 4 | 3 |
| Building Operations | 7 | – | – | – | – | – | – | – | – | – | 2 | – | 2 | – |
| Machinery | 16 | – | – | – | – | – | – | – | – | – | 4 | 2 | 3 | 2 |
| Weapons and Implements | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Burns and Scalds | 38 | – | – | 1 | 5 | 9 | 2 | 2 | 3 | 2 | – | 2 | 3 | 1 |
| Poisons, Poisonous Vapours | 8 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 |
| Drowning | 56 | – | – | – | – | – | 3 | 1 | 4 | 1 | 2 | 2 | 7 | 11 |
| Suffocation { From Overlaying | 7 | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 27 | 7 | 3 | – | – | – | – | – | – | – | – | 2 | – | 2 |
| Falls | 41 | – | – | – | – | – | – | – | 2 | 2 | – | 5 | 5 | 4 |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 119 | 2 | – | – | 2 | 2 | – | 2 | 6 | 4 | 4 | 8 | 14 | 5 |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 27 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES**—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Other Diseases of Ovary | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Uterine Tumour (not Malignant) | 18 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Other Dis. of Uterus and Vagina | 9 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 8 | – | – | – | – | 1 | – | – | – | – | – | 1 | 2 | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 8 | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Puerperal Convulsions | 17 | – | – | – | – | – | – | – | – | – | 2 | 4 | 4 | 4 |
| Placenta Prævia, Flooding | 19 | – | – | – | – | – | – | – | – | – | – | 1 | – | 4 |
| Other Accidents of Pregnancy and Childbirth | 38 | – | – | – | – | – | – | – | – | – | 1 | 3 | 10 | 10 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 15 | – | – | – | 2 | – | – | 1 | 3 | 1 | 2 | – | 2 | – |
| Arthritis, Periostitis | 7 | 1 | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | – |
| Other Dis. of Locomotor System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Eczema | 3 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Pemphigus | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 208 | 135 | 30 | 24 | 8 | 3 | – | 2 | – | – | – | – | – | 1 |
| Old Age | 277 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 10 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 |
| Tumour | 24 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 |
| Abscess | 10 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | 2 |
| Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 10 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 84 | 29 | 8 | 3 | 6 | 2 | – | 1 | – | 1 | – | 1 | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 11 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | 4 | 1 |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 65 | – | – | 1 | 3 | 10 | 3 | 7 | 14 | 2 | – | 2 | 2 | 1 |
| Poisons, Poisonous Vapours | 7 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 |
| Drowning | 10 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | – |
| Suffocation { From Overlaying | 9 | 6 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 18 | 11 | 2 | – | – | – | – | – | – | – | – | – | – | 1 |
| Falls | 9 | – | 1 | – | – | – | 2 | – | – | – | – | – | – | 1 |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Otherwise, or not stated | 59 | 1 | – | – | 1 | 1 | 1 | 1 | 3 | 1 | 3 | 3 | 2 | 3 |
| Homicide | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 1 | 2 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 13 | 17 | 36 | 43 | 21 | 9 | 4 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | 1 | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | 1 | 1 | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | 4 | 6 | 6 | 4 | 5 | 2 | 1 | 1 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 1 | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 5 | 7 | 5 | 3 | 2 | 6 | – | 4 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | 2 | 1 | 5 | 4 | 2 | 1 | – | – | – | – | – | – | – | – |
| Building Operations | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 5 | 4 | 2 | 5 | 4 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 5 | 1 | – | 4 | 3 | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | 7 | 2 | 3 | 1 | 4 | 3 | – | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 7 | 11 | 11 | 9 | 9 | 10 | 7 | 2 | 1 | 2 | 1 | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | 4 | 3 | 3 | 4 | – | 4 | 2 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 2 | – | – | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | 7 | 5 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 8 | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 9 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Eczema | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 35 | 29 | 53 | 63 | 69 | 16 | 10 | 2 | – | – |
| Dropsy, Ascites, Anasarca | – | 1 | 1 | – | – | 1 | 3 | – | 1 | – | – | – | – | – | – |
| Tumour | 2 | 2 | 2 | 1 | 4 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | 2 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | 2 | 3 | 6 | 4 | 7 | 5 | 3 | 3 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | 4 | 2 | – | 4 | – | 2 | 3 | 1 | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Falls | – | – | – | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | 5 | – | 3 | 7 | 5 | 5 | 6 | 3 | 2 | 1 | 1 | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 2764 | 307 | 98 | 168 | 145 | 52 | 37 | 28 | 68 | 55 | 81 | 103 | 94 | 106 |
| A.—GENERAL DISEASES . . | 1350 | 177 | 41 | 106 | 109 | 42 | 32 | 19 | 47 | 33 | 47 | 60 | 50 | 62 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 195 | 30 | 17 | 18 | 13 | 2 | 1 | 2 | 3 | 4 | 3 | 4 | 7 | 7 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 7 | – | – | 2 | 1 | – | – | – | 1 | – | 1 | 1 | 1 | – |
| III. ,, HEART . . . | 257 | 2 | – | – | – | – | – | – | – | 1 | 6 | 11 | 8 | 4 |
| IV. ,, BLOOD VESSELS . | 168 | 3 | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 2 |
| V. ,, RESPIRATORY SYSTEM | 169 | 20 | 13 | 18 | 7 | 4 | 1 | 1 | 1 | – | 1 | 3 | – | 2 |
| VI. ,, DIGESTIVE SYSTEM . | 189 | 25 | 21 | 11 | 7 | 2 | 1 | 2 | 8 | 7 | 9 | 8 | 8 | 8 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 6 | 1 | – | – | – | – | – | – | – | – | 2 | – | – | – |
| VIII. ,, URINARY SYSTEM . | 121 | – | – | – | – | – | – | 1 | – | 5 | 3 | 4 | 6 | 4 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 11 | – | – | – | 1 | – | 1 | – | 2 | 1 | 1 | – | 1 | 1 |
| XII. ,, THE SKIN . . . | 5 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 136 | 36 | 3 | 7 | 2 | – | – | – | 1 | – | – | – | – | [illegible] |
| E.—VIOLENT DEATHS. . . | 150 | 12 | 3 | 5 | 4 | 2 | 1 | 2 | 5 | 3 | 7 | 10 | 12 | 1[illegible] |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox { Doubtful . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Measles . . . . . | 49 | – | 3 | 13 | 22 | 7 | 2 | – | 2 | – | – | – | – | |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Scarlet Fever . . . . . | 27 | – | – | – | 3 | 4 | 6 | 3 | 4 | 3 | 1 | 2 | – | |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Influenza . . . . . | 21 | 1 | – | 2 | – | – | 1 | 1 | – | – | 2 | – | 1 | |
| Hooping-cough . . . . . | 64 | 5 | 8 | 23 | 16 | 3 | 3 | 5 | 1 | – | – | – | – | |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diphtheria . . . . . | 26 | – | – | – | 3 | 5 | 1 | 1 | 14 | 2 | – | – | – | |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Enteric Fever . . . . . | 15 | – | – | – | – | – | – | 2 | 4 | 1 | 3 | 1 | – | |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 2758 | 204 | 73 | 130 | 153 | 65 | 42 | 33 | 84 | 44 | 71 | 88 | 93 | 106 |
| A.—GENERAL DISEASES | 1307 | 122 | 30 | 93 | 122 | 47 | 37 | 27 | 62 | 27 | 39 | 53 | 61 | 62 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 156 | 20 | 9 | 10 | 9 | 5 | 1 | 2 | 5 | 3 | 4 | 1 | 2 | 7 |
| II. ,, ORGANS OF SPECIAL SENSE | 10 | – | – | – | 1 | – | – | 1 | 3 | – | 4 | – | – | – |
| III. ,, HEART | 296 | 6 | 2 | – | – | – | – | – | 1 | 3 | 8 | 6 | 4 | 15 |
| IV. ,, BLOOD VESSELS | 174 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 | 3 |
| V. ,, RESPIRATORY SYSTEM | 206 | 9 | 10 | 14 | 8 | 6 | – | – | – | 1 | 1 | – | 2 | |
| VI. ,, DIGESTIVE SYSTEM | 186 | 14 | 9 | 8 | 5 | 4 | 2 | 2 | 9 | 3 | 6 | 9 | 6 | 4 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| VIII. ,, URINARY SYSTEM | 78 | 1 | – | – | – | – | 1 | – | – | 1 | 2 | 1 | 5 | 3 |
| IX. ,, GENERATIVE SYSTEM | 28 | 1 | – | – | – | – | – | – | – | – | – | 3 | 2 | 3 |
| X. ,, PREGNANCY AND CHILDBIRTH | 36 | – | – | – | – | – | – | – | – | – | 3 | 9 | 7 | 7 |
| XI. ,, LOCOMOTOR SYSTEM | 8 | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| XII. ,, THE SKIN | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 181 | 23 | 8 | 2 | 5 | 1 | – | 1 | – | – | 2 | – | – | – |
| E.—VIOLENT DEATHS. | 81 | 7 | 5 | 2 | 2 | 2 | 1 | – | 3 | 4 | – | 4 | 3 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 49 | – | – | 14 | 18 | 4 | 7 | 3 | 3 | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 25 | – | – | 1 | 6 | 5 | 2 | 2 | 7 | 2 | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 36 | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Hooping-cough | 88 | 4 | 5 | 25 | 34 | 12 | 6 | 1 | 1 | – | – | – | – | – |
| Mumps | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 32 | – | – | – | 2 | 2 | 6 | 7 | 15 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 10 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | 3 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 134 | 137 | 140 | 161 | 160 | 191 | 153 | 150 | 106 | 63 | 23 | 3 | 1 | – | – |
| A.—GENERAL DISEASES | 69 | 67 | 69 | 67 | 67 | 72 | 36 | 48 | 17 | 10 | 2 | 1 | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 11 | 11 | 8 | 10 | 8 | 7 | 10 | 6 | 10 | 2 | – | – | 1 | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 21 | 16 | 24 | 25 | 23 | 35 | 35 | 20 | 19 | 5 | 2 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 5 | 10 | 4 | 16 | 25 | 25 | 20 | 25 | 13 | 11 | 4 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 2 | 6 | 9 | 8 | 7 | 17 | 19 | 14 | 11 | 2 | 3 | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 4 | 8 | 9 | 10 | 9 | 9 | 9 | 7 | 5 | 2 | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 6 | 8 | 9 | 12 | 6 | 15 | 13 | 11 | 7 | 8 | 2 | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | 1 | 1 | 1 | 4 | 6 | 17 | 23 | 23 | 10 | – | – | – | – |
| E.—VIOLENT DEATHS | 13 | 10 | 7 | 11 | 14 | 5 | 5 | 2 | 1 | – | – | 1 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | – | 2 | – | 1 | – | – | 2 | 2 | 1 | – | 1 | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** . . . . . | 118 | 108 | 129 | 135 | 161 | 177 | 168 | 205 | 168 | 112 | 72 | 17 | 1 | 1 | – |
| A.—GENERAL DISEASES . . | 53 | 59 | 53 | 69 | 66 | 58 | 54 | 48 | 38 | 16 | 10 | 1 | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 6 | 6 | 7 | 12 | 2 | 13 | 6 | 11 | 7 | 4 | 3 | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 12 | 10 | 29 | 13 | 35 | 35 | 32 | 44 | 22 | 11 | 7 | 1 | – | – | – |
| IV. ,, BLOOD VESSELS . | 3 | 3 | 4 | 11 | 19 | 16 | 24 | 29 | 36 | 19 | 3 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 4 | 7 | 6 | 5 | 10 | 24 | 21 | 24 | 25 | 17 | 8 | 4 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 13 | 6 | 7 | 6 | 17 | 13 | 10 | 13 | 10 | 8 | 2 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 8 | 7 | 11 | 9 | 5 | 5 | 7 | 5 | 4 | 2 | – | – | 1 | – | – |
| IX. ,, GENERATIVE SYSTEM | 5 | 3 | 3 | 4 | 2 | – | – | – | 1 | 1 | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 6 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | 1 | – | – | 3 | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | – | – | 1 | – | 1 | 6 | 12 | 21 | 23 | 32 | 34 | 9 | – | – | – |
| E.—VIOLENT DEATHS. . . | 7 | 3 | 5 | 6 | 3 | 7 | 1 | 4 | 2 | 2 | 4 | 1 | – | 1 | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | 3 | 1 | 4 | 3 | 3 | 3 | 7 | 5 | 3 | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 4 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 24 | 10 | 4 | 6 | 1 | – | 1 | – | – | – | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Syphilis | 12 | 8 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 10 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Septicæmia (not Puerperal) | 5 | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phagedæna | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pneumonia: Lobar | 61 | 2 | 1 | 3 | 4 | – | – | – | – | 1 | – | 1 | 4 | 2 |
| Pneumonia: Broncho | 80 | 10 | 6 | 16 | 24 | 2 | 4 | 2 | 2 | – | 1 | – | 1 | – |
| Pneumonia: Epidemic | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pneumonia: Not defined | 113 | 7 | 5 | 10 | 10 | 6 | 1 | 1 | 2 | 1 | 1 | 5 | 2 | 2 |
| Other Infective Conditions | 5 | – | – | 1 | 1 | – | 1 | – | – | – | – | 2 | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 54 | – | – | 1 | 3 | 2 | – | – | 2 | 1 | 4 | 8 | 6 | 4 |
| Phthisis (not otherwise defined) | 212 | – | – | – | – | – | 1 | – | 1 | 4 | 18 | 26 | 21 | 28 |
| Tuberculous Meningitis | 51 | 3 | 2 | 15 | 10 | 3 | 2 | 1 | 6 | 4 | 1 | 1 | 1 | 1 |
| Tuberculous Peritonitis | 28 | – | 3 | 3 | 2 | 4 | 4 | 1 | 3 | 1 | 1 | 1 | 1 | 1 |
| Tabes Mesenterica | 8 | – | 1 | 1 | 1 | 3 | – | – | 1 | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 23 | – | – | 1 | – | – | – | – | 1 | 4 | 2 | 3 | 4 | 1 |
| General Tuberculosis | 26 | 1 | – | 3 | 3 | – | 1 | 2 | 3 | – | 3 | – | 2 | 1 |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 29 | – | – | – | – | – | – | – | – | – | – | – | 1 | 7 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 23 | 4 | 1 | 4 | 3 | – | – | – | – | – | 1 | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 13 | 7 | 2 | – | 2 | – | – | – | – | – | – | – | 1 | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Puerperal Fever (not otherwise defined) | 9 | – | – | – | – | – | – | – | – | – | – | 2 | 5 | 1 |
| Erysipelas | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 5 | – | – | – | – | – | – | – | – | 3 | – | 1 | 1 | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 5 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Phagedæna | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 28 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 1 | 2 |
| Pneumonia — Broncho | 55 | 2 | 3 | 13 | 20 | 4 | 2 | 2 | 1 | – | 3 | – | 1 | 1 |
| Pneumonia — Epidemic | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia — Not defined | 101 | 5 | 3 | 12 | 4 | 4 | – | 2 | 2 | – | 1 | 2 | 3 | 2 |
| Other Infective Conditions | 4 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | 1 |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 61 | 1 | 1 | 3 | 4 | 1 | 1 | 1 | 3 | 2 | 5 | 4 | 7 | 11 |
| Phthisis (not otherwise defined) | 180 | – | – | 1 | 2 | 1 | 1 | – | 4 | 3 | 15 | 26 | 26 | 28 |
| Tuberculous Meningitis | 53 | 1 | 2 | 8 | 12 | 9 | 5 | 3 | 8 | 1 | 3 | – | 1 | – |
| Tuberculous Peritonitis | 36 | – | – | – | 4 | 1 | 4 | 1 | 9 | 3 | 3 | 4 | 4 | 2 |
| Tabes Mesenterica | 5 | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 16 | – | – | – | – | 2 | 1 | – | 2 | 2 | 1 | 3 | 3 | – |
| General Tuberculosis | 23 | 1 | 1 | 2 | 3 | 1 | 1 | 2 | 3 | 5 | 2 | 1 | – | 1 |
| Scrofula | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 17 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 2 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 6 | 7 | 9 | 4 | 6 | 5 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| Pneumonia — Broncho | 2 | 5 | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 3 | 7 | 5 | 7 | 12 | 12 | 3 | 6 | 3 | – | 2 | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 5 | 4 | 3 | 8 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 31 | 22 | 19 | 16 | 13 | 8 | 2 | 2 | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | 1 | 1 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | 1 | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 6 | 8 | 2 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | 1 | 1 | – | 2 | 2 | – | 2 | 2 | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 2 | 4 | 2 | 3 | – | 5 | – | 2 | 2 | 1 | 1 | – | – | – | – |
| Pneumonia: Broncho | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 6 | 6 | 5 | 8 | 3 | 8 | 7 | 5 | 9 | 1 | 2 | 1 | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 5 | 2 | 1 | 3 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 21 | 20 | 13 | 8 | 5 | 4 | 1 | 1 | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Tubercle of other Organs | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 3 | 2 | 2 | 1 | 2 | 2 | 3 | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 12 | – | – | – | – | – | – | – | 1 | 2 | 2 | – | 1 | 1 |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 95 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – |
| Sarcoma | 18 | – | – | – | – | – | – | – | – | 3 | 1 | 3 | – | 3 |
| Cancer, Malignant Disease (not otherwise defined) | 67 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rickets | 5 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 23 | 1 | – | – | 1 | – | 1 | – | – | 2 | – | 1 | – | 2 |
| Diabetes Mellitus | 14 | – | – | – | – | – | – | – | – | 2 | 1 | 3 | 1 | 2 |
| Premature Birth | 87 | 87 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 29 | 22 | 4 | 1 | – | – | 1 | – | – | – | 1 | – | – | – |
| Injury at Birth | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | 9 | – | 1 | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 38 | 2 | 9 | 8 | 8 | – | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Softening of Brain | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 28 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 3 |
| Insanity (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 8 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 1 |
| Convulsions | 47 | 27 | 6 | 9 | 3 | – | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | 3 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 20 | – | – | – | – | 1 | – | – | – | – | – | 1 | 3 | 2 |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 7 | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Other Diseases of Nervous System | 20 | 1 | – | 1 | – | 1 | – | – | 2 | 1 | 1 | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 7 | – | – | 2 | 1 | – | – | – | 1 | – | 1 | 1 | 1 | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 104 | – | – | – | – | – | – | – | – | 1 | 3 | 7 | 6 | 1 |
| Pericarditis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hypertrophy of Heart | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Angina Pectoris | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 19 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Syncope, Heart Disease (not specified) | 109 | 2 | – | – | – | – | – | – | – | – | 2 | 4 | 1 | 2 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 9 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | 2 | – | 1 |
| Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 114 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Sarcoma | 11 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 100 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Rickets | 4 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Hæmophilia, Hæmorrhagic Diathesis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 24 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 2 |
| Diabetes Mellitus | 15 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| Premature Birth | 55 | 55 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 29 | 21 | 4 | 1 | – | – | – | 1 | – | 2 | – | – | – | – |
| Injury at Birth | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 12 | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 5 | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 4 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 31 | 3 | 4 | 4 | 1 | 5 | 1 | – | 4 | 2 | 1 | – | 1 | – |
| Softening of Brain | 25 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 11 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 |
| Insanity (not Puerperal) | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| Convulsions | 37 | 17 | 5 | 5 | 7 | – | – | 1 | – | – | 1 | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 11 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Brain Tumour (not Specific) | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Other Diseases of Nervous System | 19 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 9 | – | – | – | 1 | – | – | 1 | 3 | – | 4 | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 107 | 1 | – | – | – | – | – | – | 1 | 1 | 5 | 5 | 2 | 11 |
| Pericarditis | 8 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fatty Degeneration of Heart | 26 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Syncope, Heart Disease (not specified) | 140 | 5 | 2 | – | – | – | – | – | – | 1 | 3 | – | 1 | 2 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Carcinoma | – | 4 | 10 | 12 | 14 | 14 | 14 | 12 | 6 | 5 | – | – | – | – | – |
| Sarcoma | 1 | – | 1 | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | 3 | 5 | 8 | 8 | 11 | 12 | 12 | 3 | 2 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | 3 | 1 | 1 | 6 | 1 | – | – | 1 | – | – | – | – | |
| Diabetes Mellitus | 1 | – | 1 | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | 1 | – | 3 | 4 | 3 | 5 | 1 | – | – | 1 | – | – |
| General Paralysis of Insane | 6 | 9 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | 1 | 4 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | 2 | – | – | 1 | 3 | 3 | 2 | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 14 | 13 | 9 | 8 | 11 | 7 | 12 | 7 | 3 | 2 | – | – | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 2 | – | – | 1 | 2 | 3 | 2 | 1 | 3 | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | 1 | 5 | 2 | 1 | 6 | 1 | 1 | 1 | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 3 | 1 | 10 | 12 | 7 | 18 | 19 | 11 | 12 | 3 | 2 | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | 1 | – | 1 | 2 | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | 1 | 2 | 1 | – | 4 | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 3 | 9 | 10 | 9 | 24 | 13 | 17 | 14 | 10 | 2 | 2 | – | – | – | – |
| Sarcoma | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 4 | 6 | 11 | 16 | 14 | 12 | 14 | 6 | 8 | 3 | 3 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | 1 | 4 | 2 | 3 | 2 | 3 | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | 3 | 2 | 4 | 1 | – | – | 1 | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Softening of Brain | – | 1 | – | 3 | – | 2 | 2 | 8 | 3 | 3 | 3 | – | – | – | – |
| General Paralysis of Insane | 1 | 3 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | 1 | 4 | 1 | 2 | – | – | – | – | – | 1 | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 2 | 1 | – | 4 | 3 | 3 | 3 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 7 | 9 | 12 | 4 | 11 | 7 | 11 | 13 | 6 | 1 | – | – | – | – | – |
| Pericarditis | – | – | 1 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | – | – | 1 | 2 | 3 | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | 1 | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – |
| Fatty Degeneration of Heart | 2 | 1 | 4 | 2 | 4 | 6 | – | 6 | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 3 | – | 10 | 5 | 18 | 20 | 18 | 22 | 14 | 9 | 6 | 1 | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 80 | 2 | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Apoplexy, Hemiplegia | 58 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Aneurism | 16 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 3 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 137 | 19 | 13 | 15 | 7 | 3 | – | 1 | – | – | 1 | 2 | – | 1 |
| Emphysema, Asthma | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pleurisy | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Fibroid Disease of Lung | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 5 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Gastric Ulcer | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gastric Catarrh | 13 | 6 | 1 | 2 | 1 | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Stomach (not Malignant) | 12 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – |
| Enteritis (not Infective) | 21 | 6 | 7 | 3 | 2 | – | 1 | – | 2 | – | – | – | – | – |
| Gastro-enteritis | 22 | 7 | 9 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 22 | – | – | – | 1 | 1 | – | – | 5 | 3 | 4 | 3 | 2 | – |
| Hernia | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Intestinal Obstruction | 24 | 2 | 4 | 2 | – | 1 | – | – | – | 1 | 1 | – | 1 | – |
| Other Diseases of Intestines | 3 | 1 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Peritonitis (not Puerperal) | 14 | 1 | – | 1 | 1 | – | – | 1 | 1 | 2 | 2 | – | 3 | – |
| Cirrhosis of Liver | 22 | – | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Other Diseases of Liver and Gall Bladder | 14 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 32 | – | – | – | – | – | – | 1 | – | 1 | 2 | 3 | 3 | – |
| Chronic Bright's Disease, Albuminuria | 46 | – | – | – | – | – | – | – | – | 3 | 1 | 1 | 2 | 3 |
| Calculus (not Biliary) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 23 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 16 | – | | – | – | – | – | – | – | 1 | – | – | 1 | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 82 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Apoplexy, Hemiplegia | 64 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 2 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 3 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 165 | 8 | 10 | 11 | 7 | 5 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 20 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Fibroid Disease of Lung | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 5 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 17 | – | – | – | – | – | – | – | – | – | 1 | 5 | 2 | 2 |
| Gastric Catarrh | 11 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Stomach (not Malignant) | 16 | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Enteritis (not Infective) | 19 | 3 | 3 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 20 | 3 | 5 | 3 | 1 | 3 | – | – | 3 | – | – | – | – | – |
| Appendicitis, Perityphlitis | 17 | – | – | – | – | – | 1 | – | 2 | 1 | 3 | – | 2 | 2 |
| Hernia | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 18 | – | 1 | 1 | 1 | 1 | – | – | – | 1 | – | 1 | – | – |
| Other Diseases of Intestines | 8 | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Peritonitis (not Puerperal) | 22 | – | – | – | 1 | – | 1 | 2 | 3 | 1 | 2 | 1 | 1 | – |
| Cirrhosis of Liver | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Thyroid Body | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diseases of Supra-renal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 23 | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 | 1 |
| Chronic Bright's Disease, Albuminuria | 41 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 |
| Calculus (not Biliary) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 8 | 1 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | 5 | 1 | 6 | 9 | 14 | 9 | 13 | 8 | 6 | 3 | – | – | – |
| Apoplexy, Hemiplegia | 2 | 1 | – | 8 | 11 | 6 | 9 | 10 | 5 | 4 | – | – | – | – |
| Aneurism | 2 | 4 | 2 | 2 | 4 | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 3 | 1 | 1 | – | 1 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | 1 | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 4 | 4 | 4 | 5 | 14 | 15 | 12 | 10 | 2 | 3 | – | – | – |
| Emphysema, Asthma | – | – | – | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Pleurisy | – | 1 | 4 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | 3 | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | 1 | 1 | 2 | 1 | – | 1 | – | 1 | 1 | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | – | 2 | 2 | 1 | – | – | – | – | – |
| Intestinal Obstruction | 1 | 2 | 1 | 1 | 1 | – | 2 | 3 | – | 1 | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 2 | 1 | 6 | 4 | 2 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | 1 | 2 | – | – | 3 | 1 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | 2 | 5 | 4 | – | 2 | 2 | 4 | – | 1 | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | 4 | 4 | 4 | 3 | 10 | 4 | 2 | 2 | – | 1 | – | – | – |
| Calculus (not Biliary) | 1 | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | – | 1 | 1 | 3 | 6 | 4 | – | 6 | – | 1 | – | – |
| Other Diseases of Urinary System | 2 | 1 | – | 2 | 2 | – | 1 | 1 | 3 | 1 | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 3 | 2 | 1 | 6 | 8 | 4 | 13 | 15 | 16 | 8 | 3 | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 2 | 4 | 9 | 7 | 10 | 12 | 13 | 7 | – | – | – | – | – |
| Aneurism | – | 1 | 1 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | 5 | 2 | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | 2 | 1 | – | 2 | 2 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 4 | 6 | 4 | 7 | 17 | 20 | 20 | 21 | 16 | 6 | 3 | – | – | – |
| Emphysema, Asthma | 1 | 1 | – | – | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – |
| Pleurisy | 2 | 1 | – | 1 | 1 | 6 | 1 | 2 | 3 | – | 1 | – | – | – | – |
| Fibroid Disease of Lung | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 2 | 1 | – | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | 2 | 1 | – | 2 | 1 | 1 | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 1 | 1 | – | – | 1 | 1 | 2 | 3 | 3 | – | – | – | – | – | – |
| Enteritis (not Infective) | 1 | – | 1 | – | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Gastro-enteritis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | | – |
| Appendicitis, Perityphlitis | 1 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | – | 2 | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Intestinal Obstruction | 1 | 1 | – | – | 4 | 2 | 1 | – | – | 3 | – | – | – | – | – |
| Other Diseases of Intestines | – | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | 1 | 1 | – | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 3 | 1 | 1 | 2 | 3 | 1 | – | 4 | 2 | 2 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 4 | 3 | 2 | 2 | 2 | 1 | 1 | 1 | – | 2 | – | – | 1 | – | – |
| Chronic Bright's Disease, Albuminuria | 3 | 4 | 7 | 5 | – | 4 | 5 | 4 | 4 | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 9 | – | – | – | 1 | – | – | – | 2 | 1 | 1 | – | 1 | 1 |
| Arthritis, Periostitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Pemphigus | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 47 | 36 | 3 | 7 | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 80 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Tumour | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Vehicles and Horses | 30 | – | – | – | – | – | – | 2 | 2 | – | 3 | – | 4 | 4 |
| Ships, Boats, Docks (not Drowning) | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 8 | – | – | 1 | 3 | – | 1 | – | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 12 | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – | 2 | 2 |
| Drowning | 11 | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – | 1 |
| Suffocation { From Overlaying | 10 | 6 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Falls | 22 | – | – | – | – | 1 | – | – | 1 | 1 | – | 4 | – | 4 |
| Weather Agencies | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 19 | 1 | – | 1 | – | – | – | – | – | – | 2 | – | 2 | – |
| Homicide | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 22 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 3 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12. | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Ovary | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Uterine Tumour (not Malignant) | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. of Uterus and Vagina | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 7 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 8 | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 | 1 |
| Placenta Prævia, Flooding | 6 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 |
| Other Accidents of Pregnancy and Childbirth | 20 | – | – | – | – | – | – | – | – | – | 1 | 5 | 4 | 4 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 4 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| Arthritis, Periostitis | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 39 | 22 | 8 | 2 | 4 | 1 | – | 1 | – | – | – | – | – | – |
| Old Age | 133 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 6 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Abscess | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 14 | – | – | 2 | 1 | 1 | 1 | – | 1 | 2 | – | 1 | – | – |
| Poisons, Poisonous Vapours | 11 | 1 | – | – | – | – | – | – | – | 2 | – | 2 | 1 | – |
| Drowning | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 10 | 2 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 15 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 14 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in EDINBURGH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 3 | 5 | 16 | 23 | 23 | 10 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | 2 | 2 | 2 | 4 | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Falls | 1 | 3 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | 2 | 2 | 3 | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | 1 | – | 3 | 2 | 2 | 3 | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES — AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | - | - | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Ovary | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Uterine Tumour (not Malignant) | 3 | 2 | 2 | 1 | 2 | - | - | - | - | 1 | - | - | - | - | - |
| Other Dis. of Uterus and Vagina | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Disorders of Menstruation | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Generative and Mammary Organs | 1 | - | - | 1 | - | - | - | - | 1 | - | - | - | - | - | - |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Mania | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Convulsions | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Placenta Prævia, Flooding | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Accidents of Pregnancy and Childbirth | 4 | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Arthritis, Periostitis | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Other Dis. of Locomotor System | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | - | - | - | - | - | - | - | 2 | - | - | - | - | - | - | - |
| Eczema | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pemphigus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of the Skin | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - |
| **C.—OTHER SPECIFIED DISEASES** | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Old Age | - | - | - | - | - | 6 | 8 | 21 | 23 | 32 | 34 | 9 | - | - | - |
| Dropsy, Ascites, Anasarca | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Tumour | - | - | 1 | - | - | - | 3 | - | - | - | - | - | - | - | - |
| Abscess | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Hæmorrhage | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Sudden Death (cause unascertained) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other ill-defined causes | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Causes not specified | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Vehicles and Horses | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Ships, Boats, Docks (not Drowning) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Building Operations | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Machinery | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Weapons and Implements | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Burns and Scalds | 1 | - | - | - | 1 | 2 | - | - | - | 1 | - | - | - | - | - |
| Poisons, Poisonous Vapours | 1 | - | 1 | 3 | - | - | - | - | - | - | - | - | - | - | - |
| Drowning | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suffocation — From Overlaying | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suffocation — Otherwise | - | - | - | 3 | - | 1 | - | - | - | - | - | - | - | - | - |
| Falls | - | 2 | 1 | - | 1 | 1 | 1 | 3 | 2 | - | 1 | 1 | - | - | - |
| Weather Agencies | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Otherwise, or not stated | 1 | - | 2 | - | - | 2 | - | - | - | 1 | 3 | - | - | 1 | - |
| Homicide | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Suicide | 3 | - | 1 | - | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Execution | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 1359 | 212 | 76 | 93 | 71 | 28 | 15 | 10 | 38 | 27 | 46 | 34 | 46 | 45 |
| A.—GENERAL DISEASES . . | 632 | 121 | 40 | 58 | 45 | 22 | 10 | 5 | 18 | 14 | 35 | 21 | 31 | 28 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. Diseases of Nervous System | 86 | 14 | 5 | 10 | 8 | 3 | 2 | 1 | 6 | 1 | 3 | 1 | – | 3 |
| II. ,, Organs of Special Sense . . . | 7 | – | – | – | – | 1 | – | – | 1 | – | 1 | 2 | – | – |
| III. ,, Heart . . . | 139 | 3 | – | – | – | – | – | – | 3 | 4 | 1 | 3 | 2 | 4 |
| IV. ,, Blood Vessels . | 88 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 3 |
| V. ,, Respiratory System | 107 | 15 | 8 | 10 | 8 | 2 | – | 1 | – | – | – | 1 | 2 | – |
| VI. ,, Digestive System . | 86 | 14 | 10 | 10 | 6 | – | 1 | 1 | 6 | 4 | 2 | 2 | 2 | 2 |
| VII. ,, Lymphatic and Ductless Glands . | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| VIII. ,, Urinary System . | 50 | – | 1 | – | – | – | 1 | – | 1 | 1 | 2 | – | 1 | 3 |
| IX. ,, Generative System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, Pregnancy and Childbirth . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, Locomotor System | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XII. ,, The Skin . . . | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 91 | 31 | 6 | 3 | 2 | – | – | – | – | – | – | – | 1 | – |
| E.—VIOLENT DEATHS. . . | 66 | 12 | 6 | 2 | 2 | – | 1 | 2 | 3 | 2 | 2 | 2 | 4 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 4 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | 1 | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 7 | – | 1 | – | – | – | – | – | – | – | – | – | 2 | – |
| Hooping-cough . . . . . | 21 | 2 | 2 | 5 | 7 | 4 | – | – | 1 | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 7 | – | – | 1 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 12 | – | – | – | – | – | – | – | 1 | – | 4 | 1 | 3 | 1 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 1588 | 154 | 56 | 84 | 77 | 30 | 17 | 10 | 44 | 37 | 45 | 52 | 53 | 50 |
| A.—GENERAL DISEASES | 713 | 89 | 29 | 50 | 48 | 23 | 11 | 7 | 29 | 25 | 32 | 36 | 34 | 33 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. Diseases of Nervous System | 79 | 5 | 3 | 7 | 10 | 1 | 3 | 2 | 4 | 1 | 1 | 2 | 2 | 2 |
| II. ,, Organs of Special Sense | 5 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| III. ,, Heart | 183 | 3 | – | – | – | – | – | – | 1 | 4 | 2 | 5 | 5 | 7 |
| IV. ,, Blood Vessels | 113 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| V. ,, Respiratory System | 142 | 15 | 7 | 9 | 9 | 3 | 1 | – | – | 1 | 1 | 1 | 2 | – |
| VI. ,, Digestive System | 95 | 7 | 8 | 13 | 6 | 2 | 1 | – | 3 | 2 | 4 | 4 | 1 | – |
| VII. ,, Lymphatic and Ductless Glands | 3 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| VIII. ,, Urinary System | 44 | – | – | – | 1 | – | – | 1 | 2 | – | 1 | 1 | 3 | 2 |
| IX. ,, Generative System | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. ,, Pregnancy and Childbirth | 12 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 |
| XI. ,, Locomotor System | 3 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| XII. ,, The Skin | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 135 | 23 | 5 | 3 | 2 | – | – | – | – | – | 1 | – | – | – |
| E.—VIOLENT DEATHS. | 51 | 12 | 4 | 1 | 1 | 1 | 1 | – | 5 | 2 | 1 | – | 1 | 3 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 30 | 1 | 2 | 9 | 9 | 6 | 2 | 1 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 8 | – | – | 1 | 3 | 1 | 1 | – | 1 | – | – | 1 | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 21 | – | – | – | 1 | – | – | – | – | 4 | 3 | 4 | 3 | 3 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 40 | 57 | 56 | 72 | 86 | 86 | 87 | 68 | 34 | 26 | 4 | – | 2 | – | – |
| A.—GENERAL DISEASES | 23 | 23 | 26 | 26 | 29 | 14 | 17 | 18 | 6 | 1 | – | – | 1 | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. Diseases of Nervous System | 1 | 6 | 4 | 2 | 7 | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| II. " Organs of Special Sense | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| III. " Heart | 3 | 9 | 6 | 12 | 16 | 28 | 18 | 14 | 9 | 4 | – | – | – | – | – |
| IV. " Blood Vessels | 2 | 5 | 5 | 8 | 10 | 11 | 17 | 12 | 7 | 4 | – | – | – | – | – |
| V. " Respiratory System | 2 | 2 | 2 | 7 | 9 | 10 | 14 | 8 | 3 | 3 | – | – | – | – | – |
| VI. " Digestive System | – | 4 | 5 | 6 | 5 | 3 | 2 | – | – | 1 | – | – | – | – | – |
| VII. " Lymphatic and Ductless Glands | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. " Urinary System | 4 | 4 | 3 | 8 | 4 | 5 | 6 | 4 | – | 2 | – | – | – | – | – |
| IX. " Generative System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. " Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. " Locomotor System | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. " The Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | 1 | – | – | 1 | 6 | 9 | 8 | 8 | 10 | 4 | – | 1 | – | – |
| E.—VIOLENT DEATHS | 5 | 1 | 4 | 3 | 4 | 4 | 2 | 3 | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 60 | 64 | 74 | 100 | 91 | 123 | 115 | 109 | 74 | 43 | 18 | 7 | – | 1 | – |
| A.—GENERAL DISEASES . . | 35 | 34 | 29 | 33 | 35 | 34 | 28 | 21 | 8 | 9 | 1 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 4 | 3 | 2 | 8 | 2 | 3 | 5 | 4 | 4 | 1 | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 5 | 10 | 13 | 19 | 25 | 24 | 22 | 17 | 13 | 4 | 3 | 1 | – | – | – |
| IV. ,, BLOOD VESSELS . | 2 | 1 | 7 | 11 | 8 | 19 | 21 | 17 | 15 | 9 | 2 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 1 | 2 | 10 | 11 | 8 | 19 | 12 | 18 | 9 | 2 | 1 | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 3 | 3 | 6 | 7 | 5 | 5 | 5 | 6 | – | 1 | 2 | 1 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 2 | 5 | 3 | 6 | 3 | 5 | 2 | 2 | 2 | 2 | – | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 1 | 3 | 1 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 1 | – | – | 2 | 2 | 12 | 17 | 20 | 20 | 13 | 9 | 4 | – | 1 | – |
| E.—VIOLENT DEATHS. . . | 2 | 1 | 1 | 2 | 3 | 1 | 3 | 2 | 3 | 1 | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | – | 1 | 1 | – | – | – | – | 2 | – | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 16 | 6 | 5 | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 54 | 19 | 13 | 9 | 6 | 2 | – | – | – | – | – | – | – | 1 |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| Syphilis | 11 | 2 | 4 | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 5 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 29 | – | – | 3 | – | – | – | – | – | 1 | 4 | – | 2 | 4 |
| Pneumonia — Broncho | 48 | 7 | 4 | 13 | 12 | 1 | 1 | – | 1 | – | 2 | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 72 | – | 5 | 7 | 4 | 4 | 1 | – | – | 1 | 3 | 3 | 4 | 2 |
| Other Infective Conditions | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 32 | – | – | 1 | – | – | – | – | 1 | 2 | 5 | 4 | 2 | 3 |
| Phthisis (not otherwise defined) | 73 | – | – | – | 1 | – | – | – | – | – | 8 | 10 | 11 | 10 |
| Tuberculous Meningitis | 26 | 2 | – | 4 | 5 | – | – | 3 | 5 | 6 | – | – | – | 1 |
| Tuberculous Peritonitis | 16 | 1 | 2 | 4 | – | 3 | 2 | 1 | 3 | – | – | – | – | – |
| Tabes Mesenterica | 5 | – | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 6 | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – |
| General Tuberculosis | 20 | 1 | 1 | 3 | – | 1 | 1 | – | 3 | 2 | 4 | – | 1 | 2 |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Epidemic Diarrhœa, Infective Enteritis | 6 | 2 | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Diarrhœa (not otherwise defined) | 32 | 11 | 7 | 6 | 1 | - | - | - | - | - | - | - | - | - |
| Dysentery | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Malaria | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Rabies, Hydrophobia | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Glanders | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Anthrax (Splenic Fever) | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Tetanus | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Syphilis | 11 | 5 | 2 | 2 | - | - | - | - | - | - | - | 1 | - | - |
| Gonorrhœa | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Septicæmia, Sapræmia | 4 | - | - | - | - | - | - | - | - | - | 1 | - | - | 2 |
| Puerperal Pyæmia | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlegmasia Alba Dolens | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Fever (not otherwise defined) | 4 | - | - | - | - | - | - | - | - | - | 1 | - | 2 | 1 |
| Erysipelas | 5 | 2 | - | - | - | - | - | - | - | - | - | - | - | - |
| Septicæmia (not Puerperal) | 3 | - | - | - | - | - | - | - | - | - | 1 | - | 1 | - |
| Pyæmia (not Puerperal) | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlegmon, Carbuncle (not Anthrax) | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 |
| Phagedæna | 1 | - | - | - | - | - | 1 | - | - | - | - | - | - | - |
| Infective Endocarditis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pneumonia — Lobar | 16 | 1 | - | - | - | - | - | - | 2 | 1 | - | - | - | 1 |
| Pneumonia — Broncho | 65 | 5 | 9 | 13 | 14 | 8 | - | - | 1 | 1 | - | 1 | - | - |
| Pneumonia — Epidemic | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pneumonia — Not defined | 58 | - | 2 | 5 | 1 | - | 1 | 1 | 4 | 3 | - | 2 | - | 1 |
| Other Infective Conditions | 3 | - | - | - | - | 1 | - | - | - | - | 1 | 1 | - | - |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 42 | - | - | 1 | 1 | - | - | 1 | 1 | 4 | 5 | 2 | 7 | 5 |
| Phthisis (not otherwise defined) | 129 | - | - | - | - | - | - | 1 | 3 | 5 | 15 | 20 | 18 | 12 |
| Tuberculous Meningitis | 33 | - | 2 | 6 | 8 | 3 | 3 | 2 | 4 | 2 | - | 2 | - | - |
| Tuberculous Peritonitis | 25 | - | 2 | 2 | 2 | 2 | 3 | - | 6 | 1 | 2 | 1 | - | 1 |
| Tabes Mesenterica | 4 | - | - | 1 | 2 | - | - | - | 1 | - | - | - | - | - |
| Lupus | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Tubercle of other Organs | 7 | - | - | 1 | - | - | - | - | - | 1 | 2 | - | - | - |
| General Tuberculosis | 12 | - | - | - | - | - | - | 1 | 3 | 2 | 1 | 1 | 1 | - |
| Scrofula | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Parasitic Diseases | 1 | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| Starvation | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scurvy | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Alcoholism, Delirium Tremens | 5 | - | - | - | - | - | - | - | - | - | - | - | - | 3 |
| Opium, Morphia Habit | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ptomaine Poisoning | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| „ Phosphorus | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| „ Arsenic and other Metals | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Phagedæna | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | 2 | 3 | 4 | – | 1 | 3 | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | 1 | 5 | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 4 | 4 | 1 | 2 | 9 | 3 | 4 | 9 | 2 | – | – | – | – | – | – |
| Other Infective Conditions | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | 2 | 4 | 5 | 1 | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 8 | 5 | 7 | 4 | 5 | 1 | 3 | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 1 | 1 | 2 | 1 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 2 | – | – | 2 | 1 | 3 | 1 | 2 | – | 2 | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 1 | 8 | 5 | 3 | 6 | 5 | 4 | 3 | – | 3 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 7 | 3 | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 15 | 11 | 8 | 8 | 5 | 2 | 2 | 1 | 3 | – | – | – | – | – | – |
| Tuberculous Meningitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 6 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 27 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Rickets | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes Mellitus | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Premature Birth | 60 | 60 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 5 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 34 | 3 | 2 | 6 | 5 | 3 | 2 | 1 | 5 | 1 | 2 | – | – | 1 |
| Softening of Brain | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 19 | 10 | 2 | 4 | 2 | – | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 7 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 7 | – | – | – | – | 1 | – | – | 1 | – | 1 | 2 | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 35 | – | – | – | – | – | – | – | – | 2 | – | 2 | 1 | 4 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 89 | 3 | – | – | – | – | – | – | 2 | 2 | 1 | 1 | 1 | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 47 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Sarcoma | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 38 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diabetes Mellitus | 5 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – |
| Premature Birth | 44 | 44 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 11 | 10 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 23 | – | 1 | 4 | 5 | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – |
| Softening of Brain | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Convulsions | 13 | 5 | 1 | 3 | 4 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 6 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| Other Diseases of Nervous System | 11 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 5 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 46 | – | – | – | – | – | – | – | – | 3 | 1 | 3 | 3 | 4 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 116 | 3 | – | – | – | – | – | – | 1 | 1 | 1 | 2 | 2 | 3 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| Carcinoma | – | 2 | – | 5 | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Sarcoma | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 3 | 2 | 3 | – | 3 | 3 | 3 | 5 | 2 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Softening of Brain | – | – | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | 1 | – | – | | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | 3 | 1 | 7 | 3 | 1 | 5 | 5 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | 1 | 2 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 2 | 6 | 3 | 2 | 11 | 24 | 13 | 6 | 8 | 4 | – | – | – | – | – |

CAUSES of DEATH n DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | 3 | 3 | 5 | 8 | 9 | 9 | 5 | 1 | 2 | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 3 | 5 | 3 | 1 | 8 | 6 | 6 | 4 | – | 1 | 1 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | 1 | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | 1 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | 1 | – | 1 | 1 | 1 | 3 | – | 1 | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | – | 2 | 3 | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 2 | 4 | 4 | 2 | 2 | 7 | 4 | 3 | 1 | – | 3 | – | – | – | – |
| Pericarditis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Dilatation of Heart | – | 1 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | | – | 2 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 3 | 5 | 7 | 12 | 19 | 15 | 15 | 12 | 10 | 4 | – | 1 | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| **Diseases of Blood Vessels.** | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 41 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| Apoplexy, Hemiplegia | 31 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 93 | 14 | 8 | 9 | 8 | 2 | – | 1 | – | – | – | – | 1 | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Fibroid Disease of Lung | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gastric Catarrh | 6 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 10 | 3 | 2 | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| Gastro-enteritis | 22 | 8 | 3 | 4 | 4 | – | – | – | 1 | – | – | – | – | – |
| Appendicitis, Perityphlitis | 6 | – | – | – | – | – | – | – | 3 | 1 | – | 1 | – | – |
| Hernia | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Intestinal Obstruction | 7 | – | 1 | – | 1 | – | 1 | – | – | – | – | 1 | – | – |
| Other Diseases of Intestines | 6 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Peritonitis (not Puerperal) | 10 | – | 2 | – | – | – | – | 1 | – | 2 | 1 | – | 1 | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Lymphatic and Ductless Glands.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 17 | – | 1 | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 |
| Chronic Bright's Disease, Albuminuria | 21 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | 2 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 47 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 46 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 126 | 13 | 6 | 9 | 9 | 2 | 1 | – | – | – | – | 1 | – | – |
| Emphysema, Asthma | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pleurisy | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Fibroid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 5 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 6 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Gastric Catarrh | 14 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 4 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 9 | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 18 | 2 | 2 | 6 | 4 | – | 1 | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 4 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | – | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intestinal Obstruction | 7 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Other Diseases of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 11 | 1 | – | – | – | 1 | – | – | 1 | – | 2 | – | 1 | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 10 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 19 | – | – | – | 1 | – | – | 1 | 1 | – | 1 | 1 | 3 | 1 |
| Chronic Bright's Disease, Albuminuria | 22 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | 4 | 4 | 5 | 5 | 2 | 8 | 5 | 2 | 2 | – | – | – | – | – |
| Apoplexy, Hemiplegia | 2 | – | 1 | 1 | 3 | 7 | 6 | 6 | 3 | 1 | – | – | – | – | – |
| Aneurism | – | – | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 2 | 2 | 5 | 8 | 9 | 13 | 8 | 1 | 2 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 1 | 2 | 1 | 5 | 1 | 1 | 2 | 2 | – | 1 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | 2 | 3 | 3 | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | 1 | 4 | 6 | 3 | 9 | 12 | 4 | 2 | 4 | 1 | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 3 | 3 | 5 | 4 | 7 | 10 | 9 | 3 | 1 | – | – | – | – |
| Aneurism | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | – | 3 | 2 | 2 | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | 1 | – | 4 | 1 | – | 2 | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 2 | 10 | 9 | 8 | 18 | 12 | 16 | 8 | 2 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | 2 | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | 1 | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Gastro-enteritis | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Intestinal Obstruction | – | 1 | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | – | – | 1 | 1 | 3 | 2 | – | – | – | 1 | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | 1 | – | 3 | – | – | 2 | 2 | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | 4 | 2 | 3 | 3 | 5 | – | – | 1 | 2 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 42 | 30 | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Old Age | 44 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Ships, Boats, Docks (not Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 4 | – | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Drowning | 5 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Suffocation { From Overlaying | 13 | 8 | 5 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 6 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 25 | – | – | 1 | – | – | 1 | 1 | – | 1 | 2 | 1 | 1 | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Placenta Prævia, Flooding | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Other Accidents of Pregnancy and Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Arthritis, Periostitis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | |
| Atrophy, Debility | 34 | 22 | 5 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Old Age | 94 | – | – | – | – | – | – | – | – | | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 4 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 6 | – | – | – | – | – | 1 | – | 4 | 1 | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Drowning | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 15 | 11 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 4 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Falls | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Otherwise, or not stated | 14 | – | – | – | – | – | – | – | 1 | – | – | – | – | 2 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 4 | – | – | – | – | – | – | | – | – | – | – | 1 | – |
| Execution | – | – | – | | – | – | – | | | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 6 | 9 | 7 | 8 | 9 | 4 | – | 1 | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 4 | 1 | 1 | 1 | 2 | 3 | 1 | 3 | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Execution | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1903.—
FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 1 | 1 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Ovary | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | 1 | – | – | – | – | – | – | – | – | | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 12 | 16 | 19 | 20 | 13 | 9 | 4 | – | 1 | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | 1 | 1 | – | 2 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** . . . . . | 1371 | 186 | 81 | 124 | 101 | 45 | 11 | 7 | 30 | 14 | 28 | 48 | 44 | 36 |
| A.—GENERAL DISEASES . . | 614 | 94 | 29 | 70 | 69 | 28 | 8 | 5 | 15 | 6 | 20 | 27 | 26 | 16 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 100 | 28 | 11 | 9 | 6 | 4 | – | – | – | 2 | 1 | 1 | 1 | 2 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 5 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 |
| III. ,, HEART . . . | 135 | – | 1 | 1 | – | – | – | – | 1 | 1 | 2 | 5 | 2 | 5 |
| IV. ,, BLOOD VESSELS . | 60 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| V. ,, RESPIRATORY SYSTEM | 132 | 10 | 15 | 24 | 11 | 5 | – | – | 3 | – | – | – | – | 1 |
| VI. ,, DIGESTIVE SYSTEM . | 120 | 19 | 16 | 15 | 10 | 4 | – | 1 | 3 | 3 | 4 | 6 | 4 | 6 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 49 | – | 1 | 1 | 1 | 1 | – | – | 2 | 1 | – | 1 | 3 | 1 |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 9 | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 2 | – |
| XII. ,, THE SKIN . . . | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 83 | 29 | 7 | 2 | – | – | – | | – | – | – | 2 | 1 | – |
| E.—VIOLENT DEATHS. . . | 61 | 4 | 1 | – | 3 | 3 | 1 | 1 | 5 | – | 1 | 5 | 4 | 4 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 57 | – | – | 21 | 31 | 3 | – | – | 1 | – | – | – | – | – |
| German Measles . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 7 | – | – | 1 | 1 | 1 | – | – | 3 | – | 1 | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 10 | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – |
| Hooping-cough . . . . . | 17 | – | 3 | 1 | 7 | 2 | 2 | 2 | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 3 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 1370 | 135 | 57 | 92 | 80 | 28 | 20 | 13 | 39 | 19 | 42 | 38 | 43 | 42 |
| A.—GENERAL DISEASES | 603 | 71 | 21 | 61 | 58 | 16 | 17 | 8 | 27 | 15 | 35 | 22 | 30 | 25 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 79 | 14 | 9 | 6 | 7 | 4 | 1 | 1 | 3 | – | 2 | – | 1 | 4 |
| II. ,, ORGANS OF SPECIAL SENSE | 5 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| III. ,, HEART | 140 | 2 | 2 | – | – | – | – | 1 | 1 | 1 | 1 | 4 | 3 | 1 |
| IV. ,, BLOOD VESSELS | 81 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| V. ,, RESPIRATORY SYSTEM | 140 | 6 | 6 | 12 | 7 | 2 | 1 | – | 1 | – | 1 | 1 | – | – |
| VI. ,, DIGESTIVE SYSTEM | 116 | 14 | 11 | 9 | 6 | 4 | 1 | – | 1 | 2 | 1 | 3 | 5 | 2 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| VIII. ,, URINARY SYSTEM | 29 | – | 1 | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| IX. ,, GENERATIVE SYSTEM | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 15 | – | – | – | – | – | – | – | – | – | 1 | 3 | – | 4 |
| XI. ,, LOCOMOTOR SYSTEM | 4 | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| XII. ,, THE SKIN | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 119 | 25 | 6 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS | 26 | 3 | – | 1 | – | 1 | – | 2 | 3 | – | 1 | 3 | – | 1 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Measles | 62 | – | 2 | 28 | 20 | 5 | 5 | 1 | 1 | – | – | | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 6 | – | – | – | 1 | – | 3 | – | – | – | 1 | 1 | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 14 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hooping-cough | 24 | 3 | 3 | 8 | 7 | 1 | 1 | – | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 10 | – | – | – | 2 | 1 | 1 | 1 | 4 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** . . . . . | 46 | 45 | 47 | 52 | 69 | 84 | 87 | 64 | 55 | 43 | 17 | 7 | – | – | – |
| A.—GENERAL DISEASES . . | 30 | 23 | 17 | 21 | 25 | 29 | 27 | 9 | 15 | 4 | 1 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2 | 4 | 5 | 8 | – | 3 | 6 | 4 | 1 | 2 | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 5 | 5 | 10 | 2 | 17 | 23 | 15 | 21 | 8 | 10 | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS . | – | 2 | 2 | 5 | 6 | 8 | 10 | 7 | 6 | 6 | 6 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | 2 | 4 | 1 | 9 | 8 | 10 | 11 | 9 | 6 | 1 | 2 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 7 | 2 | 1 | 5 | 3 | 3 | 5 | 1 | 1 | – | 1 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | – | 2 | 6 | 4 | 4 | 3 | 5 | 5 | 4 | 1 | 3 | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | – | – | – | – | – | 1 | 5 | 5 | 10 | 13 | 4 | 4 | – | – | – |
| E.—VIOLENT DEATHS. . . | 1 | 4 | 1 | 6 | 5 | 4 | 4 | 1 | 1 | 1 | – | 1 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | – | – | 1 | – | 2 | 3 | 1 | – | – | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 42 | 41 | 42 | 64 | 68 | 88 | 82 | 101 | 87 | 63 | 30 | 11 | 2 | 1 | – |
| A.—GENERAL DISEASES | 21 | 21 | 19 | 27 | 18 | 22 | 27 | 19 | 13 | 8 | 2 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 4 | 2 | 4 | 1 | 1 | 6 | 2 | 3 | 2 | 1 | – | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 5 | 3 | 4 | 18 | 17 | 18 | 9 | 21 | 16 | 12 | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 3 | 3 | 1 | 3 | 7 | 9 | 17 | 10 | 14 | 7 | 3 | – | 1 | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | 7 | 4 | 16 | 15 | 12 | 15 | 15 | 11 | 5 | 3 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 3 | 2 | 3 | 6 | 5 | 7 | 9 | 11 | 6 | 3 | 2 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 1 | 4 | 2 | 2 | – | 5 | 2 | 5 | 1 | – | 1 | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | 2 | – | 3 | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 3 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | 1 | – | – | – | 1 | 2 | 16 | 19 | 21 | 16 | 5 | 1 | 1 | – |
| E.—VIOLENT DEATHS | 1 | – | 2 | 1 | 2 | – | 2 | 1 | 1 | – | – | 1 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | 1 | – | – | – | 2 | 1 | 4 | 2 | 1 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | 1 | – | – | – | – | – | – | – | | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. *Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 9 | 4 | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 22 | 5 | 6 | 7 | 2 | – | – | – | – | – | – | – | – | – |
| Dysentery | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 8 | 2 | 3 | 1 | – | – | – | 1 | – | – | – | – | 1 | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Septicæmia (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 27 | – | – | 1 | 3 | – | 2 | – | – | – | 2 | 2 | 1 | 2 |
| Pneumonia: Broncho | 38 | 1 | 5 | 10 | 10 | 7 | – | – | – | 1 | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 59 | 1 | 3 | 3 | 2 | 2 | – | – | 1 | – | – | 1 | 2 | 1 |
| Other Infective Conditions | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 28 | – | – | 2 | 2 | – | – | – | 1 | – | 2 | 3 | – | 3 |
| Phthisis (not otherwise defined) | 79 | – | – | – | – | – | – | – | 2 | 1 | 5 | 12 | 14 | 6 |
| Tuberculous Meningitis | 24 | 2 | 2 | 1 | 6 | 4 | 2 | – | 3 | 2 | 1 | 1 | – | – |
| Tuberculous Peritonitis | 18 | – | 1 | 2 | 1 | 3 | – | 1 | 2 | 2 | 2 | – | 2 | – |
| Tabes Mesenterica | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 7 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | 1 | – | 1 |
| General Tuberculosis | 10 | – | – | 1 | – | 1 | – | – | 1 | – | 2 | 1 | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 16 | 4 | 2 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| Erysipelas | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Septicæmia (not Puerperal) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Phlegmon, Carbuncle (not Anthrax) | 2 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pneumonia — Lobar | 11 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Pneumonia — Broncho | 35 | 2 | 6 | 7 | 8 | 2 | 1 | – | 1 | 1 | – | – | 1 | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia — Not defined | 36 | 2 | 2 | 5 | 4 | 1 | – | 1 | 1 | – | – | – | – | 2 |
| Other Infective Conditions | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 37 | – | – | – | 2 | 2 | – | – | 5 | 2 | 7 | 2 | 6 | 3 |
| Phthisis (not otherwise defined) | 98 | 1 | – | – | – | 2 | 1 | – | 3 | 4 | 19 | 11 | 13 | 13 |
| Tuberculous Meningitis | 23 | 1 | – | 4 | 4 | 2 | 2 | 2 | 4 | – | 3 | 1 | – | – |
| Tuberculous Peritonitis | 9 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | 2 | 2 |
| Tabes Mesenterica | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Tubercle of other Organs | 3 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| General Tuberculosis | 9 | – | 1 | 2 | 1 | – | 1 | – | – | 1 | 1 | 2 | – | – |
| Scrofula | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Parasitic Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 5 | 1 | – | – | – | 4 | 1 | – | 3 | – | – | – | – | – | – |
| Pneumonia: Broncho | – | – | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 7 | 2 | 6 | 2 | 1 | 7 | 9 | 4 | 3 | 2 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | 1 | 1 | 3 | 3 | – | 1 | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 6 | 11 | 4 | 4 | 8 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 2 | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | 1 | – | – | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 1 | – | – | 1 | 1 | 1 | 2 | 2 | 1 | – | – | – | – | – | – |
| Pneumonia — Broncho | – | 1 | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | – | – | 3 | 2 | 2 | 3 | 2 | 3 | 3 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 10 | 9 | 4 | 5 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 25 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Sarcoma | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| Cancer, Malignant Disease (not otherwise defined) | 24 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rickets | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 5 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Premature Birth | 57 | 57 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 9 | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 6 | – | 1 | 5 | – | – | – | – | – | – | – | – | – | – |
| Teething | 10 | – | – | 8 | 1 | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 17 | 5 | 3 | 3 | – | – | – | – | – | 2 | 1 | – | – | – |
| Softening of Brain | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| General Paralysis of Insane | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 8 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Convulsions | 41 | 23 | 7 | 5 | 3 | 3 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Nervous System | 9 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 4 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 |
| Epistaxis, Diseases of Nose | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 45 | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 | 5 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 75 | – | 1 | 1 | – | – | – | – | 1 | 1 | – | 4 | 1 | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 7 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Chronic Rheumatism | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 41 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Sarcoma | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 32 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rickets | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diabetes Mellitus | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Premature Birth | 41 | 41 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 7 | 5 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Injury at Birth | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 6 | 1 | – | 3 | 2 | – | – | – | – | – | – | – | – | – |
| B.—LOCAL DISEASES. | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 17 | 1 | 4 | 2 | 3 | 3 | 1 | – | 2 | – | – | – | – | – |
| Softening of Brain | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Convulsions | 28 | 13 | 5 | 4 | 3 | – | – | 1 | 1 | – | 1 | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Nervous System | 7 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 5 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 39 | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – | 1 |
| Pericarditis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Fatty Degeneration of Heart | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 88 | 2 | 2 | – | – | – | – | – | – | – | – | 2 | 2 | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ! |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | – | 3 | 4 | 2 | 8 | 3 | – | 2 | – | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | – | 2 | 1 | 2 | 3 | 6 | 3 | 3 | 1 | 1 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| General Paralysis of Insane | – | 2 | 1 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | 1 | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 2 | 4 | – | 5 | 10 | 3 | 7 | 2 | 3 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – |
| Dilatation of Heart | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 4 | 2 | 4 | 1 | 12 | 10 | 9 | 12 | 4 | 7 | 1 | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 1 | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | 1 | 1 | – | – | 3 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 2 | 1 | 6 | 5 | 5 | 7 | 5 | 5 | 1 | 1 | – | – | – | – | – |
| Sarcoma | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | 2 | 1 | 5 | 5 | 5 | 5 | 3 | 3 | – | 1 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 1 | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – |
| General Paralysis of Insane | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | 1 | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 2 | – | 1 | 5 | 7 | 4 | 2 | 5 | 3 | 4 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | 1 | – | – | | – | – | – |
| Fatty Degeneration of Heart | – | – | – | 1 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 3 | 3 | 3 | 11 | 6 | 13 | 5 | 16 | 11 | 8 | 1 | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 29 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Apoplexy, Hemiplegia | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 5 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 111 | 10 | 15 | 22 | 10 | 4 | – | – | 2 | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Fibroid Disease of Lung | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Gastric Ulcer | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Gastric Catarrh | 13 | 4 | 2 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Enteritis (not Infective) | 11 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 33 | 7 | 9 | 9 | 5 | 2 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 10 | – | – | – | – | – | – | – | 1 | 2 | 1 | 4 | – | 1 |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 13 | 1 | 2 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 1 |
| Other Diseases of Intestines | 4 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 14 | 1 | – | 2 | 1 | – | – | – | – | 1 | 1 | 1 | 1 | – |
| Cirrhosis of Liver | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 8 | – | 1 | 1 | – | – | – | – | 2 | 1 | – | – | 2 | 1 |
| Chronic Bright's Disease, Albuminuria | 19 | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – |
| Calculus (not Biliary) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 15 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 29 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Apoplexy, Hemiplegia | 39 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Senile Gangrene | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 4 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 125 | 6 | 6 | 9 | 7 | 2 | 1 | – | 1 | – | – | 1 | – | – |
| Emphysema, Asthma | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Gastric Catarrh | 16 | 1 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 3 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Enteritis (not Infective) | 9 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Gastro-enteritis | 22 | 5 | 7 | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 5 | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 8 | – | 1 | 1 | – | – | 1 | – | – | – | – | 1 | – | – |
| Other Diseases of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 18 | 2 | 1 | – | – | 1 | – | – | 1 | – | 1 | – | 1 | 1 |
| Cirrhosis of Liver | 9 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Liver and Gall Bladder | 12 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Diseases of Thyroid Body | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Chronic Bright's Disease, Albuminuria | 17 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Calculus (not Biliary) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Bladder and of Prostate | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | 1 | 2 | 1 | 3 | 3 | 7 | 4 | 2 | 1 | 4 | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | – | 2 | 3 | 3 | 2 | 2 | 1 | 1 | – | – | – | – |
| Aneurism | – | 1 | – | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | 1 | – | 1 | – | 3 | 1 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 2 | – | 5 | 5 | 8 | 10 | 8 | 6 | 1 | 2 | – | – | – |
| Emphysema, Asthma | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | 1 | 1 | – | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | 1 | 4 | 4 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 2 | 2 | 3 | 3 | 1 | 1 | 2 | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | 1 | 1 | – | 1 | 5 | 8 | 4 | 1 | 5 | 1 | – | – | – | – |
| Apoplexy, Hemiplegia | 2 | 1 | – | 2 | 5 | 4 | 5 | 5 | 10 | 2 | 1 | – | 1 | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 6 | 3 | 14 | 11 | 12 | 14 | 13 | 11 | 5 | 3 | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – |
| Pleurisy | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | 1 | 1 | 1 | 2 | 3 | – | – | 1 | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | 1 | – | 1 | – | 2 | 1 | 1 | 2 | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 1 | 1 | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | 1 | – | 1 | 1 | 1 | 3 | 1 | 2 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | 1 | 2 | 1 | – | 5 | – | 4 | 1 | – | – | – | – | – | – |
| Calculus (not Biliary) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 6 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Arthritis, Periostitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 34 | 28 | 4 | 2 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 39 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 6 | 1 | 3 | – | – | – | – | – | – | – | – | – | 1 | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 6 | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Burns and Scalds | 5 | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | 7 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Suffocation { From Overlaying | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 4 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Falls | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 14 | 1 | – | – | – | – | – | 1 | 1 | – | 1 | 2 | 1 | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 |
| Placenta Prævia, Flooding | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Accidents of Pregnancy and Childbirth | 7 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 4 | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 30 | 22 | 6 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 77 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 6 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 7 | – | – | – | – | 1 | – | 1 | 2 | – | – | 1 | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Suffocation { From Overlaying | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 6 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 3 | 4 | 10 | 13 | 4 | 4 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Drowning | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | 1 | – | – | – | – | 2 | – | 1 | 1 | – | 1 | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 1 | 15 | 18 | 19 | 16 | 5 | 1 | 1 | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tumour | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | 1 | – | 2 | – | – | – | – | 1 | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 745 | 117 | 51 | 105 | 89 | 27 | 15 | 7 | 29 | 11 | 13 | 22 | 19 | 12 |
| A.—GENERAL DISEASES . . | 404 | 56 | 31 | 70 | 66 | 22 | 12 | 7 | 16 | 6 | 9 | 15 | 9 | 7 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 64 | 5 | 7 | 15 | 12 | 4 | 1 | – | 4 | 3 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| III. ,, HEART . . . | 50 | 4 | 1 | 1 | – | – | – | – | 2 | – | – | 1 | 1 | 2 |
| IV. ,, BLOOD VESSELS . | 30 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| V. ,, RESPIRATORY SYSTEM | 60 | 8 | 5 | 7 | 8 | 1 | 1 | – | 2 | – | 1 | 2 | 1 | 1 |
| VI. ,, DIGESTIVE SYSTEM . | 31 | 6 | 2 | 7 | 3 | – | – | – | 2 | – | – | 1 | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 13 | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 55 | 33 | 4 | 4 | – | – | 1 | – | 1 | – | – | – | 1 | – |
| E.—VIOLENT DEATHS. . . | 36 | 3 | 1 | – | – | – | – | – | 1 | 1 | 3 | 2 | 6 | 1 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 34 | 1 | 3 | 8 | 13 | 2 | 1 | 1 | 5 | – | – | – | – | – |
| German Measles . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough . . . . . | 57 | 5 | 1 | 21 | 17 | 7 | 2 | 2 | 2 | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| ALL CAUSES . . . . . | 719 | 95 | 47 | 81 | 90 | 34 | 17 | 6 | 26 | 13 | 11 | 23 | 24 | 18 |
| A.—GENERAL DISEASES . . | 361 | 49 | 22 | 50 | 57 | 22 | 11 | 5 | 19 | 8 | 10 | 15 | 14 | 12 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 76 | 12 | 7 | 12 | 15 | 4 | 5 | 1 | 3 | 2 | – | 1 | – | 1 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 44 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | – |
| IV. ,, BLOOD VESSELS . | 27 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – |
| V. ,, RESPIRATORY SYSTEM | 76 | 5 | 4 | 6 | 6 | 4 | 1 | – | 1 | – | 1 | 1 | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 45 | 6 | 8 | 9 | 6 | 1 | – | – | 1 | – | – | – | 1 | 3 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VIII. ,, URINARY SYSTEM . | 11 | – | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 9 | – | – | – | – | – | – | – | – | – | – | 1 | 5 | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 59 | 22 | 6 | 3 | 2 | 3 | – | – | – | – | – | 1 | – | – |
| E.—VIOLENT DEATHS. . . | 8 | 1 | – | – | 4 | – | – | – | 1 | 2 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 22 | – | – | 6 | 14 | 1 | – | – | 1 | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 3 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Typhus . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 8 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| Hooping-cough . . . . . | 60 | 5 | 4 | 19 | 18 | 5 | 4 | 3 | 2 | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 9 | – | – | 2 | 1 | 2 | 1 | – | 3 | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ! |
| **ALL CAUSES** . . . . . | 29 | 20 | 18 | 34 | 39 | 39 | 29 | 9 | 9 | 2 | – | – | – | – | – |
| A.—GENERAL DISEASES . . | 14 | 7 | 10 | 12 | 15 | 11 | 6 | 1 | 1 | 1 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1 | – | 1 | 3 | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | – | 7 | 1 | 6 | 5 | 9 | 7 | 1 | 2 | – | – | – | – | – | – |
| IV. ,, BLOOD VESSELS . | 1 | 1 | 1 | 3 | 7 | 7 | 6 | 2 | 1 | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | 1 | – | 4 | 2 | 8 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 1 | – | – | 2 | 3 | 1 | – | – | 1 | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 2 | 1 | 1 | – | – | 1 | 5 | – | 1 | – | – | – | – | – | – |
| E.—VIOLENT DEATHS. . . | 8 | 2 | 3 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** . . . . . | 26 | 26 | 26 | 16 | 31 | 30 | 27 | 17 | 20 | 5 | 7 | 3 | – | – | – |
| A.—GENERAL DISEASES . . | 15 | 7 | 13 | 7 | 6 | 10 | 4 | 1 | 2 | 2 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 3 | – | 1 | 2 | 1 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 3 | 4 | 6 | 2 | 7 | 4 | 5 | 3 | 4 | 1 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS . | – | 3 | 2 | 1 | 1 | 2 | 6 | 4 | 4 | – | 1 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | 5 | 2 | 3 | 13 | 5 | 6 | 5 | 5 | 1 | 1 | 1 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 1 | 2 | 2 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 2 | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 1 | 1 | – | – | – | 3 | 3 | 3 | 4 | 1 | 4 | 2 | – | – | – |
| E.—VIOLENT DEATHS. . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 7 | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 21 | 1 | 9 | 6 | 4 | 1 | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | 1 | – | – | – | – | – | – | – | – | | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 6 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Pneumonia — Broncho | 42 | 5 | 6 | 10 | 9 | 2 | 2 | 2 | 2 | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 71 | 4 | 6 | 17 | 11 | 4 | 1 | – | 1 | – | 2 | 2 | 2 | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 8 | – | – | – | 2 | – | – | – | – | – | 1 | – | 2 | – |
| Phthisis (not otherwise defined) | 54 | – | – | – | – | – | 1 | – | 3 | 2 | 2 | 11 | 4 | 7 |
| Tuberculous Meningitis | 5 | – | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Tuberculous Peritonitis | 8 | – | – | – | 1 | 2 | – | – | 1 | 3 | 1 | – | – | – |
| Tabes Mesenterica | 8 | 1 | – | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 7 | – | 2 | 1 | – | – | 2 | 1 | – | – | – | 1 | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| .—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| siatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| pidemic Diarrhœa, Infective Enteritis | 6 | – | 5 | – | – | – | 1 | – | – | – | – | – | – | – |
| iarrhœa (not otherwise defined) | 11 | – | 5 | 2 | – | – | – | – | 1 | – | – | – | – | – |
| ysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ialaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| abies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| landers | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| etanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| onorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Septicæmia, Sapræmia | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| uerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Fever (not otherwise defined) | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| rysipelas | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| epticæmia (not Puerperal) | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| yæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nfective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Pneumonia: Broncho | 32 | 5 | 3 | 10 | 9 | 2 | 1 | – | – | 1 | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 49 | 3 | 2 | 7 | 10 | 8 | 2 | – | 2 | – | 2 | – | – | 3 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 8 | – | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – |
| Phthisis (not otherwise defined) | 47 | – | – | – | – | 2 | – | – | 1 | 2 | 7 | 9 | 6 | 5 |
| Tuberculous Meningitis | 11 | – | 1 | 1 | 4 | 1 | 1 | – | 3 | – | – | – | – | – |
| Tuberculous Peritonitis | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Tabes Mesenterica | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| General Tuberculosis | 5 | – | – | – | – | – | – | 1 | 2 | – | – | – | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia: Broncho | – | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 4 | 2 | 3 | 3 | 7 | 2 | – | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 7 | 1 | 5 | 4 | 4 | 2 | 1 | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Epidemic Diarrhœa, Infective Enteritis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diarrhœa (not otherwise defined) | - | - | 1 | 1 | - | - | 1 | - | - | - | - | - | - | - | - |
| Dysentery | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Malaria | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Rabies, Hydrophobia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Glanders | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Anthrax (Splenic Fever) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Tetanus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Syphilis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Gonorrhœa | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Septicæmia, Sapræmia | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Pyæmia | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlegmasia Alba Dolens | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Puerperal Fever (not otherwise defined) | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Erysipelas | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Septicæmia (not Puerperal) | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pyæmia (not Puerperal) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlegmon, Carbuncle (not Anthrax) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phagedæna | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Infective Endocarditis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pneumonia — Lobar | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Pneumonia — Broncho | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Pneumonia — Epidemic | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pneumonia — Not defined | - | 2 | 3 | 1 | - | - | 2 | - | - | 2 | - | - | - | - | - |
| Other Infective Conditions | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | - | - | 3 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Phthisis (not otherwise defined) | 9 | 2 | 2 | 1 | 1 | - | - | - | - | - | - | - | - | - | - |
| Tuberculous Meningitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Tuberculous Peritonitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Tabes Mesenterica | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Lupus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Tubercle of other Organs | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| General Tuberculosis | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scrofula | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Parasitic Diseases | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Starvation | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scurvy | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Alcoholism, Delirium Tremens | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Opium, Morphia Habit | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Ptomaine Poisoning | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ,, Phosphorus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ,, Arsenic and other Metals | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 7 | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Diabetes Mellitus | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Premature Birth | 23 | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 29 | 2 | 5 | 3 | 10 | 2 | – | – | 4 | 2 | – | – | – | – |
| Softening of Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 18 | 3 | 2 | 8 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 5 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pericarditis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 36 | 3 | 1 | 1 | – | – | – | – | 2 | – | – | – | 1 | 2 |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 26 | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 5 | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 38 | 3 | 5 | 8 | 8 | 3 | 3 | 1 | 3 | 2 | – | – | – | – |
| Softening of Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 20 | 9 | 1 | 2 | 6 | 1 | 1 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 11 | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 38 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | 1 | 1 | – | 4 | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 2 | – | – | – | 1 | 4 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 4 | 1 | 6 | 4 | 7 | 2 | – | 2 | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Carcinoma | 1 | – | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | – | 3 | 1 | 1 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 3 | 3 | 6 | 2 | 6 | 3 | 4 | 1 | 4 | 1 | – | – | – | – | – |

CAUSES of DEATH in GOVAN at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Apoplexy, Hemiplegia | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 54 | 8 | 5 | 6 | 7 | 1 | 1 | – | 2 | – | 1 | 1 | 1 | 1 |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 4 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Fibroid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 8 | 2 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 6 | 1 | 1 | 2 | – | – | – | – | 1 | – | – | 1 | – | – |
| Gastro-enteritis | 4 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Calculus (not Biliary) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 13 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – |
| Apoplexy, Hemiplegia | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 73 | 5 | 4 | 6 | 6 | 4 | 1 | – | 1 | – | 1 | 1 | – | – |
| Emphysema, Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Gastric Catarrh | 10 | 3 | 1 | 2 | 2 | – | | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 5 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 9 | 2 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | 1 |
| Gastro-enteritis | 8 | 1 | 2 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 5 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Chronic Bright's Disease, Albuminuria | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | 2 | 2 | 4 | – | 1 | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | 1 | – | 2 | 4 | 4 | 2 | 1 | – | – | – | – | – | – | – |
| Aneurism | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 3 | 2 | 8 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES. (*Continued*).

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | 2 | 1 | 1 | – | 4 | 2 | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | 3 | – | – | – | 2 | 2 | 2 | 3 | – | 1 | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 4 | 2 | 3 | 12 | 4 | 6 | 5 | 5 | 1 | 1 | 1 | – | – | – |
| Emphysema, Asthma | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 1 | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 41 | 31 | 3 | 4 | – | – | 1 | – | 1 | – | – | – | – | – |
| Old Age | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Ships, Boats, Docks (not Drowning) | 9 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 11 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 3 | – |
| Suffocation { From Overlaying | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Placenta Prævia, Flooding | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Other Accidents of Pregnancy and Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 29 | 21 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Old Age | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 9 | 1 | 1 | 2 | – | 2 | – | – | – | – | – | 1 | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 5 | – | – | – | 4 | – | – | – | – | 1 | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Old Age | – | – | – | – | – | – | 4 | – | 1 | – | – | – | – | – | |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Tumour | | – | – | – | – | – | 1 | – | – | – | – | – | – | – | |
| Abscess | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Causes not specified | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Ships, Boats, Docks (not Drowning) | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Burns and Scalds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Drowning | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Suffocation { Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Falls | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Otherwise, or not stated | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Suicide | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in GOVAN, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 2 | 3 | 2 | 4 | 1 | 4 | 2 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 3 |
| **ALL CAUSES** | 688 | 101 | 42 | 48 | 58 | 19 | 13 | 9 | 14 | 13 | 12 | 15 | 16 | 1 |
| A.—GENERAL DISEASES | 312 | 53 | 28 | 30 | 36 | 10 | 8 | 5 | 11 | 8 | 8 | 9 | 12 | 1 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 65 | 4 | 2 | 8 | 14 | 3 | 3 | 1 | – | 1 | – | – | 2 | |
| II. ,, ORGANS OF SPECIAL SENSE | 4 | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – | |
| III. ,, HEART | 47 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | 1 | |
| IV. ,, BLOOD VESSELS | 45 | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| V. ,, RESPIRATORY SYSTEM | 80 | 12 | 4 | 5 | 6 | 5 | 1 | 1 | – | – | 1 | 1 | – | |
| VI. ,, DIGESTIVE SYSTEM | 39 | 10 | 2 | 4 | 2 | – | – | 1 | – | 1 | – | – | – | |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| VIII. ,, URINARY SYSTEM | 18 | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| XI. ,, LOCOMOTOR SYSTEM | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| XII. ,, THE SKIN | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 49 | 20 | 4 | – | – | 1 | – | – | – | 1 | – | – | – | |
| E.—VIOLENT DEATHS | 24 | – | – | 1 | – | – | 1 | 1 | 1 | 1 | 1 | 2 | – | |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chicken-pox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| Measles | 12 | – | 1 | 3 | 5 | 1 | – | – | 2 | – | – | – | – | |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Scarlet Fever | 18 | – | – | – | 4 | 2 | 3 | 1 | 6 | 1 | – | 1 | – | |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Influenza | 10 | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | |
| Hooping-cough | 9 | 1 | – | 1 | 6 | 1 | – | – | – | – | – | – | – | |
| Mumps | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Diphtheria | 3 | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Enteric Fever | 5 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **L CAUSES** . . . . . | 740 | 62 | 20 | 47 | 46 | 27 | 17 | 14 | 29 | 14 | 18 | 19 | 30 | 25 |
| —GENERAL DISEASES . . | 318 | 29 | 13 | 28 | 26 | 19 | 9 | 8 | 21 | 7 | 13 | 15 | 18 | 12 |
| —LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 51 | 1 | 1 | 4 | 9 | 3 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| III. ,, HEART . . . | 76 | 1 | – | – | – | – | – | 1 | 3 | 3 | 1 | – | 2 | 2 |
| IV. ,, BLOOD VESSELS . | 36 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| V. ,, RESPIRATORY SYSTEM | 73 | 4 | 3 | 9 | 6 | 3 | 1 | 2 | 1 | 1 | 1 | – | – | 1 |
| VI. ,, DIGESTIVE SYSTEM . | 53 | 5 | 3 | 4 | 3 | 1 | 1 | 1 | 2 | – | – | 1 | 2 | 2 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| III. ,, URINARY SYSTEM . | 11 | – | – | – | – | 1 | – | – | – | – | – | – | – | 3 |
| IX. ,, GENERATIVE SYSTEM | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 15 | – | – | – | – | – | – | – | – | – | 1 | 2 | 4 | 4 |
| XI. ,, LOCOMOTOR SYSTEM | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| —OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| .—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 82 | 21 | – | – | 2 | | – | – | – | – | – | – | – | 1 |
| .—VIOLENT DEATHS. . . | 19 | 1 | – | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| mall-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mall-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mall-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 16 | – | – | 5 | 9 | – | – | – | 2 | – | – | – | – | – |
| erman Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| carlet Fever . . . . . | 18 | – | 1 | 2 | 1 | 6 | 1 | 1 | 6 | – | – | – | – | – |
| yphus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| elapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nfluenza . . . . . | 9 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| ooping-cough . . . . . | 15 | 2 | 1 | 5 | 1 | 4 | – | 2 | – | – | – | – | – | – |
| Iumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iphtheria . . . . . | 4 | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| erebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nteric Fever . . . . . | 6 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 23 | 21 | 27 | 46 | 29 | 52 | 42 | 37 | 19 | 10 | 3 | - | - | - |
| A.—GENERAL DISEASES | 11 | 12 | 11 | 16 | 8 | 12 | 6 | 8 | - | - | - | - | - | - |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1 | 2 | 4 | 4 | 2 | 5 | 1 | 3 | 3 | - | 1 | - | - | - |
| II. ,, ORGANS OF SPECIAL SENSE | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. ,, HEART | 1 | 3 | 1 | 5 | 4 | 9 | 10 | 5 | 1 | 3 | - | - | - | - |
| IV. ,, BLOOD VESSELS | - | 1 | 1 | 3 | 6 | 11 | 9 | 6 | 3 | 2 | 1 | - | - | - |
| V. ,, RESPIRATORY SYSTEM | 1 | - | 5 | 12 | 5 | 8 | 5 | 5 | 3 | - | - | - | - | - |
| VI. ,, DIGESTIVE SYSTEM | 2 | 1 | 3 | 1 | 1 | 3 | 2 | - | 1 | - | 1 | - | - | - |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| VIII. ,, URINARY SYSTEM | 1 | 1 | 1 | 3 | 2 | 2 | 2 | 1 | 1 | 1 | - | - | - | - |
| IX. ,, GENERATIVE SYSTEM | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - |
| X. ,, PREGNANCY AND CHILDBIRTH | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| XI. ,, LOCOMOTOR SYSTEM | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| XII. ,, THE SKIN | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C.—OTHER SPECIFIED DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | - | - | - | - | - | 1 | 5 | 7 | 6 | 4 | - | - | - | - |
| E.—VIOLENT DEATHS | 5 | - | 1 | 2 | 1 | 1 | 2 | 2 | - | - | - | - | - | - |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox: Not Vaccinated | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox: Doubtful | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cow-pox, Effects of Vaccination | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chicken-pox | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Measles | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| German Measles | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scarlet Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Typhus | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Plague | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Relapsing Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Influenza | 1 | - | - | - | 2 | 1 | 1 | 2 | - | - | - | - | - | - |
| Hooping-cough | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Mumps | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diphtheria | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cerebro-spinal Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pyrexia (origin uncertain) | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Enteric Fever | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| LL CAUSES . . . . . | 25 | 28 | 41 | 33 | 35 | 50 | 48 | 46 | 32 | 18 | 9 | 5 | 2 | – | – |
| .—GENERAL DISEASES . . | 12 | 14 | 16 | 9 | 12 | 11 | 11 | 9 | 5 | 1 | - | – | – | – | – |
| .—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2 | 2 | 3 | 2 | – | 1 | 7 | 1 | 3 | 1 | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. ,, HEART . . . | 4 | 1 | 10 | 9 | 3 | 15 | 4 | 8 | 4 | 1 | 2 | 1 | 1 | – | – |
| IV. ,, BLOOD VESSELS . | – | – | 3 | 6 | 5 | 5 | 5 | 4 | 3 | 3 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 1 | – | 3 | 4 | 4 | 8 | 6 | 7 | 3 | 4 | 1 | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | – | 6 | 3 | 3 | 4 | 6 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, URINARY SYSTEM . | 1 | – | 1 | – | 1 | – | 2 | – | 1 | – | – | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| .—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ).—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | – | – | 1 | – | 4 | 4 | 10 | 12 | 11 | 6 | 6 | 3 | 1 | – | – |
| .—VIOLENT DEATHS. . . | 2 | 3 | – | – | 2 | – | 1 | 3 | 1 | 1 | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| mall-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| erman Measles . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| carlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yphus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| elapsing Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nfluenza . . . . . | – | – | – | – | 1 | – | 3 | – | – | 1 | – | – | – | – | – |
| looping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| erebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nteric Fever . . . . . | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 24 | 5 | 7 | 3 | 3 | – | – | – | – | 1 | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 3 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia — Broncho | 25 | 1 | 7 | 7 | 4 | 3 | – | – | – | – | – | – | 1 | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 36 | 1 | 3 | 3 | 2 | – | – | – | – | – | – | 1 | 2 | 2 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 39 | – | – | – | 1 | – | – | – | – | 3 | 4 | 4 | 7 | 5 |
| Tuberculous Meningitis | 12 | – | 2 | 3 | 3 | – | – | 2 | – | – | – | 1 | – | 1 |
| Tuberculous Peritonitis | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 5 | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 2 | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| General Tuberculosis | 10 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – |
| Scrofula | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 15 | 2 | 1 | 3 | 3 | – | 1 | – | 1 | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pneumonia — Broncho | 14 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | – | – | 1 | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 24 | – | – | – | 5 | 2 | 1 | – | – | – | 1 | – | 3 | 1 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Phthisis (not otherwise defined) | 66 | – | – | – | 1 | – | – | – | 3 | 2 | 10 | 10 | 10 | 8 |
| Tuberculous Meningitis | 10 | – | 2 | 4 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Tuberculous Peritonitis | 8 | – | – | 1 | – | 1 | 2 | – | 2 | 1 | – | – | 1 | – |
| Tabes Mesenterica | 4 | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 7 | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 2 | – | 1 |
| Scrofula | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Broncho | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 3 | 2 | 1 | 6 | 1 | 5 | 3 | 1 | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 4 | 5 | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | 1 | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia: Broncho | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 1 | 1 | 3 | – | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 6 | 6 | 4 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 3 | – | – | – | – | – | – | – | | – | 1 | – | 1 | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Premature Birth | 21 | 21 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 12 | – | 2 | 5 | 5 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 23 | – | 1 | 4 | 9 | 3 | 3 | 1 | – | 1 | – | – | – | 1 |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Convulsions | 10 | 4 | – | 3 | 3 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 17 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 4 | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 36 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 3 | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 15 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Sarcoma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 26 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 18 | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 8 | – | 1 | 5 | 1 | – | 1 | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 21 | – | 1 | 1 | 8 | 3 | 3 | 1 | 1 | 1 | 1 | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 5 | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Neuritis; Peripheral, Poly-neuritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 14 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 26 | – | – | – | – | – | – | 1 | 3 | 3 | 1 | – | 1 | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 44 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | 1 | 2 | 2 | 3 | 2 | – | 3 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 2 | 2 | 1 | 3 | 1 | 3 | 3 | – | 1 | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | | – | – | – | – | – | | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 3 | 1 | 5 | 2 | 7 | 9 | 2 | 1 | 2 | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | 1 | 2 | 2 | 2 | 4 | 2 | 1 | – | – | – | – | – | – | – |
| Sarcoma | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | 2 | 5 | 4 | 3 | 3 | 3 | 3 | 2 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | 2 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | – | – | 1 | 6 | – | 3 | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | 1 | 5 | 2 | 1 | 3 | 1 | 3 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hypertrophy of Heart | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 3 | – | 5 | 7 | 1 | 11 | 3 | 4 | 2 | 1 | 2 | 1 | – | – | – |

CAUSES of DEATH in PAISLEY at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 14 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 25 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | | | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | | – | | – |
| Croup (not Spasmodic nor Membranous) | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 71 | 12 | 4 | 5 | 6 | 5 | 1 | – | – | – | – | 1 | – | – |
| Emphysema, Asthma | 4 | – | – | – | – | – | – | – | – | – | – | | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Fibroid Disease of Lung | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 6 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 6 | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 5 | 4 | | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 11 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Apoplexy, Hemiplegia | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 70 | 4 | 3 | 9 | 6 | 2 | 1 | 2 | 1 | 1 | 1 | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fibroid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Gastric Catarrh | 15 | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Stomach (not Malignant) | 5 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Enteritis (not Infective) | 7 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Gastro-enteritis | 4 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 8 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 8 | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 |
| Chronic Bright's Disease, Albuminuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | 1 | 1 | 4 | 4 | – | 2 | – | 1 | – | – | – |
| Apoplexy, Hemiplegia | – | 1 | 1 | 1 | 4 | 6 | 3 | 6 | 1 | 2 | – | – | – | – |
| Aneurism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 4 | 8 | 4 | 8 | 5 | 4 | 3 | – | – | – | – | – |
| Emphysema, Asthma | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | 1 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| erebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | 1 | 2 | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – |
| poplexy, Hemiplegia | – | – | 2 | 4 | 4 | 2 | 5 | 3 | 2 | 2 | – | – | – | – | – |
| neurism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| enile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mbolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| aricose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| aryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Iembranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| roup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ronchitis | 1 | – | 3 | 4 | 3 | 8 | 6 | 7 | 3 | 4 | 1 | – | – | – | – |
| mphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| leurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ibroid Disease of Lung | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| ther Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| onsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| astric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| astric Catarrh | – | 1 | – | 2 | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| ther Diseases of Stomach (not Malignant) | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| nteritis (not Infective) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| astro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ppendicitis, Perityphlitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| ernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ntestinal Obstruction | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| ther Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eritonitis (not Puerperal) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| irrhosis of Liver | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| ther Diseases of Liver and Gall Bladder | – | – | – | 1 | – | 2 | – | 2 | 1 | – | – | – | – | – | – |
| ther Diseases of Digestive System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 3 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | | – | |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 25 | 20 | 4 | – | – | 1 | – | – | – | – | – | – | – | |
| Old Age | 23 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Causes not specified | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Burns and Scalds | 4 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Drowning | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Suffocation { Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Falls | 5 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Otherwise, or not stated | 5 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Suicide | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| ISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| arian Tumour (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| erine Tumour (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| orders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| ortion, Miscarriage | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| erperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| erperal Convulsions | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| centa Prævia, Flooding | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| ner Accidents of Pregnancy and Childbirth | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| ISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| ries, Necrosis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| thritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| cer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| zema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| —OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| .—CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | |
| rophy, Debility | 25 | 21 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| l Age | 49 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| opsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mour | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| scess | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| emorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uses not specified | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | |
| Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hicles and Horses | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| ips, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ilding Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| chinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rns and Scalds | 3 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| isons, Poisonous Vapours | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| owning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ffocation { From Overlaying | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| ffocation { Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| herwise, or not stated | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| omicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| icide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ecution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 5 | 7 | 6 | 4 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| ISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| arian Tumour (not Malignant) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| her Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| erine Tumour (not Malignant) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| sorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| ortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| erperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| erperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| acenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner Accidents of Pregnancy and Childbirth | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| ries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| thritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| cer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| zema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| —OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| —CAUSES ILL-DEFINED OR NOT SPECIFIED. | | | | | | | | | | | | | | | |
| rophy, Debility | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| l Age | – | – | – | – | – | 3 | 9 | 11 | 10 | 6 | 6 | 3 | 1 | – | – |
| opsy, Ascites, Anasarca | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| mour | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| scess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| emorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ner ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ses not specified | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS. | | | | | | | | | | | | | | | |
| Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ps, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lding Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| chinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| apons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rns and Scalds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| sons, Poisonous Vapours | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| owning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| focation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| focation { Otherwise | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ls | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| ather Agencies | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| erwise, or not stated | 1 | – | – | – | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – |
| micide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| cide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ecution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | |
| **ALL CAUSES** . . . . . | 655 | 107 | 30 | 62 | 44 | 16 | 14 | 2 | 19 | 8 | 16 | 15 | 16 | |
| A.—GENERAL DISEASES . . | 327 | 56 | 16 | 45 | 30 | 14 | 8 | 2 | 12 | 4 | 12 | 13 | 8 | |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 40 | 4 | 3 | 3 | 5 | 1 | 3 | – | 2 | – | – | – | – | |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 4 | – | – | – | 2 | – | – | – | – | 1 | – | – | – | |
| III. ,, HEART . . . | 62 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 4 | |
| IV. ,, BLOOD VESSELS . | 24 | – | – | – | – | – | – | – | – | – | – | – | – | |
| V. ,, RESPIRATORY SYSTEM | 46 | 10 | 3 | 4 | 5 | 1 | 1 | – | 1 | – | – | – | – | |
| VI. ,, DIGESTIVE SYSTEM . | 35 | 6 | 4 | 6 | 1 | – | 1 | – | 2 | – | – | – | – | |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| VIII. ,, URINARY SYSTEM . | 29 | 1 | – | 1 | – | – | – | – | 2 | 1 | 1 | – | – | |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| XII. ,, THE SKIN . . . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 42 | 18 | 3 | 2 | 1 | – | – | – | – | 1 | – | – | – | |
| E.—VIOLENT DEATHS. . . | 45 | 11 | 1 | 1 | – | – | – | – | – | 1 | 2 | 1 | 4 | |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Small-pox { Doubtful . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Chicken-pox . . . . . | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Measles . . . . . | 13 | – | – | 6 | 3 | 3 | 1 | – | – | – | – | – | – | |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Scarlet Fever . . . . . | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Influenza . . . . . | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| Hooping-cough . . . . . | 14 | 1 | 1 | 3 | 4 | 3 | 1 | – | 1 | – | – | – | – | |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Enteric Fever . . . . . | – | – | | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| ALL CAUSES | 631 | 63 | 24 | 43 | 56 | 16 | 7 | 8 | 18 | 11 | 21 | 25 | 20 | 30 |
| .—GENERAL DISEASES | 307 | 43 | 6 | 23 | 40 | 13 | 3 | 8 | 14 | 7 | 16 | 14 | 16 | 17 |
| .—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 37 | 4 | 6 | 1 | 4 | 2 | 2 | – | 1 | – | 2 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| III. ,, HEART | 67 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 | 2 |
| IV. ,, BLOOD VESSELS | 37 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 52 | 6 | 4 | 9 | 8 | – | 1 | – | – | – | – | – | 1 | – |
| VI. ,, DIGESTIVE SYSTEM | 50 | 4 | 5 | 7 | 1 | – | – | – | 1 | 1 | 2 | 5 | – | 5 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 12 | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | 1 |
| IX. ,, GENERATIVE SYSTEM | 4 | – | – | – | – | – | – | – | – | – | – | 3 | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| .—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| .—CAUSES ILL-DEFINED OR NOT SPECIFIED | 41 | 5 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| .—VIOLENT DEATHS. | 14 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | 3 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| mall-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mall-pox { Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mall-pox { Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 10 | – | – | 4 | 6 | | – | – | – | – | – | – | – | – |
| erman Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| carlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yphus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| elapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nfluenza | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ooping-cough | 21 | 1 | – | 4 | 8 | 6 | – | 1 | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iphtheria | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| erebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nteric Fever | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 22 | 36 | 31 | 29 | 33 | 44 | 33 | 39 | 12 | 5 | 4 | – | 2 | – | – |
| A.—GENERAL DISEASES | 9 | 17 | 10 | 11 | 10 | 13 | 7 | 16 | 3 | 1 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | 4 | 2 | 2 | 2 | 3 | 3 | 1 | – | – | 1 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 3 | 4 | 7 | 5 | 5 | 8 | 10 | 7 | 1 | 1 | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 1 | 1 | – | 3 | 4 | 8 | 4 | 1 | 2 | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | 2 | 2 | 6 | 5 | 3 | 1 | 2 | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | – | 2 | 2 | 1 | 1 | 4 | 2 | 2 | – | – | 1 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 3 | 2 | 1 | 2 | 4 | 1 | 1 | 7 | 2 | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | 1 | – | 1 | – | 1 | 3 | 3 | 2 | 3 | 1 | – | 2 | – | – |
| E.—VIOLENT DEATHS. | 6 | 5 | 7 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox, Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox, Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 19 | 20 | 16 | 26 | 34 | 31 | 44 | 39 | 29 | 21 | 5 | 5 | – | – | – |
| A.—GENERAL DISEASES | 11 | 11 | 4 | 9 | 9 | 4 | 16 | 10 | 6 | 7 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1 | 1 | 2 | 2 | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | 2 | 9 | 5 | 8 | 7 | 11 | 8 | 5 | 2 | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 1 | 1 | – | 5 | 5 | 3 | 8 | 6 | 3 | 4 | 1 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | 2 | 5 | 4 | 1 | 4 | 4 | 2 | – | 1 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 3 | 2 | 1 | 2 | 3 | 4 | 1 | – | 1 | – | – | 2 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | 1 | – | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | 1 | – | 4 | 2 | 4 | 9 | 5 | 3 | 2 | – | – | – |
| E.—VIOLENT DEATHS. | – | – | – | – | 2 | – | 1 | 3 | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 4 | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 12 | 2 | 5 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 12 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – |
| Pneumonia — Broncho | 19 | 2 | 1 | 9 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pneumonia — Not defined | 45 | 2 | 2 | 5 | 4 | 1 | 1 | – | 2 | – | – | 1 | – | 2 |
| Other Infective Conditions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 12 | – | 1 | 1 | 3 | – | – | – | 1 | – | 1 | – | – | 2 |
| Phthisis (not otherwise defined) | 49 | – | – | 1 | 1 | – | – | – | 2 | – | 6 | 9 | 5 | 5 |
| Tuberculous Meningitis | 25 | 1 | 2 | 5 | 7 | 3 | 2 | – | 3 | 1 | 1 | – | – | – |
| Tuberculous Peritonitis | 8 | – | – | 2 | 1 | – | – | – | 1 | 1 | 1 | – | – | – |
| Tabes Mesenterica | 4 | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| General Tuberculosis | 5 | – | 2 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 5 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 8 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Pneumonia — Broncho | 25 | 5 | – | 8 | 9 | – | – | 1 | 1 | – | 1 | – | – | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 28 | 1 | – | – | 8 | – | 1 | 1 | – | 1 | – | – | 2 | 1 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 17 | – | – | – | – | – | – | 1 | 3 | 1 | 2 | 3 | 3 | 1 |
| Phthisis (not otherwise defined) | 58 | 1 | – | – | – | – | – | 1 | 5 | 4 | 9 | 8 | 8 | 8 |
| Tuberculous Meningitis | 15 | 1 | 2 | 1 | 2 | 6 | – | 2 | 1 | – | – | – | – | – |
| Tuberculous Peritonitis | 5 | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 7 | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | 2 | 2 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 2 | 3 | 3 | 2 | 1 | 2 | 3 | 7 | 1 | 1 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 3 | 5 | 2 | 4 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 1 | – | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 1 | 1 | 1 | 1 | 2 | – | 3 | – | – | 4 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 5 | 2 | – | 1 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. ALL AGES. | MONTHS. 3 | 6 | 12 | AGE UNDER 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cancer, Malignant Disease (not otherwise defined) | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 7 | 1 | 1 | – | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Purpura | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Premature Birth | 33 | 33 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 6 | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Injury at Birth | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 8 | – | 1 | 1 | 3 | – | 1 | – | 1 | – | – | – | – | – |
| Softening of Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 11 | 4 | 2 | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Nervous System | 10 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Epistaxis, Diseases of Nose | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 20 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 35 | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 24 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Sarcoma | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rickets | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 19 | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 11 | 9 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 7 | – | – | – | 2 | 1 | 2 | – | 1 | – | 1 | – | – | – |
| Softening of Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 13 | 4 | 6 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 9 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 18 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 2 |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 41 | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | 2 | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | – | 1 | 1 | 2 | 2 | – | 3 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | 1 | 1 | 2 | 2 | 1 | – | – | 1 | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 2 | – | 5 | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 1 | 3 | 1 | 3 | 2 | 6 | 7 | 4 | 1 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | 2 | – | 4 | 1 | 3 | 8 | 2 | 2 | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | 1 | 1 | 1 | 2 | – | 3 | 1 | – | 2 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 2 | – | 1 | – | 2 | 1 | 1 | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | – | 3 | 2 | – | 2 | 2 | 2 | 2 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 2 | 4 | 3 | 6 | 4 | 7 | 5 | 3 | 2 | 1 | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 42 | 10 | 3 | 4 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 5 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 6 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Hernia | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 11 | 1 | – | 1 | – | – | – | – | 2 | 1 | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 15 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Apoplexy, Hemiplegia | 18 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Aneurism | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Senile Gangrene | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Embolism, Thrombosis (not Cerebral) | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Phlebitis | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Varicose Veins | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Blood Vessels | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 3 | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - | - |
| Membranous Laryngitis (not Diphtheritic) | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Croup (not Spasmodic nor Membranous) | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Dis. of Larynx and Trachea | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Bronchitis | 48 | 6 | 3 | 9 | 6 | - | - | - | - | - | - | - | 1 | - |
| Emphysema, Asthma | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pleurisy | 1 | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| Fibroid Disease of Lung | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Dis. of Respiratory System | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 2 | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Gastric Ulcer | 3 | - | - | - | - | - | - | - | - | - | - | 1 | - | 2 |
| Gastric Catarrh | 5 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Stomach (not Malignant) | 3 | 1 | - | - | - | - | - | - | - | - | 1 | - | - | - |
| Enteritis (not Infective) | 2 | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - |
| Gastro-enteritis | 8 | 1 | 1 | 5 | - | - | - | - | - | - | - | - | - | - |
| Appendicitis, Perityphlitis | 3 | - | - | - | - | - | - | - | 1 | 1 | 1 | - | - | - |
| Hernia | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Intestinal Obstruction | 5 | - | 1 | - | - | - | - | - | - | - | - | 1 | - | - |
| Other Diseases of Intestines | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Peritonitis (not Puerperal) | 10 | - | - | - | - | - | - | - | - | - | - | 3 | - | 3 |
| Cirrhosis of Liver | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Liver and Gall Bladder | 7 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Digestive System | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Dis. of Lymphatic System | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Thyroid Body | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Supra-renal Capsules | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 4 | - | - | - | - | - | 1 | - | 1 | - | - | - | - | 1 |
| Chronic Bright's Disease, Albuminuria | 8 | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - |
| Calculus (not Biliary) | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diseases of Bladder and of Prostate | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Other Diseases of Urinary System | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | 1 | 2 | 5 | 1 | – | 1 | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | 2 | 2 | 3 | 3 | – | – | – | – | – | – | – |
| Aneurism | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 2 | 2 | 5 | 5 | 3 | 1 | 2 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gastric Catarrh | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | – | – | 2 | – | – | – | 2 | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | 2 | 1 | – | 4 | – | 1 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | 1 | – | 5 | 2 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | 1 | – | 3 | 3 | 2 | 2 | 1 | 1 | 1 | 1 | – | – | – | – |
| Apoplexy, Hemiplegia | 1 | – | – | 2 | 2 | 1 | 6 | 3 | 1 | 2 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 2 | 5 | 4 | 1 | 4 | 4 | 2 | – | 1 | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 1 | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | 1 | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | | – | – | – | – | – | – | – | – | |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 22 | 16 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | | – | – | – | 1 | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Ships, Boats, Docks (not Drowning) | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Drowning | 4 | – | | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 8 | 6 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Accidents of Pregnancy and Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 11 | 5 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Old Age | 27 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | | – | – | – | – | – | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 3 | 2 | 2 | 3 | 1 | – | 2 | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | 1 | – | – | | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 1 | 1 | – | – | – | | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | | – | | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 2 | 2 | 4 | 9 | 5 | 3 | 2 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| Vehicles and Horses | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 679 | 81 | 26 | 43 | 62 | 17 | 9 | 6 | 29 | 6 | 22 | 25 | 24 | 18 |
| A.—GENERAL DISEASES . . | 315 | 46 | 7 | 25 | 40 | 10 | 6 | 4 | 20 | 2 | 14 | 12 | 16 | 10 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 50 | 4 | 7 | 12 | 8 | 1 | - | 1 | 1 | - | - | - | 1 | 2 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 2 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. ,, HEART . . . | 72 | - | - | - | 1 | - | - | - | 1 | - | - | 5 | - | 2 |
| IV. ,, BLOOD VESSELS . | 33 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| V. ,, RESPIRATORY SYSTEM | 53 | 6 | 6 | 4 | 3 | 2 | 1 | 1 | - | - | - | - | 1 | - |
| VI. ,, DIGESTIVE SYSTEM . | 40 | 8 | 2 | 2 | 6 | 3 | - | - | 1 | 2 | - | 1 | - | 2 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 2 | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - |
| VIII. ,, URINARY SYSTEM . | 21 | - | - | - | - | - | - | - | - | - | 3 | - | - | - |
| IX. ,, GENERATIVE SYSTEM | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| X. ,, PREGNANCY AND CHILDBIRTH . . | - | - | - | - | - | - | - | - | | - | - | - | - | - |
| XI. ,, LOCOMOTOR SYSTEM | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| XII. ,, THE SKIN . . . | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| C.—OTHER SPECIFIED DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 34 | 13 | 4 | - | 3 | 1 | - | - | 1 | - | - | 1 | - | - |
| E.—VIOLENT DEATHS. . . | 54 | 3 | - | - | 1 | - | 1 | - | 5 | 2 | 5 | 6 | 5 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | 1 | - | - | - | - | - | - | - | - | - | - | - | 1 | - |
| Small-pox { Not Vaccinated . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox { Doubtful . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cow-pox, Effects of Vaccination . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chicken-pox . . . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Measles . . . . . | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |
| German Measles . . . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scarlet Fever . . . . . | 5 | - | - | - | 1 | - | 2 | - | 1 | - | - | 1 | - | - |
| Typhus . . . . . | 2 | - | - | - | - | - | - | - | - | - | - | - | - | 1 |
| Plague . . . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Relapsing Fever . . . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Influenza . . . . . | 2 | 1 | - | - | - | - | - | - | - | - | - | - | - | - |
| Hooping-cough . . . . . | 34 | 1 | 2 | 3 | 18 | 3 | 3 | 2 | 2 | - | - | - | - | - |
| Mumps . . . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diphtheria . . . . . | 2 | - | - | - | - | 2 | - | - | - | - | - | - | - | - |
| Cerebro-spinal Fever . . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pyrexia (origin uncertain) . . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Enteric Fever . . . . . | 9 | - | - | - | - | - | - | - | - | - | - | 3 | 1 | - |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 632 | 64 | 34 | 47 | 36 | 14 | 11 | 7 | 22 | 12 | 17 | 20 | 20 | 29 |
| A.—GENERAL DISEASES . . | 302 | 35 | 16 | 32 | 25 | 9 | 6 | 4 | 13 | 8 | 11 | 16 | 14 | 16 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 37 | 3 | 3 | 4 | 3 | 1 | – | 1 | 2 | – | 1 | 1 | 1 | 1 |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| III. ,, HEART . . . | 59 | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 | 4 |
| IV. ,, BLOOD VESSELS . | 39 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| V. ,, RESPIRATORY SYSTEM | 47 | 5 | 2 | 5 | 3 | – | 2 | – | – | 1 | 1 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 43 | 4 | 8 | 3 | 2 | 3 | 2 | 1 | 1 | – | 1 | 1 | 2 | 1 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 14 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 9 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 |
| XI. ,, LOCOMOTOR SYSTEM | 3 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 51 | 12 | 4 | 2 | 2 | – | 1 | – | 1 | 1 | – | – | – | – |
| E.—VIOLENT DEATHS. . . | 23 | 4 | 1 | 1 | – | 1 | – | 1 | 2 | 1 | – | – | – | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox—Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—Not Vaccinated . . | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Small-pox—Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hooping-cough . . . . . | 37 | 3 | 6 | 12 | 9 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 5 | – | – | 1 | 3 | – | – | – | 1 | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 13 | – | – | – | – | – | – | – | – | 1 | – | 4 | 3 | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 24 | 29 | 37 | 29 | 50 | 37 | 51 | 29 | 15 | 7 | 2 | – | 1 | – | – |
| A.—GENERAL DISEASES | 11 | 12 | 14 | 10 | 21 | 9 | 14 | 8 | 2 | 2 | – | – | – | | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1 | 1 | 1 | 3 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 3 | 3 | 6 | 2 | 12 | 10 | 12 | 8 | 4 | 2 | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | 2 | 2 | 3 | 6 | 5 | 7 | 6 | 2 | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | 1 | 1 | 5 | 3 | 7 | 7 | 2 | 2 | 1 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 1 | 1 | 2 | 2 | 2 | – | 1 | 1 | 3 | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 2 | 3 | 5 | – | – | 3 | 3 | 2 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | 1 | 1 | – | – | – | 3 | 1 | 1 | 2 | 1 | – | 1 | – | – |
| E.—VIOLENT DEATHS. | 4 | 5 | 4 | 3 | 4 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | 2 | – | – | – | – | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** . . . . . | 24 | 24 | 27 | 30 | 33 | 39 | 40 | 37 | 21 | 21 | 2 | 1 | – | – | – |
| A.—GENERAL DISEASES . . | 13 | 9 | 12 | 14 | 11 | 10 | 12 | 7 | 5 | 3 | 1 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | 2 | 2 | – | 5 | – | 2 | 3 | 2 | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 2 | 1 | 4 | 5 | 5 | 6 | 10 | 11 | 1 | 6 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS . | 1 | 3 | 4 | 4 | 4 | 9 | 2 | 5 | 5 | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 1 | 1 | 2 | 4 | 3 | 5 | 5 | 3 | 1 | 3 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 1 | – | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 1 | 1 | 1 | – | 2 | 2 | 2 | 2 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 1 | 2 | – | – | 1 | 2 | 1 | 5 | 5 | 9 | 1 | 1 | – | – | – |
| E.—VIOLENT DEATHS. . . | 1 | 1 | 1 | 1 | – | 1 | 3 | – | 2 | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 15 | 3 | 1 | 5 | 2 | 1 | – | – | – | – | – | – | – | – |
| Dysentery | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 8 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – |
| Pneumonia — Broncho | 11 | 3 | 1 | 2 | 3 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia — Not defined | 50 | 1 | 1 | 5 | 5 | – | – | 1 | 3 | – | 1 | 1 | 2 | 2 |
| Other Infective Conditions | 3 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Phthisis (not otherwise defined) | 49 | – | – | – | – | – | – | – | 4 | – | 7 | 5 | 8 | 6 |
| Tuberculous Meningitis | 10 | – | – | 3 | 4 | 1 | – | – | 2 | – | – | – | – | – |
| Tuberculous Peritonitis | 5 | – | – | 2 | – | – | – | – | 3 | – | – | – | – | – |
| Tabes Mesenterica | 4 | – | – | – | 2 | – | – | 1 | – | – | 1 | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| General Tuberculosis | 10 | – | – | 1 | 1 | 1 | 1 | – | 4 | 1 | 1 | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 10 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 7 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Erysipelas | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Broncho | 12 | – | 1 | 5 | 2 | – | – | – | – | 1 | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | 31 | – | – | 2 | 3 | 3 | – | 1 | 2 | – | – | – | – | – |
| Other Infective Conditions | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | – | 1 | – | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – |
| Phthisis (not otherwise defined) | 56 | – | – | – | 1 | – | 1 | – | 2 | 3 | 8 | 7 | 9 | 9 |
| Tuberculous Meningitis | 10 | – | 4 | 2 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Tuberculous Peritonitis | 7 | – | – | 2 | – | – | 1 | – | 3 | – | 1 | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 4 | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 | – |
| General Tuberculosis | 3 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 1 | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 4 | 4 | 6 | 2 | 6 | 1 | 3 | 1 | – | 1 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 2 | 2 | 2 | 3 | 7 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | 1 | – | – | – | – | – | – | – | – | – | – | | | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Broncho | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | – | 1 | 1 | 3 | 4 | 3 | 4 | 2 | 2 | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 4 | 2 | 3 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 20 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 25 | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 4 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 21 | – | 3 | 9 | 5 | 1 | – | 1 | 1 | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 12 | 4 | 4 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 8 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 20 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Pericarditis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 44 | – | – | – | 1 | – | – | – | 1 | – | – | 4 | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 3 | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 11 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 22 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Rickets | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 6 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Premature Birth | 18 | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 10 | 1 | 1 | 4 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Softening of Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 9 | 2 | 2 | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 10 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 11 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | 2 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 43 | – | – | – | – | – | – | – | – | 1 | – | – | – | 2 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | – | – | 1 | 1 | 3 | 4 | 2 | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | – | 3 | 3 | 3 | 3 | 4 | 1 | 1 | 1 | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | 1 | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | 1 | 2 | – | 4 | 3 | 2 | 4 | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 2 | 2 | 4 | 1 | 8 | 6 | 8 | 2 | 1 | 2 | 1 | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | – | 3 | – | 2 | 1 | – | 2 | – | 1 | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | 2 | 1 | 4 | 2 | 2 | 3 | 2 | 1 | 1 | 1 | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 2 | – | 2 | – | – | 2 | 2 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | – | – | – | – | – | 1 | 3 | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 1 | 1 | 4 | 5 | 4 | 6 | 8 | 6 | 1 | 4 | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 44 | 6 | 3 | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 6 | – | 2 | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gastric Catarrh | 5 | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 4 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Gastro-enteritis | 11 | 2 | 1 | – | 6 | 2 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 5 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Diseases of Liver and Gall Bladder | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 11 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 20 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Apoplexy, Hemiplegia | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 43 | 5 | 2 | 4 | 3 | – | 2 | – | – | 1 | 1 | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Gastric Catarrh | 8 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 10 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 4 | 1 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 5 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 6 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Chronic Bright's Disease, Albuminuria | 7 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | 2 | – | 3 | 3 | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 1 | – | 3 | 4 | 5 | 3 | 1 | – | – | – | – | – | – |
| Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 1 | 5 | 1 | 7 | 7 | 2 | 2 | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 1 | 1 | 4 | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at Different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | 2 | 4 | 2 | 3 | 3 | 2 | – | 2 | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 1 | 1 | – | 2 | 1 | 6 | – | 4 | 3 | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 3 | 1 | 3 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | 1 | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 20 | 13 | 4 | – | 2 | – | – | – | 1 | – | – | – | – | – |
| Old Age | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Ships, Boats, Docks (not Drowning) | 8 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Building Operations | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 19 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 2 | 2 | 1 |
| Suffocation { From Overlaying | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 13 | – | – | – | – | – | – | – | 4 | 1 | 2 | 1 | – | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Accidents of Pregnancy and Childbirth | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Arthritis, Periostitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 20 | 10 | 4 | 2 | 2 | – | 1 | – | – | – | – | – | – | – |
| Old Age | 22 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Tumour | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | – | | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 6 | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 7 | – | – | – | – | – | – | – | 2 | 1 | – | – | – | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 3 | 1 | 1 | 2 | 1 | – | 1 | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Burns and Scalds | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | 2 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 2 | 1 | 5 | 4 | 8 | 1 | 1 | – | – | – |
| Dropsy, Ascites, Anasarca | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 371 | 63 | 24 | 46 | 32 | 25 | 4 | 3 | 5 | 6 | 10 | 15 | 9 | 7 |
| A.—GENERAL DISEASES | 170 | 31 | 11 | 26 | 15 | 18 | 2 | 2 | 3 | 4 | 6 | 9 | 4 | 3 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 30 | 5 | 2 | 8 | 8 | 2 | – | – | – | – | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 29 | 4 | 1 | – | – | – | – | – | – | – | 1 | 3 | – | 1 |
| IV. ,, BLOOD VESSELS | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 42 | 4 | 3 | 4 | 4 | 5 | 1 | – | 1 | – | – | 2 | – | 1 |
| VI. ,, DIGESTIVE SYSTEM | 33 | 9 | 3 | 7 | 3 | – | – | – | 1 | 1 | 1 | 1 | 1 | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 14 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 17 | 7 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS | 14 | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | 3 | 1 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 4 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 17 | – | 1 | 6 | 4 | 5 | 1 | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER. | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 406 | 56 | 15 | 24 | 38 | 12 | 7 | 4 | 7 | 7 | 8 | 17 | 12 | 18 |
| A.—GENERAL DISEASES | 205 | 32 | 7 | 14 | 21 | 6 | 4 | 3 | 4 | 5 | 3 | 15 | 9 | 11 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 28 | 3 | 2 | 4 | 6 | 2 | 1 | 1 | – | 1 | 1 | – | – | 2 |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 44 | 2 | – | – | – | – | – | – | 1 | – | 3 | 2 | 1 | 2 |
| IV. ,, BLOOD VESSELS | 13 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 32 | 3 | – | 3 | 8 | 1 | 1 | – | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 37 | 9 | 5 | 2 | 1 | 2 | 1 | – | 1 | 1 | – | – | 1 | 1 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| IX. ,, GENERATIVE SYSTEM | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 28 | 6 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS | 7 | 1 | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 4 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 22 | 2 | 4 | 6 | 4 | 3 | 2 | 1 | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | – | – | – | – | – | 2 | – | – | – | – | – | 1 |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 12 | 8 | 9 | 16 | 24 | 13 | 10 | 18 | 5 | 6 | – | 1 | – | – | – |
| A.—GENERAL DISEASES | 6 | 6 | 3 | 6 | 6 | 4 | 3 | 1 | – | 1 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | 1 | 1 | 1 | 5 | 1 | 2 | 5 | 2 | – | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | – | 1 | 2 | 4 | 1 | 2 | 3 | 3 | 1 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | 3 | 3 | 4 | 2 | 4 | – | 1 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 1 | – | 1 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 3 | 1 | 2 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | 1 | – | – | – | 1 | – | – | 3 | – | 1 | – | – | – |
| E.—VIOLENT DEATHS | 1 | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** . . . . . | 15 | 14 | 13 | 21 | 28 | 30 | 19 | 20 | 8 | 9 | 4 | – | – | – | – |
| A.—GENERAL DISEASES . . | 9 | 7 | 6 | 8 | 12 | 16 | 6 | 4 | 1 | 2 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | – | – | – | 1 | 3 | 1 | – | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 4 | 1 | 3 | 7 | 8 | 3 | 3 | 1 | 2 | 1 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS . | – | – | 1 | 1 | 1 | 3 | 4 | 2 | – | – | 1 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | 1 | 1 | 1 | 5 | 2 | – | 4 | 1 | 1 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | – | 2 | 2 | 2 | 1 | 1 | 1 | 3 | – | 1 | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | – | – | – | – | – | 4 | 1 | 4 | 3 | 4 | 3 | – | – | – | – |
| E.—VIOLENT DEATHS. . . | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 16 | 3 | 3 | 5 | 2 | 2 | – | – | 1 | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 13 | 2 | 1 | 4 | 4 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 15 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | 1 |
| Other Infective Conditions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 7 | – | – | – | – | 1 | – | – | – | – | 2 | 1 | 1 | – |
| Phthisis (not otherwise defined) | 25 | – | – | – | 1 | – | – | – | 1 | – | 3 | 6 | 3 | 2 |
| Tuberculous Meningitis | 9 | – | – | 3 | – | 3 | – | 2 | – | 1 | – | – | – | – |
| Tuberculous Peritonitis | 3 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| General Tuberculosis | 3 | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 7 | 3 | – | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | 5 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| Pneumonia: Broncho | 11 | – | – | 1 | 5 | 2 | – | – | – | – | – | – | – | – |
| Pneumonia: Epidemic | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia: Not defined | 24 | 2 | 2 | 2 | 4 | – | – | – | – | – | – | 1 | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 9 | – | – | – | 1 | – | – | – | 1 | – | – | 4 | 2 | 1 |
| Phthisis (not otherwise defined) | 36 | – | – | – | – | – | – | – | – | 3 | 2 | 7 | 6 | 7 |
| Tuberculous Meningitis | 5 | 1 | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Tuberculous Peritonitis | 4 | – | 1 | – | – | – | 1 | – | – | – | – | 2 | – | – |
| Tabes Mesenterica | 4 | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 1 | – | 1 | 2 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Other Infective Conditions | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 3 | 4 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 2 | – | 2 | – | 2 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 2 | 4 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 3 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 2 | – | – | – | – | – | – | – | | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 4 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Diabetes Mellitus | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Premature Birth | 12 | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 15 | – | 2 | 6 | 4 | 2 | – | – | – | – | 1 | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 7 | 3 | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 11 | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 16 | 4 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 14 | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 6 | 6 | – | – | – | – | – | – | | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 12 | 1 | 2 | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Convulsions | 6 | 1 | – | 2 | 1 | – | – | – | – | – | 1 | – | – | – |
| Laryngismus Stridulus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 5 | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 14 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 |
| Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 23 | 2 | – | – | – | – | – | – | – | – | 2 | – | – | 1 |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | – | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | – | – | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 1 | 1 | – | 3 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | 2 | – | 1 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | – | – | 1 | 4 | 4 | 2 | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | – | 2 | 1 | 3 | 1 | 2 | – | – | – | – | – | – | – | – |
| Pericarditis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 2 | 1 | 1 | 5 | 4 | 1 | 1 | 1 | 2 | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 6 | – | – | – | – | | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 37 | 4 | 3 | 4 | 3 | 4 | 1 | – | – | – | – | 2 | – | 1 |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gastric Catarrh | 6 | 2 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Other Diseases of Stomach (not Malignant) | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 11 | 2 | 1 | 6 | 2 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 6 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Chronic Bright's Disease, Albuminuria | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 28 | 2 | – | 3 | 7 | 1 | 1 | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 8 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Stomach (not Malignant) | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 5 | 3 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Gastro-enteritis | 13 | 2 | 4 | 2 | – | 2 | – | – | – | 1 | – | – | 1 | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 2 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | 1 | 1 | 1 | – | 1 | 2 | 3 | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | – | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Aneurism | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 3 | 2 | 4 | 2 | 3 | – | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 1 | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 1 | 1 | 4 | 2 | – | 3 | 1 | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gastric Catarrh | – | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 8 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Ships, Boats, Docks (not Drowning) | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 3 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Homicide | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 6 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 3 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 1 | – | – | 3 | – | 1 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PARTICK at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 4 | 1 | 4 | 3 | 4 | 3 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 358 | 46 | 27 | 29 | 23 | 8 | 6 | 4 | 18 | 9 | 8 | 11 | 3 | 10 |
| A.—GENERAL DISEASES | 154 | 24 | 14 | 19 | 19 | 4 | 3 | 2 | 8 | 6 | 6 | 7 | 2 | 5 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 32 | 1 | 3 | 5 | 5 | 2 | 1 | 1 | 2 | – | – | – | 1 | 1 |
| II. ,, ORGANS OF SPECIAL SENSE | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| III. ,, HEART | 24 | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 46 | 3 | 6 | 3 | 2 | – | – | – | – | – | – | – | – | 1 |
| VI. ,, DIGESTIVE SYSTEM | 22 | 4 | 3 | 1 | 1 | 1 | 1 | 1 | 2 | – | 2 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 8 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 27 | 12 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| E.—VIOLENT DEATHS | 23 | – | – | – | 1 | 1 | 1 | – | 4 | – | – | 4 | – | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 6 | – | 1 | 1 | 3 | – | 1 | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 8 | 1 | – | 5 | 1 | 1 | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 305 | 44 | 17 | 28 | 35 | 11 | 5 | 2 | 14 | 10 | 8 | 12 | 12 | 7 |
| A.—GENERAL DISEASES | 132 | 15 | 3 | 14 | 23 | 7 | 4 | 2 | 9 | 5 | 6 | 9 | 8 | 5 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 24 | 3 | 2 | 3 | 3 | 1 | 1 | – | 2 | 1 | 1 | 1 | 1 | 1 |
| II. ,, ORGANS OF SPECIAL SENSE | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| III. ,, HEART | 22 | 2 | – | 1 | – | – | – | – | 1 | 1 | 1 | – | – | – |
| IV. ,, BLOOD VESSELS | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 26 | 5 | 4 | 5 | 6 | 2 | – | – | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 26 | 2 | 5 | 4 | 2 | 1 | – | – | 1 | 1 | – | – | 1 | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 8 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 |
| IX. ,, GENERATIVE SYSTEM | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 38 | 14 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS | 5 | 2 | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 5 | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – |
| German Measles | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 9 | 1 | – | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 12 | 16 | 10 | 22 | 18 | 13 | 28 | 18 | 8 | 5 | 1 | – | – | – |
| A.—GENERAL DISEASES | 4 | 10 | 2 | 4 | 3 | 2 | 4 | 5 | 1 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 2 | – | 1 | 1 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| III. ,, HEART | 2 | 2 | 1 | 4 | 2 | 1 | 5 | 2 | 1 | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | – | – | 3 | 3 | 1 | 5 | 4 | 1 | 1 | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | 1 | 4 | 7 | 4 | 5 | 6 | – | 3 | 1 | – | | – | – |
| VI. ,, DIGESTIVE SYSTEM | – | – | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | | – | 1 | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 1 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | 1 | 1 | – | 1 | 1 | 3 | 2 | 1 | 2 | 1 | – | – | – |
| E.—VIOLENT DEATHS | 3 | 2 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 8 | 5 | 8 | 11 | 7 | 17 | 9 | 10 | 15 | 8 | 1 | 1 | – | – | – |
| A.—GENERAL DISEASES | 2 | 4 | 4 | 2 | 2 | 6 | 1 | – | 1 | – | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | – | 2 | 1 | 2 | – | 3 | 2 | 3 | 2 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | 1 | 1 | 1 | 1 | 2 | 4 | 1 | 2 | 2 | – | – | 1 | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 2 | – | 1 | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | 1 | – | 2 | 2 | 4 | 8 | 4 | 1 | – | – | – | – |
| E.—VIOLENT DEATHS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | | – | – | | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 4 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | | | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Pneumonia — Broncho | 33 | 1 | 9 | 9 | 8 | 2 | – | 1 | 1 | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 16 | – | – | 2 | – | – | – | – | – | 1 | 1 | 1 | – | 1 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Phthisis (not otherwise defined) | 20 | – | – | – | 1 | – | – | – | 2 | 2 | 2 | 2 | 1 | 3 |
| Tuberculous Meningitis | 5 | – | 1 | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Tuberculous Peritonitis | 4 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – |
| Tabes Mesenterica | 3 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| General Tuberculosis | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Treme | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 6 | – | 2 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 12 | 2 | 1 | 5 | 4 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 8 | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – | 1 | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 9 | – | – | – | 1 | – | – | – | – | – | 3 | 2 | 2 | – |
| Phthisis (not otherwise defined) | 18 | – | – | – | – | – | – | 1 | – | – | 2 | 4 | 2 | 5 |
| Tuberculous Meningitis | 6 | – | – | 1 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – |
| Tuberculous Peritonitis | 8 | – | – | – | 3 | – | – | – | 2 | 1 | – | 1 | 1 | – |
| Tabes Mesenterica | 6 | – | – | 1 | 1 | 1 | – | – | 2 | 1 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| General Tuberculosis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 2 | 1 | – | 1 | 1 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 1 | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Lobar | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Broncho | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia: Not defined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | – | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chronic Rheumatism | 1 | – | | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | | | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 16 | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 17 | 1 | 3 | 4 | 4 | 1 | 1 | | 2 | – | – | – | 1 | – |
| Softening of Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 7 | – | – | 1 | | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 20 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 4 | – | – | – | – | – | – | – | – | – | – | | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 3 | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Premature Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 9 | 1 | 1 | 1 | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 6 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | 1 | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Diseases of Nervous System | 5 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 13 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | 1 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Sarcoma | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 2 | 2 | – | 4 | 2 | 1 | 4 | 2 | – | 1 | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | 1 | – | – | – | – | 1 | 1 | – | | | | – | – |
| Syncope, Heart Disease (not specified) | 1 | – | 1 | 1 | 1 | – | 2 | 1 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 43 | 3 | 6 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 4 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gastro-enteritis | 10 | 2 | 3 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Chronic Bright's Disease, Albuminuria | 2 | – | | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 25 | 5 | 4 | 5 | 5 | 2 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 9 | 1 | 3 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Chronic Bright's Disease, Albuminuria | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| **DISEASES OF BLOOD VESSELS.** | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | 3 | 1 | 1 | 3 | 3 | – | – | – | – | – | – | – |
| Aneurism | – | – | – | | 1 | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 4 | 7 | 4 | 4 | 6 | – | 3 | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | – | – | 1 | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 12 | 11 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 4 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 9 | – | – | – | – | – | – | – | – | – | – | 3 | – | 1 |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 5 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 14 | 13 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 1 | 2 | 1 | 2 | 1 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in COATBRIDGE, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 2 | 1 | 4 | 8 | 3 | 1 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 313 | 37 | 14 | 24 | 16 | 11 | 5 | 3 | 9 | 10 | 5 | 5 | 8 | 8 |
| A.—GENERAL DISEASES | 140 | 17 | 7 | 15 | 13 | 6 | 2 | 2 | 7 | 6 | 3 | 4 | 5 | 5 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 20 | 1 | – | 3 | 2 | 2 | 1 | – | 1 | 3 | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 23 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 25 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 21 | 3 | 1 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 31 | 6 | 3 | 1 | 1 | – | – | – | – | – | – | 1 | 1 | 2 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 28 | 5 | 3 | 1 | – | – | 1 | – | – | – | – | – | 1 | 1 |
| E.—VIOLENT DEATHS | 15 | 4 | – | – | – | 1 | 1 | 1 | 1 | – | 1 | – | 1 | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 5 | – | 1 | 3 | – | – | – | – | 1 | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 5 | – | – | – | 1 | – | – | – | 3 | 1 | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hooping-cough | 7 | 1 | – | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 316 | 38 | 8 | 14 | 23 | 9 | 5 | 3 | 11 | 7 | 8 | 8 | 18 | 13 |
| A.—GENERAL DISEASES . . | 124 | 18 | 1 | 6 | 13 | 6 | 2 | 2 | 6 | 4 | 6 | 4 | 13 | 9 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 13 | 3 | – | – | 2 | 1 | – | – | 2 | 2 | 1 | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| III. ,, HEART . . . | 22 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| IV. ,, BLOOD VESSELS . | 25 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 28 | 2 | 1 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | 1 |
| VI. ,, DIGESTIVE SYSTEM . | 43 | 9 | 4 | 3 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | 1 | 1 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IX. ,, GENERATIVE SYSTEM | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 35 | 6 | 1 | 3 | 3 | – | – | – | 1 | – | – | – | – | – |
| E.—VIOLENT DEATHS. . . | 8 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 3 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 7 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – |
| Hooping-cough . . . . . | 5 | 1 | – | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 3 | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Cerebro-spinal Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . . | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 13 | 16 | 13 | 10 | 24 | 22 | 19 | 21 | 12 | 6 | 2 | - | - | - | - |
| A.—GENERAL DISEASES | 7 | 7 | 3 | 6 | 8 | 5 | 5 | 2 | 2 | 2 | 1 | - | - | - | - |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1 | 1 | 1 | - | 2 | - | - | 1 | - | - | - | - | - | - | - |
| II. ,, ORGANS OF SPECIAL SENSE | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| III. ,, HEART | 1 | 2 | 2 | - | 1 | 2 | 4 | 5 | 4 | - | - | - | - | - | - |
| IV. ,, BLOOD VESSELS | - | 1 | - | - | 4 | 5 | 6 | 6 | 2 | 1 | - | - | - | - | - |
| V. ,, RESPIRATORY SYSTEM | 1 | - | 1 | 1 | 4 | 2 | - | 2 | - | - | - | - | - | - | - |
| VI. ,, DIGESTIVE SYSTEM | 2 | 2 | 2 | 2 | 1 | 5 | 2 | - | - | - | - | - | - | - | - |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| VIII. ,, URINARY SYSTEM | - | - | 3 | 1 | 2 | - | - | - | 1 | 1 | - | - | - | - | - |
| IX. ,, GENERATIVE SYSTEM | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| X. ,, PREGNANCY AND CHILDBIRTH | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| XI. ,, LOCOMOTOR SYSTEM | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - | - |
| XII. ,, THE SKIN | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| C.—OTHER SPECIFIED DISEASES | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 1 | 2 | - | - | 1 | 2 | 1 | 4 | 2 | 2 | 1 | - | - | - | - |
| E.—VIOLENT DEATHS. | - | 1 | 1 | - | 1 | - | - | 1 | 1 | - | - | - | - | - | - |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox: Not Vaccinated | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Small-pox: Doubtful | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cow-pox, Effects of Vaccination | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Chicken-pox | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Measles | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| German Measles | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Scarlet Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Typhus | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Plague | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Relapsing Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Influenza | - | - | - | - | 4 | - | 1 | - | - | 2 | - | - | - | - | - |
| Hooping-cough | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Mumps | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Diphtheria | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Cerebro-spinal Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Pyrexia (origin uncertain) | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Enteric Fever | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 10 | 11 | 8 | 11 | 12 | 24 | 18 | 18 | 14 | 12 | 8 | 2 | 3 | – | – |
| A.—GENERAL DISEASES | 5 | 4 | 5 | 1 | 2 | 3 | 3 | 2 | 4 | 4 | 1 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | 1 | – | 2 | 3 | 4 | 3 | 5 | – | – | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | 1 | – | – | 4 | 3 | 4 | 6 | 5 | 1 | 1 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 1 | – | 1 | 1 | – | 4 | 2 | 5 | 3 | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 1 | 2 | – | 2 | 4 | – | 2 | 1 | 2 | 2 | 2 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | 1 | 2 | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | 1 | – | – | – | 5 | 1 | – | 1 | 5 | 4 | 1 | 3 | – | – |
| E.—VIOLENT DEATHS. | 1 | 1 | – | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox—Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox—Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 5 | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 4 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Pneumonia — Broncho | 4 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 18 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | 2 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 |
| Phthisis (not otherwise defined) | 9 | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – |
| Tuberculous Meningitis | 5 | – | 2 | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Tuberculous Peritonitis | 5 | – | – | – | 1 | 2 | – | – | 1 | 1 | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| General Tuberculosis | 2 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 6 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Pneumonia — Broncho | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 8 | – | – | – | 2 | – | – | – | – | 1 | 1 | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 |
| Phthisis (not otherwise defined) | 14 | – | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 5 | 2 |
| Tuberculous Meningitis | 4 | – | – | 1 | – | – | – | 2 | 1 | – | – | – | – | – |
| Tuberculous Peritonitis | 6 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | 1 | 1 |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| General Tuberculosis | 5 | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | 1 | – | – | 1 | – | – | – | – | | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 1 | 3 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 3 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 12 | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 11 | – | – | 3 | 1 | 1 | 1 | – | 1 | 2 | 1 | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 4 | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 11 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 6 | – | – | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Convulsions | 4 | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 9 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | 1 | 1 | 2 | – | 1 | – | – | 1 | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | – | 2 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | – | – | – | – | 4 | 2 | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | – | 2 | – | 1 | 2 | – | 3 | 2 | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| .—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| heumatic Fever, Acute Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| heumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hronic Rheumatism | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| heumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| out | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| arcinoma | – | – | – | 1 | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – |
| arcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ancer, Malignant Disease (not otherwise defined) | – | 1 | 1 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| ickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| urpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| æmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nænia, Leucocythæmia | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iabetes Mellitus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| remature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ongenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| njury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| telectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vant of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| B.—LOCAL DISEASES. | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Ieningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| oftening of Brain | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| eneral Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nsanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| horea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| pilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| onvulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| aryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ocomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| araplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| euritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Diseases of Nervous System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| ISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| titis, Mastoid Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| phthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 1 | – | 2 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | – | – | – | 1 | 2 | 1 | 3 | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 3 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 18 | 3 | 1 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Other Diseases of Stomach (not Malignant) | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Enteritis (not Infective) | 5 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 7 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

AUSES OF DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| 3.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| ebral Hæmorrhage, Cerebral Embolism or Thrombosis | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| oplexy, Hemiplegia | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| bolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ricose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Diseases of Blood Vessels | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| ryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| mbranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| oup (not Spasmodic nor Membranous) | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| her Dis. of Larynx and Trachea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| onchitis | 22 | 2 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| physema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| roid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| nsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| stric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| stric Catarrh | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| her Diseases of Stomach (not Malignant) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| teritis (not Infective) | 11 | 5 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| stro-enteritis | 12 | 4 | 3 | 2 | – | 1 | – | 1 | – | – | – | – | – | – |
| pendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rnia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| estinal Obstruction | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Diseases of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| itonitis (not Puerperal) | 3 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| rhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Diseases of Liver and Gall Bladder | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| eases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eases of Thyroid Body | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| ute Nephritis, Uræmia | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ronic Bright's Disease, Albuminuria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| lculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| her Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | 2 | 1 | 3 | 5 | 1 | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | – | 1 | 4 | 3 | 1 | 1 | 1 | – | – | – | – |
| Aneurism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 1 | 1 | 2 | 2 | – | 2 | – | – | – | – | – | – |
| Emphysema, Asthma | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

'AUSES OF DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| B.—LOCAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| erebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | – | – | 3 | 2 | 2 | – | 2 | – | 1 | – | – | – | – | – |
| poplexy, Hemiplegia | – | – | – | 1 | 1 | 2 | 5 | 2 | 1 | – | – | – | – | – | – |
| neurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| enile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| mbolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| aricose Veins | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| ther Diseases of Blood Vessels | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| aryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| embranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| roup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Dis. of Larynx and Trachea | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| ronchitis | 1 | – | 1 | – | – | 4 | 2 | 4 | 3 | – | – | – | – | – | – |
| mphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| leurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ibroid Disease of Lung | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| ther Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| onsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| astric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| astric Catarrh | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| ther Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ateritis (not Infective) | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| astro-enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| ppendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ernia | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| ntestinal Obstruction | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Diseases of Intestines | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| eritonitis (not Puerperal) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| irrhosis of Liver | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| ther Diseases of Liver and Gall Bladder | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| ther Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| iseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iseases of Thyroid Body | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| iseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| cute Nephritis, Uræmia | – | 1 | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| hronic Bright's Disease, Albuminuria | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| alculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Diseases of Urinary System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 7 | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 9 | – | 1 | 1 | – | – | – | – | – | – | – | – | 1 | 1 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suffocation { From Overlaying | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Homicide | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 10 | 6 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 3 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | | | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | – | 4 | 2 | 2 | 1 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KILMARNOCK, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 4 | 1 | – | 1 | 5 | 4 | 1 | 3 | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 235 | 32 | 13 | 21 | 12 | 2 | 3 | 3 | 6 | 2 | 9 | 7 | 12 | 6 |
| A.—GENERAL DISEASES | 97 | 18 | 5 | 11 | 4 | 1 | 2 | 2 | 4 | 1 | 4 | 7 | 10 | 4 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 23 | 2 | 4 | 4 | 5 | – | – | – | – | – | 1 | – | 2 | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 18 | 3 | 1 | 3 | 3 | – | – | – | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 17 | 2 | 1 | 3 | – | 1 | – | 1 | – | – | 1 | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 6 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 16 | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS. | 17 | 1 | – | – | – | – | – | – | 2 | 1 | 3 | – | – | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 238 | 23 | 3 | 8 | 9 | 5 | 1 | 6 | 5 | 2 | 4 | 10 | 11 | 12 |
| A.—GENERAL DISEASES . . | 109 | 15 | 2 | | 5 | 3 | 1 | 5 | 1 | 1 | 3 | 5 | 4 | 8 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 13 | 2 | 1 | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . | 27 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| IV. ,, BLOOD VESSELS . | 15 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| V. ,, RESPIRATORY SYSTEM | 13 | 1 | – | 2 | 2 | – | – | – | 1 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM . | 20 | – | – | 3 | 1 | – | – | 1 | 1 | – | 1 | 3 | 1 | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| IX. ,, GENERATIVE SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 22 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS. . . | 6 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | 2 | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 4 | 4 | 6 | 4 | 8 | 13 | 21 | 18 | 13 | 11 | 5 | – | – | – | – |
| A.—GENERAL DISEASES | 1 | 2 | 3 | – | 3 | 4 | 4 | 3 | 2 | 2 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | 1 | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | – | – | 1 | 2 | 3 | 4 | 7 | 2 | 3 | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | – | – | 1 | 1 | 4 | 3 | 3 | 2 | 3 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | – | – | 1 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 2 | – | 1 | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | – | – | – | – | 4 | – | – | 1 | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | – | – | – | – | 1 | 2 | 2 | 3 | – | – | – | – |
| E.—VIOLENT DEATHS. | – | 1 | 2 | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 12 | 8 | 9 | 13 | 10 | 14 | 19 | 23 | 13 | 10 | 6 | 2 | – | – | – |
| A.—GENERAL DISEASES | 10 | 3 | 3 | 4 | 6 | 7 | 9 | 7 | 2 | 2 | 1 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | 1 | 2 | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | – | 1 | 3 | 3 | 1 | 3 | 4 | 3 | 4 | 2 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | – | 1 | – | 1 | 1 | 2 | 4 | 2 | 2 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 1 | 2 | – | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | – | – | – | 1 | 5 | 2 | 4 | 4 | 2 | – | – | – |
| E.—VIOLENT DEATHS. | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 5 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 8 | 1 | – | 4 | 2 | 1 | | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 14 | 1 | 1 | 2 | – | – | 2 | – | 1 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phthisis (not otherwise defined) | 18 | – | – | – | – | – | – | – | – | – | 2 | 3 | 7 | 2 |
| Tuberculous Meningitis | 5 | – | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – | 1 |
| Tuberculous Peritonitis | 3 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 6 | – | – | – | – | – | – | 1 | – | – | – | 4 | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | | – | – | – | |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 7 | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Puerperal Pyæmia | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Erysipelas | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 4 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 12 | – | – | – | 3 | – | – | 1 | – | – | – | 1 | – | 1 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 17 | – | – | – | – | – | – | – | 1 | 1 | – | 3 | 3 | 3 |
| Tuberculous Meningitis | 4 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Tuberculous Peritonitis | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 4 | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | 1 | – | 2 | – | 2 | – | – | 2 | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 1 | – | – | – | 1 | – | 2 | – | 2 | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 10 | 1 | – | 2 | 4 | – | – | – | – | – | 1 | – | 2 | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 8 | 1 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 4 | 1 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 3 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 23 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | 1 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 1 | – | – | 1 | 1 | 3 | 4 | 5 | 2 | 3 | 1 | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | 1 | 1 | – | 2 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| Sarcoma | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | 1 | – | 2 | – | – | 1 | 4 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 1 | 3 | 1 | 1 | 3 | 3 | 3 | 4 | 1 | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 6 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Apoplexy, Hemiplegia | 10 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Blood Vessels | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Bronchitis | 16 | 3 | 1 | 2 | 3 | – | – | – | – | – | – | – | – | |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Gastric Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Gastric Catarrh | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Stomach (not Malignant) | | – | – | – | – | – | – | – | – | – | – | – | – | |
| Enteritis (not Infective) | 4 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | |
| Gastro-enteritis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Intestinal Obstruction | 3 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Peritonitis (not Puerperal) | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | |
| Chronic Bright's Disease, Albuminuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Bladder and of Prostate | 3 | – | – | – | – | – | – | – | – | – | – | – | – | |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| **Diseases of Blood Vessels.** | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Apoplexy, Hemiplegia | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Respiratory System.** | | | | | | | | | | | | | | |
| Laryngitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 10 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Digestive System.** | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 3 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Gastric Catarrh | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 4 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Gastro-enteritis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Lymphatic and Ductless Glands.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **Diseases of Urinary System.** | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Chronic Bright's Disease, Albuminuria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | 1 | – | 2 | 1 | 2 | 2 | 2 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | – | – | 1 | 3 | 1 | 1 | – | 1 | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | – | 1 | – | – | 3 | 2 | 2 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | 1 | – | – | – | – | | | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | | | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 8 | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Suffocation { From Overlaying | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | – | 1 | 2 | 2 | 3 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in KIRKCALDY, at different Periods of Life, in 1903.—FEMALES. *(Continued.*

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 1 | 5 | 2 | 4 | 4 | 2 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** . . . . . | 268 | 20 | 5 | 11 | 14 | 4 | 4 | 5 | 8 | 7 | 7 | 10 | 7 | 12 |
| A.—GENERAL DISEASES . . | 117 | 12 | 3 | 6 | 10 | 3 | 2 | 4 | 6 | 5 | 4 | 5 | 4 | 6 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 21 | – | – | 2 | 1 | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – |
| II. ,, ORGANS OF SPECIAL SENSE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART . . . . | 29 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| IV. ,, BLOOD VESSELS . | 16 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 29 | 3 | – | 3 | – | – | – | – | 1 | – | – | – | – | 1 |
| VI. ,, DIGESTIVE SYSTEM . | 19 | 3 | 1 | – | 2 | – | – | – | – | 1 | 1 | – | 1 | 1 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM . | 12 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED . . | 11 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| E.—VIOLENT DEATHS. . . | 13 | – | – | – | – | – | 1 | 1 | – | – | – | 2 | 1 | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever . . . . . | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Typhus . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza . . . . . | 3 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Hooping-cough . . . . . | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Mumps . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . . . | 6 | – | – | – | – | – | – | 1 | 4 | 1 | – | – | – | – |
| Cerebro-spinal Fever . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, n 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| ALL CAUSES | 292 | 22 | 10 | 13 | 8 | 7 | 5 | 1 | 8 | 1 | 7 | 19 | 4 | 14 |
| A.—GENERAL DISEASES | 126 | 15 | 3 | 6 | 3 | 5 | 3 | – | 5 | – | 6 | 14 | 4 | 11 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 19 | 1 | 1 | 2 | 2 | 1 | – | – | – | – | – | 1 | – | 1 |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| III. ,, HEART | 29 | 1 | 1 | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| IV. ,, BLOOD VESSELS | 25 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| V. ,, RESPIRATORY SYSTEM | 29 | – | 1 | – | 2 | 1 | 1 | – | 1 | 1 | – | 1 | – | – |
| VI. ,, DIGESTIVE SYSTEM | 17 | – | 2 | 2 | – | – | – | – | – | – | – | 1 | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 29 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS | 11 | 1 | 1 | 2 | – | – | – | 1 | 1 | – | 1 | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 3 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 11 | 4 | 15 | 16 | 20 | 18 | 20 | 19 | 14 | 13 | 4 | – | – | – |
| A.—GENERAL DISEASES | 7 | 4 | 5 | 8 | 3 | 4 | 5 | 7 | 2 | 1 | 1 | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | – | 1 | 1 | 4 | 2 | 1 | 2 | 1 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 3 | – | 1 | 1 | 6 | 2 | 6 | 1 | 3 | 2 | 1 | – | – | – |
| IV. ,, BLOOD VESSELS | – | – | 1 | 3 | 3 | 1 | 2 | 3 | 2 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | 1 | 5 | 1 | 3 | 7 | 1 | 3 | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | – | – | 4 | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | 1 | 1 | 2 | 2 | 1 | – | – | 1 | 1 | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | – | – | – | – | – | 3 | 4 | 1 | – | – | – |
| E.—VIOLENT DEATHS | 1 | – | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued*).

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 13 | 7 | 10 | 16 | 15 | 18 | 19 | 20 | 23 | 18 | 11 | 2 | 1 | – | – |
| A.—GENERAL DISEASES | 10 | 3 | 2 | 8 | 7 | 4 | 7 | 3 | 3 | 3 | 1 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 1 | – | 2 | 2 | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | – | 1 | 2 | 1 | 1 | 4 | 2 | 5 | 4 | 4 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | 1 | 1 | 1 | 2 | 1 | 2 | 3 | 7 | 2 | 1 | 1 | 1 | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 5 | 4 | 2 | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | – | – | 1 | 1 | 1 | 3 | 2 | 1 | – | 2 | 1 | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | – | 1 | 1 | 3 | 1 | 7 | 2 | 5 | 1 | 1 | – | – |
| E.—VIOLENT DEATHS. | 1 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES**—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 9 | – | – | 4 | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 10 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| Other Infective Conditions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Phthisis (not otherwise defined) | 25 | – | – | – | – | – | – | – | – | – | 2 | 4 | 3 | 3 |
| Tuberculous Meningitis | 5 | – | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Tuberculous Peritonitis | 3 | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Tabes Mesenterica | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Lupus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 4 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES**—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 6 | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pneumonia — Not defined | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 8 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – | 2 |
| Phthisis (not otherwise defined) | 29 | – | – | – | – | – | – | – | 1 | – | 2 | 11 | 2 | 5 |
| Tuberculous Meningitis | 4 | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | 4 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – |
| Tabes Mesenterica | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – |
| Scrofula | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | [illegible] |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | 1 | – | – | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Other Infective Conditions | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 4 | 2 | 1 | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH n PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| Diarrhœa (not otherwise defined) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | – | 1 | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 2 | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 6 | 3 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 7 | – | – | 1 | 1 | 1 | 1 | – | – | – | 1 | 1 | – | – |
| Softening of Brain | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 6 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Pericarditis | 1 | – | – | – | – | | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 21 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 7 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Softening of Brain | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 6 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 20 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | 1 | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 1 | – | 1 | 1 | 4 | 1 | 5 | 1 | 3 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | 1 | – | | – | – | – | – | | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | 1 | – | – | – | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 1 | – | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | – | – | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 1 | 2 | 1 | – | 2 | 1 | 3 | 2 | 4 | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 24 | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pleurisy | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Chronic Bright's Disease, Albuminuria | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | | – | – |
| Senile Gangrene | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Phlebitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 26 | – | 1 | – | 2 | 1 | 1 | – | 1 | 1 | – | 1 | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gastric Catarrh | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 1 | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | – | 4 | – | 3 | 7 | 1 | 3 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | – | 1 | – | 1 | 1 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| Apoplexy, Hemiplegia | – | 1 | – | 1 | – | 1 | – | 4 | – | 1 | – | 1 | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 1 | – | 1 | 1 | 2 | 2 | 4 | 4 | 2 | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | 2 | – | – | – | – | – | | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 6 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | 20 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 2 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | – | – | 3 | 4 | 1 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 2 | 1 | 7 | 2 | 5 | 1 | 1 | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 300 | 37 | 17 | 32 | 29 | 6 | 6 | 4 | 8 | 6 | 7 | 9 | 4 | 12 |
| A.—GENERAL DISEASES | 138 | 14 | 6 | 18 | 16 | 4 | 5 | 3 | 4 | 5 | 6 | 8 | 2 | 9 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 23 | 2 | 2 | 6 | 5 | 1 | 1 | – | 1 | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 20 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 29 | 3 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | 1 |
| VI. ,, DIGESTIVE SYSTEM | 32 | 3 | 3 | 4 | 3 | 1 | – | – | 1 | – | 1 | 1 | 2 | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 28 | 12 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS. | 16 | 2 | 3 | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | 2 |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 6 | – | – | 1 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Typhus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hooping-cough | 13 | – | – | 6 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 5 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 2 |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 264 | 40 | 8 | 21 | 24 | 9 | 6 | 2 | 9 | 7 | 7 | 9 | 9 | 12 |
| A.—GENERAL DISEASES | 132 | 20 | 2 | 16 | 12 | 9 | 5 | 1 | 9 | 4 | 5 | 8 | 5 | 10 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 16 | 4 | 1 | 3 | 3 | – | 1 | – | – | 1 | – | 1 | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 15 | 1 | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – |
| IV. ,, BLOOD VESSELS | 12 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 26 | 2 | 1 | 1 | 7 | – | – | – | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 16 | 2 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | 1 |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| VIII. ,, URINARY SYSTEM | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 35 | 11 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| E.—VIOLENT DEATHS. | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox { Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | 4 | – | – | – | 2 | – | 1 | – | – | – | – | 1 | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 14 | – | – | 6 | 5 | 2 | – | – | 1 | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | – | – | – | 2 | 2 | – | – | 1 | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | [illegible] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 9 | 13 | 11 | 23 | 14 | 20 | 7 | 14 | 6 | 1 | 5 | – | – | – | – |
| A.—GENERAL DISEASES | 5 | 6 | 5 | 11 | 3 | 4 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | – | 3 | 1 | 3 | 3 | 5 | – | 3 | – | – | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | 1 | – | 1 | – | 1 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | 2 | 5 | 5 | 1 | 3 | 2 | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 2 | 2 | 3 | 2 | 1 | 1 | – | 2 | – | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | – | – | 2 | 2 | 3 | 2 | 1 | 3 | – | – | – | – |
| E.—VIOLENT DEATHS. | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 6 | 3 | 7 | 6 | 16 | 9 | 14 | 7 | 15 | 12 | 3 | 3 | – | – | – |
| A.—GENERAL DISEASES | 4 | – | 2 | 3 | 4 | 3 | 2 | 3 | 3 | 2 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | 2 | – | – | 5 | – | 2 | – | – | – | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | – | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 1 | – | 1 | – | 3 | 2 | 3 | 1 | 2 | 2 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | – | – | – | 2 | 1 | 1 | 2 | – | 1 | – | – | – | – | | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | – | – | 1 | 3 | 2 | 7 | 4 | 3 | 3 | – | – | – |
| E.—VIOLENT DEATHS. | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 8 | – | 1 | 3 | 2 | – | – | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pneumonia — Broncho | 8 | – | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | 11 | 1 | – | – | 2 | – | 2 | – | – | – | 1 | – | – | 1 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Phthisis (not otherwise defined) | 19 | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 4 | 1 | [illegible] |
| Tuberculous Meningitis | 6 | – | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Tuberculous Peritonitis | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Tabes Mesenterica | 8 | – | 1 | 3 | 1 | – | – | – | – | 3 | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| General Tuberculosis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 6 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 10 | 2 | – | 3 | 2 | – | – | – | – | 1 | – | 1 | – | 1 |
| Pneumonia — Epidemic | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pneumonia — Not defined | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 5 | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | 1 |
| Phthisis (not otherwise defined) | 24 | – | – | – | – | 1 | 1 | – | 1 | 1 | 5 | 2 | 2 | 7 |
| Tuberculous Meningitis | 9 | – | – | 2 | 1 | 2 | 1 | – | 3 | – | – | – | – | – |
| Tuberculous Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Tabes Mesenterica | 7 | – | 1 | 2 | – | – | 1 | 1 | 2 | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| „ Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 2 | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| " Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| " Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Premature Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 6 | – | 1 | 2 | 2 | – | – | – | 1 | – | – | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 10 | 2 | 1 | 3 | 3 | – | 1 | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 15 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Premature Birth | 10 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 6 | – | – | 2 | 2 | – | 1 | – | – | 1 | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Convulsions | 7 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 5 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 9 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | 1 | 4 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | 2 | – | 3 | 2 | 4 | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Sarcoma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | – | – | 1 | – | 2 | 2 | 2 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 1 | 1 | – | – | 3 | – | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| **DISEASES OF BLOOD VESSELS.** | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 27 | 3 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fibroid Disease of Lung | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Gastric Catarrh | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 9 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 3 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Other Diseases of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Peritonitis (not Puerperal) | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Cirrhosis of Liver | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Apoplexy, Hemiplegia | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 26 | 2 | 1 | 1 | 7 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gastric Catarrh | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 9 | 1 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Chronic Bright's Disease, Albuminuria | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | 1 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 2 | 5 | 4 | 1 | 3 | 2 | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 2 | – | 1 | – | 1 | 1 | 1 | 2 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 1 | – | 3 | 2 | 3 | 1 | 2 | 2 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 15 | 12 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Old Age | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Vehicles and Horses | 4 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | 5 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 12 | 11 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Old Age | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | – | 2 | 1 | 2 | 1 | 3 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in HAMILTON, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 2 | 2 | 6 | 4 | 3 | 3 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES.

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ALL CAUSES** | 224 | 30 | 20 | 26 | 22 | 10 | 2 | 2 | 7 | 3 | 2 | 2 | 8 | 3 |
| A.—GENERAL DISEASES | 107 | 20 | 8 | 15 | 14 | 7 | 2 | 2 | 2 | 1 | – | – | 4 | 3 |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 12 | – | 4 | 2 | 3 | – | – | – | – | 1 | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 12 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| IV. ,, BLOOD VESSELS | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 24 | 3 | 3 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 20 | 3 | 2 | 4 | 1 | – | – | – | – | – | 1 | – | 2 | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | 9 | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | 17 | 4 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| E.—VIOLENT DEATHS | 11 | – | 1 | – | 1 | 2 | – | – | 2 | – | – | 1 | 1 | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping-cough | 10 | 1 | 2 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES.

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **ILL CAUSES** | 193 | 23 | 13 | 16 | 19 | 8 | 5 | 2 | 4 | 6 | 7 | 7 | 3 | 7 |
| .—GENERAL DISEASES | 99 | 14 | 6 | 9 | 15 | 7 | 4 | 2 | 3 | 3 | 4 | 5 | 2 | 1 |
| —LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | 6 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| II. ,, ORGANS OF SPECIAL SENSE | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| IV. ,, BLOOD VESSELS | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | 16 | 2 | 3 | – | 1 | – | – | – | 1 | – | – | 1 | – | 1 |
| VI. ,, DIGESTIVE SYSTEM | 19 | 2 | 1 | 6 | 1 | – | – | – | – | 1 | 2 | – | 1 | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. ,, URINARY SYSTEM | 9 | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| —OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| —CAUSES ILL-DEFINED OR NOT SPECIFIED | 18 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| —VIOLENT DEATHS. | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| all-pox { Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| all-pox { Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| all-pox { Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| v-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| icken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| asles | 4 | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – |
| rman Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rlet Fever | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| phus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| gue | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| apsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| oping-cough | 7 | – | – | – | 3 | 2 | 2 | – | – | – | – | – | – | – |
| mps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| phtheria | 4 | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – |
| ebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| exia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **ALL CAUSES** | 5 | 15 | 7 | 8 | 12 | 15 | 4 | 7 | 7 | 2 | 5 | – | – | – |
| A.—GENERAL DISEASES | 2 | 10 | 1 | 4 | 5 | 2 | 2 | 1 | 2 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | 1 | 2 | – | 1 | 4 | 1 | – | 1 | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | 1 | – | – | 2 | 2 | – | 3 | – | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | 2 | 1 | – | 2 | – | 1 | 2 | – | 3 | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | 1 | 2 | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | – | – | 1 | 2 | 2 | – | – | – | 1 | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | 1 | 1 | 1 | 1 | 1 | 2 | – | 1 | 2 | – | – | – |
| E.—VIOLENT DEATHS | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **ALL CAUSES** | 9 | 5 | 3 | 8 | 12 | 9 | 10 | 4 | 4 | 7 | 1 | 1 | – | – | – |
| A.—GENERAL DISEASES | 5 | 1 | 1 | 4 | 5 | 3 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| B.—LOCAL DISEASES:— | | | | | | | | | | | | | | | |
| I. DISEASES OF NERVOUS SYSTEM | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| II. ,, ORGANS OF SPECIAL SENSE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. ,, HEART | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| IV. ,, BLOOD VESSELS | – | – | 1 | 1 | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| V. ,, RESPIRATORY SYSTEM | – | – | – | 1 | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – |
| VI. ,, DIGESTIVE SYSTEM | – | 1 | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| VII. ,, LYMPHATIC AND DUCTLESS GLANDS | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. ,, URINARY SYSTEM | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| IX. ,, GENERATIVE SYSTEM | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. ,, PREGNANCY AND CHILDBIRTH | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. ,, LOCOMOTOR SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. ,, THE SKIN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| C.—OTHER SPECIFIED DISEASES | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| D.—CAUSES ILL-DEFINED OR NOT SPECIFIED | – | – | – | – | 1 | 1 | 4 | 1 | 1 | 2 | 1 | 1 | – | – | – |
| E.—VIOLENT DEATHS | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| A.—GENERAL DISEASES. | | | | | | | | | | | | | | | |
| Small-pox: Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Not Vaccinated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Small-pox: Doubtful | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cow-pox, Effects of Vaccination | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chicken-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| German Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlet Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Plague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mumps | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cerebro-spinal Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyrexia (origin uncertain) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteric Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | 5 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | 9 | 2 | 2 | 5 | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia { Lobar | 4 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Pneumonia { Broncho | 7 | – | – | 2 | 3 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia { Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia { Not defined | 12 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | 1 |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phthisis (not otherwise defined) | 12 | – | 1 | – | 1 | – | – | – | – | 1 | – | – | 2 | 1 |
| Tuberculous Meningitis | 6 | – | – | 1 | 4 | – | – | 1 | – | – | – | – | – | – |
| Tuberculous Peritonitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| General Tuberculosis | 3 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL; at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| siatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| pidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iarrhœa (not otherwise defined) | 7 | – | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| ysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| lalaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| abies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| landers | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| etanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| onorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Septicæmia, Sapræmia | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| uerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Fever (not otherwise defined) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| ysipelas | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| pticæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| æmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| agedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| fective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eumonia: Lobar | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eumonia: Broncho | 4 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| eumonia: Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| eumonia: Not defined | 6 | – | 1 | 3 | – | 2 | – | – | – | – | – | – | – | – |
| her Infective Conditions | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| lmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| thisis (not otherwise defined) | 13 | – | – | – | – | – | – | – | 1 | 1 | 3 | 3 | 1 | – |
| berculous Meningitis | 6 | – | 1 | – | 2 | 1 | – | – | 2 | – | – | – | – | – |
| berculous Peritonitis | 2 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| bes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| pus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| bercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| neral Tuberculosis | 5 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | 1 | – |
| rofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| irvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| coholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| maine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| dustrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES DEATHS in MOTHERWELL, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Asiatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epidemic Diarrhœa, Infective Enteritis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rabies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gonorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Septicæmia (not Puerperal) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pyæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia — Broncho | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Other Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 1 | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. (*Continued.*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| .—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | | |
| siatic Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| pidemic Diarrhœa, Infective Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| iarrhœa (not otherwise defined) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| ysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| alaria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| abies, Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| landers | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nthrax (Splenic Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| etanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| onorrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Septicæmia, Sapræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Pyæmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlegmasia Alba Dolens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| uerperal Fever (not otherwise defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| rysipelas | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| epticæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| yæmia (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hlegmon, Carbuncle (not Anthrax) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| hagedæna | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| nfective Endocarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Lobar | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Pneumonia — Broncho | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Epidemic | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia — Not defined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ther Infective Conditions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pulmonary Tuberculosis (Tuberculous Phthisis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis (not otherwise defined) | 2 | 1 | – | | 1 | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Meningitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tuberculous Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Lupus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tubercle of other Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Tuberculosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Parasitic Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Starvation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Alcoholism, Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Opium, Morphia Habit | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ptomaine Poisoning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Industrial Poisoning— | | | | | | | | | | | | | | | |
| By Lead | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Phosphorus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| ,, Arsenic and other Metals | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. *(Continued).*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | 3 | 6 | 12 | | | | | | | | | | |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 2 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 6 | – | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| A.—GENERAL DISEASES—*contd.* | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sarcoma | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rickets | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | 10 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| B.—LOCAL DISEASES. | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Softening of Brain | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE. | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | – | – | 1 | – | 1 | 4 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **A.—GENERAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| Rheumatic Fever, Acute Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Arthritis, Rheumatic Gout | – | – | – | – | | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carcinoma | 1 | – | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Sarcoma | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer, Malignant Disease (not otherwise defined) | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Rickets | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmophilia, Hæmorrhagic Diathesis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Anæmia, Leucocythæmia | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Diabetes Mellitus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Congenital Defects | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Injury at Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atelectasis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **B.—LOCAL DISEASES.** | | | | | | | | | | | | | | | |
| DISEASES OF NERVOUS SYSTEM. | | | | | | | | | | | | | | | |
| Meningitis, Inflammation of Brain | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Softening of Brain | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| General Paralysis of Insane | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity (not Puerperal) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Laryngismus Stridulus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotor Ataxy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paraplegia, Diseases of Cord | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neuritis; Peripheral, Poly-neuritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Tumour (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Nervous System | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| DISEASES OF ORGANS OF SPECIAL SENSE | | | | | | | | | | | | | | | |
| Otitis, Mastoid Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epistaxis, Diseases of Nose | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ophthalmia, Diseases of Eye | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF HEART. | | | | | | | | | | | | | | | |
| Valvular Disease, Endocarditis (not Infective) | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hypertrophy of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Angina Pectoris | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dilatation of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fatty Degeneration of Heart | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syncope, Heart Disease (not specified) | 1 | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| **DISEASES OF BLOOD VESSELS.** | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF RESPIRATORY SYSTEM.** | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 21 | 3 | 3 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF DIGESTIVE SYSTEM.** | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gastric Catarrh | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 6 | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 2 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Liver and Gall Bladder | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF LYMPHATIC AND DUCTLESS GLANDS.** | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **DISEASES OF URINARY SYSTEM.** | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | – | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Chronic Bright's Disease, Albuminuria | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | |
| Laryngitis | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 13 | 2 | 3 | – | – | – | – | – | – | – | – | – | – | 1 |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Diseases of Stomach (not Malignant) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | 3 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | 7 | 1 | 1 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | 3 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | 3 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Chronic Bright's Disease, Albuminuria | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. *(Continued.)*

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | – | – | 2 | 2 | – | 3 | – | – | – | – | – | – | – |
| Aneurism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 1 | 1 | – | 2 | – | 1 | 2 | – | 3 | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | – | – | – | 2 | 2 | – | – | – | 1 | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. (*Continued.*)

| CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF BLOOD VESSELS. | | | | | | | | | | | | | | | |
| Cerebral Hæmorrhage, Cerebral Embolism or Thrombosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy, Hemiplegia | – | – | 1 | 1 | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Senile Gangrene | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Embolism, Thrombosis (not Cerebral) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlebitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Varicose Veins | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Blood Vessels | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF RESPIRATORY SYSTEM. | | | | | | | | | | | | | | | |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Membranous Laryngitis (not Diphtheritic) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup (not Spasmodic nor Membranous) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Larynx and Trachea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 1 | 1 | 1 | 2 | – | – | 2 | – | – | – | – | – |
| Emphysema, Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fibroid Disease of Lung | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Respiratory System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF DIGESTIVE SYSTEM. | | | | | | | | | | | | | | | |
| Tonsillitis, Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Mouth, Pharynx, Œsophagus (not Specific) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastric Catarrh | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Diseases of Stomach (not Malignant) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis (not Infective) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastro-enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Appendicitis, Perityphlitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Intestinal Obstruction | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Diseases of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis (not Puerperal) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cirrhosis of Liver | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Liver and Gall Bladder | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Digestive System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LYMPHATIC AND DUCTLESS GLANDS. | | | | | | | | | | | | | | | |
| Diseases of Spleen | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Lymphatic System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Thyroid Body | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Supra-renal Capsules | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF URINARY SYSTEM. | | | | | | | | | | | | | | | |
| Acute Nephritis, Uræmia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chronic Bright's Disease, Albuminuria | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Calculus (not Biliary) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diseases of Bladder and of Prostate | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Urinary System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 7 | 4 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Old Age | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Vehicles and Horses | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 4 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Suffocation { From Overlaying | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. *(Continued)*

| CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Accidents of Pregnancy and Childbirth | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | 1 | – | – | – | 1 | – | – | | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | |
| Atrophy, Debility | 6 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Old Age | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—MALES. (*Continued.*)

| CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 1 | 2 | – | 1 | 2 | – | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in MOTHERWELL, at different Periods of Life, in 1903.—FEMALES. *(Continued.)*

| CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| **B.—LOCAL DISEASES—*contd.*** | | | | | | | | | | | | | | | |
| DISEASES OF GENERATIVE SYSTEM. | | | | | | | | | | | | | | | |
| Ovarian Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Ovary | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Uterine Tumour (not Malignant) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Uterus and Vagina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Disorders of Menstruation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of Generative and Mammary Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF PREGNANCY AND CHILDBIRTH. | | | | | | | | | | | | | | | |
| Abortion, Miscarriage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Mania | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Puerperal Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Placenta Prævia, Flooding | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Accidents of Pregnancy and Childbirth | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF LOCOMOTOR SYSTEM. | | | | | | | | | | | | | | | |
| Caries, Necrosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis, Periostitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Dis. of Locomotor System | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| DISEASES OF THE SKIN. | | | | | | | | | | | | | | | |
| Ulcer, Bedsore | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Eczema | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pemphigus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Diseases of the Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **C.—OTHER SPECIFIED DISEASES** | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **D.—CAUSES ILL-DEFINED OR NOT SPECIFIED.** | | | | | | | | | | | | | | | |
| Atrophy, Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Old Age | – | – | – | – | – | 1 | 4 | 1 | 1 | 2 | 1 | 1 | – | – | – |
| Dropsy, Ascites, Anasarca | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tumour | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Sudden Death (cause unascertained) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other ill-defined causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Causes not specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| **E.—VIOLENT DEATHS.** | | | | | | | | | | | | | | | |
| In Mines and Quarries | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Vehicles and Horses | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ships, Boats, Docks (not Drowning) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Building Operations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Machinery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weapons and Implements | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poisons, Poisonous Vapours | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { From Overlaying | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation { Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Falls | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Weather Agencies | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Otherwise, or not stated | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Homicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suicide | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Execution | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

## CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

| No. | Districts. | Component Parts (Parishes). |
|---|---|---|
| | **2. Orkney.** | |
| 13 | Birsay | Part of Harray and Birsay. |
| 14 | Deerness | Part of St Andrews and Deerness. |
| 18 | Harray | Part of Harray and Birsay. |
| 22 | North Ronaldshay | Part of Cross and Burness. |
| 25 | St Andrews | Part of St Andrews and Deerness. |
| 26 | Sanday | Lady, and part of Cross and Burness. |
| | **3. Caithness.** | |
| 37*b* | Keiss | Parts of Canisbay and Wick. |
| | **5. Ross and Cromarty.** | |
| 58 | Applecross | (1) Part of Applecross; (2) Remainder of Applecross and part of Gairloch. |
| 59*b* | Carnoch | Parts of Contin and Urray. |
| 86*b* | Carloway | Parts of Barvas and Uig. |
| 87 | Lochs | Lochs, and part of Uig. |
| | **6. Inverness.** | |
| 92*b* | Cannich | Parts of Kilmorack and Kiltarlity. |
| 112 | Kilmuir | (1) Part of Kilmuir; (2) Remainder of Kilmuir, and part of Snizort. |
| | **8. Elgin.** | |
| 135 | Elgin | Elgin, and parts of New Spynie and St Andrews-Lhanbryde. |
| | **9. Banff.** | |
| 152 | Enzie | Parts of Bellie and Rathven. |
| 155*b* | Glenrinnes | Parts of Aberlour and Mortlach. |
| 167 | Seafield | Parts of Cullen and Rathven. |
| | **10. Aberdeen.** | |
| 171*b* | Ardallie | Parts of Cruden, Ellon, Longside, and Old Deer. |
| 210*b* | Kinninmonth | Parts of Crimond, Longside, Lonmay, Old Deer, and Strichen. |
| 217 | Logie Coldstone and Cromar | Logie Coldstone, and part of Glenmuick. |
| 222*b* | Millbrex | Parts of Fyvie and Monquhitter. |
| 227*b* | New Pitsligo | Parts of Aberdour, New Deer, Strichen, and Tyrie. |
| 231 | Peterculter | (1) Parts of Aberdeen and Peterculter; (2) Remainder of Peterculter. |
| 237*b* | Savoch | Parts of Ellon, New Deer, Old Deer, and Tarves. |
| 249*b* | Ythan Wells | Parts of Auchterless and Forgue. |
| | **11. Kincardine.** | |
| 266 | Nigg | Nigg, and part of Aberdeen. |
| | **12. Forfar.** | |
| 282 | Dundee | Dundee Combination, and part of Mains and Strathmartine. |
| 294*b* | Kilry | Parts of Glenisla and Lintrathen. |
| | **13. Perth.** | |
| 324 | Aberfeldy | Parts of Dull, Kenmore, and Logierait. |
| 330 | Auchtergaven | Parts of Auchtergaven and Logiealmond. |
| 331 | Balquhidder | Balquhidder, and part of Comrie. |
| 344 | Dowally | Part of Dunkeld and Dowally. |
| 349 | Dunkeld | Part of Dunkeld and Dowally. |
| 355*b* | Foss | Parts of Blair-Athol and Dull. |
| 361 | Killin | Parts of Kenmore and Killin. |
| 375 | Logiealmond | Parts of Logiealmond, Little Dunkeld, and Methven. |
| 379 | Meigle | Meigle, and part of Coupar-Angus. |
| 386*b* | Persie | Parts of Alyth, Blairgowrie, and Kirkmichael. |
| 387 | Perth | Perth, and part of Kinnoull. |
| 393*b* | Stanley | Parts of Auchtergaven, Kinclaven, and Redgorton. |
| 394*b* | Strathfillan | Part of Killin. |
| 394*c* | Tenandry | Parts of Blair-Athol and Moulin. |
| | **14. Fife.** | |
| 402 | Anstruther-Easter | Anstruther-Easter, and part of Kilrenny. |
| 417 | Crail | Part of Crail and May Island. |
| 423 | Dunbog | Dunbog, and part of Flisk. |
| 425 | Dunino | Dunino, and part of Crail. |
| 442 | Kirkcaldy and Abbotshall | Part of Kirkcaldy and Dysart. |
| 457*b* | Thornton | Part of Kirkcaldy and Dysart and of Markinch. |
| | **17. Stirling.** | |
| 488 | St Ninians | Parts of St Ninians and Stirling. |
| 490 | Stirling | Parts of St Ninians and Stirling. |

CONSTITUTION OF THE DISTRICTS—*continued.*

| No. | Districts. | Component Parts (Parishes). |
|---|---|---|
| | **18. Dumbarton.** | |
| 496 | Dumbarton . . . . | Dumbarton, and parts of Cardross and Old Kilpatrick. |
| | **19. Argyll.** | |
| 504 | Ardchattan . . . . | Part of Ardchattan and Muckairn. |
| 505 | Ardnamurchan . . . . | (1) Parts of Ardnamurchan and of Arisaig and Moidart. |
| 506 | Ballachulish, etc. . . . | Parts of Kilmallie and Ardgour. |
| 509 | Cumlodden and Minard . | Parts of Glassary and Inveraray. |
| 515 | Kilbrandon and Kilchattan | Kilbrandon and Kilchattan, and part of Jura. |
| 517 | Kilchrenan, etc. . . . | (1) Parts of Kilchrenan and Dalavich, and Glenorchy and Inishail; (2) Remainder of Kilchrenan and Dalavich. |
| 520 | Kilmallie . . . . . | Parts of Kilmallie and Ardgour. |
| 525 | Lismore . . . . . | Lismore and Appin, and part of Ardgour. |
| 526 | Lochgilphead . . . . | Parts of Glassary and South Knapdale. |
| 529 | Muckairn . . . . . | Parts of Ardchattan and Muckairn, and Glenorchy and Inishail. |
| 535 | Tarbert . . . . . | Parts of Kilcalmonell, Saddell and Skipness, and South Knapdale. |
| 536 | Bowmore (or Kilarrow) . | Part of Kilarrow and Kilmeny. |
| 543 | Kilmeny . . . . . | Part of Kilarrow and Kilmeny. |
| 545 | Kinlochspelvie . . . . | Part of Pennygown and Torosay. |
| 547 | Portnahaven . . . . | Part of Kilchoman. |
| 548 | Salen . . . . . | Parts of Kilninian and Kilmore, and Pennygown and Torosay. |
| 549 | Tobermory . . . . | Part of Kilninian and Kilmore. |
| 550 | Torosay . . . . . | Part of Pennygown and Torosay. |
| | **20. Bute.** | |
| 556 | Lochranza . . . . . | Parts of Kilbride and Kilmory. |
| | **21. Renfrew.** | |
| 559*b* | Bridge-of-Weir . . . . | Parts of Houston and Killellan, and of Kilbarchan. |
| 572 | Neilston . . . . . | (1) Part of Neilston; (2) Remainder of Neilston, and part of Paisley. |
| | **22. Ayr.** | |
| 576 | Ardrossan . . . . . | (1) Parts of Ardrossan and West Kilbride; (2) Remainder of Ardrossan. |
| 584*b* | Crosshill . . . . . | Parts of Kirkmichael, Kirkoswald, and Maybole. |
| 595 | Irvine . . . . . | Irvine, and part of Dundonald. |
| 610*b* | Patna . . . . . | Parts of Dalmellington, Dalrymple, Kirkmichael, and Straiton. |
| | **23. Lanark.** | |
| 622 | Barony . . . . . | Part of Glasgow. |
| 626*b* | Calderhead . . . . | Parts of Cambusnethan and Shotts. |
| 644 | Glasgow . . . . . | Parts of Glasgow and Govan Combination. |
| | **25. Edinburgh.** | |
| 685 | Edinburgh . . . . | Edinburgh, and part of Colinton. |
| 695*b* | New Craighall . . . . | Parts of Inveresk and Liberton. |
| 698*b* | Stobhill . . . . . | Parts of Borthwick, Cockpen, and Newbattle. |
| | **29. Selkirk.** | |
| 774*a* | Caddonfoot . . . . | Caddonfoot, and part of Innerleithen. |
| | **30. Roxburgh.** | |
| 787*b* | Edgerston . . . . . | Parts of Jedburgh and Southdean. |
| | **31. Dumfries.** | |
| 813*b* | Brydekirk . . . . | Parts of Annan, Cummertrees, and Hoddom. |
| 830 | Holywood . . . . . | Holywood, and part of Terregles. |
| 853*b* | Wanlockhead . . . . | Part of Sanquhar. |
| | **32. Kirkcudbright.** | |
| 857*b* | Bargrennan . . . . | Parts of Minnigaff and Penninghame. |
| 862 | Corsockbridge . . . . | Parts of Balmaclellan, Kirkpatrick-Durham, and Parton. |
| 864 | Dalbeattie . . . . . | Part of Urr. |
| | **33. Wigtown.** | |
| 899 | Stranraer . . . . . | Stranraer, and parts of Inch and Leswalt. |

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the District in which they are situated.

| No. | Registration Districts. | Burghs. | Towns. |
|---|---|---|---|
| 80 | Rosemarkie | *Fortrose. | |
| 81 | Rosskeen | *Invergordon. | |
| 128[2] | Inverallan | *Grantown-on-Spey. | |
| 130 | Drainie | *Lossiemouth and Branderburgh. | |
| 136 | New Spynie | - | Elgin. |
| 145 | Aberlour | *Charleston of Aberlour. | |
| 155a[2] | Macduff | Banff. | |
| 161 | Marnoch | *Aberchirder. | |
| 162 | Mortlach | *Dufftown. | |
| 164 | Rathven | *Buckie. | |
| 167 | Seafield | Cullen. | |
| 201 | Glenmuick, &c. | *Ballater. | |
| 213 | Kintore | Inverurie. | |
| 226 | Newhills | - | *Bucksburn. |
| 231[1] | East Peterculter | Aberdeen. | |
| 233 | Pitsligo | *Rosehearty. | |
| 254 | Bervie | *Inverbervie. | |
| 255 | Dunnottar | Stonehaven. | |
| 258[1] | Fetteresso | Stonehaven. | |
| 266 | Nigg | Aberdeen. | |
| 274 | Barry | Carnoustie. | |
| 282[4] | St Andrew (Dundee) | Broughty Ferry. | |
| 307[1] | Mains | Dundee. | |
| 310 | Monifieth | Broughty Ferry | |
| 316 | Panbride | Carnoustie. | |
| 362 | Kilmadock | Doune. | |
| 395 | Tibbermore | Perth. | |
| 400 | Abdie | Newburgh. | |
| 405 | Auchterderran | Lochgelly. | |
| 408 | Ballingry | Lochgelly. | *Lumphinnans. |
| 410 | Beath | *Cowdenbeath. | Kelty. |
| 416 | Collessie | *Ladybank. | |
| 426 | Dysart | Kirkcaldy. | |
| 427 | Elie | *Earlsferry.<br>*Elie, Liberty & Williamsburgh. | |
| 429 | Ferry-Port-on-Craig | *Tayport. | |
| 431 | Forgan | *Newport. | |
| 456 | Scoonie | *Leven. | |
| 459[2] | Buckhaven | *Buckhaven, Methil & Innerleven | |
| 460 | Cleish | - | Kelty. |
| 475 | Campsie | - | *Lennoxtown |
| 476 | Denny | Denny and Dunipace. | Bonnybridge. |
| 478 | Dunipace | Denny and Dunipace. | |
| 479 | Falkirk | - | Bonnybridge.<br>*Laurieston. |
| 485a | Larbert | - | *Stenhousemuir. |
| 485b | Logie | *Bridge of Allan.<br>Stirling. | |
| 488[1] | St Ninians | Stirling. | |
| 493 | Bonhill | - | *Alexandria.<br>*Jamestown. |
| 500 | New or East Kilpatrick | *Milngavie. | *Bearsden. |
| 501 | Old or West Kilpatrick | *Clydebank.<br>Dumbarton. | Clydebank.<br>*Duntocher. |
| 502[1] | Roseneath | Cove and Kilcreggan. | |
| 503 | Row | *Helensburgh. | |
| 520 | Kilmallie | *Fort-William. | |
| 523 | Kilmore and Kilbride | *Oban. | |
| 552 | Cumbrae | *Millport. | |
| 560 | Cathcart | Glasgow. | |
| 562 | Eastwood | Glasgow.<br>*Pollokshaws. | *Pollokshaws.<br>*Thornliebank. |
| 575 | Renfrew | - | Clydebank.<br>*Scotstoun. |
| 576[1] | Old Ardrossan | Saltcoats. | |
| 587 | Dalry | - | Glengarnock. |
| 593 | Galston | Darvel.<br>Newmilns and Greenholm. | |
| 596 | Kilbirnie | - | Glengarnock. |
| 597 | Kilmarnock | - | Hurlford. |
| 603 | Loudoun | Darvel.<br>Galston.<br>Newmilns and Greenholm. | |
| 606 | Monkton and Prestwick | - | Ayr. |
| 613a | Old Cumnock | *Cumnock and Holmhead. | |
| 611[1] | Riccarton | Kilmarnock. | Kilmarnock. |
| 615 | Stevenston | Saltcoats. | |
| 621 | Avondale | - | *Strathaven. |
| 622[1] | Maryhill | Glasgow. | |
| 622[2] | Shettleston | Glasgow. | Tollcross. |

* The Asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

## LIST of REGISTRATION DISTRICTS—*continued.*

| No. | Registration Districts. | Burghs. | Towns. |
|---|---|---|---|
| 624 | Blantyre | - | *Stonefield. |
| 625[1] | Bothwell | - | *Uddingston. |
| 625[2] | Holytown | - | *Carfin.<br>*Chapelhall.<br>Mossend.<br>*Newarthill. |
| 625[3] | Bellshill | - | *Bothwell Park.<br>Mossend. |
| 626a[1] | Cadder (Western) | - | Kirkintilloch. |
| 626a[2] | Cadder (Eastern) | - | Kirkintilloch. |
| 627 | Cambuslang | - | *Newton. |
| 628 | Cambusnethan | Wishaw | *Newmains. |
| 639 | Dalziel | *Motherwell.<br>Wishaw. | |
| 646[1] | Plantation | Glasgow. | |
| 646[2] | Govan | Glasgow. | |
| 646[3] | Partick | Glasgow. | |
| 651 | New Monkland | *Airdrie. | |
| 652[1] | Old Monkland (Western) | - | *Baillieston.<br>Tollcross. |
| 652[3] | Old Monkland (Eastern) | - | *Calderbank. |
| 654 | Rutherglen | Glasgow. | |
| 655[3] | Shotts (Western) | - | *Clelland. |
| 672 | Uphall | - | *Broxburn. |
| 676 | Cockpen | Bonnyrigg.<br>Lasswade. | |
| 689 | Inveresk | Musselburgh. | |
| 691 | Lasswade | Bonnyrigg.<br>*Loanhead. | |
| 695a | Newbattle | - | *Newton-Grange. |
| 705 | Dirleton | - | North Berwick. |
| 717 | Prestonkirk | *East Linton. | |
| 722 | Tranent | *Cockenzie. | |
| 727 | Ayton | - | Eyemouth. |
| 813 | Brydekirk | Annan. | |
| 820 | Dryfesdale | *Lockerbie. | |
| 855 | Anwoth | Gatehouse. | |
| 863 | Crossmichael | Castle Douglas. | |
| 866 | Girthon | Gatehouse. | |
| 868 | Kells | *New Galloway. | |
| 869 | Kelton | Castle Douglas. | |
| 876 | Minnigaff | - | Newton-Stewart. |
| 880 | Terregles | Maxwelltown. | |
| 882 | Troqueer | Maxwelltown. | |
| 895 | Penninghame | *Newton-Stewart. | |

* The asterisk indicates that the *entire* Burgh or Town is embraced in the Registration District.

# INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from* 1 *to* 901.*


Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour(Aberdeen), . 169
Aberdour(Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 90
Abernyte, . 327
Abertarff, . 92
Aboyne, . 170
Aharacle, . 505
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Clackmannan), 465
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston,. 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardallie, . 171
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, . 576
Arisaig, . 91
Armadale, . 662
Arngask, . 328
Arrochar, . 492
Ashkirk, . 773
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish and Corran of Ardgour, . 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, . 857
Balmerino, . 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra(Inverness)108
Barrhead and Levern, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Bellshill, . 625
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . . 175
Blackford, . 333
Blackfriars, 644
Blackridge, 671
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boddam, . 232
Boharm, . 147
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, . 674
Bothkennar, 481
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, . 109
Braemar, . 183
Brechin, . 275
Bressay, . 1
Bridge-of-Weir 559
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, . 813
Buchanan, . 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burghead, . 131
Burntisland, 411
Burra Isles, 5
Busby, . 571

Cabrach, . 149
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Cannich, . 92
Canonbie, . 814
Canongate, . 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 59
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 663
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Catrine, . 613
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . . 180
Cleish, . . 460
Closeburn, . 816
Clunie (Perth), 339
Cluny(Aberd'n), 181
Clyne, . 45
Coatbridge, 652
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy&Clova 278
Coull, . 182
Coupar-Angus, 341
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie, . 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418


* The actual number of Districts is 1073—many Parishes and Burghs having been divided into two or more District for the purpose of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 7 and 14 Districts respectively. In forming the alphabetical arrangement the principle adopted has been to place *compound* names in the order in which they are pronounced.

Creich (Sutherland), . 46
Crichton, . 681
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crosshill, . 584
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 418
Culsamond, 186
Culter, . 637
Cults (Fife), 419
Cumbernauld, 495
Cumbrae, . 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, . 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), . 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Dennistoun, 644
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphinton, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane and Lecropt, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon, . 510
Dunrossness, 3
Duns, . 735
Dunscore, . 822
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, . 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fauldhouse, 673
Fearn (Ross), 64
Fenwick, . 592
Fern (Forfar), 287
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberd.), 193
Fintry (Stirling), 480
Firth, . 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Forth, . 632
Fortingall, . 355
Foss, . . 355
Fossoway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 288
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Garmouth, . 144
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glamis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbuchat, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencorse, . 687
Glendevon, 358
Glenelg, . . 97
Glengarry, . 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes, . 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gorbals, . 644
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Grangemouth, 481
Grantshouse, 732
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Haggs, . 476
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Haywood, . 632
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hurlford, . 611
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.), 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerleithen, 762
Innerwick (Had.) 711
Innerwick in Glenlyon, 355
Insch (Aberd'n), 203
Inverallan, . 128
Inverallochy, 235
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverkip, . 567
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone and Elderslie (Renfrew), . 573
Jura, . 539

Keig, . . 205
Keir, . . 833
Keiss, . 37
Keith, . 159
Keith-hall, . 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, . 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 533
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kilcreggan, 502
Kildalton & Oa, 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, . 521
Kilmaurs, . 598
Kilmelford 524
Kilmeny (Argyll) 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilry, 294
Kilspindie, . 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439

Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kininmonth, 210
Kinlochbervie, 49
Kinlochluichart, 60
Kinloch-Rannoch, . 355
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, . 887
Kirkconnell, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkfieldbank, 649
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 785
Kirkurd, . 764
Kirkwall and St Ola, . 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langshaw, . 799
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy and Kinloch, 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.), 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Linwood, . 568
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Stirling), 485
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone and Cromar, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, 54
Loudoun, 603
Lugar, . 577
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . . 499
Lyne, . . 765

Macduff, . 155
Madderty, . 378
Mains, . 307
Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, . 308
Mauchline, . 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 779
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & So. Yell, 6
Millbrex, . 222
Milton, . 644
Minginish, . 109
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Morningside, 685
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mouswald, . 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, . 450
Newburn, . 451
New Byth, . 210
New Craighall, 695
New Cumnock, 608
New Deer, . 225
Newhills, . 226
Newington, . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newton Mearns, 571
Newtyle, . 314
Nigg (Kincard.), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Harris, 111
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, 22
North Uist, 113
North Yell, . 6

Oa, . 546
Oathlaw, . 315
Ochiltree, . 609
Old Aberdeen, 168
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old or West Kilpatrick, 501
Old Luce, . 894
Old Machar, 228
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, . 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, . 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Patna, . 610
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, . 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Plantation, . 646
Polmont, . 481
Polwarth, . 754
Port-Glasgow, 574
Portlethen, . 251
Portmoak, . 464
Portnahaven, 547
Portobello, . 685
Port of Menteith, 388
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 665

Raasay, . 114
Rafford, . 140
Rankinston, 583
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, . 390
Renfrew, . 575
Renton, . 494
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 802
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, . 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, . 165
Rothiemurchus, 96
Rousay and Egilshay, . 24
Row, . . 503
Roxburgh, . 803
Rutherglen, . 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, . 237
St George, . 685
St Giles, . 685
St Kilda, . 111
St Machar, . 168
St Madoes, . 392
St Martins, . 393
St Mary, . 282
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, . 488

St Peter, 282
St Quivox, . 578
St Rollox, . 644
St Vigeans, 272
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shiskine, . 554
Shotts, . 655
Skelmorlie, 602
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Harris, 111
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Southwick, 861
Speymouth, 143
Spott, . 720
Sprouston, . 807
Stair, . 614
Stanley, . 393
Stennes, . 17
Stenscholl, . 112
Stenton, . 721
Stevenston, 615
Stewarton, . 616
Stirling, . 490
Stitchell, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, . 240
Strathfillan, 394
Strathloch, 384
Strathmartin, 307
Strathmiglo, 457
Strathoykel, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . . 82
Tannadice, . 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, . 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, . 394
Terregles, . 880
Teviothead, 809
Thornton, . 457
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, . 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 458
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree (Argyll), 551
Tyrie (Aberd'n), 248

Udny, . 249
Uig, . . 89
Ulva, . . 544
Unst, . . 11
Uphall, . 672
Urquhart (Elgin) 144
Urquhart (Inverness), 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walkerburn, 762
Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Waternish, 110
Waterside, 586
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay, . 7
Whalsay Skerries, 7
Whitburn, . 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, . 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 789
Windygates, 447
Wiston and Roberton, . 660
Woodside, . 168

Yarrow, . 779
Yell, . . 6
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells, 249

GLASGOW:

PRINTED BY JAMES HEDDERWICK & SONS LIMITED

FOR HIS MAJESTY'S STATIONERY OFFICE.

WELLCOME
LIBRARY
INSTITUTE